Nikolaos Nikolaou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6601722/publications.pdf

Version: 2024-02-01

1039880 996849 20 431 9 citations h-index papers

g-index 22 22 22 881 docs citations times ranked citing authors all docs

15

#	Article	IF	CITATIONS
1	AKR1D1 knockout mice develop a sex-dependent metabolic phenotype. Journal of Endocrinology, 2022, 253, 97-113.	1.2	7
2	Acute intermittent hypoxia drives hepatic de novo lipogenesis in humans and rodents. Metabolism Open, 2022, 14, 100177.	1.4	6
3	Differential activity and expression of human $5\hat{l}^2$ -reductase (AKR1D1) splice variants. Journal of Molecular Endocrinology, 2021, 66, 181-194.	1.1	3
4	The role of 5-reduction in physiology and metabolic disease: evidence from cellular, pre-clinical and human studies. Journal of Steroid Biochemistry and Molecular Biology, 2021, 207, 105808.	1.2	9
5	Co-administration of 5î±-reductase Inhibitors Worsens the Adverse Metabolic Effects of Prescribed Glucocorticoids. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e3316-e3328.	1.8	9
6	The A-ring reduction of 11-ketotestosterone is efficiently catalysed by AKR1D1 and SRD5A2 but not SRD5A1. Journal of Steroid Biochemistry and Molecular Biology, 2020, 202, 105724.	1.2	13
7	Glucocorticoids regulate AKR1D1 activity in human liver in vitro and in vivo. Journal of Endocrinology, 2020, 245, 207-218.	1.2	9
8	AKR1D1 is a novel regulator of metabolic phenotype in human hepatocytes and is dysregulated in non-alcoholic fatty liver disease. Metabolism: Clinical and Experimental, 2019, 99, 67-80.	1.5	52
9	AKR1D1 regulates glucocorticoid availability and glucocorticoid receptor activation in human hepatoma cells. Journal of Steroid Biochemistry and Molecular Biology, 2019, 189, 218-227.	1.2	16
10	Modified release and conventional glucocorticoids and diurnal androgen excretion in congenital adrenal hyperplasia. Journal of Clinical Endocrinology and Metabolism, 2017, 102, jc.2016-2855.	1.8	38
11	Optimizing human hepatocyte models for metabolic phenotype and function: effects of treatment with dimethyl sulfoxide (DMSO). Physiological Reports, 2016, 4, e12944.	0.7	21
12	Dual-5α-Reductase Inhibition Promotes Hepatic Lipid Accumulation in Man. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 103-113.	1.8	50
13	5α-Reductase Type 2 Regulates Glucocorticoid Action and Metabolic Phenotype in Human Hepatocytes. Endocrinology, 2015, 156, 2863-2871.	1.4	38
14	Development of Hepatocellular Carcinoma in a Murine Model of Nonalcoholic Steatohepatitis Induced by Use of a High-Fat/Fructose Diet and Sedentary Lifestyle. American Journal of Pathology, 2014, 184, 1550-1561.	1.9	91
15	Loss of 5α-Reductase Type 1 Accelerates the Development of Hepatic Steatosis but Protects Against Hepatocellular Carcinoma in Male Mice. Endocrinology, 2013, 154, 4536-4547.	1.4	67
16	Gender specific metabolic phenotype in the 5[beta]-reductase knockout mouse. Endocrine Abstracts, 0,	0.0	1
17	Androgen receptor over expression drives lipid accumulation in human hepatocytes. Endocrine Abstracts, 0, , .	0.0	0
18	Model systems to define the role of AKR1D1 in metabolic liver disease. Endocrine Abstracts, 0, , .	0.0	0

#	Article	IF	CITATIONS
19	5[beta]-reductase (AKR1D1) is a potent regulator of hepatic insulin sensitivity, carbohydrate and lipid metabolism in vitro and in vivo. Endocrine Abstracts, 0, , .	0.0	0
20	5[beta]-reductase (AKR1D1) is downregulated in patients with non-alcoholic fatty liver disease and protects against hepatocellular carcinoma cell proliferation in vitro. Endocrine Abstracts, 0, , .	0.0	0