

Mar Ruperto LÃ³pez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6601987/publications.pdf>

Version: 2024-02-01

43
papers

238
citations

1162889

8
h-index

996849

15
g-index

43
all docs

43
docs citations

43
times ranked

277
citing authors

#	ARTICLE	IF	CITATIONS
1	Nutritional interventions in older people with COVID-19: an overview of the evidence. <i>Nursing Older People</i> , 2022, 34, 14-20.	0.1	0
2	The Extracellular Mass to Body Cell Mass Ratio as a Predictor of Mortality Risk in Hemodialysis Patients. <i>Nutrients</i> , 2022, 14, 1659.	1.7	4
3	Iron Supplementation at the Crossroads of Nutrition and Gut Microbiota: The State of the Art. <i>Nutrients</i> , 2022, 14, 1926.	1.7	12
4	A Descriptive Analysis of Macronutrient, Fatty Acid Profile, and Some Immunomodulatory Nutrients in Standard and Disease-Specific Enteral Formulae in Europe. <i>Frontiers in Nutrition</i> , 2022, 9, .	1.6	0
5	Clinical evaluation of an evidence-based method based on food characteristics to adjust pancreatic enzyme supplements dose in cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2021, 20, e33-e39.	0.3	11
6	Effect of oral administration of docohexanoic acid on anemia and inflammation in hemodialysis patients: A randomized controlled clinical trial. <i>Clinical Nutrition ESPEN</i> , 2021, 41, 129-135.	0.5	4
7	Effects of Supplementation with Folic Acid and Its Combinations with Other Nutrients on Cognitive Impairment and Alzheimerâ€™s Disease: A Narrative Review. <i>Nutrients</i> , 2021, 13, 2966.	1.7	9
8	Extracellular mass to body cell mass ratio as a potential index of wasting and fluid overload in hemodialysis patients. A case-control study. <i>Clinical Nutrition</i> , 2020, 39, 1117-1123.	2.3	8
9	Extracellular mass to body cell mass ratio as a potential index of wasting and fluid overload in hemodialysis patients. <i>Clinical Nutrition</i> , 2020, 39, 316-317.	2.3	1
10	Extracellular mass to body cell mass ratio in patients on peritoneal dialysis. <i>Clinical Nutrition</i> , 2020, 39, 1628-1629.	2.3	0
11	Proceso de AtenciÃ3n Nutricional: Elementos para su implementaciÃ3n y uso por los profesionales de la NutriciÃ3n y la DietÃ©tica. <i>Revista Espanola De Nutricion Humana Y Dietetica</i> , 2020, 24, 172-186.	0.1	7
12	MON-PO428: Extracellular Mass-to-Body Cell Mass Ratio a Nutritional-Hydration Marker is an Independent Predictor of Survival in Hemodialysis Patients. <i>Clinical Nutrition</i> , 2019, 38, S217.	2.3	0
13	MON-PO331: Characterization of Body Composition and Hydration Status According to Ageâ€™s Group and Gender in Elderly People Living in Nursing Homes. <i>Clinical Nutrition</i> , 2019, 38, S180.	2.3	0
14	The Relative Contribution of Food Groups to Macronutrient Intake in Children with Cystic Fibrosis: A European Multicenter Assessment. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2019, 119, 1305-1319.	0.4	26
15	Clinical validation of an evidence-based method to adjust Pancreatic Enzyme Replacement Therapy through a prospective interventional study in paediatric patients with Cystic Fibrosis. <i>PLoS ONE</i> , 2019, 14, e0213216.	1.1	7
16	Assessing gastro-intestinal related quality of life in cystic fibrosis: Validation of PedsQL GI in children and their parents. <i>PLoS ONE</i> , 2019, 14, e0225004.	1.1	20
17	Evaluation of current diagnostic criteria for protein-energy wasting and nutritional-inflammatory markers in hemodialysis patients. <i>Clinical Nutrition</i> , 2018, 37, S210.	2.3	0
18	Influence of dietary protein intake on body composition in chronic kidney disease patients in stages 3â€“5: A cross-sectional study. <i>Nefrologia</i> , 2018, 38, 647-654.	0.2	1

#	ARTICLE	IF	CITATIONS
19	Clinical and nutritional features in Phe.508del homozygous cystic fibrosis pediatric patients. <i>Clinical Nutrition</i> , 2018, 37, S218.	2.3	0
20	Influence of dietary protein intake on body composition in chronic kidney disease patients in stages 3-5: A cross-sectional study. <i>Nefrología</i> , 2018, 38, 647-654.	0.2	6
21	Potential predictor factors of protein-energy wasting syndrome in hemodialysis patients. <i>Clinical Nutrition</i> , 2018, 37, S230.	2.3	0
22	Lung function as a predictor indicator of nutritional and inflammatory status in cystic fibrosis pediatric patients. <i>Clinical Nutrition</i> , 2018, 37, S217-S218.	2.3	0
23	Extracellular mass to body cell mass ratio as a wasting-overhydration indicator in hemodialysis patients. A case-control study. <i>Clinical Nutrition</i> , 2018, 37, S22.	2.3	0
24	Clinical and nutritional characteristics in cystic fibrosis pediatric patients: A multicenter cross-sectional study. <i>Clinical Nutrition</i> , 2018, 37, S218.	2.3	0
25	Nutritional status, nutrient intake and use of enzyme supplements in paediatric patients with Cystic Fibrosis; a European multicentre study with reference to current guidelines. <i>Journal of Cystic Fibrosis</i> , 2017, 16, 510-518.	0.3	38
26	MON-P160: Nutritional Risk is a Unknown Condition in Institutionalized Elderly People Without Functional Limitations and Cognitive Impairment. Are required preventive strategies?. <i>Clinical Nutrition</i> , 2017, 36, S237-S238.	2.3	0
27	MON-P134: Megestrol Acetate Increase Muscle Mass in Hemodialysis Patients. <i>Clinical Nutrition</i> , 2017, 36, S228.	2.3	0
28	MON-P122: Docohexanoic Acid Improves Inflammatory Profile and Anemia in Hemodialysis Patients. <i>Clinical Nutrition</i> , 2017, 36, S224.	2.3	0
29	Usefulness of the conicity index together with the conjoint use of adipocytokines and nutritional-inflammatory markers in hemodialysis patients. <i>Journal of Physiology and Biochemistry</i> , 2017, 73, 67-75.	1.3	8
30	Evaluaci3n del 3ndice de masa corporal con factores cl3nicos-nutricionales en ancianos institucionalizados sin deterioro cognitivo. <i>Revista Espanola De Nutricion Humana Y Dietetica</i> , 2016, 20, 298.	0.1	1
31	MON-P025: Factors Associated with High Prevalence of Frailty and Malnutrition in Institutionalized Elder People. <i>Clinical Nutrition</i> , 2016, 35, S162-S163.	2.3	0
32	Predictors of protein-energy wasting in haemodialysis patients: a cross-sectional study. <i>Journal of Human Nutrition and Dietetics</i> , 2016, 29, 38-47.	1.3	36
33	SUN-PP005: Extracellular Mass-to-Body Cell Mass Ratio is a Sensitive Index of Protein-Energy Wasting in Hemodialysis Patients. <i>Clinical Nutrition</i> , 2015, 34, S25.	2.3	0
34	MON-PP032: Protein-Energy Wasting Modifies the Association of Plasma Leptin with Inflammation in Haemodialysis Patients. <i>Clinical Nutrition</i> , 2015, 34, S139.	2.3	0
35	SUN-PP205: High Prevalence of Nutritional Risk in in Elderly People Without Cognitive Impairment Living in Nursing Homes. <i>Clinical Nutrition</i> , 2015, 34, S99-S100.	2.3	0
36	IMPACT OF IMPROVED FAT-MEAT PRODUCTS CONSUMPTION ON ANTHROPOMETRIC MARKERS AND NUTRIENT INTAKES OF MALE VOLUNTEERS AT INCREASED CARDIOVASCULAR RISK. <i>Nutricion Hospitalaria</i> , 2015, 32, 710-21.	0.2	4

#	ARTICLE	IF	CITATIONS
37	Prevalence of protein energy wasting in hemodialysis patients. Characterization of nutritional indicators and inflammatory markers. <i>Atherosclerosis</i> , 2014, 235, e242.	0.4	2
38	Waist-to height ratio as a metabolic risk factor in hemodialysis patients. <i>Atherosclerosis</i> , 2014, 235, e195-e196.	0.4	0
39	A clinical approach to the nutritional care process in protein-energy wasting hemodialysis patients. <i>Nutricion Hospitalaria</i> , 2014, 29, 735-50.	0.2	7
40	Conicity index as a contributor marker of inflammation in haemodialysis patients. <i>Nutricion Hospitalaria</i> , 2013, 28, 1688-95.	0.2	14
41	Creaci3n del primer grupo de especializaci3n de Nutrici3n en Enfermedad Renal Cr3nica (GE-NERC) de la Asociaci3n Espa3ola de Dietistas-Nutricionistas (AEDN). <i>Revista Espanola De Nutricion Humana Y Dietetica</i> , 2011, 15, 79-80.	0.1	0
42	Gu3a de pr3ctica cl3nica de nutrici3n en hemodi3lisis peri3dica. <i>Revista Espanola De Nutricion Humana Y Dietetica</i> , 2011, 15, 110-113.	0.1	1
43	Nutrici3n en pacientes en di3lisis. Consenso SEDYT. <i>Dialisis Y Trasplante</i> , 2006, 27, 138-161.	0.4	11