## Qin Yu

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/660212/qin-yu-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75	4,220 citations	31	64
papers		h-index	g-index
77	5,132 ext. citations	5.3	5.96
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
75	A naturally evolved mutation (Ser-59-Gly) in glutamine synthetase confers glufosinate resistance in plants <i>Journal of Experimental Botany</i> , <b>2022</b> ,	7	2
74	The NtNRAMP1 transporter is involved in cadmium and iron transport in tobacco (Nicotiana tabacum) <i>Plant Physiology and Biochemistry</i> , <b>2022</b> , 173, 59-67	5.4	0
73	CYP81A68 confers metabolic resistance to ALS and ACCase-inhibiting herbicides and its epigenetic regulation in Echinochloa crus-galli <i>Journal of Hazardous Materials</i> , <b>2022</b> , 428, 128225	12.8	7
72	Genomic insights into the evolution of Echinochloa species as weed and orphan crop <i>Nature Communications</i> , <b>2022</b> , 13, 689	17.4	2
71	Target-site resistance to trifluralin is more prevalent in annual ryegrass populations from Western Australia. <i>Pest Management Science</i> , <b>2021</b> ,	4.6	1
70	Ferroptosis: A Novel Mechanism of Artemisinin and its Derivatives in Cancer Therapy. <i>Current Medicinal Chemistry</i> , <b>2021</b> , 28, 329-345	4.3	31
69	Contrasting plant ecological benefits endowed by naturally occurring resistance mutations under glyphosate selection. <i>Evolutionary Applications</i> , <b>2021</b> , 14, 1635-1645	4.8	2
68	Dinitroaniline Herbicide Resistance and Mechanisms in Weeds. Frontiers in Plant Science, <b>2021</b> , 12, 6340	162	5
67	An ABCC-type transporter endowing glyphosate resistance in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	31
66	Exploring quinclorac resistance mechanisms in Echinochloa crus-pavonis from China. <i>Pest Management Science</i> , <b>2021</b> , 77, 194-201	4.6	5
65	Diversity of £ubulin transcripts in Lolium rigidum. Pest Management Science, 2021, 77, 970-977	4.6	2
64	Cytochrome P450 CYP81A10v7 in Lolium rigidum confers metabolic resistance to herbicides across at least five modes of action. <i>Plant Journal</i> , <b>2021</b> , 105, 79-92	6.9	33
63	Overexpression of AGAMOUS-like gene PfAG5 promotes early flowering in Polypogon fugax. <i>Functional Plant Biology</i> , <b>2021</b> , 48, 793-801	2.7	2
62	Identification of the first glyphosate-resistant capeweed (Arctotheca calendula) population. <i>Pest Management Science</i> , <b>2021</b> , 77, 2568-2575	4.6	
61	Evolution of multiple target-site resistance mechanisms in individual plants of glyphosate-resistant Eleusine indica from China. <i>Pest Management Science</i> , <b>2021</b> , 77, 4810-4817	4.6	3
60	The Ile-2041-Val mutation in the ACCase gene confers resistance to clodinafop-propargyl in American sloughgrass (Beckmannia syzigachne Steud). <i>Pest Management Science</i> , <b>2021</b> , 77, 2425-2432	4.6	5
59	Genome-Wide Identification and Expression Analysis of Heavy Metal Stress <b>R</b> esponsive Metallothionein Family Genes in Nicotiana tabacum. <i>Plant Molecular Biology Reporter</i> , <b>2020</b> , 39, 443	1.7	7

## (2018-2020)

58	Quizalofop-p-ethyl resistance in Polypogon fugax involves glutathione S-transferases. <i>Pest Management Science</i> , <b>2020</b> , 76, 3800-3805	4.6	14	
57	Subfamily Gene From Regulates Early Flowering and Seed Development. <i>Frontiers in Plant Science</i> , <b>2020</b> , 11, 525	6.2	5	
56	Metribuzin resistance via enhanced metabolism in a multiple herbicide resistant Lolium rigidum population. <i>Pest Management Science</i> , <b>2020</b> , 76, 3785-3791	4.6	11	
55	2,4-D antagonizes glyphosate in glyphosate-resistant barnyard grass. <i>Journal of Pesticide Sciences</i> , <b>2020</b> , 45, 109-113	2.7	4	
54	Mechanistic basis for synergism of 2,4-D amine and metribuzin in. <i>Journal of Pesticide Sciences</i> , <b>2020</b> , 45, 216-222	2.7	5	
53	Evolution of resistance to HPPD-inhibiting herbicides in a wild radish population via enhanced herbicide metabolism. <i>Pest Management Science</i> , <b>2020</b> , 76, 1929-1937	4.6	20	
52	Non-target-site resistance to PDS-inhibiting herbicides in a wild radish (Raphanus raphanistrum) population. <i>Pest Management Science</i> , <b>2020</b> , 76, 2015-2020	4.6	5	
51	A Val-202-Phe Eubulin mutation and enhanced metabolism confer dinitroaniline resistance in a single Lolium rigidum population. <i>Pest Management Science</i> , <b>2020</b> , 76, 645-652	4.6	11	
50	Quinclorac Resistance in Echinochloa crus-galli from China. <i>Rice Science</i> , <b>2019</b> , 26, 300-308	3.8	12	
49	Genetic inheritance of dinitroaniline resistance in an annual ryegrass population. <i>Plant Science</i> , <b>2019</b> , 283, 189-194	5.3	13	
48	Do plants pay a fitness cost to be resistant to glyphosate?. New Phytologist, 2019, 223, 532-547	9.8	31	
47	A novel psbA mutation (Phe274-Val) confers resistance to PSII herbicides in wild radish (Raphanus raphanistrum). <i>Pest Management Science</i> , <b>2019</b> , 75, 144-151	4.6	15	
46	Aldo-keto Reductase Metabolizes Glyphosate and Confers Glyphosate Resistance in. <i>Plant Physiology</i> , <b>2019</b> , 181, 1519-1534	6.6	58	
45	Metribuzin Resistance in a Wild Radish (Raphanus raphanistrum) Population via Both psbA Gene Mutation and Enhanced Metabolism. <i>Journal of Agricultural and Food Chemistry</i> , <b>2019</b> , 67, 1353-1359	5.7	15	
44	Novel Hubulin Mutations Conferring Resistance to Dinitroaniline Herbicides in. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 97	6.2	31	
43	Enhanced Trifluralin Metabolism Can Confer Resistance in Lolium rigidum. <i>Journal of Agricultural and Food Chemistry</i> , <b>2018</b> , 66, 7589-7596	5.7	16	
42	Glyphosate Resistance in Tridax procumbens via a Novel EPSPS Thr-102-Ser Substitution. <i>Journal of Agricultural and Food Chemistry</i> , <b>2018</b> , 66, 7880-7888	5.7	34	
41	Dinitroaniline herbicide resistance in a multiple-resistant Lolium rigidum population. <i>Pest Management Science</i> , <b>2018</b> , 74, 925-932	4.6	19	

40	Non-target-site glyphosate resistance in Echinochloa colona from Western Australia. <i>Crop Protection</i> , <b>2018</b> , 112, 257-263	2.7	10
39	Characterisation of glufosinate resistance mechanisms in Eleusine indica. <i>Pest Management Science</i> , <b>2017</b> , 73, 1091-1100	4.6	20
38	iTRAQ-based quantitative proteomic analysis reveals proteomic changes in three fenoxaprop-P-ethyl-resistant Beckmannia syzigachne biotypes with differing ACCase mutations. <i>Journal of Proteomics</i> , <b>2017</b> , 160, 47-54	3.9	1
37	A double EPSPS gene mutation endowing glyphosate resistance shows a remarkably high resistance cost. <i>Plant, Cell and Environment</i> , <b>2017</b> , 40, 3031-3042	8.4	42
36	miR397/Laccase Gene Mediated Network Improves Tolerance to Fenoxapropethyl in and. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 879	6.2	16
35	Target-site and non-target-site based resistance to the herbicide tribenuron-methyl in flixweed (Descurainia sophia L.). <i>BMC Genomics</i> , <b>2016</b> , 17, 551	4.5	51
34	Target-site EPSPS Pro-106 mutations: sufficient to endow glyphosate resistance in polyploid Echinochloa colona?. <i>Pest Management Science</i> , <b>2016</b> , 72, 264-71	4.6	28
33	Widespread occurrence of both metabolic and target-site herbicide resistance mechanisms in Lolium rigidum populations. <i>Pest Management Science</i> , <b>2016</b> , 72, 255-63	4.6	54
32	Effect of herbicide resistance endowing Ile-1781-Leu and Asp-2078-Gly ACCase gene mutations on ACCase kinetics and growth traits in Lolium rigidum. <i>Journal of Experimental Botany</i> , <b>2015</b> , 66, 4711-8	7	31
31	Evolution of a double amino acid substitution in the 5-enolpyruvylshikimate-3-phosphate synthase in Eleusine indica conferring high-level glyphosate resistance. <i>Plant Physiology</i> , <b>2015</b> , 167, 1440-7	6.6	146
30	Resistance to AHAS inhibitor herbicides: current understanding. <i>Pest Management Science</i> , <b>2014</b> , 70, 1340-50	4.6	226
29	No fitness cost of glyphosate resistance endowed by massive EPSPS gene amplification in Amaranthus palmeri. <i>Planta</i> , <b>2014</b> , 239, 793-801	4.7	80
28	Metabolism-based herbicide resistance and cross-resistance in crop weeds: a threat to herbicide sustainability and global crop production. <i>Plant Physiology</i> , <b>2014</b> , 166, 1106-18	6.6	237
27	RNA-Seq transcriptome analysis to identify genes involved in metabolism-based diclofop resistance in Lolium rigidum. <i>Plant Journal</i> , <b>2014</b> , 78, 865-76	6.9	141
26	ALS herbicide resistance mutations in Raphanus raphanistrum: evaluation of pleiotropic effects on vegetative growth and ALS activity. <i>Pest Management Science</i> , <b>2013</b> , 69, 689-95	4.6	33
25	Herbicide-resistant weeds: from research and knowledge to future needs. <i>Evolutionary Applications</i> , <b>2013</b> , 6, 1218-21	4.8	83
24	Enhanced herbicide metabolism induced by 2,4-D in herbicide susceptible Lolium rigidum provides protection against diclofop-methyl. <i>Pest Management Science</i> , <b>2013</b> , 69, 996-1000	4.6	25
23	Herbicide Resistance Endowed by Enhanced Rates of Herbicide Metabolism in Wild Oat (Avena spp.). <i>Weed Science</i> , <b>2013</b> , 61, 55-62	2	30

## (2002-2012)

22	ACCase-Inhibiting Herbicide-Resistant Avena spp. Populations from the Western Australian Grain Belt. <i>Weed Technology</i> , <b>2012</b> , 26, 130-136	1.4	16
21	Glyphosate resistance in perennial Sorghum halepense (Johnsongrass), endowed by reduced glyphosate translocation and leaf uptake. <i>Pest Management Science</i> , <b>2012</b> , 68, 430-6	4.6	83
20	A novel amino acid substitution Ala-122-Tyr in ALS confers high-level and broad resistance across ALS-inhibiting herbicides. <i>Pest Management Science</i> , <b>2012</b> , 68, 1164-70	4.6	69
19	Non-target site mechanism of metribuzin tolerance in induced tolerant mutants of narrow-leafed lupin (Lupinus angustifolius L.). <i>Crop and Pasture Science</i> , <b>2012</b> , 63, 452	2.2	15
18	AHAS herbicide resistance endowing mutations: effect on AHAS functionality and plant growth. <i>Journal of Experimental Botany</i> , <b>2010</b> , 61, 3925-34	7	134
17	Evolution in action: plants resistant to herbicides. <i>Annual Review of Plant Biology</i> , <b>2010</b> , 61, 317-47	30.7	1002
16	Direct measurement of paraquat in leaf protoplasts indicates vacuolar paraquat sequestration as a resistance mechanism in Lolium rigidum. <i>Pesticide Biochemistry and Physiology</i> , <b>2010</b> , 98, 104-109	4.9	25
15	Distinct non-target site mechanisms endow resistance to glyphosate, ACCase and ALS-inhibiting herbicides in multiple herbicide-resistant Lolium rigidum. <i>Planta</i> , <b>2009</b> , 230, 713-23	4.7	117
14	Paraquat resistance in a Lolium rigidum population is governed by one major nuclear gene. <i>Theoretical and Applied Genetics</i> , <b>2009</b> , 118, 1601-8	6	24
13	Mutations of the ALS gene endowing resistance to ALS-inhibiting herbicides in Lolium rigidum populations. <i>Pest Management Science</i> , <b>2008</b> , 64, 1229-36	4.6	111
12	Molecular characterisation of resistance to ALS-inhibiting herbicides in Hordeum leporinum biotypes. <i>Pest Management Science</i> , <b>2007</b> , 63, 918-27	4.6	48
11	Diversity of acetyl-coenzyme A carboxylase mutations in resistant Lolium populations: evaluation using clethodim. <i>Plant Physiology</i> , <b>2007</b> , 145, 547-58	6.6	167
10	Glyphosate, paraquat and ACCase multiple herbicide resistance evolved in a Lolium rigidum biotype. <i>Planta</i> , <b>2007</b> , 225, 499-513	4.7	158
9	Tolerance to acetolactate synthase and acetyl-coenzyme A carboxylase inhibiting herbicides in Vulpia bromoides is conferred by two co-existing resistance mechanisms. <i>Pesticide Biochemistry and Physiology</i> , <b>2004</b> , 78, 21-30	4.9	60
8	Paraquat resistance in a population of Lolium rigidum. Functional Plant Biology, 2004, 31, 247-254	2.7	33
7	Short-term boron deprivation enhances levels of cytoskeletal proteins in maize, but not zucchini, root apices. <i>Physiologia Plantarum</i> , <b>2003</b> , 117, 270-278	4.6	39
6	ALS gene proline (197) mutations confer ALS herbicide resistance in eight separated wild radish (Raphanus raphanistrum) populations. <i>Weed Science</i> , <b>2003</b> , 51, 831-838	2	76
5	Short-term boron deprivation inhibits endocytosis of cell wall pectins in meristematic cells of maize and wheat root apices. <i>Plant Physiology</i> , <b>2002</b> , 130, 415-21	6.6	75

4	Rapid Responses of Plants to Boron Deprivation <b>2002</b> , 167-180		8
3	Rapid response reactions of roots to boron deprivation. <i>Journal of Plant Nutrition and Soil Science</i> , <b>2001</b> , 164, 173-181	2.3	127
2	Waterlogging Influences Plant Growth and Activities of Superoxide Dismutases in Narrow-leafed Lupin and Transgenic Tobacco Plants. <i>Journal of Plant Physiology</i> , <b>1999</b> , 155, 431-438	3.6	25
1	Micronutrient deficiency changes activities of superoxide dismutase and ascorbate peroxidase in tobacco plants. <i>Journal of Plant Nutrition</i> , <b>1998</b> , 21, 1427-1437	2.3	97