

Vronique Sgambato-Faure

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6603184/veronique-sgambato-faure-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49
papers

2,382
citations

25
h-index

48
g-index

58
ext. papers

2,707
ext. citations

6.6
avg, IF

4.89
L-index

#	Paper	IF	Citations
49	Toxin-Based Rodent Models of Parkinson's Disease. <i>Neuromethods</i> , 2021 , 3-19	0.4	
48	Breathing new life into neurotoxic-based monkey models of Parkinson's disease to study the complex biological interplay between serotonin and dopamine. <i>Progress in Brain Research</i> , 2021 , 261, 265-285	2.9	2
47	Selective serotonin reuptake inhibitor treatment retunes emotional valence in primate ventral striatum. <i>Neuropsychopharmacology</i> , 2021 , 46, 2073-2082	8.7	2
46	Serotonergic and Dopaminergic Lesions Underlying Parkinsonian Neuropsychiatric Signs. <i>Movement Disorders</i> , 2021 ,	7	4
45	Neuropsychiatric Disorders in Parkinson's Disease: What Do We Know About the Role of Dopaminergic and Non-dopaminergic Systems?. <i>Frontiers in Neuroscience</i> , 2020 , 14, 25	5.1	15
44	Prior MDMA administration aggravates MPTP-induced Parkinsonism in macaque monkeys. <i>Neurobiology of Disease</i> , 2020 , 134, 104643	7.5	3
43	Blood Flow as a Route for Bidirectional Propagation of Synucleinopathy in Parkinson's Disease?. <i>Movement Disorders</i> , 2020 , 35, 1751	7	
42	Early limbic microstructural alterations in apathy and depression in de novo Parkinson's disease. <i>Movement Disorders</i> , 2019 , 34, 1644-1654	7	28
41	Pathophysiology of dyskinesia and behavioral disorders in non-human primates: the role of serotonergic fibers. <i>Journal of Neural Transmission</i> , 2018 , 125, 1145-1156	4.3	9
40	Historical crossroads in the conceptual delineation of apathy in Parkinson's disease. <i>Brain</i> , 2018 , 141, 613-619	11.2	4
39	Dopamine and serotonin modulation of motor and non-motor functions of the non-human primate striato-pallidal circuits in normal and pathological states. <i>Journal of Neural Transmission</i> , 2018 , 125, 485-500	4.3	12
38	Diffusion tensor imaging marks dopaminergic and serotonergic lesions in the Parkinsonian monkey. <i>Movement Disorders</i> , 2018 , 33, 298-309	7	8
37	Pathophysiology of levodopa-induced dyskinesia: Insights from multimodal imaging and immunohistochemistry in non-human primates. <i>NeuroImage</i> , 2018 , 183, 132-141	7.9	9
36	Molecular Imaging of Opioid System in Idiopathic Parkinson's Disease. <i>International Review of Neurobiology</i> , 2018 , 141, 275-303	4.4	9
35	Impulse control disorders and levodopa-induced dyskinesias in Parkinson's disease: an update. <i>Lancet Neurology</i> , 2017 , 16, 238-250	24.1	207
34	Serotonergic Approaches in Parkinson's Disease: Translational Perspectives, an Update. <i>ACS Chemical Neuroscience</i> , 2017 , 8, 973-986	5.7	28
33	Imaging the Etiology of Apathy, Anxiety, and Depression in Parkinson's Disease: Implication for Treatment. <i>Current Neurology and Neuroscience Reports</i> , 2017 , 17, 76	6.6	51

32	Control of the direct pathway by cholinergic interneurons is involved in parkinsonian motor symptoms. <i>Movement Disorders</i> , 2017 , 32, 393	7	
31	Characterization and Reliability of [F]2FNQ1P in Cynomolgus Monkeys as a PET Radiotracer for Serotonin 5-HT Receptors. <i>Frontiers in Pharmacology</i> , 2017 , 8, 471	5.6	8
30	Ventral Pallidum Encodes Contextual Information and Controls Aversive Behaviors. <i>Cerebral Cortex</i> , 2017 , 27, 2528-2543	5.1	39
29	The prominent role of serotonergic degeneration in apathy, anxiety and depression in de novo Parkinson's disease. <i>Brain</i> , 2016 , 139, 2486-502	11.2	122
28	Cortico-basal ganglia circuits involved in different motivation disorders in non-human primates. <i>Brain Structure and Function</i> , 2016 , 221, 345-64	4	20
27	Imaging Dopamine and Serotonin Systems on MPTP Monkeys: A Longitudinal PET Investigation of Compensatory Mechanisms. <i>Journal of Neuroscience</i> , 2016 , 36, 1577-89	6.6	33
26	Preclinical evaluation of [18F]2FNQ1P as the first fluorinated serotonin 5-HT ₆ radioligand for PET imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 495-502	8.8	14
25	Behavioural impact of a double dopaminergic and serotonergic lesion in the non-human primate. <i>Brain</i> , 2015 , 138, 2632-47	11.2	44
24	Selective dysfunction of basal ganglia subterritories: From movement to behavioral disorders. <i>Movement Disorders</i> , 2015 , 30, 1155-70	7	134
23	Social behavioral changes in MPTP-treated monkey model of Parkinson's disease. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 42	3.5	13
22	Serotonergic pharmacology in animal models: from behavioral disorders to dyskinesia. <i>Neuropharmacology</i> , 2014 , 81, 15-30	5.5	29
21	A multi-atlas based method for automated anatomical <i>Macaca fascicularis</i> brain MRI segmentation and PET kinetic extraction. <i>NeuroImage</i> , 2013 , 77, 26-43	7.9	37
20	Towards a primate model of Gilles de la Tourette syndrome: anatomo-behavioural correlation of disorders induced by striatal dysfunction. <i>Cortex</i> , 2013 , 49, 1126-40	3.8	57
19	Effects of dopamine and serotonin antagonist injections into the striatopallidal complex of asymptomatic MPTP-treated monkeys. <i>Neurobiology of Disease</i> , 2012 , 48, 27-39	7.5	23
18	Role of serotonergic 1A receptor dysfunction in depression associated with Parkinson's disease. <i>Movement Disorders</i> , 2012 , 27, 84-9	7	96
17	Effects of L-DOPA and STN-HFS dyskinesiogenic treatments on NR2B regulation in basal ganglia in the rat model of Parkinson's disease. <i>Neurobiology of Disease</i> , 2012 , 48, 379-90	7.5	13
16	Glutamatergic mechanisms in the dyskinesias induced by pharmacological dopamine replacement and deep brain stimulation for the treatment of Parkinson's disease. <i>Progress in Neurobiology</i> , 2012 , 96, 69-86	10.9	137
15	Forelimb dyskinesia mediated by high-frequency stimulation of the subthalamic nucleus is linked to rapid activation of the NR2B subunit of N-methyl-D-aspartate receptors. <i>European Journal of Neuroscience</i> , 2010 , 32, 423-34	3.5	15

14	Distinct changes in cAMP and extracellular signal-regulated protein kinase signalling in L-DOPA-induced dyskinesia. <i>PLoS ONE</i> , 2010 , 5, e12322	3.7	99
13	De novo and long-term l-Dopa induce both common and distinct striatal gene profiles in the hemiparkinsonian rat. <i>Neurobiology of Disease</i> , 2009 , 34, 340-50	7.5	24
12	High-frequency stimulation of the subthalamic nucleus potentiates L-DOPA-induced neurochemical changes in the striatum in a rat model of Parkinson's disease. <i>Journal of Neuroscience</i> , 2007 , 27, 2377-86	6.6	60
11	Subthalamic stimulation-induced forelimb dyskinesias are linked to an increase in glutamate levels in the substantia nigra pars reticulata. <i>Journal of Neuroscience</i> , 2006 , 26, 10768-76	6.6	82
10	Phosphorylation of DARPP-32 at Threonine-34 is required for cocaine action. <i>Neuropsychopharmacology</i> , 2006 , 31, 555-62	8.7	80
9	The Homer-1 protein Ania-3 interacts with the plasma membrane calcium pump. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 343, 630-7	3.4	49
8	Coordinated and spatial upregulation of arc in striatonigral neurons correlates with L-dopa-induced behavioral sensitization in dyskinetic rats. <i>Journal of Neuropathology and Experimental Neurology</i> , 2005 , 64, 936-47	3.1	80
7	Regulation of ania-6 splice variants by distinct signaling pathways in striatal neurons. <i>Journal of Neurochemistry</i> , 2003 , 86, 153-64	6	26
6	Dopamine and glutamate induce distinct striatal splice forms of Ania-6, an RNA polymerase II-associated cyclin. <i>Neuron</i> , 2001 , 32, 277-87	13.9	83
5	Effect of a functional impairment of corticostriatal transmission on cortically evoked expression of c-Fos and zif 268 in the rat basal ganglia. <i>Neuroscience</i> , 1999 , 93, 1313-21	3.9	16
4	Extracellular signal-regulated kinase (ERK) controls immediate early gene induction on corticostriatal stimulation. <i>Journal of Neuroscience</i> , 1998 , 18, 8814-25	6.6	295
3	In vivo expression and regulation of Elk-1, a target of the extracellular-regulated kinase signaling pathway, in the adult rat brain. <i>Journal of Neuroscience</i> , 1998 , 18, 214-26	6.6	142
2	Effect of angiotensin II on a spinal nociceptive reflex in the rat: receptor and mechanism of action. <i>Life Sciences</i> , 1997 , 61, 503-13	6.8	18
1	Effect of electrical stimulation of the cerebral cortex on the expression of the Fos protein in the basal ganglia. <i>Neuroscience</i> , 1997 , 81, 93-112	3.9	96