

Nguyen Phuong Thao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6603366/publications.pdf>

Version: 2024-02-01

163
papers

3,385
citations

159585

30
h-index

254184

43
g-index

170
all docs

170
docs citations

170
times ranked

3925
citing authors

#	ARTICLE	IF	CITATIONS
1	Structure elucidation of new brominated sesquiterpenes from the sea hare <i>Aplysia dactylomela</i> by experimental and DFT computational methods. <i>Journal of Molecular Structure</i> , 2022, 1259, 132744.	3.6	5
2	Bioactive compounds from <i>Physalis angulata</i> and their anti-inflammatory and cytotoxic activities. <i>Journal of Asian Natural Products Research</i> , 2021, 23, 809-817.	1.4	10
3	Soluble epoxide hydrolase inhibitors from <i>Docynia indica</i> (Wall.) Decne.. <i>Natural Product Research</i> , 2021, 35, 5403-5408.	1.8	3
4	In vitro study on α -amylase and α -glucosidase inhibitory activities of a new stigmastane-type steroid saponin from the leaves of <i>Vernonia amygdalina</i> . <i>Natural Product Research</i> , 2021, 35, 873-879.	1.8	16
5	Isolation of bioactive components with soluble epoxide hydrolase inhibitory activity from <i>Stachys sieboldii</i> MiQ. by ultrasonic-assisted extraction optimized using response surface methodology. <i>Preparative Biochemistry and Biotechnology</i> , 2021, 51, 395-404.	1.9	3
6	Anti-allergic Inflammatory Components from the Leaves of <i>Piper crocatum</i> ; Ruiz & Pav.. <i>Biological and Pharmaceutical Bulletin</i> , 2021, 44, 245-250.	1.4	6
7	3-O-Acetyl-24-Epi-7,8-Didehydrocimigenol-3-O-D-Xylopyranoside Decreases Amyloid Beta Production in Amyloid Precursor Protein-Transfected HeLa Cells. <i>Biomolecules and Therapeutics</i> , 2021, 29, 290-294.	2.4	1
8	Inhibition of soluble epoxide hydrolase by phytochemical constituents of the root bark of <i>Ulmus davidiana</i> var. <i>japonica</i> . <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2021, 36, 1049-1055.	5.2	6
9	A new [7.7]paracyclophane from Vietnamese marine snail <i>Planaxis sulcatus</i> (Born, 1780). <i>Natural Product Research</i> , 2020, 34, 261-268.	1.8	5
10	Dendrodoristerol, a cytotoxic C20 steroid from the Vietnamese nudibranch mollusk <i>Dendrodoris fumata</i> . <i>Journal of Asian Natural Products Research</i> , 2020, 22, 193-200.	1.4	6
11	Acylated flavonoid glycosides from <i>Barringtonia racemosa</i> . <i>Natural Product Research</i> , 2020, 34, 1276-1281.	1.8	16
12	Metabolites from <i>Excoecaria cochinchinensis</i> Lour.. <i>Phytochemistry Letters</i> , 2020, 37, 116-120.	1.2	1
13	Inhibitory Activity of Quercetin 3-O-Arabinofuranoside and 2-Oxopomolic Acid Derived from <i>Malus domestica</i> on Soluble Epoxide Hydrolase. <i>Molecules</i> , 2020, 25, 4352.	3.8	6
14	Bioactive Compounds from <i>Polygala tenuifolia</i> and Their Inhibitory Effects on Lipopolysaccharide-Stimulated Pro-inflammatory Cytokine Production in Bone Marrow-Derived Dendritic Cells. <i>Plants</i> , 2020, 9, 1240.	3.5	13
15	Enhancement of an In Vivo Anti-Inflammatory Activity of Oleanolic Acid through Glycosylation Occurring Naturally in <i>Stauntonia hexaphylla</i> . <i>Molecules</i> , 2020, 25, 3699.	3.8	14
16	Identification of potential anti-inflammatory and melanoma cytotoxic compounds from <i>Aegiceras corniculatum</i> . <i>Medicinal Chemistry Research</i> , 2020, 29, 2020-2027.	2.4	15
17	Protective Effects of Compounds from <i>Cimicifuga dahurica</i> against Amyloid Beta Production in Vitro and Scopolamine-Induced Memory Impairment in Vivo. <i>Journal of Natural Products</i> , 2020, 83, 223-230.	3.0	3
18	Discrimination and quality evaluation of fifteen components in <i>Stauntonia hexaphylla</i> leaves from different harvest time by HPLC-ESI-MS/MS and ELSD coupled with multivariate statistical analysis and anti-inflammatory activity evaluation. <i>Applied Biological Chemistry</i> , 2020, 63, .	1.9	7

#	ARTICLE	IF	CITATIONS
19	Anti-bacterial effects of components from <i>Sanguisorba officinalis</i> L. on <i>Vibrio vulnificus</i> and their soluble epoxide hydrolase inhibitory activity. <i>Natural Product Research</i> , 2019, 33, 3445-3449.	1.8	18
20	Anti-inflammatory secondary metabolites from the stems of <i>Millettia dielsiana</i> Harms ex Diels. <i>Carbohydrate Research</i> , 2019, 484, 107778.	2.3	17
21	New Constituents From the Roots and Stems of <i>Paramignya trimeria</i> . <i>Natural Product Communications</i> , 2019, 14, 1934578X1986101.	0.5	2
22	Bioactive triterpene glycosides from the fruit of <i>Stauntonia hexaphylla</i> and insights into the molecular mechanism of its inflammatory effects. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 2085-2089.	2.2	17
23	Megastigmane and abscisic acid glycosides from the leaves of <i>Laurus nobilis</i> L.. <i>Phytochemistry Letters</i> , 2019, 33, 1-5.	1.2	7
24	Coral and Coral-Associated Microorganisms: A Prolific Source of Potential Bioactive Natural Products. <i>Marine Drugs</i> , 2019, 17, 468.	4.6	49
25	Chemical constituents from <i>Dendropanax morbiferus</i> H. & A. Stems and leaves and their chemotaxonomic significance. <i>Biochemical Systematics and Ecology</i> , 2019, 87, 103936.	1.3	3
26	Chemical constituents of the <i>Piper crocatum</i> leaves and their chemotaxonomic significance. <i>Biochemical Systematics and Ecology</i> , 2019, 86, 103905.	1.3	10
27	Anti-inflammatory Potential of Saponins from <i>Aster tataricus</i> via NF- κ B/MAPK Activation. <i>Journal of Natural Products</i> , 2019, 82, 1139-1148.	3.0	27
28	Isolation, structural elucidation, and insights into the anti-inflammatory effects of triterpene saponins from the leaves of <i>Stauntonia hexaphylla</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 965-969.	2.2	19
29	Phytochemical profile of <i>Syzygium formosum</i> (Wall.) Masam leaves using HPLC-MS/MS and a simple HPLC-ELSD method for quality control. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 168, 1-12.	2.8	12
30	Anti-inflammatory and cytotoxic activities of constituents from <i>Wedelia trilobata</i> (L.) Hitchc.. <i>Vietnam Journal of Chemistry</i> , 2019, 57, 121-127.	0.8	1
31	Wedtrilosides A and B, two new diterpenoid glycosides from the leaves of <i>Wedelia trilobata</i> (L.) Hitchc. with α -amylase and α -glucosidase inhibitory activities. <i>Bioorganic Chemistry</i> , 2019, 85, 319-324.	4.1	19
32	Cytotoxic triterpene saponins from the mangrove <i>Aegiceras corniculatum</i> . <i>Natural Product Research</i> , 2019, 33, 628-634.	1.8	15
33	Inhibitory activity of minor phlorotannins from <i>Ecklonia cava</i> on α -glucosidase. <i>Food Chemistry</i> , 2018, 257, 128-134.	8.2	49
34	Anti-allergic inflammatory components from <i>Sanguisorba officinalis</i> L.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 2210-2216.	2.2	27
35	In vitro and in silico investigation of anthocyanin derivatives as soluble epoxide hydrolase inhibitors. <i>International Journal of Biological Macromolecules</i> , 2018, 112, 961-967.	7.5	8
36	Pentacyclic triterpenes from the stem bark of <i>Combretum hartmannianum</i> Schweinf. <i>Biochemical Systematics and Ecology</i> , 2018, 77, 48-50.	1.3	6

#	ARTICLE	IF	CITATIONS
37	Tyrosinase inhibitory components from the seeds of <i>Cassia tora</i> . Archives of Pharmacal Research, 2018, 41, 490-496.	6.3	9
38	Soluble epoxide hydrolase inhibitory activity of phenolic glycosides from <i>Polygala tenuifolia</i> and in silico approach. Medicinal Chemistry Research, 2018, 27, 726-734.	2.4	15
39	A new rearranged abietane diterpene from <i>Clerodendrum inerme</i> with antioxidant and cytotoxic activities. Natural Product Research, 2018, 32, 2001-2007.	1.8	21
40	The insight of <i>in vitro</i> and <i>in silico</i> studies on cholinesterase inhibitors from the roots of <i>Cimicifuga dahurica</i> (Turcz.) Maxim.. Journal of Enzyme Inhibition and Medicinal Chemistry, 2018, 33, 1174-1180.	5.2	11
41	Ameliorative effect of <i>Alnus japonica</i> ethanol extract on colitis through the inhibition of inflammatory responses and attenuation of intestinal barrier disruption in vivo and in vitro. Biomedicine and Pharmacotherapy, 2018, 108, 1767-1774.	5.6	24
42	$\hat{\pm}$ -Amylase and $\hat{\pm}$ -Glucosidase Inhibitory Activities of Chemical Constituents from <i>Wedelia chinensis</i> (Osbeck.) Merr. Leaves. Journal of Analytical Methods in Chemistry, 2018, 2018, 1-8.	1.6	14
43	Three new constituents from the aerial parts of <i>Tetrastigma hemsleyanum</i> . Phytochemistry Letters, 2018, 27, 25-29.	1.2	8
44	Alkaloids from <i>Tetrastigma hemsleyanum</i> and Their Anti-Inflammatory Effects on LPS-Induced RAW264.7 Cells. Molecules, 2018, 23, 1445.	3.8	33
45	Chemical constituents from <i>Sanguisorba officinalis</i> L. and their inhibitory effects on LPS-stimulated pro-inflammatory cytokine production in bone marrow-derived dendritic cells. Archives of Pharmacal Research, 2018, 41, 497-505.	6.3	16
46	Phenolic Constituents from <i>Fallopia multiflora</i> (Thunberg) Haraldson. Journal of Chemistry, 2018, 2018, 1-5.	1.9	5
47	Kushenol A and 8-prenylkaempferol, tyrosinase inhibitors, derived from <i>Sophora flavescens</i> . Journal of Enzyme Inhibition and Medicinal Chemistry, 2018, 33, 1048-1054.	5.2	32
48	In silico investigation of cycloartane triterpene derivatives from <i>Cimicifuga dahurica</i> (Turcz.) Maxim. roots for the development of potent soluble epoxide hydrolase inhibitors. International Journal of Biological Macromolecules, 2017, 98, 526-534.	7.5	25
49	Soluble epoxide hydrolase inhibitors of indolinone alkaloids and phenolic derivatives from <i>Cimicifuga dahurica</i> (Turcz.) Maxim.. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 1874-1879.	2.2	18
50	Inhibition Potential of Cycloartane-Type Glycosides from the Roots of <i>Cimicifuga dahurica</i> against Soluble Epoxide Hydrolase. Journal of Natural Products, 2017, 80, 1867-1875.	3.0	25
51	Sterols, aromatic compounds, and cerebrosides from the <i>Hericium erinaceus</i> fruiting body. Biochemical Systematics and Ecology, 2017, 70, 254-259.	1.3	12
52	A new saponin from <i>Acanthopanax koreanum</i> with anti-inflammatory activity. Archives of Pharmacal Research, 2017, 40, 311-317.	6.3	8
53	Two new dammarane-type triterpene saponins from Korean red ginseng and their anti-inflammatory effects. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 5149-5153.	2.2	22
54	Anti-inflammatory Activity of Eudesmane-Type Sesquiterpenoids from <i>Salvia plebeia</i> . Journal of Natural Products, 2017, 80, 2666-2676.	3.0	49

#	ARTICLE	IF	CITATIONS
55	A new lignan and a new alkaloid, and β -glucosidase inhibitory compounds from the grains of <i>Echinochloa utilis</i> Ohwi & Yabuno. <i>Bioorganic Chemistry</i> , 2017, 74, 221-227.	4.1	6
56	Prenyl-flavonoids from <i>Epimedium koreanum</i> Nakai and their soluble epoxide hydrolase and tyrosinase inhibitory activities. <i>Medicinal Chemistry Research</i> , 2017, 26, 2761-2767.	2.4	6
57	Impressic acid from <i>Acanthopanax koreanum</i> , possesses matrix metalloproteinase-13 down-regulating capacity and protects cartilage destruction. <i>Journal of Ethnopharmacology</i> , 2017, 209, 73-81.	4.1	11
58	Chemical constituents of <i>Piper aduncum</i> and their inhibitory effects on soluble epoxide hydrolase and tyrosinase. <i>Medicinal Chemistry Research</i> , 2017, 26, 220-226.	2.4	9
59	Soluble Epoxide Hydrolase Inhibitory Activity of Components Isolated from <i>Apios americana</i> Medik. <i>Molecules</i> , 2017, 22, 1432.	3.8	10
60	Phenolic Constituents and Their Anti-inflammatory Activity from <i>Echinochloa utilis</i> Grains. <i>Natural Product Sciences</i> , 2016, 22, 140.	0.9	12
61	Identification, characterization, kinetics, and molecular docking of flavonoid constituents from <i>Archidendron clypearia</i> (Jack.) Nielsen leaves and twigs. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 3125-3132.	3.0	25
62	Rat intestinal sucrase inhibited by minor constituents from the leaves and twigs of <i>Archidendron clypearia</i> (Jack.) Nielsen. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 4272-4276.	2.2	5
63	(β)-Epicatechin derivate from <i>Orostachys japonicus</i> as potential inhibitor of the human butyrylcholinesterase. <i>International Journal of Biological Macromolecules</i> , 2016, 91, 1033-1039.	7.5	22
64	Identification of six new lupane-type triterpenoids from <i>Acanthopanax koreanum</i> leaves and their tyrosinase inhibitory activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 1061-1067.	2.2	10
65	Soluble epoxide hydrolase inhibitory activity by rhizomes of <i>Kaempferia parviflora</i> Wall. ex Baker. <i>Medicinal Chemistry Research</i> , 2016, 25, 704-711.	2.4	6
66	A natural component from <i>Euphorbia humifusa</i> Willd displays novel, broad-spectrum anti-influenza activity by blocking nuclear export of viral ribonucleoprotein. <i>Biochemical and Biophysical Research Communications</i> , 2016, 471, 282-289.	2.1	22
67	Isolation of Lignan and Fatty Acid Derivatives from the Grains of <i>Echinochloa utilis</i> and Their Inhibition of Lipopolysaccharide-Induced Nitric Oxide Production in RAW 264.7 Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 425-432.	5.2	9
68	Two new simple iridoids from the ant-plant <i>Myrmecodia tuberosa</i> and their antimicrobial effects. <i>Natural Product Research</i> , 2016, 30, 2071-2076.	1.8	9
69	In vitro anti-inflammatory components isolated from the carnivorous plant <i>Nepenthes mirabilis</i> (Lour.) Rafarin. <i>Pharmaceutical Biology</i> , 2016, 54, 588-594.	2.9	18
70	Anti-inflammatory Tirucallane Saponins from <i>Paramignya scandens</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2015, 63, 558-564.	1.3	6
71	Cytotoxic Biscembranoids from the Soft Coral <i>Sarcophyton pauciplicatum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2015, 63, 636-640.	1.3	13
72	Soluble Epoxide Hydrolase Inhibitory Constituents from <i>Selaginella tamariscina</i> . <i>Bulletin of the Korean Chemical Society</i> , 2015, 36, 300-304.	1.9	9

#	ARTICLE	IF	CITATIONS
73	Soluble Epoxide Hydrolase Inhibitory Activity of Selaginellin Derivatives from <i>Selaginella tamariscina</i> . <i>Molecules</i> , 2015, 20, 21405-21414.	3.8	20
74	Asterosaponins and glycosylated polyhydroxysteroids from the starfish <i>Culcita novaeguineae</i> and their cytotoxic activities. <i>Journal of Asian Natural Products Research</i> , 2015, 17, 1010-1017.	1.4	19
75	Sterols from <i>Hericium erinaceum</i> and their inhibition of TNF- α and NO production in lipopolysaccharide-induced RAW 264.7 cells. <i>Phytochemistry</i> , 2015, 115, 231-238.	2.9	31
76	Chemical constituents from <i>Kandelia candel</i> with their inhibitory effects on pro-inflammatory cytokines production in LPS-stimulated bone marrow-derived dendritic cells (BMDCs). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 1412-1416.	2.2	16
77	Lignans, cyclolignans and neolignans from the leaves of <i>Boscia senegalensis</i> (Pers.) Lam. ex Poir.. <i>Biochemical Systematics and Ecology</i> , 2015, 59, 226-228.	1.3	4
78	Cytotoxic triterpene saponins from <i>Cercodemas anceps</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 3151-3156.	2.2	30
79	Antiosteoporotic and antioxidant activities of diterpenoids from the Vietnamese soft corals <i>Sinularia maxima</i> and <i>Lobophytum crassum</i> . <i>Medicinal Chemistry Research</i> , 2015, 24, 3551-3560.	2.4	10
80	Chemical constituents of the rhizomes and roots of <i>Gentiana scabra</i> (Gentianaceae). <i>Biochemical Systematics and Ecology</i> , 2015, 61, 169-174.	1.3	6
81	Soluble epoxide hydrolase inhibitory activity of anthraquinone components from <i>Aloe</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6659-6665.	3.0	18
82	Constituents of the seeds of <i>Cassia tora</i> with inhibitory activity on soluble epoxide hydrolase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 5097-5101.	2.2	35
83	Anti-inflammatory components of <i>Chrysanthemum indicum</i> flowers. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 266-269.	2.2	65
84	New ent-kauranes from the fruits of <i>Annona glabra</i> and their inhibitory nitric oxide production in LPS-stimulated RAW264.7 macrophages. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 254-258.	2.2	20
85	Chemical constituents from the root of <i>Polygonum multiflorum</i> and their soluble epoxide hydrolase inhibitory activity. <i>Archives of Pharmacal Research</i> , 2015, 38, 998-1004.	6.3	17
86	Isolation and identification of aromatic compounds in Lion's Mane Mushroom and their anticancer activities. <i>Food Chemistry</i> , 2015, 170, 336-342.	8.2	62
87	Steroidal Constituents from the Edible Sea Urchin <i>Diadema savignyi</i> Induce Apoptosis in Human Cancer Cells. <i>Journal of Medicinal Food</i> , 2015, 18, 45-53.	1.5	16
88	Peroxisome proliferator-activated receptor transactivational effects in HepG2 cells of cembranoids from the soft coral <i>Lobophytum crassum</i> Von Marenzeller. <i>Archives of Pharmacal Research</i> , 2015, 38, 769-775.	6.3	7
89	Steroid constituents from <i>Lobophytum crassum</i> . <i>Vietnam Journal of Chemistry</i> , 2015, 53, .	0.8	1
90	ANTIMICROBIAL COMPOUNDS FROM RHIZOPHORA STYLOSA. <i>Khoa Học VÀ Công Nghệ</i> , 2015, 53, .	0.0	0

#	ARTICLE	IF	CITATIONS
91	Triterpene Saponins from the Sea Cucumber <i>Stichopus chloronotus</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.5	2
92	Neuraminidase inhibitory activities of quaternary isoquinoline alkaloids from <i>Corydalis turtschaninovii</i> rhizome. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 6047-6052.	3.0	55
93	Chemical constituents of <i>Zanthoxylum schinifolium</i> (Rutaceae). <i>Biochemical Systematics and Ecology</i> , 2014, 55, 60-65.	1.3	28
94	New anti-inflammatory cembranoid diterpenoids from the Vietnamese soft coral <i>Lobophytum crassum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 228-232.	2.2	40
95	Discovery of soluble epoxide hydrolase inhibitors from natural products. <i>Food and Chemical Toxicology</i> , 2014, 64, 225-230.	3.6	22
96	Anti-inflammatory components of <i>Euphorbia humifusa</i> Willd.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 1895-1900.	2.2	49
97	NF- κ B inhibitory activity of polyoxygenated steroids from the Vietnamese soft coral <i>Sarcophyton pauciplicatum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 2834-2838.	2.2	15
98	Triterpenoid saponins from the roots of <i>Rosa rugosa</i> Thunb. as rat intestinal sucrase inhibitors. <i>Archives of Pharmacal Research</i> , 2014, 37, 1280-1285.	6.3	13
99	Two tirucallane derivatives from <i>Paramignya scandens</i> and their cytotoxic activity. <i>Phytochemistry Letters</i> , 2014, 9, 78-81.	1.2	10
100	Two new neoclerodane diterpenoids from <i>Scutellaria barbata</i> D. Don growing in Vietnam. <i>Journal of Asian Natural Products Research</i> , 2014, 16, 364-369.	1.4	30
101	A new phenylpropanoid and an alkylglycoside from <i>Piper retrofractum</i> leaves with their antioxidant and α -glucosidase inhibitory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 4120-4124.	2.2	28
102	Phenolic components from the stem of <i>Acanthopanax koreanum</i> and their inhibitory effects on NF- κ B. <i>Bioscience, Biotechnology and Biochemistry</i> , 2014, 78, 374-377.	1.3	11
103	Chemical constituents from the stems of <i>Acanthopanax divaricatus</i> var. <i>albeofructus</i> . <i>Biochemical Systematics and Ecology</i> , 2014, 57, 164-168.	1.3	10
104	Ursolic acid and its natural derivative corosolic acid suppress the proliferation of APC-mutated colon cancer cells through promotion of β -catenin degradation. <i>Food and Chemical Toxicology</i> , 2014, 67, 87-95.	3.6	74
105	Rat intestinal sucrase inhibition of constituents from the roots of <i>Rosa rugosa</i> Thunb.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 1192-1196.	2.2	25
106	Hericine, a novel anti-inflammatory alkaloid from <i>Heridium erinaceum</i> . <i>Tetrahedron Letters</i> , 2014, 55, 4086-4090.	1.4	26
107	Anti-osteoporotic and antioxidant activities of chemical constituents of the aerial parts of <i>Ducrosia ismaelis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 3434-3439.	2.2	15
108	Secondary Metabolites from Vietnamese Marine Invertebrates with Activity against <i>Trypanosoma brucei</i> and <i>T. cruzi</i> . <i>Molecules</i> , 2014, 19, 7869-7880.	3.8	20

#	ARTICLE	IF	CITATIONS
109	Asterosaponins from the Starfish <i>Astropecten monacanthus</i>; Suppress Growth and Induce Apoptosis in HL-60, PC-3, and SNU-C5 Human Cancer Cell Lines. Biological and Pharmaceutical Bulletin, 2014, 37, 315-321.	1.4	25
110	NF- κ B Inhibitory Activities of Glycosides and Alkaloids from <i>Zanthoxylum schinifolium</i> Stems. Chemical and Pharmaceutical Bulletin, 2014, 62, 196-202.	1.3	17
111	Rat Intestinal Sucrase and α -Glucosidase Inhibitory Activities of Isocoumarin and Flavonoids from the Zanthoxylum schinifolium Stems. Bulletin of the Korean Chemical Society, 2014, 35, 316-318.	1.9	5
112	Oleanane-type triterpenoid saponins from the roots of Pulsatilla koreana and their apoptosis-inducing effects on HL-60 human promyelocytic leukemia cells. Archives of Pharmacal Research, 2013, 36, 768-774.	6.3	17
113	Coumarins and Lignans from Zanthoxylum schinifolium and Their Anticancer Activities. Journal of Agricultural and Food Chemistry, 2013, 61, 10730-10740.	5.2	67
114	Promotion effect of constituents from the root of Polygonum multiflorum on hair growth. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 4801-4805.	2.2	53
115	Anti-inflammatory Asterosaponins from the Starfish <i>Astropecten monacanthus</i>. Journal of Natural Products, 2013, 76, 1764-1770.	3.0	37
116	Anti-inflammatory norditerpenoids from the soft coral Sinularia maxima. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 228-231.	2.2	38
117	Diarylheptanoids and Flavonoids from <i>Viscum album</i> Inhibit LPS-Stimulated Production of Pro-inflammatory Cytokines in Bone Marrow-Derived Dendritic Cells. Journal of Natural Products, 2013, 76, 495-502.	3.0	32
118	Pyrrrole and furan oligoglycosides from the starfish Asterina batheri and their inhibitory effect on the production of pro-inflammatory cytokines in lipopolysaccharide-stimulated bone marrow-derived dendritic cells. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 1823-1827.	2.2	16
119	Steroidal Constituents from the Soft Coral Sinularia dissecta and Their Inhibitory Effects on Lipopolysaccharide-Stimulated Production of Pro-inflammatory Cytokines in Bone Marrow-Derived Dendritic Cells. Bulletin of the Korean Chemical Society, 2013, 34, 949-952.	1.9	16
120	Anti-inflammatory and PPAR Transactivational Properties of Flavonoids from the Roots of <i>Sophora flavescens</i>. Phytotherapy Research, 2013, 27, 1300-1307.	5.8	22
121	Steroidal Constituents from the Starfish <i>Astropecten polyacanthus</i> and Their Anticancer Effects. Chemical and Pharmaceutical Bulletin, 2013, 61, 1044-1051.	1.3	24
122	Triterpenoid Saponins of Pulsatilla koreana Root Have Inhibition Effects of Tumor Necrosis Factor- α Secretion in Lipopolysaccharide-Induced RAW264.7 Cells. Chemical and Pharmaceutical Bulletin, 2013, 61, 471-476.	1.3	13
123	Anti-Inflammatory Components of the Starfish Astropecten polyacanthus. Marine Drugs, 2013, 11, 2917-2926.	4.6	28
124	A New Sterol from the Soft Coral Lobophytum crassum. Bulletin of the Korean Chemical Society, 2013, 34, 249-251.	1.9	12
125	Diterpenoids from the Soft Coral <i>Sinularia maxima</i> and Their Inhibitory Effects on Lipopolysaccharide-Stimulated Production of Pro-inflammatory Cytokines in Bone Marrow-Derived Dendritic Cells. Chemical and Pharmaceutical Bulletin, 2012, 60, 1581-1589.	1.3	31
126	Anti-inflammatory and PPAR Transactivational Effects of Components from the Stem Bark of <i>Ginkgo biloba</i>. Journal of Agricultural and Food Chemistry, 2012, 60, 2815-2824.	5.2	23

#	ARTICLE	IF	CITATIONS
127	Anti-inflammatory and PPAR transactivational effects of secondary metabolites from the roots of <i>Asarum sieboldii</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 2527-2533.	2.2	45
128	α -Glucosidase Inhibitors from the Roots of <i>Sophora flavescens</i> . <i>Bulletin of the Korean Chemical Society</i> , 2012, 33, 1791-1793.	1.9	10
129	Phenylpropanoids from the leaves of <i>Acanthopanax koreanum</i> and their antioxidant activity. <i>Journal of Asian Natural Products Research</i> , 2011, 13, 56-61.	1.4	18
130	Chemical constituents of <i>Mallotus macrostachyus</i> growing in Vietnam and cytotoxic activity of some cycloartane derivatives. <i>Phytochemistry Letters</i> , 2011, , .	1.2	3
131	Oleanane-type triterpene saponins from the bark of <i>Aralia elata</i> and their NF- κ B inhibition and PPAR activation signal pathway. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 6143-6147.	2.2	39
132	In vitro culture of Keratinocytes from human umbilical cord blood mesenchymal stem cells: the Saigonese culture. <i>Cell and Tissue Banking</i> , 2011, 12, 125-133.	1.1	11
133	A new cytotoxic coumarin, 7-[(E)-3-(2,7-dimethyl-6-oxo-2,7-octadienyl) oxy Coumarin, from the leaves of <i>Zanthoxylum schinifolium</i> . <i>Archives of Pharmacal Research</i> , 2011, 34, 723-726.	6.3	22
134	Effects of impressic acid from <i>Acanthopanax koreanum</i> on NF- κ B and PPAR γ activities. <i>Archives of Pharmacal Research</i> , 2011, 34, 1347-1351.	6.3	23
135	Cytotoxic and anti-inflammatory cembranoids from the Vietnamese soft coral <i>Lobophytum laevigatum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 2625-2632.	3.0	40
136	Cytotoxic and PPARs transcriptional activities of sterols from the Vietnamese soft coral <i>Lobophytum laevigatum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 2845-2849.	2.2	19
137	Anti-inflammatory and PPAR Subtypes Transactivational Activities of Phenolics and Lignans from the Stem Bark of <i>Kalopanax pictus</i> . <i>Bulletin of the Korean Chemical Society</i> , 2011, 32, 4049-4054.	1.9	4
138	New Pyrano-Pyrone from <i>Goniothalamus tamirensis</i> Enhances the Proliferation and Differentiation of Osteoblastic MC3T3-E1 Cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 521-525.	1.3	28
139	α -Glucosidase Inhibition Properties of Cucurbitane-Type Triterpene Glycosides from the Fruits of <i>Momordica charantia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 720-724.	1.3	72
140	Two new c-glucosyl benzoic acids and flavonoids from <i>Mallotus nanus</i> and their antioxidant activity. <i>Archives of Pharmacal Research</i> , 2010, 33, 203-208.	6.3	25
141	An anti-influenza component of the bark of <i>Alnus japonica</i> . <i>Archives of Pharmacal Research</i> , 2010, 33, 363-367.	6.3	37
142	A new norlupane triterpene from the leaves of <i>Acanthopanax koreanum</i> increases the differentiation of osteoblastic MC3T3-e1 cells. <i>Archives of Pharmacal Research</i> , 2010, 33, 75-80.	6.3	26
143	In vitro culture and differentiation of osteoblasts from human umbilical cord blood. <i>Cell and Tissue Banking</i> , 2010, 11, 269-280.	1.1	10
144	Dammarane-type saponins from <i>Gynostemma pentaphyllum</i> . <i>Phytochemistry</i> , 2010, 71, 994-1001.	2.9	37

#	ARTICLE	IF	CITATIONS
145	Inhibitors of osteoclastogenesis from <i>Lawsonia inermis</i> leaves. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 4782-4784.	2.2	31
146	Lupane-type triterpenoids from the steamed leaves of <i>Acanthopanax koreanum</i> and their inhibitory effects on the LPS-stimulated pro-inflammatory cytokine production in bone marrow-derived dendritic cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 6703-6707.	2.2	30
147	Oleanane-type triterpenoids from <i>Panax stipuleanatus</i> and their anticancer activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 7110-7115.	2.2	47
148	A New Lignan Dimer from <i>Mallotus philippensis</i> . <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.5	2
149	Lupane-Type Triterpene Glycosides from the Leaves of <i>Acanthopanax koreanum</i> and Their <i>In Vitro</i> Cytotoxicity. <i>Planta Medica</i> , 2010, 76, 189-194.	1.3	16
150	Antioxidative and Hepatoprotective Diarylheptanoids from the Bark of <i>Alnus japonica</i> . <i>Planta Medica</i> , 2010, 76, 626-629.	1.3	42
151	Damarane-Type Saponins from the Flower Buds of <i>Panax ginseng</i> and Their Intracellular Radical Scavenging Capacity. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 868-874.	5.2	53
152	Yeast α -Glucosidase Inhibition by Isoflavones from Plants of Leguminosae as an <i>In Vitro</i> Alternative to Acarbose. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 9988-9993.	5.2	78
153	A New Rearranged Abietane Diterpene and other Constituents from <i>Clerodendrum Philipinum</i> . <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.5	3
154	Lupane Triterpene Glycosides from Leave of <i>Acanthopanax koreanum</i> and Their Cytotoxic Activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 986-989.	1.3	30
155	New Cembranoid Diterpenes from the Vietnamese Soft Coral Sarcophyton mililatensis Stimulate Osteoblastic Differentiation in MC3T3-E1 Cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 988-992.	1.3	40
156	Inhibition of protein tyrosine phosphatase 1B by diterpenoids isolated from <i>Acanthopanax koreanum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 3061-3064.	2.2	66
157	Cytotoxic constituents of <i>Adiantum setosum</i> . <i>Archives of Pharmacal Research</i> , 2004, 27, 734-737.	6.3	17
158	Inhibitory lignans against NFAT transcription factor from <i>Acanthopanax koreanum</i> . <i>Archives of Pharmacal Research</i> , 2004, 27, 738-41.	6.3	31
159	Triterpenoids from <i>Acanthopanax koreanum</i> root and their inhibitory activities on NFAT transcription. <i>Archives of Pharmacal Research</i> , 2004, 27, 825-828.	6.3	29
160	Inhibitory effect of kaurane type diterpenoids from <i>Acanthopanax koreanum</i> on TNF- α secretion from trypsin-stimulated HMC-1 cells. <i>Archives of Pharmacal Research</i> , 2003, 26, 731-734.	6.3	24
161	Lupane-triterpenes from the leaves of <i>Brassaiopsis glomerulata</i> . <i>Archives of Pharmacal Research</i> , 2003, 26, 594-596.	6.3	12
162	Two new phenylpropanoid glycosides from the stem bark of <i>Acanthopanax trifoliatum</i> . <i>Archives of Pharmacal Research</i> , 2003, 26, 1014-1017.	6.3	37

#	ARTICLE	IF	CITATIONS
163	Studies on the chemical constituents of <i>Acanthopanax koreanum</i> (II). Archives of Pharmacal Research, 1988, 11, 159-162.	6.3	4