## Hailing Zhao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/660337/publications.pdf

Version: 2024-02-01

19	319	11 h-index	17
papers	citations		g-index
20	20	20	382 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Formononetin alleviates hepatic steatosis by facilitating TFEB-mediated lysosome biogenesis and lipophagy. Journal of Nutritional Biochemistry, 2019, 73, 108214.	4.2	51
2	Tangshen formula modulates gut Microbiota and reduces gut-derived toxins in diabetic nephropathy rats. Biomedicine and Pharmacotherapy, 2020, 129, 110325.	5.6	34
3	Tangshen Formula Attenuates Diabetic Nephropathy by Promoting ABCA1-Mediated Renal Cholesterol Efflux in db/db Mice. Frontiers in Physiology, 2018, 9, 343.	2.8	27
4	Tangshen Formula Attenuates Diabetic Kidney Injury by Imparting Anti-pyroptotic Effects via the TXNIP-NLRP3-GSDMD Axis. Frontiers in Pharmacology, 2020, 11, 623489.	3.5	26
5	Tangshen formula attenuates diabetic renal injuries by upregulating autophagy via inhibition of PLZF expression. PLoS ONE, 2017, 12, e0171475.	2.5	21
6	Synergistic Effect of the <i> MTHFR </i> C677T and <i> EPHX2 </i> G860A Polymorphism on the Increased Risk of Ischemic Stroke in Chinese Type 2 Diabetic Patients. Journal of Diabetes Research, 2017, 2017, 1-8.	2.3	19
7	Tangshen Formula Alleviates Hepatic Steatosis by Inducing Autophagy Through the AMPK/SIRT1 Pathway. Frontiers in Physiology, 2019, 10, 494.	2.8	19
8	Genetically elevated circulating homocysteine concentrations increase the risk of diabetic kidney disease in Chinese diabetic patients. Journal of Cellular and Molecular Medicine, 2019, 23, 2794-2800.	3.6	19
9	Chinese Herbal Medicine in Ameliorating Diabetic Kidney Disease via Activating Autophagy. Journal of Diabetes Research, 2019, 2019, 1-10.	2.3	15
10	Characteristics of Serum Metabolites and Gut Microbiota in Diabetic Kidney Disease. Frontiers in Pharmacology, 2022, 13, 872988.	3.5	15
11	Transcriptional Profile of Kidney from Type 2 Diabetic db/db Mice. Journal of Diabetes Research, 2017, 2017, 1-12.	2.3	14
12	Association between <i>MYH9</i> and <i>APOL1</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes in a Chinese Han Population. Journal of Diabetes Research, 2018, 2018, 1-6.	2.3	12
13	Protective Role of Tangshen Formula on the Progression of Renal Damage in <i>db/db</i> Mice by TRPC6/Talin1 Pathway in Podocytes. Journal of Diabetes Research, 2020, 2020, 1-19.	2.3	12
14	Association of <i>EPHX2</i> R287Q Polymorphism with Diabetic Nephropathy in Chinese Type 2 Diabetic Patients. Journal of Diabetes Research, 2018, 2018, 1-6.	2.3	10
15	Interaction of MTHFR C677T polymorphism with smoking in susceptibility to diabetic nephropathy in Chinese men with type 2 diabetes. Journal of Human Genetics, 2019, 64, 23-28.	2.3	9
16	Association between LXR-α and ABCA1 Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes Mellitus in a Chinese Han Population. Journal of Diabetes Research, 2020, 2020, 1-7.	2.3	6
17	Association of Epoxide Hydrolase 2 Gene Arg287Gln with the Risk for Primary Hypertension in Chinese. International Journal of Hypertension, 2020, 2020, 1-7.	1.3	5
18	Association between <i>PNPLA2</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in a Chinese Han Population with Type 2 Diabetes. Journal of Diabetes Research, 2020, 2020, 1-7.	2.3	3

#	Article	IF	CITATIONS
19	Susceptibility of ApoB and PCSK9 Genetic Polymorphisms to Diabetic Kidney Disease Among Chinese Diabetic Patients. Frontiers in Medicine, 2021, 8, 659188.	2.6	2