

# Hailing Zhao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/660337/publications.pdf>

Version: 2024-02-01

19  
papers

319  
citations

840776  
11  
h-index

888059  
17  
g-index

20  
all docs

20  
docs citations

20  
times ranked

382  
citing authors

#	ARTICLE	IF	CITATIONS
1	Formononetin alleviates hepatic steatosis by facilitating TFEB-mediated lysosome biogenesis and lipophagy. <i>Journal of Nutritional Biochemistry</i> , 2019, 73, 108214.	4.2	51
2	Tangshen formula modulates gut Microbiota and reduces gut-derived toxins in diabetic nephropathy rats. <i>Biomedicine and Pharmacotherapy</i> , 2020, 129, 110325.	5.6	34
3	Tangshen Formula Attenuates Diabetic Nephropathy by Promoting ABCA1-Mediated Renal Cholesterol Efflux in db/db Mice. <i>Frontiers in Physiology</i> , 2018, 9, 343.	2.8	27
4	Tangshen Formula Attenuates Diabetic Kidney Injury by Imparting Anti-pyoptotic Effects via the TXNIP-NLRP3-GSDMD Axis. <i>Frontiers in Pharmacology</i> , 2020, 11, 623489.	3.5	26
5	Tangshen formula attenuates diabetic renal injuries by upregulating autophagy via inhibition of PLZF expression. <i>PLoS ONE</i> , 2017, 12, e0171475.	2.5	21
6	Synergistic Effect of the <i>MTHFR</i> C677T and <i>EPHX2</i> G860A Polymorphism on the Increased Risk of Ischemic Stroke in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-8.	2.3	19
7	Tangshen Formula Alleviates Hepatic Steatosis by Inducing Autophagy Through the AMPK/SIRT1 Pathway. <i>Frontiers in Physiology</i> , 2019, 10, 494.	2.8	19
8	Genetically elevated circulating homocysteine concentrations increase the risk of diabetic kidney disease in Chinese diabetic patients. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 2794-2800.	3.6	19
9	Chinese Herbal Medicine in Ameliorating Diabetic Kidney Disease via Activating Autophagy. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-10.	2.3	15
10	Characteristics of Serum Metabolites and Gut Microbiota in Diabetic Kidney Disease. <i>Frontiers in Pharmacology</i> , 2022, 13, 872988.	3.5	15
11	Transcriptional Profile of Kidney from Type 2 Diabetic db/db Mice. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-12.	2.3	14
12	Association between <i>MYH9</i> and <i>APOL1</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes in a Chinese Han Population. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-6.	2.3	12
13	Protective Role of Tangshen Formula on the Progression of Renal Damage in <i>db/db</i> Mice by TRPC6/Talin1 Pathway in Podocytes. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-19.	2.3	12
14	Association of <i>EPHX2</i> R287Q Polymorphism with Diabetic Nephropathy in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-6.	2.3	10
15	Interaction of <i>MTHFR</i> C677T polymorphism with smoking in susceptibility to diabetic nephropathy in Chinese men with type 2 diabetes. <i>Journal of Human Genetics</i> , 2019, 64, 23-28.	2.3	9
16	Association between <i>LXR-1</i> and <i>ABCA1</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes Mellitus in a Chinese Han Population. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-7.	2.3	6
17	Association of Epoxide Hydrolase 2 Gene Arg287Gln with the Risk for Primary Hypertension in Chinese. <i>International Journal of Hypertension</i> , 2020, 2020, 1-7.	1.3	5
18	Association between <i>PNPLA2</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in a Chinese Han Population with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-7.	2.3	3

#	ARTICLE	IF	CITATIONS
19	Susceptibility of ApoB and PCSK9 Genetic Polymorphisms to Diabetic Kidney Disease Among Chinese Diabetic Patients. <i>Frontiers in Medicine</i> , 2021, 8, 659188.	2.6	2