

Hailing Zhao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/660337/hailing-zhao-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19
papers

149
citations

9
h-index

12
g-index

20
ext. papers

227
ext. citations

4.4
avg, IF

2.5
L-index

#	Paper	IF	Citations
19	Characteristics of Serum Metabolites and Gut Microbiota in Diabetic Kidney Disease.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 872988	5.6	0
18	Susceptibility of and Genetic Polymorphisms to Diabetic Kidney Disease Among Chinese Diabetic Patients. <i>Frontiers in Medicine</i> , 2021 , 8, 659188	4.9	1
17	Tangshen formula modulates gut Microbiota and reduces gut-derived toxins in diabetic nephropathy rats. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 129, 110325	7.5	13
16	Association of Epoxide Hydrolase 2 Gene Arg287Gln with the Risk for Primary Hypertension in Chinese. <i>International Journal of Hypertension</i> , 2020 , 2020, 2351547	2.4	1
15	Protective Role of Tangshen Formula on the Progression of Renal Damage in Mice by TRPC6/Talin1 Pathway in Podocytes. <i>Journal of Diabetes Research</i> , 2020 , 2020, 3634974	3.9	2
14	Association between LXR- and ABCA1 Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes Mellitus in a Chinese Han Population. <i>Journal of Diabetes Research</i> , 2020 , 2020, 8721536	3.9	4
13	Association between Gene Polymorphisms and the Risk of Diabetic Kidney Disease in a Chinese Han Population with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2020 , 2020, 5424701	3.9	0
12	Tangshen Formula Attenuates Diabetic Kidney Injury by Imparting Anti-pyroptotic Effects the TXNIP-NLRP3-GSDMD Axis. <i>Frontiers in Pharmacology</i> , 2020 , 11, 623489	5.6	4
11	Formononetin alleviates hepatic steatosis by facilitating TFEB-mediated lysosome biogenesis and lipophagy. <i>Journal of Nutritional Biochemistry</i> , 2019 , 73, 108214	6.3	29
10	Tangshen Formula Alleviates Hepatic Steatosis by Inducing Autophagy Through the AMPK/SIRT1 Pathway. <i>Frontiers in Physiology</i> , 2019 , 10, 494	4.6	13
9	Genetically elevated circulating homocysteine concentrations increase the risk of diabetic kidney disease in Chinese diabetic patients. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 2794-2800	5.6	9
8	Chinese Herbal Medicine in Ameliorating Diabetic Kidney Disease via Activating Autophagy. <i>Journal of Diabetes Research</i> , 2019 , 2019, 9030893	3.9	4
7	Interaction of MTHFR C677T polymorphism with smoking in susceptibility to diabetic nephropathy in Chinese men with type 2 diabetes. <i>Journal of Human Genetics</i> , 2019 , 64, 23-28	4.3	6
6	Tangshen Formula Attenuates Diabetic Nephropathy by Promoting ABCA1-Mediated Renal Cholesterol Efflux in db/db Mice. <i>Frontiers in Physiology</i> , 2018 , 9, 343	4.6	16
5	Association between and Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes in a Chinese Han Population. <i>Journal of Diabetes Research</i> , 2018 , 2018, 5068578	3.9	9
4	Association of R287Q Polymorphism with Diabetic Nephropathy in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2018 , 2018, 2786470	3.9	8
3	Synergistic Effect of the C677T and G860A Polymorphism on the Increased Risk of Ischemic Stroke in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2017 , 2017, 6216205	3.9	10

- | | | | |
|---|---|-----|----|
| 2 | Transcriptional Profile of Kidney from Type 2 Diabetic db/db Mice. <i>Journal of Diabetes Research</i> , 2017 , 2017, 8391253 | 3.9 | 10 |
| 1 | Tangshen formula attenuates diabetic renal injuries by upregulating autophagy via inhibition of PLZF expression. <i>PLoS ONE</i> , 2017 , 12, e0171475 | 3.7 | 10 |