Barbara O Rothbaum

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6603588/barbara-o-rothbaum-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8,435 35 91 111 h-index g-index citations papers 6.11 6.3 10,133 143 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
111	The relations between C-reactive protein and trauma exposure, PTSD and depression symptoms, and PTSD psychotherapy treatment response in treatment seeking veterans and service members <i>Brain, Behavior, and Immunity</i> , 2022 , 101, 84-92	16.6	O
110	Prefrontal cortex, amygdala, and threat processing: implications for PTSD. Neuropsychopharmacology, 2022 , 47, 247-259	8.7	3
109	A randomized controlled trial of 3,4-methylenedioxymethamphetamine (MDMA) and fear extinction retention in healthy adults <i>Journal of Psychopharmacology</i> , 2022 , 2698811211069124	4.6	2
108	Right inferior frontal gyrus and ventromedial prefrontal activation during response inhibition is implicated in the development of PTSD symptoms <i>European Journal of Psychotraumatology</i> , 2022 , 13, 2059993		
107	Acquisition, extinction, and return of fear in veterans in intensive outpatient prolonged exposure therapy: A fear-potentiated startle study. <i>Behaviour Research and Therapy</i> , 2022 , 154, 104124	5.2	1
106	Brain-Based Biotypes of Psychiatric Vulnerability in the Acute Aftermath of Trauma. <i>American Journal of Psychiatry</i> , 2021 , 178, 1037-1049	11.9	5
105	An intensive outpatient program with prolonged exposure for veterans with posttraumatic stress disorder: Retention, predictors, and patterns of change. <i>Psychological Services</i> , 2021 , 18, 606-618	2.5	5
104	Psychophysiology during exposure to trauma memories: Comparative effects of virtual reality and imaginal exposure for posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2021 , 38, 626-638	8.4	1
103	Impact of intensive treatment programs for posttraumatic stress disorder on suicidal ideation in veterans and service members. <i>Psychological Services</i> , 2021 , 18, 671-678	2.5	2
102	Creating a national network of community-based consultants in prolonged exposure for PTSD: Outcomes and lessons learned from a consultant training program. <i>Psychological Trauma: Theory, Research, Practice, and Policy,</i> 2021 , 13, 911-919	7.8	
101	Hippocampal activation during contextual fear inhibition related to resilience in the early aftermath of trauma. <i>Behavioural Brain Research</i> , 2021 , 408, 113282	3.4	5
100	Prior trauma-related experiences predict the development of posttraumatic stress disorder after a new traumatic event. <i>Depression and Anxiety</i> , 2021 , 38, 40-47	8.4	2
99	Multimodal structural neuroimaging markers of risk and recovery from posttrauma anhedonia: A prospective investigation. <i>Depression and Anxiety</i> , 2021 , 38, 79-88	8.4	9
98	Amygdala and Insula Connectivity Changes Following Psychotherapy for Posttraumatic Stress Disorder: A Randomized Clinical Trial. <i>Biological Psychiatry</i> , 2021 , 89, 857-867	7.9	8
97	Integrating virtual realities and psychotherapy: SWOT analysis on VR and MR based treatments of anxiety and stress-related disorders. <i>Cognitive Behaviour Therapy</i> , 2021 , 50, 509-526	4.4	4
96	The clinical characterization of the adult patient with an anxiety or related disorder aimed at personalization of management. <i>World Psychiatry</i> , 2021 , 20, 336-356	14.4	10
95	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3

(2019-2020)

94	Rising tide: Responding to the mental health impact of the COVID-19 pandemic. <i>Depression and Anxiety</i> , 2020 , 37, 505-509	8.4	18	
93	Neuroendocrine biomarkers of prolonged exposure treatment response in military-related PTSD. <i>Psychoneuroendocrinology</i> , 2020 , 119, 104749	5	1	
92	Advances in PTSD Treatment Delivery: Evidence Base and Future Directions for Intensive Outpatient Programs. <i>Current Treatment Options in Psychiatry</i> , 2020 , 7, 291-300	3.1	5	
91	Investigation of optimal dose of early intervention to prevent posttraumatic stress disorder: A multiarm randomized trial of one and three sessions of modified prolonged exposure. <i>Depression and Anxiety</i> , 2020 , 37, 429-437	8.4	12	
90	A Review of PTSD Augmentation Strategies for Older Adults and Case of rTMS-Augmented Prolonged Exposure. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 1317-1327	6.5	1	
89	Post-trauma anhedonia is associated with increased substance use in a recently-traumatized population. <i>Psychiatry Research</i> , 2020 , 285, 112777	9.9	7	
88	Longitudinal changes in trauma narratives over the first year and associations with coping and mental health. <i>Journal of Affective Disorders</i> , 2020 , 272, 116-124	6.6	15	
87	Perceived benefits and drawbacks of massed prolonged exposure: A qualitative thematic analysis of reactions from treatment completers. <i>Psychological Trauma: Theory, Research, Practice, and Policy,</i> 2020 ,	7.8	9	
86	Changes in physiological reactivity in response to the trauma memory during prolonged exposure and virtual reality exposure therapy for posttraumatic stress disorder. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2020 , 12, 756-764	7.8	10	
85	Symptom severity impacts sympathetic dysregulation and inflammation in post-traumatic stress disorder (PTSD). <i>Brain, Behavior, and Immunity</i> , 2020 , 83, 260-269	16.6	26	
84	Acute Posttraumatic Symptoms Are Associated With Multimodal Neuroimaging Structural Covariance Patterns: A Possible Role for the Neural Substrates of Visual Processing in Posttraumatic Stress Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020	3.4	2	
83	Eight weeks of device-guided slow breathing decreases sympathetic nervous reactivity to stress in posttraumatic stress disorder. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020 , 319, R466-R475	3.2	5	
82	Psychophysiological treatment outcomes: Corticotropin-releasing factor type 1 receptor antagonist increases inhibition of fear-potentiated startle in PTSD patients. <i>Psychophysiology</i> , 2020 , 57, e13356	4.1	12	
81	Association of Prospective Risk for Chronic PTSD Symptoms With Low TNFland IFNII Concentrations in the Immediate Aftermath of Trauma Exposure. <i>American Journal of Psychiatry</i> , 2020 , 177, 58-65	11.9	33	
80	Structural connectivity and risk for anhedonia after trauma: A prospective study and replication. Journal of Psychiatric Research, 2019, 116, 34-41	5.2	15	
79	Using fMRI connectivity to define a treatment-resistant form of post-traumatic stress disorder. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	45	
78	You can do that?!: Feasibility of virtual reality exposure therapy in the treatment of PTSD due to military sexual trauma. <i>Journal of Anxiety Disorders</i> , 2019 , 61, 55-63	10.9	42	
77	Does virtual reality increase emotional engagement during exposure for PTSD? Subjective distress during prolonged and virtual reality exposure therapy. <i>Journal of Anxiety Disorders</i> , 2019 , 61, 75-81	10.9	20	

76	Psychotherapy for PTSD: An evidence-based guide to a theranostic approach to treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 88, 418-426	5.5	11
75	Temporal Stability of Cognitive Functioning and Functional Capacity in Women with Posttraumatic Stress Disorder. <i>Archives of Clinical Neuropsychology</i> , 2019 , 34, 539-547	2.7	2
74	Virtual reality exposure therapy for anxiety and related disorders: A meta-analysis of randomized controlled trials. <i>Journal of Anxiety Disorders</i> , 2019 , 61, 27-36	10.9	230
73	Increased Skin Conductance Response in the Immediate Aftermath of Trauma Predicts PTSD Risk. <i>Chronic Stress</i> , 2019 , 3,	3	22
72	Enhanced exposure therapy for combat-related Posttraumatic Stress Disorder (PTSD): Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2019 , 87, 105857	2.3	6
71	Patients need to remain in treatment for PTSD to receive the full benefit. <i>Journal of Anxiety Disorders</i> , 2019 , 68, 102156	10.9	2
70	Effect size matters: a key neglected indicator of comparative trial quality. <i>Lancet Psychiatry,the</i> , 2019 , 6, e4	23.3	1
69	Nausea in the peri-traumatic period is associated with prospective risk for PTSD symptom development. <i>Neuropsychopharmacology</i> , 2019 , 44, 668-673	8.7	7
68	When translational neuroscience fails in the clinic: Dexamethasone prior to virtual reality exposure therapy increases drop-out rates. <i>Journal of Anxiety Disorders</i> , 2019 , 61, 89-97	10.9	18
67	Efficacy of Prolonged Exposure Therapy, Sertraline Hydrochloride, and Their Combination Among Combat Veterans With Posttraumatic Stress Disorder: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 117-126	14.5	52
66	Integrating biological treatment mechanisms into randomized clinical trials: Design of PROGrESS (PROlonGed ExpoSure and Sertraline Trial). <i>Contemporary Clinical Trials</i> , 2018 , 64, 128-138	2.3	20
65	The Role of the Hippocampus in Predicting Future Posttraumatic Stress Disorder Symptoms in Recently Traumatized Civilians. <i>Biological Psychiatry</i> , 2018 , 84, 106-115	7.9	36
64	Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study: Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. <i>Biological Psychiatry</i> , 2018 , 83, 244-253	7.9	192
63	In session extinction and outcome in Virtual Reality Exposure Therapy for PTSD. <i>Behaviour Research and Therapy</i> , 2018 , 109, 1-9	5.2	9
62	Brain circuit dysfunction in post-traumatic stress disorder: from mouse to man. <i>Nature Reviews Neuroscience</i> , 2018 , 19, 535-551	13.5	164
61	Acute effects of device-guided slow breathing on sympathetic nerve activity and baroreflex sensitivity in posttraumatic stress disorder. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H141-H149	5.2	20
60	Virtual reality exposure versus prolonged exposure for PTSD: Which treatment for whom?. <i>Depression and Anxiety</i> , 2018 , 35, 523-529	8.4	19
59	DNA methylation levels are associated with CRF receptor antagonist treatment outcome in women with post-traumatic stress disorder. <i>Clinical Epigenetics</i> , 2018 , 10, 136	7.7	21

58	Treating PTSD: A Review of Evidence-Based Psychotherapy Interventions. <i>Frontiers in Behavioral Neuroscience</i> , 2018 , 12, 258	3.5	138
57	Dire Need for New and Improved Therapies for PTSD: Response to Markowitz. <i>American Journal of Psychiatry</i> , 2018 , 175, 1022-1023	11.9	
56	Elevated resting blood pressure augments autonomic imbalance in posttraumatic stress disorder. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2018, 315, R1272-R	1280	10
55	175 Years of Progress in PTSD Therapeutics: Learning From the Past. <i>American Journal of Psychiatry</i> , 2018 , 175, 508-516	11.9	18
54	Investigating Relationships Between PTSD Symptom Clusters Within Virtual Reality Exposure Therapy for OEF/OIF Veterans. <i>Behavior Therapy</i> , 2017 , 48, 147-155	4.8	25
53	Convergence in patient-therapist therapeutic alliance ratings and its relation to outcome in chronic depression treatment. <i>Psychotherapy Research</i> , 2017 , 27, 410-424	3.6	23
52	Mobile assessment of heightened skin conductance in posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2017 , 34, 502-507	8.4	28
51	The Use of Virtual Reality Technology in the Treatment of Anxiety and Other Psychiatric Disorders. <i>Harvard Review of Psychiatry</i> , 2017 , 25, 103-113	4.1	252
50	Baroreflex dysfunction and augmented sympathetic nerve responses during mental stress in veterans with post-traumatic stress disorder. <i>Journal of Physiology</i> , 2017 , 595, 4893-4908	3.9	65
49	Amygdala Reactivity and Anterior Cingulate Habituation Predict Posttraumatic Stress Disorder Symptom Maintenance After Acute Civilian Trauma. <i>Biological Psychiatry</i> , 2017 , 81, 1023-1029	7.9	93
48	Intensive Treatment Models to Address Posttraumatic Stress Among Post-9/11 Warriors: The Warrior Care Network. <i>Focus (American Psychiatric Publishing)</i> , 2017 , 15, 378-383	1.1	28
47	Corticotropin-Releasing Factor Receptor 1 Antagonism Is Ineffective for Women With Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2017 , 82, 866-874	7.9	57
46	Using experimental methodologies to assess posttraumatic stress. <i>Current Opinion in Psychology</i> , 2017 , 14, 23-28	6.2	6
45	Side Effects to Antidepressant Treatment in Patients With Depression and Comorbid Panic Disorder. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 433-440	4.6	20
44	Inhibition of serotonin transporters disrupts the enhancement of fear memory extinction by 3,4-methylenedioxymethamphetamine (MDMA). <i>Psychopharmacology</i> , 2017 , 234, 2883-2895	4.7	35
43	Psychological and psychobiological responses to immediate early intervention in the emergency department: Case report of one-session exposure therapy for the prevention of PTSD. <i>Practice Innovations (Washington, D C)</i> , 2017 , 2, 55-65	2.4	8
42	Randomized controlled trial of prolonged exposure using imaginal exposure vs. virtual reality exposure in active duty soldiers with deployment-related posttraumatic stress disorder (PTSD). <i>Journal of Consulting and Clinical Psychology</i> , 2016 , 84, 946-959	6.5	123
41	Change in patientsRinterpersonal impacts as a mediator of the alliance-outcome association in treatment for chronic depression. <i>Journal of Consulting and Clinical Psychology</i> , 2016 , 84, 1135-1144	6.5	16

40	Childhood Trauma and COMT Genotype Interact to Increase Hippocampal Activation in Resilient Individuals. <i>Frontiers in Psychiatry</i> , 2016 , 7, 156	5	28
39	CHILDHOOD MALTREATMENT PREDICTS REDUCED INHIBITION-RELATED ACTIVITY IN THE ROSTRAL ANTERIOR CINGULATE IN PTSD, BUT NOT TRAUMA-EXPOSED CONTROLS. <i>Depression and Anxiety</i> , 2016 , 33, 614-22	8.4	25
38	STRUCTURAL AND FUNCTIONAL CONNECTIVITY IN POSTTRAUMATIC STRESS DISORDER: ASSOCIATIONS WITH FKBP5. <i>Depression and Anxiety</i> , 2016 , 33, 300-7	8.4	47
37	Unintended Consequences of Changing the Definition of Posttraumatic Stress Disorder in DSM-5: Critique and Call for Action. <i>JAMA Psychiatry</i> , 2016 , 73, 750-2	14.5	73
36	Treatment Options for Veterans With Posttraumatic Stress Disorder. <i>JAMA Psychiatry</i> , 2016 , 73, 756	14.5	1
35	Baseline psychophysiological and cortisol reactivity as a predictor of PTSD treatment outcome in virtual reality exposure therapy. <i>Behaviour Research and Therapy</i> , 2016 , 82, 28-37	5.2	70
34	An investigation of outcome expectancies as a predictor of treatment response for combat veterans with PTSD: comparison of clinician, self-report, and biological measures. <i>Depression and Anxiety</i> , 2015 , 32, 392-9	8.4	19
33	Catecholamine responses to virtual combat: implications for post-traumatic stress and dimensions of functioning. <i>Frontiers in Psychology</i> , 2015 , 6, 256	3.4	9
32	Virtual Reality Exposure for PTSD Due to Military Combat and Terrorist Attacks. <i>Journal of Contemporary Psychotherapy</i> , 2015 , 45, 255-264	2.3	47
31	Biomarkers of post-deployment resilience among military service members. <i>Neurobiology of Stress</i> , 2015 , 2, 62-6	7.6	6
30	Emergency department predictors of posttraumatic stress reduction for trauma-exposed individuals with and without an early intervention. <i>Journal of Consulting and Clinical Psychology</i> , 2014 , 82, 336-41	6.5	54
29	A randomized, double-blind evaluation of D-cycloserine or alprazolam combined with virtual reality exposure therapy for posttraumatic stress disorder in Iraq and Afghanistan War veterans. <i>American Journal of Psychiatry</i> , 2014 , 171, 640-8	11.9	262
28	Assessing Treatment-Resistant Posttraumatic Stress Disorder: The Emory Treatment Resistance Interview for PTSD (E-TRIP). <i>Behavioral Sciences (Basel, Switzerland)</i> , 2014 , 4, 511-527	2.3	32
27	Changes in trauma-potentiated startle with treatment of posttraumatic stress disorder in combat Veterans. <i>Journal of Anxiety Disorders</i> , 2014 , 28, 358-62	10.9	25
26	Disrupted amygdala-prefrontal functional connectivity in civilian women with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1469-78	5.2	186
25	Reduced neural activation during an inhibition task is associated with impaired fear inhibition in a traumatized civilian sample. <i>Cortex</i> , 2013 , 49, 1884-91	3.8	100
24	The "PE coach" smartphone application: an innovative approach to improving implementation, fidelity, and homework adherence during prolonged exposure. <i>Psychological Services</i> , 2013 , 10, 342-349	2.5	83
23	Risk for Partner Victimization and Marital Dissatisfaction Among Chronically Depressed Patients. Journal of Family Violence, 2012, 27, 75-85	3	6

(2004-2012)

22	Neural correlates of attention bias to threat in post-traumatic stress disorder. <i>Biological Psychology</i> , 2012 , 90, 134-42	3.2	104
21	Early intervention may prevent the development of posttraumatic stress disorder: a randomized pilot civilian study with modified prolonged exposure. <i>Biological Psychiatry</i> , 2012 , 72, 957-63	7.9	188
20	Fear extinction in traumatized civilians with posttraumatic stress disorder: relation to symptom severity. <i>Biological Psychiatry</i> , 2011 , 69, 556-63	7.9	276
19	Effectiveness of virtual reality exposure therapy for active duty soldiers in a military mental health clinic. <i>Journal of Traumatic Stress</i> , 2011 , 24, 93-6	3.8	114
18	SimCoach: an intelligent virtual human system for providing healthcare information and support. <i>International Journal on Disability and Human Development</i> , 2011 , 10,		34
17	Virtual reality posttraumatic stress disorder (PTSD) exposure therapy results with active duty OIF/OEF service members. <i>International Journal on Disability and Human Development</i> , 2011 , 10,		10
16	How the neurocircuitry and genetics of fear inhibition may inform our understanding of PTSD. <i>American Journal of Psychiatry</i> , 2010 , 167, 648-62	11.9	351
15	Impaired fear inhibition is a biomarker of PTSD but not depression. <i>Depression and Anxiety</i> , 2010 , 27, 244-51	8.4	330
14	Using virtual reality to help our patients in the real world. Depression and Anxiety, 2009, 26, 209-11	8.4	26
13	Virtual Reality Exposure Therapy for Combat-Related PTSD 2009 , 375-399		37
12	Cognitive and Behavioral Mediators of Combined Pharmacotherapy and Psychotherapy of Chronic Depression. <i>Cognitive Therapy and Research</i> , 2008 , 32, 197-211	2.7	9
11	Placebo-controlled trial of risperidone augmentation for selective serotonin reuptake inhibitor-resistant civilian posttraumatic stress disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 520-5	4.6	57
10		4.6	57
	inhibitor-resistant civilian posttraumatic stress disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 520-5 A pooled analysis of gender and trauma-type effects on responsiveness to treatment of PTSD with		
10	inhibitor-resistant civilian posttraumatic stress disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 520-5 A pooled analysis of gender and trauma-type effects on responsiveness to treatment of PTSD with venlafaxine extended release or placebo. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1529-39 Virtual Iraq: Initial Case Reports from a VR Exposure Therapy Application for Combat-Related Post		13
10	inhibitor-resistant civilian posttraumatic stress disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 520-5 A pooled analysis of gender and trauma-type effects on responsiveness to treatment of PTSD with venlafaxine extended release or placebo. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1529-39 Virtual Iraq: Initial Case Reports from a VR Exposure Therapy Application for Combat-Related Post Traumatic Stress Disorder 2007 ,		13
10 9 8	inhibitor-resistant civilian posttraumatic stress disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 520-5 A pooled analysis of gender and trauma-type effects on responsiveness to treatment of PTSD with venlafaxine extended release or placebo. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1529-39 Virtual Iraq: Initial Case Reports from a VR Exposure Therapy Application for Combat-Related Post Traumatic Stress Disorder 2007 , Prolonged Exposure Therapy for PTSD: Therapist Guide 2007 , Augmentation of sertraline with prolonged exposure in the treatment of posttraumatic stress	4.6	13 12 660

4	Sertraline in the treatment of rape victims with posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 1996 , 9, 865-871	3.8	68
3	Sertraline in the treatment of rape victims with posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 1996 , 9, 865-71	3.8	9
2	Psychological and neurobiological consequences of trauma 1994 , 123-151		
1	Reliability and validity of a brief instrument for assessing post-traumatic stress disorder. <i>Journal of Traumatic Stress</i> , 1993 , 6, 459-473	3.8	1942