

# Anne Mette Skovgaard

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6603649/publications.pdf>

Version: 2024-02-01

63  
papers

1,883  
citations

318942

23  
h-index

312153

41  
g-index

67  
all docs

67  
docs citations

67  
times ranked

2588  
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased Incidence of Mental Disorders in Children with Cataract: Findings from a Population-based Study. <i>American Journal of Ophthalmology</i> , 2022, 236, 204-211.	1.7	2
2	Infancy weight faltering and childhood neurodevelopmental disorders: a general population birth-cohort study. <i>European Child and Adolescent Psychiatry</i> , 2022, , 1.	2.8	0
3	The Infant Health Study - Promoting mental health and healthy weight through sensitive parenting to infants with cognitive, emotional, and regulatory vulnerabilities: protocol for a stepped-wedge cluster-randomized trial and a process evaluation within municipality settings. <i>BMC Public Health</i> , 2022, 22, 194.	1.2	2
4	Motor development problems in infancy predict mental disorders in childhood: a longitudinal cohort study. <i>European Journal of Pediatrics</i> , 2022, , 1.	1.3	0
5	Smoking in pregnancy is associated with increased adiposity and retinal arteriolar wall-to-lumen ratio in adolescence: The Copenhagen Child Cohort Study 2000. <i>Microvascular Research</i> , 2022, 142, 104364.	1.1	0
6	Mental disorders in referred 3-year-old children: a population-based study of incidence, comorbidity and perinatal risk factors. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1251-1262.	2.8	11
7	Continuity of health anxiety from childhood to adolescence and associated healthcare costs: a prospective population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 441-448.	3.1	7
8	Incidence of cilioretinal arteries in 11- to 12-year-old children and association with maternal smoking during pregnancy: the Copenhagen Child Cohort 2000 Eye Study. <i>Acta Ophthalmologica</i> , 2021, 99, e1162-e1167.	0.6	2
9	Parental education, parent-child relations and diagnosed mental disorders in childhood: prospective child cohort study. <i>European Journal of Public Health</i> , 2021, 31, 514-520.	0.1	2
10	Precursors of self-reported subclinical hypomania in adolescence: A longitudinal general population study. <i>PLoS ONE</i> , 2021, 16, e0253507.	1.1	2
11	Cone photoreceptor density in the Copenhagen Child Cohort at age 16-17 years. <i>Ophthalmic and Physiological Optics</i> , 2021, 41, 1292-1299.	1.0	4
12	Trajectories of dysregulation in preschool age. <i>European Child and Adolescent Psychiatry</i> , 2021, , 1.	2.8	4
13	Healthcare Costs, School Performance, and Health-related Quality of Life in Adolescence Following Psychotic Experiences in Preadolescence: A Longitudinal Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 682-691.	2.3	9
14	Are theory of mind and bullying separately associated with later academic performance among preadolescents?. <i>British Journal of Educational Psychology</i> , 2020, 90, 62-76.	1.6	13
15	Low physical activity and higher use of screen devices are associated with myopia at the age of 16-17 years in the CCC2000 Eye Study. <i>Acta Ophthalmologica</i> , 2020, 98, 315-321.	0.6	63
16	Difficulties falling asleep among adolescents: Social inequality and time trends 1991-2018. <i>Journal of Sleep Research</i> , 2020, 29, e12941.	1.7	16
17	Psychotic experiences from preadolescence to adolescence: when should we be worried about adolescent risk behaviors?. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1251-1264.	2.8	19
18	Retinal arteriolar wall-to-lumen ratios at 16-17 years in the Copenhagen Child Cohort 2000 Study. <i>Journal of Hypertension</i> , 2020, 38, 731-736.	0.3	7

#	ARTICLE	IF	CITATIONS
19	Mental Health Service Use and Psychopharmacological Treatment Following Psychotic Experiences in Preadolescence. <i>American Journal of Psychiatry</i> , 2020, 177, 318-326.	4.0	41
20	Cohort Profile: The Copenhagen Child Cohort Study (CCC2000). <i>International Journal of Epidemiology</i> , 2020, 49, 370-371.	0.9	19
21	Axial length change and its relationship with baseline choroidal thickness â€“ a five-year longitudinal study in Danish adolescents: the CCC2000 eye study. <i>BMC Ophthalmology</i> , 2020, 20, 152.	0.6	11
22	Evidence that self-reported psychotic experiences in children are clinically relevant. <i>Schizophrenia Research</i> , 2019, 204, 415-416.	1.1	14
23	Problems of feeding, sleeping and excessive crying in infancy: a general population study. <i>Archives of Disease in Childhood</i> , 2019, 104, 1034-1041.	1.0	37
24	Five-Year Change in Choroidal Thickness in Relation to Body Development and Axial Eye Elongation: The CCC2000 Eye Study. , 2019, 60, 3930.		13
25	Developmental and mental health characteristics of children exposed to psychosocial adversity and stressors at the age of 18-months: Findings from a population-based cohort study. , 2019, 57, 1013-19.		4
26	The predictive validity of the Strengths and Difficulties Questionnaire in preschool age to identify mental disorders in preadolescence. <i>PLoS ONE</i> , 2019, 14, e0217707.	1.1	24
27	7.4 PSYCHOTIC EXPERIENCES IN CHILDHOOD AND SUBSEQUENT SUICIDAL BEHAVIOR IN ADOLESCENCE â€“ A COPENHAGEN CHILD COHORT 2000 STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S98-S99.	2.3	1
28	Construct validity of a service-setting based measure to identify mental health problems in infancy. <i>PLoS ONE</i> , 2019, 14, e0214112.	1.1	7
29	Small Hard Macular Drusen and Associations in 11- to 12-Year-Old Children in the Copenhagen Child Cohort 2000 Eye Study. , 2019, 60, 1454.		5
30	Psychotic experiences are associated with health anxiety and functional somatic symptoms in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 524-532.	3.1	9
31	Visual acuity and amblyopia prevalence in 11â€“to 12â€“yearâ€“old Danish children from the Copenhagen Child Cohort 2000. <i>Acta Ophthalmologica</i> , 2019, 97, 29-35.	0.6	15
32	Concordance of child selfâ€“reported psychotic experiences with interviewâ€“and observerâ€“based psychotic experiences. <i>Microbial Biotechnology</i> , 2019, 13, 619-626.	0.9	21
33	Increasing risk of psychiatric morbidity after childhood onset type 1 diabetes: a population-based cohort study. <i>Diabetologia</i> , 2018, 61, 831-838.	2.9	64
34	Predictive validity of a service-setting-based measure to identify infancy mental health problems: a population-based cohort study. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 711-723.	2.8	12
35	Poor Metabolic Control in Children and Adolescents With Type 1 Diabetes and Psychiatric Comorbidity. <i>Diabetes Care</i> , 2018, 41, 2289-2296.	4.3	46
36	Validation of the Eating Pattern Inventory for Children in a General Population Sample of 11- to 12-Year-Old Children. <i>Assessment</i> , 2017, 24, 810-819.	1.9	3

#	ARTICLE	IF	CITATIONS
37	Association of Maternal Smoking During Pregnancy and Birth Weight With Retinal Nerve Fiber Layer Thickness in Children Aged 11 or 12 Years. <i>JAMA Ophthalmology</i> , 2017, 135, 331.	1.4	29
38	Impact of functional somatic symptoms on 5-7-year-olds' healthcare use and costs. <i>Archives of Disease in Childhood</i> , 2017, 102, 617-623.	1.0	18
39	A new measure for infant mental health screening: development and initial validation. <i>BMC Pediatrics</i> , 2016, 16, 197.	0.7	12
40	Early Predictors of Eating Problems in Preadolescence—A Prospective Birth Cohort Study. <i>Journal of Adolescent Health</i> , 2016, 58, 533-542.	1.2	7
41	Early Predictors of Childhood Restrictive Eating. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2016, 37, 314-321.	0.6	28
42	Perinatal Risk Factors for Feeding and Eating Disorders in Children Aged 0 to 3 Years. <i>Pediatrics</i> , 2016, 137, e20152575.	1.0	18
43	Eating behaviours in preadolescence are associated with body dissatisfaction and mental disorders—Results of the CCC2000 study. <i>Appetite</i> , 2016, 101, 46-54.	1.8	13
44	Psychiatric disorders in Danish children aged 5-7 years: A general population study of prevalence and risk factors from the Copenhagen Child Cohort (CCC 2000). <i>Nordic Journal of Psychiatry</i> , 2016, 70, 146-155.	0.7	20
45	Health Anxiety in Preadolescence - Associated Health Problems, Healthcare Expenditure, and Continuity in Childhood. <i>Journal of Abnormal Child Psychology</i> , 2016, 44, 823-832.	3.5	35
46	The CCC2000 Birth Cohort Study of Register-Based Family History of Mental Disorders and Psychotic Experiences in Offspring. <i>Schizophrenia Bulletin</i> , 2015, 41, 1084-1094.	2.3	42
47	Infancy predictors of hyperkinetic and pervasive developmental disorders at ages 5-7 years: results from the Copenhagen Child Cohort <scp>CCC</scp>2000. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1328-1335.	3.1	29
48	Predicting ADHD in school age when using the Strengths and Difficulties Questionnaire in preschool age: a longitudinal general population study, CCC2000. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1051-1060.	2.8	29
49	Hyper-Theory-of-Mind in Children with Psychotic Experiences. <i>PLoS ONE</i> , 2014, 9, e113082.	1.1	38
50	A Confirmatory Approach to Examining the Factor Structure of the Strengths and Difficulties Questionnaire (SDQ): A Large Scale Cohort Study. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 355-365.	3.5	86
51	Infant Behaviors Are Predictive of Functional Somatic Symptoms at Ages 5-7 Years: Results from the Copenhagen Child Cohort CCC2000. <i>Journal of Pediatrics</i> , 2013, 162, 335-342.	0.9	31
52	Functional Somatic Symptoms and Consultation Patterns in 5- to 7-Year-Olds. <i>Pediatrics</i> , 2013, 132, e459-e467.	1.0	29
53	Pregnancy and Birth Cohort Resources in Europe: a Large Opportunity for Aetiological Child Health Research. <i>Paediatric and Perinatal Epidemiology</i> , 2013, 27, 393-414.	0.8	214
54	Parental-Reported Health Anxiety Symptoms in 5- to 7-Year-Old Children: The Copenhagen Child Cohort CCC 2000. <i>Psychosomatics</i> , 2012, 53, 58-67.	2.5	33

#	ARTICLE	IF	CITATIONS
55	Psychometric Properties of the Danish Strength and Difficulties Questionnaire: The SDQ Assessed for More than 70,000 Raters in Four Different Cohorts. PLoS ONE, 2012, 7, e32025.	1.1	168
56	Eating Patterns in a Population-Based Sample of Children Aged 5 to 7 Years: Association With Psychopathology and Parentally Perceived Impairment. Journal of Developmental and Behavioral Pediatrics, 2011, 32, 572-580.	0.6	72
57	The prevalence of SDQ-measured mental health problems at age 5-7 years and identification of predictors from birth to preschool age in a Danish birth cohort: The Copenhagen Child Cohort 2000. European Child and Adolescent Psychiatry, 2010, 19, 725-735.	2.8	63
58	Mental health problems and psychopathology in infancy and early childhood. An epidemiological study. Danish Medical Bulletin, 2010, 57, B4193.	0.3	41
59	Functional somatic symptoms and associated impairment in 5-7-year-old children: the Copenhagen Child Cohort 2000. European Journal of Epidemiology, 2009, 24, 625-634.	2.5	61
60	Can a general health surveillance between birth and 10 months identify children with mental disorder at 1½ year?. European Child and Adolescent Psychiatry, 2008, 17, 290-298.	2.8	22
61	The prevalence of mental health problems in children 1½-7 years of age - the Copenhagen Child Cohort 2000. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2007, 48, 62-70.	3.1	157
62	The Copenhagen County child cohort: Design of a longitudinal study of child mental health. Scandinavian Journal of Public Health, 2005, 33, 197-202.	1.2	65
63	The growth pattern of 1-year-old Danish children, when screened by public health nurses - The Copenhagen County Child Cohort 2000. Annals of Human Biology, 2005, 32, 297-315.	0.4	9