
## David P G Van Den Berg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6605554/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prolonged Exposure vs Eye Movement Desensitization and Reprocessing vs Waiting List for Posttraumatic Stress Disorder in Patients With a Psychotic Disorder. JAMA Psychiatry, 2015, 72, 259.	6.0	267
2	Treating trauma in psychosis with EMDR: A pilot study. Journal of Behavior Therapy and Experimental Psychiatry, 2012, 43, 664-671.	0.6	116
3	Trauma-Focused Treatment in PTSD Patients With Psychosis: Symptom Exacerbation, Adverse Events, and Revictimization. Schizophrenia Bulletin, 2016, 42, 693-702.	2.3	104
4	Cannabis use and transition to psychosis in individuals at ultra-high risk: review and meta-analysis. Psychological Medicine, 2016, 46, 673-681.	2.7	103
5	Prolonged exposure and EMDR for PTSD <i>v</i> . a PTSD waiting-list condition: effects on symptoms of psychosis, depression and social functioning in patients with chronic psychotic disorders. Psychological Medicine, 2016, 46, 2411-2421.	2.7	93
6	Predictive validity of the Trauma Screening Questionnaire in detecting post-traumatic stress disorder in patients with psychotic disorders. British Journal of Psychiatry, 2015, 206, 408-416.	1.7	78
7	Four-Year Follow-up of Cognitive Behavioral Therapy in Persons at Ultra-High Risk for Developing Psychosis: The Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. Schizophrenia Bulletin, 2016, 42, 1243-1252.	2.3	57
8	Long-term outcomes of trauma-focused treatment in psychosis. British Journal of Psychiatry, 2018, 212, 180-182.	1.7	45
9	A multi-site single blind clinical study to compare the effects of prolonged exposure, eye movement desensitization and reprocessing and waiting list on patients with a current diagnosis of psychosis and co morbid post traumatic stress disorder: study protocol for the randomized controlled trial Treating Trauma in Psychosis. Trials. 2013. 14. 151.	0.7	39
10	Self-esteem treatment in anxiety: A randomized controlled crossover trial of Eye Movement Desensitization and Reprocessing (EMDR) versus Competitive Memory Training (COMET) in patients with anxiety disorders. Behaviour Research and Therapy, 2016, 82, 11-20.	1.6	34
11	CBT in the prevention of psychosis and other severe mental disorders in patients with an at risk mental state: A review and proposed next steps. Schizophrenia Research, 2019, 203, 88-93.	1.1	31
12	Four-Year Cost-effectiveness of Cognitive Behavior Therapy for Preventing First-episode Psychosis: The Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. Schizophrenia Bulletin, 2017, 43, sbw084.	2.3	29
13	Effectiveness of trauma-focused treatment for patients with psychosis with and without the dissociative subtype of post-traumatic stress disorder. British Journal of Psychiatry, 2016, 209, 347-348.	1.7	28
14	A network analysis of post-traumatic stress and psychosis symptoms. Psychological Medicine, 2021, 51, 2485-2492.	2.7	26
15	CBT for Those at Risk of a First Episode Psychosis. , 0, , .		26
16	The effect of childhood adversity on 4-year outcome in individuals at ultra high risk for psychosis in the Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. Psychiatry Research, 2017, 247, 55-62.	1.7	23
17	Reducing distress and improving social functioning in daily life in people with auditory verbal hallucinations: study protocol for the â€Temstem' randomised controlled trial. BMJ Open, 2018, 8, e020537.	0.8	22
18	Feasibility of EMDR for posttraumatic stress disorder in patients with personality disorders: a pilot study. HA¶gre Utbildning, 2019, 10, 1614822.	1.4	19

DAVID P G VAN DEN BERG

#	Article	IF	CITATIONS
19	Health–economic benefits of treating trauma in psychosis. Högre Utbildning, 2019, 10, 1565032.	1.4	19
20	Potential Applications of Digital Technology in Assessment, Treatment, and Self-help for Hallucinations. Schizophrenia Bulletin, 2019, 45, S32-S42.	2.3	17
21	A time-series network approach to auditory verbal hallucinations: Examining dynamic interactions using experience sampling methodology. Schizophrenia Research, 2020, 215, 148-156.	1.1	17
22	EMDR in Psychosis: Guidelines for Conceptualization and Treatment. Journal of EMDR Practice and Research, 2013, 7, 208-224.	0.2	15
23	Development of a stage-dependent prognostic model to predict psychosis in ultra-high-risk patients seeking treatment for co-morbid psychiatric disorders. Psychological Medicine, 2016, 46, 1839-1851.	2.7	12
24	Healing traumatic memories in psychosis: a response to Sin and Spain (2016). Psychosis, 2017, 9, 95-96.	0.4	12
25	Predicting trauma-focused treatment outcome in psychosis. Schizophrenia Research, 2016, 176, 239-244.	1.1	11
26	Exposing therapists to trauma-focused treatment in psychosis: effects on credibility, expected burden, and harm expectancies. HA¶gre Utbildning, 2016, 7, 31712.	1.4	10
27	The Prodromal Questionnaire: a case for IRT-based adaptive testing of psychotic experiences?. International Journal of Methods in Psychiatric Research, 2017, 26, e1518.	1.1	10
28	Eye movement desensitization and reprocessing therapy for psychosis ( <scp>EMDRp</scp> ): Protocol of a feasibility randomized controlled trial with early intervention service users. Microbial Biotechnology, 2021, 15, 1224-1233.	0.9	9
29	Efficacy of a transdiagnostic ecological momentary intervention for improving self-esteem (SELFIE) in youth exposed to childhood adversity: study protocol for a multi-center randomized controlled trial. Trials, 2021, 22, 641.	0.7	9
30	Trauma Therapies in Psychosis. , 2020, , 447-463.		8
31	Voice phenomenology as a mirror of the past. Psychological Medicine, 2023, 53, 2954-2962.	2.7	7
32	Trauma, psychosis, post-traumatic stress disorder and the application of EMDR. Rivista Di Psichiatria, 2012, 47, 33-8.	0.6	6
33	Psychosis: An Emerging Field for EMDR Research and Therapy. Journal of EMDR Practice and Research, 2019, 13, 313-324.	0.2	6
34	Ultrahigh risk for developing psychosis and psychotic personality organization. Microbial Biotechnology, 2019, 13, 673-676.	0.9	4
35	Changes in Posttraumatic Cognitions Mediate the Effects of Trauma-Focused Therapy on Paranoia. Schizophrenia Bulletin Open, 2020, 1, .	0.9	4
36	Linguistic dual tasking reduces emotionality, vividness and credibility of voice memories in voice-hearing individuals: Results from a controlled trial. Schizophrenia Research, 2020, 216, 249-254.	1.1	2

#	Article	IF	CITATIONS
37	Voice-hearers' beliefs about the causes of their voices. Psychiatry Research, 2021, 302, 113997.	1.7	2
38	Effects of multivitamin, mineral and n-3 polyunsaturated fatty acid supplementation on aggression among long-stay psychiatric in-patients: randomised clinical trial. BJPsych Open, 2022, 8, e42.	0.3	2
39	The effects of a specialized staff training on trauma-sensitivity in professionals working with patients with a psychotic disorder: A pilot study. Psychosis, 0, , 1-14.	0.4	2
40	THE RESULTS OF EYE MOVEMENT DESENSITISATION AND REPROCESSING AND PROLONGED EXPOSURE IN PATIENTS WITH POSTTRAUMATIC STRESS DISORDER AND CHRONIC PSYCHOTIC DISORDER. Schizophrenia Research, 2014, 153, S74-S75.	1.1	0
41	L'EMDR dans la psychose : lignes directrices pour la conceptualisation et le traitement. Journal of EMDR Practice and Research, 2014, 8, 67-84.	0.2	0
42	EMDR y psicosis: Pautas de conceptualización y tratamiento. Journal of EMDR Practice and Research, 2015, 9, 29-45.	0.2	0
43	Traumabehandlung bei Psychose. Trauma Und Gewalt, 2017, 11, 216-233.	0.1	0