

# David P G Van Den Berg

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6605554/david-p-g-van-den-berg-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43  
papers

894  
citations

15  
h-index

29  
g-index

47  
ext. papers

1,116  
ext. citations

4  
avg, IF

4.25  
L-index

| #  | Paper  | IF   | Citations |
|----|--|------|-----------|
| 43 | Prolonged exposure vs eye movement desensitization and reprocessing vs waiting list for posttraumatic stress disorder in patients with a psychotic disorder: a randomized clinical trial. <i>JAMA Psychiatry</i> , <b>2015</b> , 72, 259-67  | 14.5 | 198       |
| 42 | Treating trauma in psychosis with EMDR: a pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , <b>2012</b> , 43, 664-71   | 2.6  | 82        |
| 41 | Cannabis use and transition to psychosis in individuals at ultra-high risk: review and meta-analysis. <i>Psychological Medicine</i> , <b>2016</b> , 46, 673-81   | 6.9  | 73        |
| 40 | Trauma-Focused Treatment in PTSD Patients With Psychosis: Symptom Exacerbation, Adverse Events, and Revictimization. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 693-702   | 1.3  | 70        |
| 39 | Prolonged exposure and EMDR for PTSD v. a PTSD waiting-list condition: effects on symptoms of psychosis, depression and social functioning in patients with chronic psychotic disorders. <i>Psychological Medicine</i> , <b>2016</b> , 46, 2411-21   | 6.9  | 54        |
| 38 | Predictive validity of the Trauma Screening Questionnaire in detecting post-traumatic stress disorder in patients with psychotic disorders. <i>British Journal of Psychiatry</i> , <b>2015</b> , 206, 408-16   | 5.4  | 50        |
| 37 | Four-Year Follow-up of Cognitive Behavioral Therapy in Persons at Ultra-High Risk for Developing Psychosis: The Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 1243-52   | 1.3  | 48        |
| 36 | A multi-site single blind clinical study to compare the effects of prolonged exposure, eye movement desensitization and reprocessing and waiting list on patients with a current diagnosis of psychosis and co morbid post traumatic stress disorder: study protocol for the randomized controlled trial <i>Treating Trauma in Psychosis</i> . <i>Trials</i> , <b>2013</b> , 14, 151 | 2.8  | 33        |
| 35 | Self-esteem treatment in anxiety: A randomized controlled crossover trial of Eye Movement Desensitization and Reprocessing (EMDR) versus Competitive Memory Training (COMET) in patients with anxiety disorders. <i>Behaviour Research and Therapy</i> , <b>2016</b> , 82, 11-20   | 5.2  | 29        |
| 34 | Long-term outcomes of trauma-focused treatment in psychosis. <i>British Journal of Psychiatry</i> , <b>2018</b> , 212, 180-182   | 5.4  | 26        |
| 33 | Four-Year Cost-effectiveness of Cognitive Behavior Therapy for Preventing First-episode Psychosis: The Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 365-374  | 1.3  | 22        |
| 32 | CBT for Those at Risk of a First Episode Psychosis   |      | 22        |
| 31 | Effectiveness of trauma-focused treatment for patients with psychosis with and without the dissociative subtype of post-traumatic stress disorder. <i>British Journal of Psychiatry</i> , <b>2016</b> , 209, 347-348   | 5.4  | 18        |
| 30 | CBT in the prevention of psychosis and other severe mental disorders in patients with an at risk mental state: A review and proposed next steps. <i>Schizophrenia Research</i> , <b>2019</b> , 203, 88-93  | 3.6  | 17        |
| 29 | The effect of childhood adversity on 4-year outcome in individuals at ultra high risk for psychosis in the Dutch Early Detection Intervention Evaluation (EDIE-NL) Trial. <i>Psychiatry Research</i> , <b>2017</b> , 247, 55-62  | 9.9  | 16        |
| 28 | Reducing distress and improving social functioning in daily life in people with auditory verbal hallucinations: study protocol for the VemstemVrandomised controlled trial. <i>BMJ Open</i> , <b>2018</b> , 8, e020537   | 3    | 13        |
| 27 | Potential Applications of Digital Technology in Assessment, Treatment, and Self-help for Hallucinations. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S32-S42   | 1.3  | 12        |

|    |  |     |    |
|----|--|-----|----|
| 26 | Feasibility of EMDR for posttraumatic stress disorder in patients with personality disorders: a pilot study. <i>Høgre Utbildning</i> , <b>2019</b> , 10, 1614822   | 5   | 12 |
| 25 | A network analysis of post-traumatic stress and psychosis symptoms. <i>Psychological Medicine</i> , <b>2021</b> , 51, 2485-2492  | 6.9 | 12 |
| 24 | Development of a stage-dependent prognostic model to predict psychosis in ultra-high-risk patients seeking treatment for co-morbid psychiatric disorders. <i>Psychological Medicine</i> , <b>2016</b> , 46, 1839-519                   | 6.9 | 12 |
| 23 | Health-economic benefits of treating trauma in psychosis. <i>Høgre Utbildning</i> , <b>2019</b> , 10, 1565032  | 5   | 10 |
| 22 | Healing traumatic memories in psychosis: a response to Sin and Spain (2016). <i>Psychosis</i> , <b>2017</b> , 9, 95-96   | 1.2 | 9  |
| 21 | EMDR in Psychosis: Guidelines for Conceptualization and Treatment. <i>Journal of EMDR Practice and Research</i> , <b>2013</b> , 7, 208-224   | 1.7 | 9  |
| 20 | The Prodromal Questionnaire: a case for IRT-based adaptive testing of psychotic experiences?. <i>International Journal of Methods in Psychiatric Research</i> , <b>2017</b> , 26,  | 4.3 | 8  |
| 19 | A time-series network approach to auditory verbal hallucinations: Examining dynamic interactions using experience sampling methodology. <i>Schizophrenia Research</i> , <b>2020</b> , 215, 148-156                                     | 3.6 | 8  |
| 18 | Exposing therapists to trauma-focused treatment in psychosis: effects on credibility, expected burden, and harm expectancies. <i>Høgre Utbildning</i> , <b>2016</b> , 7, 31712   | 5   | 8  |
| 17 | Predicting trauma-focused treatment outcome in psychosis. <i>Schizophrenia Research</i> , <b>2016</b> , 176, 239-244   | 3.6 | 5  |
| 16 | Trauma, psychosis, post-traumatic stress disorder and the application of EMDR. <i>Rivista Di Psichiatria</i> , <b>2012</b> , 47, 33-8  | 3.1 | 5  |
| 15 | Psychosis: An Emerging Field for EMDR Research and Therapy. <i>Journal of EMDR Practice and Research</i> , <b>2019</b> , 13, 313-324   | 1.7 | 3  |
| 14 | Cognitieve gedragstherapie bij het voorkomen van ernstige psychiatrische klachten. <i>Psychopraktijk</i> , <b>2010</b> , 2, 7-10   |     | 2  |
| 13 | Eye movement desensitization and reprocessing therapy for psychosis (EMDRp): Protocol of a feasibility randomized controlled trial with early intervention service users. <i>Microbial Biotechnology</i> , <b>2021</b> , 15, 1224-1233 | 3.3 | 2  |
| 12 | Ultrahigh risk for developing psychosis and psychotic personality organization. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 673-676   | 3.3 | 1  |
| 11 | The effects of a specialized staff training on trauma-sensitivity in professionals working with patients with a psychotic disorder: A pilot study. <i>Psychosis</i> , 1-14   | 1.2 | 1  |
| 10 | Trauma Therapies in Psychosis <b>2020</b> , 447-463  |     | 1  |
| 9  | Changes in Posttraumatic Cognitions Mediate the Effects of Trauma-Focused Therapy on Paranoia. <i>Schizophrenia Bulletin Open</i> , <b>2020</b> , 1,   | 2.2 | 1  |

|   |  |     |   |
|---|--|-----|---|
| 8 | Voice-hearers' beliefs about the causes of their voices. <i>Psychiatry Research</i> , <b>2021</b> , 302, 113997  | 9.9 | 1 |
| 7 | Efficacy of a transdiagnostic ecological momentary intervention for improving self-esteem (SELFIE) in youth exposed to childhood adversity: study protocol for a multi-center randomized controlled trial. <i>Trials</i> , <b>2021</b> , 22, 641 | 2.8 | 1 |
| 6 | Effects of multivitamin, mineral and n-3 polyunsaturated fatty acid supplementation on aggression among long-stay psychiatric in-patients: randomised clinical trial.. <i>BJPsych Open</i> , <b>2022</b> , 8, e42                                | 5   | 0 |
| 5 | Linguistic dual tasking reduces emotionality, vividness and credibility of voice memories in voice-hearing individuals: Results from a controlled trial. <i>Schizophrenia Research</i> , <b>2020</b> , 216, 249-254                              | 3.6 | 0 |
| 4 | L'EMDR dans la psychose : lignes directrices pour la conceptualisation et le traitement. <i>Journal of EMDR Practice and Research</i> , <b>2014</b> , 8, 67-84   | 1.7 |   |
| 3 | EMDR y psicosis: Pautas de conceptualizaci3n y tratamiento. <i>Journal of EMDR Practice and Research</i> , <b>2015</b> , 9, 29-45  | 1.7 |   |
| 2 | Voice phenomenology as a mirror of the past.. <i>Psychological Medicine</i> , <b>2022</b> , 1-9  | 6.9 |   |
| 1 | Traumabehandlung bei Psychose. <i>Trauma Und Gewalt</i> , <b>2017</b> , 11, 216-233  | 0.2 |   |