Cleo L Crunelle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6605659/publications.pdf

Version: 2024-02-01

63 2,588 22 papers citations h-index

2,588 22 48
eations h-index g-index

206112

67 67 3214
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	The World Federation of ADHD International Consensus Statement: 208 Evidence-based conclusions about the disorder. Neuroscience and Biobehavioral Reviews, 2021, 128, 789-818.	6.1	483
2	Prevalence of attention-deficit hyperactivity disorder in substance use disorder patients: A meta-analysis and meta-regression analysis. Drug and Alcohol Dependence, 2012, 122, 11-19.	3.2	414
3	Self-Reported Alcohol, Tobacco, and Cannabis Use during COVID-19 Lockdown Measures: Results from a Web-Based Survey. European Addiction Research, 2020, 26, 309-315.	2.4	291
4	Hair ethyl glucuronide levels as a marker for alcohol use and abuse: A review of the current state of the art. Drug and Alcohol Dependence, 2014, 134, 1-11.	3.2	120
5	International Consensus Statement on Screening, Diagnosis and Treatment of Substance Use Disorder Patients with Comorbid Attention Deficit/Hyperactivity Disorder. European Addiction Research, 2018, 24, 43-51.	2.4	108
6	Impulsivity in adult ADHD patients with and without cocaine dependence. Drug and Alcohol Dependence, 2013, 129, 18-24.	3.2	73
7	The nicotinic acetylcholine receptor partial agonist varenicline and the treatment of drug dependence: A review. European Neuropsychopharmacology, 2010, 20, 69-79.	0.7	55
8	Nail analysis for the detection of drugs of abuse and pharmaceuticals: a review. Forensic Toxicology, 2015, 33, 12-36.	2.4	55
9	Advances in detection of antipsychotics in biological matrices. Clinica Chimica Acta, 2015, 441, 11-22.	1.1	45
10	Disadvantageous Decision-Making as a Predictor of Drop-Out among Cocaine-Dependent Individuals in Long-Term Residential Treatment. Frontiers in Psychiatry, 2013, 4, 149.	2.6	42
11	Treatment for Outpatients with Comorbid Schizophrenia and Substance Use Disorders: A Review. European Addiction Research, 2014, 20, 105-114.	2.4	41
12	Hair ethyl glucuronide as a biomarker of alcohol consumption in alcohol-dependent patients: Role of gender differences. Drug and Alcohol Dependence, 2014, 141, 163-166.	3.2	38
13	Substrates of neuropsychological functioning in stimulant dependence: a review of functional neuroimaging research. Brain and Behavior, 2012, 2, 499-523.	2.2	36
14	Reduced Frontal Brain Volume in Non-Treatment-Seeking Cocaine-Dependent Individuals: Exploring the Role of Impulsivity, Depression, and Smoking. Frontiers in Human Neuroscience, 2014, 8, 7.	2.0	36
15	Persistence and Subtype Stability of ADHD Among Substance Use Disorder Treatment Seekers. Journal of Attention Disorders, 2019, 23, 1438-1453.	2.6	34
16	Relationship between trait impulsivity and cortical volume, thickness and surface area in male cocaine users and non-drug using controls. Drug and Alcohol Dependence, 2014, 144, 210-217.	3.2	33
17	Influence of repeated permanent coloring and bleaching on ethyl glucuronide concentrations in hair from alcohol-dependent patients. Forensic Science International, 2015, 247, 18-22.	2.2	31
18	Reduced striatal brain volumes in non-medicated adult ADHD patients with comorbid cocaine dependence. Drug and Alcohol Dependence, 2013, 131, 198-203.	3.2	30

#	Article	IF	CITATIONS
19	Gas chromatographic determination of ethyl glucuronide in hair: Comparison between tandem mass spectrometry and single quadrupole mass spectrometry. Forensic Science International, 2015, 249, 20-24.	2.2	29
20	International Consensus Statement for the Screening, Diagnosis, and Treatment of Adolescents with Concurrent Attention-Deficit/Hyperactivity Disorder and Substance Use Disorder. European Addiction Research, 2020, 26, 223-232.	2.4	28
21	Lower Limbic Metabotropic Glutamate Receptor 5 Availability in Alcohol Dependence. Journal of Nuclear Medicine, 2018, 59, 682-690.	5.0	27
22	Diagnostic Accuracy of Biomarkers of Alcohol Use in Patients With Liver Disease: A Systematic Review. Alcoholism: Clinical and Experimental Research, 2021, 45, 25-37.	2.4	26
23	Ethyl glucuronide in keratinous matrices as biomarker of alcohol use: A correlation study between hair and nails. Forensic Science International, 2017, 279, 187-191.	2.2	25
24	Accelerated HF-rTMS in the elderly depressed: A feasibility study. Brain Stimulation, 2018, 11, 247-248.	1.6	24
25	A straightforward, validated liquid chromatography coupled to tandem mass spectrometry method for the simultaneous detection of nine drugs of abuse and their metabolites in hair and nails. Analytica Chimica Acta, 2017, 960, 101-109.	5.4	23
26	BRIEF REPORT: Varenicline increases striatal dopamine D _{2/3} receptor binding in rats. Addiction Biology, 2009, 14, 500-502.	2.6	22
27	Time resolved analysis of quetiapine and 7-OH-quetiapine in hair using LC/MS–MS. Forensic Science International, 2014, 242, 200-203.	2.2	22
28	Dysfunctional amygdala activation and connectivity with the prefrontal cortex in current cocaine users. Human Brain Mapping, 2015, 36, 4222-4230.	3.6	22
29	Keratinous matrices for the assessment of drugs of abuse consumption: A correlation study between hair and nails. Drug Testing and Analysis, 2018, 10, 1110-1118.	2.6	22
30	Dose-dependent and sustained effects of varenicline on dopamine D2/3 receptor availability in rats. European Neuropsychopharmacology, 2011, 21, 205-210.	0.7	21
31	Low dopamine transporter occupancy by methylphenidate as a possible reason for reduced treatment effectiveness in ADHD patients with cocaine dependence. European Neuropsychopharmacology, 2013, 23, 1714-1723.	0.7	19
32	Kinetic modeling and longâ€ŧerm testâ€retest reproducibility of the mGluR5 PET tracer ¹⁸ Fâ€FPEB in human brain. Synapse, 2016, 70, 153-162.	1.2	18
33	Varenicline increases in vivo striatal dopamine D2/3 receptor binding: an ultra-high-resolution pinhole [1231]IBZM SPECT study in rats. Nuclear Medicine and Biology, 2012, 39, 640-644.	0.6	17
34	Mini Review: Socio-Cultural Influences on the Link Between ADHD and SUD. Frontiers in Public Health, 2019, 7, 173.	2.7	17
35	Ethyl glucuronide concentrations in hair: a controlled alcohol-dosing study in healthy volunteers. Analytical and Bioanalytical Chemistry, 2016, 408, 2019-2025.	3.7	16
36	Influence of Body Mass Index on Hair Ethyl Glucuronide Concentrations. Alcohol and Alcoholism, 2017, 52, 19-23.	1.6	16

#	Article	IF	CITATIONS
37	The International Collaboration on ADHD and Substance Abuse (ICASA): Mission, Results, and Future Activities. European Addiction Research, 2020, 26, 173-178.	2.4	15
38	Ethyl Glucuronide in Hair Is an Accurate Biomarker of Chronic Excessive Alcohol Use in Patients With Alcoholic Cirrhosis. Clinical Gastroenterology and Hepatology, 2018, 16, 454-456.	4.4	14
39	Rivastigmine for the treatment of anticholinergic delirium following severe procyclidine intoxication. Clinical Toxicology, 2021, 59, 447-448.	1.9	14
40	The Role of the Posterior Cerebellum in Dysfunctional Social Sequencing. Cerebellum, 2022, 21, 1123-1134.	2.5	14
41	Hair ethyl glucuronide and serum carbohydrate deficient transferrin for the assessment of relapse in alcohol-dependent patients. Clinical Biochemistry, 2016, 49, 554-559.	1.9	13
42	Prevalence of metabolic syndrome and its associated risk factors in an African–Caribbean population with severe mental illness. Psychiatry Research, 2019, 281, 112558.	3.3	13
43	Combining Serum Carbohydrate-Deficient Transferrin and Hair Ethyl Glucuronide to Provide Optimal Information on Alcohol Use. Clinical Chemistry, 2014, 60, 1347-1348.	3.2	12
44	Hair ethyl glucuronide concentrations in teetotalers: Should we re-evaluate the lower cut-off?. Forensic Science International, 2017, 274, 107-108.	2.2	12
45	Diagnosis and treatment of patients with comorbid substance use disorder and adult attention-deficit and hyperactivity disorder. Current Opinion in Psychiatry, 2019, 32, 300-306.	6.3	12
46	Cognitive outcome after surgical clipping versus endovascular coiling in patients with subarachnoid hemorrhage due to ruptured anterior communicating artery aneurysm. Acta Neurologica Belgica, 2020, 120, 123-132.	1.1	12
47	Persistent cognitive deficits after whiplash injury: a comparative study with mild traumatic brain injury patients and healthy volunteers. Acta Neurologica Belgica, 2017, 117, 493-500.	1.1	11
48	Gammahydroxybutyrate in hair of non-GHB and repeated GHB users: A new and optimized method. Forensic Science International, 2018, 291, 193-198.	2.2	11
49	Cannabinoid-1 receptor antagonist rimonabant (SR141716) increases striatal dopamine D2 receptor availability. Addiction Biology, 2013, 18, 908-911.	2.6	10
50	Dopamine transporter occupancy by methylphenidate and impulsivity in adult ADHD. British Journal of Psychiatry, 2014, 204, 486-487.	2.8	10
51	Ethyl glucuronide in hair of non-excessive alcohol consumers: correlations and gender influence. Forensic Toxicology, 2016, 34, 186-190.	2.4	8
52	Assessment of ethyl sulphate in hair as a marker for alcohol consumption using liquid chromatography–tandem mass spectrometry. Drug Testing and Analysis, 2018, 10, 1566-1572.	2.6	8
53	Reduced CETP glycosylation and activity in patients with homozygous B4GALT1 mutations. Journal of Inherited Metabolic Disease, 2020, 43, 611-617.	3.6	8
54	Near-fatal persistent anion- and osmolal-gap acidosis due to massive gamma-butyrolactone/ethanol intoxication. Annals of Clinical Biochemistry, 2015, 52, 283-287.	1.6	7

#	Article	IF	Citations
55	Validity of the ADHD module of the Mini International Neuropsychiatric Interview PLUS for screening of adult ADHD in treatment seeking substance use disorder patients: ADHD screening with MINI-Plus. Revista De PsiquiatrÃa Y Salud Mental, 2020, , .	1.8	6
56	Ethyl glucuronide in nails: method validation, influence of decontamination and pulverization, and particle size evaluation. Forensic Toxicology, 2016, 34, 158-165.	2.4	5
57	Cognitive Impairment Following Clinical or Recreational Use of Gammahydroxybutyric Acid (GHB): A Systematic Review. Current Neuropharmacology, 2022, 20, 809-819.	2.9	5
58	Prolonged seizure duration of electroconvulsive therapy in a patient pre-stimulated with transcranial direct current stimulation. Brain Stimulation, 2021, 14, 1172-1173.	1.6	2
59	Ethyl glucuronide and alcohol abstinence: A correlation study in hair and fingernails to establish a cut-off value in fingernails for teetotalers. Forensic Science International, 2022, 335, 111278.	2.2	2
60	Letter to the Editor Regarding  A Comparison Between Serum Carbohydrate-Deficient Transferrin and Hair Ethyl Glucuronide in Detecting Chronic Alcohol Consumption in Routine'. Alcohol and Alcoholism, 2015, 50, 485-486.	1.6	1
61	Cocaine Dependence and Attention Deficit Hyperactivity Disorder. , 2017, , 383-393.		1
62	How to Interpret Hair EtG Concentrations in Individuals with High Body Mass Index? Brief Commentary on: Influence of Body Mass Index on Hair Ethyl Glucuronide Concentrations. Alcohol and Alcoholism, 2019, 54, 188-189.	1.6	1
63	Mobile crisis team in the Brussels region: facts and figures. Psychiatria Danubina, 2019, 31, 418-420.	0.4	1