

Parameswaran N Hari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6606741/publications.pdf>

Version: 2024-02-01

444
papers

16,227
citations

21215

62
h-index

25983

112
g-index

529
all docs

529
docs citations

529
times ranked

12989
citing authors

#	ARTICLE	IF	CITATIONS
1	Trajectories of quality of life recovery and symptom burden after autologous hematopoietic cell transplantation in multiple myeloma. <i>American Journal of Hematology</i> , 2023, 98, 140-147.	2.0	12
2	Ciltacabtagene Autoleucel, an Anti-CD19 B-cell Maturation Antigen Chimeric Antigen Receptor T-Cell Therapy, for Relapsed/Refractory Multiple Myeloma: CARTITUDE-1 2-Year Follow-Up. <i>Journal of Clinical Oncology</i> , 2023, 41, 1265-1274.	0.8	160
3	Comparison of Cilta-cel, an Anti-BCMA CAR-T Cell Therapy, Versus Conventional Treatment in Patients With Relapsed/Refractory Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, 326-335.	0.2	27
4	Treatment outcomes of triple class refractory multiple myeloma: a benchmark for new therapies. <i>Leukemia</i> , 2022, 36, 877-880.	3.3	18
5	Shorter Interval between Treatment and COVID Immunization Is Associated With Poor Seroconversion in Patients with Hematological Malignancies. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, e495-e497.	0.2	2
6	Assessment of Molecular Residual Disease Using Circulating Tumor DNA to Identify Multiple Myeloma Patients at High Risk of Relapse. <i>Frontiers in Oncology</i> , 2022, 12, 786451.	1.3	8
7	Consensus guidelines and recommendations for infection prevention in multiple myeloma: a report from the International Myeloma Working Group. <i>Lancet Haematology</i> , 2022, 9, e143-e161.	2.2	44
8	Mass-Fix better predicts for PFS and OS than standard methods among multiple myeloma patients participating on the STAMINA trial (BMT CTN 0702 /07LT). <i>Blood Cancer Journal</i> , 2022, 12, 27.	2.8	19
9	Daratumumab, Carfilzomib, Lenalidomide, and Dexamethasone With Minimal Residual Disease Response-Adapted Therapy in Newly Diagnosed Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2022, 40, 2901-2912.	0.8	124
10	Black patients with multiple myeloma have better survival than white patients when treated equally: a matched cohort study. <i>Blood Cancer Journal</i> , 2022, 12, 34.	2.8	22
11	A Review of Propylene Glycol-free Melphalan Conditioning for Hematopoietic Cell Transplantation for Multiple Myeloma and Light Chain Amyloidosis. <i>Transplantation and Cellular Therapy</i> , 2022, 28, 242-247.	0.6	2
12	Use of Early Intrathecal Therapy to Manage High-Grade Immune Effector Cell-Associated Neurotoxicity Syndrome. <i>JAMA Oncology</i> , 2022, 8, 773.	3.4	11
13	Patient perspectives on symptoms, health-related quality of life, and treatment experience associated with relapsed/refractory multiple myeloma. <i>Supportive Care in Cancer</i> , 2022, 30, 5859-5869.	1.0	8
14	Risk of infections with B-cell maturation antigen-directed immunotherapy in multiple myeloma. <i>Blood Advances</i> , 2022, 6, 2466-2470.	2.5	29
15	Safety analysis of patients who received ruxolitinib for steroid-refractory acute or chronic graft-versus-host disease in an expanded access program. <i>Bone Marrow Transplantation</i> , 2022, 57, 975-981.	1.3	3
16	Rap1A, Rap1B, and β -Adrenergic Signaling in Autologous HCT: A Randomized Controlled Trial of Propranolol. <i>Yale Journal of Biology and Medicine</i> , 2022, 95, 45-56.	0.2	0
17	Indirect treatment comparison of idcabtagene vicleucel versus conventional care in triple-class exposed multiple myeloma. <i>Journal of Comparative Effectiveness Research</i> , 2022, 11, 737-749.	0.6	9
18	Patient-reported outcomes and neurotoxicity markers in patients treated with bispecific LV20.19 CAR T cell therapy. <i>Communications Medicine</i> , 2022, 2, .	1.9	5

#	ARTICLE	IF	CITATIONS
19	Socioeconomic disadvantage contributes to ethnic disparities in multiple myeloma survival: a matched cohort study. <i>Blood Cancer Journal</i> , 2022, 12, .	2.8	3
20	Impact of autologous hematopoietic cell transplantation on disease burden quantified by next-generation sequencing in multiple myeloma treated with quadruplet therapy. <i>American Journal of Hematology</i> , 2022, 97, 1170-1177.	2.0	3
21	Multicenter phase II, double-blind placebo-controlled trial of maintenance ixazomib after allogeneic transplantation for high-risk multiple myeloma: Results of the BMT CTN 1302 Trial. <i>Transplantation and Cellular Therapy</i> , 2022, , .	0.6	1
22	Allogeneic hematopoietic cell transplantation with non-myeloablative conditioning for patients with hematologic malignancies: Improved outcomes over two decades. <i>Haematologica</i> , 2021, 106, 1599-1607.	1.7	18
23	Autonomic nervous system control of multiple myeloma. <i>Blood Reviews</i> , 2021, 46, 100741.	2.8	11
24	Salvage second transplantation in relapsed multiple myeloma. <i>Leukemia</i> , 2021, 35, 1214-1217.	3.3	17
25	Prevalence and significance of sarcopenia in multiple myeloma patients undergoing autologous hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2021, 56, 225-231.	1.3	17
26	Chimeric antigen receptor T cell therapy in multiple myeloma: promise and challenges. <i>Bone Marrow Transplantation</i> , 2021, 56, 9-19.	1.3	22
27	International harmonization in performing and reporting minimal residual disease assessment in multiple myeloma trials. <i>Leukemia</i> , 2021, 35, 18-30.	3.3	69
28	Overall survival of patients with triple-class refractory multiple myeloma treated with selinexor plus dexamethasone vs standard of care in <scp>MAMMOTH</scp>. <i>American Journal of Hematology</i> , 2021, 96, E5-E8.	2.0	20
29	African Americans with translocation t(11;14) have superior survival after autologous hematopoietic cell transplantation for multiple myeloma in comparison with Whites in the United States. <i>Cancer</i> , 2021, 127, 82-92.	2.0	15
30	Bortezomib-Based Induction Is Associated with Superior Outcomes in Light Chain Amyloidosis Patients Treated with Autologous Hematopoietic Cell Transplantation Regardless of Plasma Cell Burden. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 264.e1-264.e7.	0.6	13
31	Unrelated Donor Allogeneic Transplant. <i>Organ and Tissue Transplantation</i> , 2021, , 265-283.	0.0	0
32	Engraftment. , 2021, , 225-230.		0
33	Treatment of relapsed and refractory multiple myeloma: recommendations from the International Myeloma Working Group. <i>Lancet Oncology</i> , The, 2021, 22, e105-e118.	5.1	136
34	Pulmonary Lymphangitic Spread of Multiple Myeloma as Early Relapse after Autologous Stem Cell Transplantation. <i>Case Reports in Hematology</i> , 2021, 2021, 1-5.	0.3	0
35	PD-1 blockade after bispecific LV20.19 CAR T modulates CAR T-cell immunophenotype without meaningful clinical response. <i>Haematologica</i> , 2021, 106, 2788-2790.	1.7	4
36	Personalized, ctDNA analysis to detect minimal residual disease and identify patients at high risk of relapse with multiple myeloma.. <i>Journal of Clinical Oncology</i> , 2021, 39, 8029-8029.	0.8	1

#	ARTICLE	IF	CITATIONS
37	Gene expression profiling impacts treatment decision making in newly diagnosed multiple myeloma patients in the prospective PROMMIS trial. <i>EJHaem</i> , 2021, 2, 375-384.	0.4	2
38	MASS-FIX versus standard methods to predict for PFS and OS among multiple myeloma patients participating on the STAMINA trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 8009-8009.	0.8	6
39	The results of multicenter phase II, double-blind placebo-controlled trial of maintenance ixazomib after allogeneic hematopoietic cell transplantation (alloHCT) for high-risk multiple myeloma (MM) from the Blood and Marrow Transplant Clinical Trials Network (BMT CTN 1302).. <i>Journal of Clinical Oncology</i> , 2021, 39, 7003-7003.	0.8	2
40	Cilta-cel versus conventional treatment in patients with relapse/refractory multiple myeloma.. <i>Journal of Clinical Oncology</i> , 2021, 39, 8030-8030.	0.8	9
41	Safety and PK/PD of ALLO-647, an anti-CD52 antibody, with fludarabine (Flu)/cyclophosphamide (Cy) for lymphodepletion in the setting of allogeneic CAR-T cell therapy.. <i>Journal of Clinical Oncology</i> , 2021, 39, 2527-2527.	0.8	5
42	Laboratory Mice â€œ A Driving Force in Immunopathology and Immunotherapy Studies of Human Multiple Myeloma. <i>Frontiers in Immunology</i> , 2021, 12, 667054.	2.2	2
43	Budesonide Prophylaxis Reduces the Risk of Engraftment Syndrome After Autologous Hematopoietic Cell Transplantation in Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e775-e781.	0.2	0
44	Management Strategies for Dealing With Surges of the COVID-19 Pandemic. <i>Cureus</i> , 2021, 13, e15794.	0.2	0
45	Immunotherapy in Multiple Myelomaâ€”Time for a Second Major Paradigm Shift. <i>JCO Oncology Practice</i> , 2021, 17, 405-413.	1.4	10
46	Ciltacabtagene autoleucel, a B-cell maturation antigen-directed chimeric antigen receptor T-cell therapy in patients with relapsed or refractory multiple myeloma (CARTITUDE-1): a phase 1b/2 open-label study. <i>Lancet, The</i> , 2021, 398, 314-324.	6.3	711
47	A Comprehensive Review of the Genomics of Multiple Myeloma: Evolutionary Trajectories, Gene Expression Profiling, and Emerging Therapeutics. <i>Cells</i> , 2021, 10, 1961.	1.8	16
48	Response to SARS-CoV-2 vaccination in patients after hematopoietic cell transplantation and CAR T-cell therapy. <i>Blood</i> , 2021, 138, 1278-1281.	0.6	101
49	Outcomes of upfront autologous hematopoietic cell transplantation in patients with multiple myeloma who are 75 years old or older. <i>Cancer</i> , 2021, 127, 4233-4239.	2.0	8
50	Manufacturing chimeric antigen receptor T cells from cryopreserved peripheral blood cells: time for a collect-and-freeze model?. <i>Cytotherapy</i> , 2021, 23, 985-990.	0.3	12
51	Long term follow up of newly diagnosed multiple myeloma patients treated with pembrolizumab consolidation post-autologous stem cell transplantation. <i>Leukemia Research</i> , 2021, 109, 106648.	0.4	0
52	Cellular Therapy. <i>Organ and Tissue Transplantation</i> , 2021, , 741-761.	0.0	0
53	Unrelated Donor Allogeneic Transplant. <i>Organ and Tissue Transplantation</i> , 2021, , 1-19.	0.0	0
54	Efficacy and Safety of Ciltacabtagene Autoleucel in Patients With Relapsed/Refractory Multiple Myeloma: CARTITUDE-1 Subgroup Analysis. <i>Blood</i> , 2021, 138, 3938-3938.	0.6	7

#	ARTICLE	IF	CITATIONS
55	Randomized, Multi-Center, Double-Blinded, Placebo Controlled Safety and Early Efficacy Trial of Cryopreserved Cord Blood Derived T-Regulatory Cell Infusions (CK0802) in the Treatment of COVID-19 Induced ARDS. (RESOLVE Trial). <i>Blood</i> , 2021, 138, 828-828.	0.6	0
56	Universal Updated Phase 1 Data Validates the Feasibility of Allogeneic Anti-BCMA ALLO-715 Therapy for Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2021, 138, 651-651.	0.6	30
57	Metabolically Reprogrammed Polyclonal Autologous Rapa-201 Cell Therapy Yields a Promising Safety and Efficacy Profile in Relapsed and Refractory Multiple Myeloma (RRMM). <i>Blood</i> , 2021, 138, 2838-2838.	0.6	7
58	Real-World Treatment Patterns and Clinical, Economic, and Humanistic Burden in Triple-Class Refractory Multiple Myeloma: Analysis of the Connect Â® Multiple Myeloma (MM) Disease Registry. <i>Blood</i> , 2021, 138, 117-117.	0.6	2
59	Clinical Experience in the Randomized Phase 3 Sierra Trial: Anti-CD45 Iodine (131I) Apamistamab [Iomab-B] Conditioning Enables Hematopoietic Cell Transplantation with Successful Engraftment and Acceptable Safety in Patients with Active, Relapsed/Refractory AML Not Responding to Targeted Therapies. <i>Blood</i> , 2021, 138, 1791-1791.	0.6	6
60	Exploring Interest in and Feasibility of a Lifestyle Intervention for Multiple Myeloma Patients. <i>Blood</i> , 2021, 138, 4018-4018.	0.6	0
61	Efficacy of Treatments for Patients with Triple-Class Refractory (TCR) Multiple Myeloma (MM): Benchmark for New Agents Utilizing Real-World Data (RWD). <i>Blood</i> , 2021, 138, 3786-3786.	0.6	0
62	Daratumumab, Carfilzomib, Lenalidomide and Dexamethasone (Dara-KRd), Autologous Transplantation and MRD Response-Adapted Consolidation and Treatment Cessation. Final Primary Endpoint Analysis of the Master Trial. <i>Blood</i> , 2021, 138, 481-481.	0.6	5
63	Adjusted Comparison of Outcomes between Patients from CARTITUDE-1 versus Multiple Myeloma Patients with Prior Exposure to PI, Imid and Anti-CD-38 from a German Registry. <i>Cancers</i> , 2021, 13, 5996.	1.7	8
64	Characteristics Associated with Disparities in Survival between Hispanic and Non-Hispanic White Patients with Multiple Myeloma: A Matched Cohort Study. <i>Blood</i> , 2021, 138, 4091-4091.	0.6	0
65	Subcutaneous Teclistamab in Combination with Daratumumab for the Treatment of Patients with Relapsed/Refractory Multiple Myeloma: Results from a Phase 1b Multicohort Study. <i>Blood</i> , 2021, 138, 1647-1647.	0.6	13
66	Updated Results from CARTITUDE-1: Phase 1b/2 Study of Ciltacabtagene Autoleucl, a B-Cell Maturation Antigen-Directed Chimeric Antigen Receptor T Cell Therapy, in Patients With Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2021, 138, 549-549.	0.6	36
67	Bispecific LV20.19 CAR T-Cells Expanded in IL-7 and IL-15 Have Greater Polyfunctionality and Polyfunctional Strength Than CAR T-Cells Expanded in IL-2. <i>Blood</i> , 2021, 138, 1728-1728.	0.6	0
68	Biologic Basis of the Impact of Autologous Hematopoietic Cell Transplantation in Multiple Myeloma Treated with Quadruplet Therapy. <i>Blood</i> , 2021, 138, 483-483.	0.6	2
69	Manufacturing Bispecific LV20.19 CAR T-Cells with IL-7 & IL-15 for a Shorter Duration Improves CAR T-Cell Immunophenotype While Maintaining Target Cell Dose. <i>Blood</i> , 2021, 138, 3883-3883.	0.6	2
70	Risk of Infections with BCMA-Directed Immunotherapy in Multiple Myeloma. <i>Blood</i> , 2021, 138, 1626-1626.	0.6	3
71	Phase 1/2 Trial of IL7/IL15-Expanded Bispecific LV20.19 CAR T-Cells for Relapsed, Refractory B-Cell Non-Hodgkin Lymphoma. <i>Blood</i> , 2021, 138, 95-95.	0.6	2
72	Meta-Analysis of Ciltacabtagene Autoleucl Versus Physician's Choice in the Treatment of Patients with Relapsed or Refractory Multiple Myeloma. <i>Blood</i> , 2021, 138, 1676-1676.	0.6	2

#	ARTICLE	IF	CITATIONS
73	WDR26 and MTF2 are therapeutic targets in multiple myeloma. <i>Journal of Hematology and Oncology</i> , 2021, 14, 203.	6.9	8
74	Summary of the Third Annual Blood and Marrow Transplant Clinical Trials Network Myeloma Intergroup Workshop on Minimal Residual Disease and Immune Profiling. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, e7-e15.	2.0	16
75	Osteolytic disease in IL-6 and Myc dependent mouse model of human myeloma. <i>Haematologica</i> , 2020, 105, e111-e115.	1.7	4
76	Rituximab-based allogeneic transplant for chronic lymphocytic leukemia with comparison to historical experience. <i>Bone Marrow Transplantation</i> , 2020, 55, 172-181.	1.3	10
77	Worldwide Network for Blood and Marrow Transplantation (WBMT) recommendations for establishing a hematopoietic cell transplantation program (Part I): Minimum requirements and beyond. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2020, 13, 131-142.	0.6	14
78	Tandem Autologous-Autologous versus Autologous-Allogeneic Hematopoietic Stem Cell Transplant for Patients with Multiple Myeloma: Long-Term Follow-Up Results from the Blood and Marrow Transplant Clinical Trials Network 0102 Trial. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 798-804.	2.0	28
79	Belantamab mafodotin for relapsed or refractory multiple myeloma (DREAMM-2): a two-arm, randomised, open-label, phase 2 study. <i>Lancet Oncology</i> , The, 2020, 21, 207-221.	5.1	544
80	Lifitegrast ophthalmic solution for treatment of ocular chronic graft-versus-host disease. <i>Leukemia and Lymphoma</i> , 2020, 61, 869-874.	0.6	14
81	Age no bar: A CIBMTR analysis of elderly patients undergoing autologous hematopoietic cell transplantation for multiple myeloma. <i>Cancer</i> , 2020, 126, 5077-5087.	2.0	47
82	Propylene Glycol-Free Melphalan versus PG-Melphalan as Conditioning for Autologous Hematopoietic Cell Transplantation for Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 2229-2236.	2.0	4
83	Novel prognostic scoring system for autologous hematopoietic cell transplantation in multiple myeloma. <i>British Journal of Haematology</i> , 2020, 191, 442-452.	1.2	8
84	Adjuvant doxycycline to enhance anti-amyloid effects: Results from the dual phase 2 trial. <i>EClinicalMedicine</i> , 2020, 23, 100361.	3.2	27
85	Bispecific anti-CD20, anti-CD19 CAR T cells for relapsed B cell malignancies: a phase 1 dose escalation and expansion trial. <i>Nature Medicine</i> , 2020, 26, 1569-1575.	15.2	266
86	Primary refractory multiple myeloma: a real-world experience with 85 cases. <i>Leukemia and Lymphoma</i> , 2020, 61, 2868-2875.	0.6	6
87	Discovery and validation of surface N-glycoproteins in MM cell lines and patient samples uncovers immunotherapy targets. , 2020, 8, e000915.		13
88	Utilization and Cost Implications of Hematopoietic Progenitor Cells Stored for a Future Salvage Autologous Transplantation or Stem Cell Boost in Myeloma Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 2011-2017.	2.0	11
89	Ixazomib for Chronic Graft-versus-Host Disease Prophylaxis following Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1876-1885.	2.0	4
90	Busulfan, melphalan, and bortezomib compared to melphalan as a high dose regimen for autologous hematopoietic stem cell transplantation in multiple myeloma: long term follow up of a novel high dose regimen. <i>Leukemia and Lymphoma</i> , 2020, 61, 3484-3492.	0.6	5

#	ARTICLE	IF	CITATIONS
91	In response to "American Society of Hematology 2020 guidelines for treating newly diagnosed acute myeloid leukemia in older adults" Blood Advances, 2020, 4, 5431-5432.	2.5	1
92	Clinical activity of ibrutinib in classical Hodgkin lymphoma relapsing after allogeneic stem cell transplantation is independent of tumor BTK expression. British Journal of Haematology, 2020, 190, e98-e101.	1.2	9
93	Multiple myeloma and COVID-19. Leukemia, 2020, 34, 1961-1963.	3.3	29
94	A dose-finding Phase 2 study of single agent isatuximab (anti-CD38 mAb) in relapsed/refractory multiple myeloma. Leukemia, 2020, 34, 3298-3309.	3.3	37
95	Intrathecal chemotherapy for management of steroid-refractory CAR T-cell-associated neurotoxicity syndrome. Blood Advances, 2020, 4, 2119-2122.	2.5	32
96	Trends in the use of therapeutic plasma exchange in multiple myeloma. Journal of Clinical Apheresis, 2020, 35, 307-315.	0.7	4
97	Association of adverse events and associated cost with efficacy for approved relapsed and/or refractory multiple myeloma regimens: A Bayesian network meta-analysis of phase 3 randomized controlled trials. Cancer, 2020, 126, 2791-2801.	2.0	6
98	Relapse after Allogeneic Hematopoietic Cell Transplantation for Multiple Myeloma: Survival Outcomes and Factors Influencing Them. Biology of Blood and Marrow Transplantation, 2020, 26, 1288-1297.	2.0	10
99	Severity of Cytokine Release Syndrome and Its Association with Infections after T Cell-Replete Haploidentical Related Donor Transplantation. Biology of Blood and Marrow Transplantation, 2020, 26, 1670-1678.	2.0	17
100	Treatment-Emergent Tumor Lysis Syndrome With PI3K γ Inhibition After CAR T-Cell Therapy for Chronic Lymphocytic Leukemia. JCO Oncology Practice, 2020, 16, 613-614.	1.4	1
101	Letter to the Editor Regarding "Diagnostic Considerations for COVID-19 in Recipients of Allogeneic Hematopoietic Cell Transplantation" Biology of Blood and Marrow Transplantation, 2020, 26, e241-e242.	2.0	1
102	Cytomegalovirus (CMV) Cell-Mediated Immunity and CMV Infection After Allogeneic Hematopoietic Cell Transplantation: The REACT Study. Clinical Infectious Diseases, 2020, 71, 2365-2374.	2.9	36
103	Fludarabine/Busulfan Conditioning-Based Allogeneic Hematopoietic Cell Transplantation for Myelofibrosis: Role of Ruxolitinib in Improving Survival Outcomes. Biology of Blood and Marrow Transplantation, 2020, 26, 893-901.	2.0	13
104	Monoclonal Gammopathies After Renal Transplantation: A Single-center Study. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, e468-e473.	0.2	4
105	Randomized, placebo-controlled, phase 3 study of perifosine combined with bortezomib and dexamethasone in patients with relapsed, refractory multiple myeloma previously treated with bortezomib. EJHaem, 2020, 1, 94-102.	0.4	8
106	Graft-Versus-Host Disease in Multiple Myeloma Patients Treated With Daratumumab After Allogeneic Transplantation. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, 407-414.	0.2	8
107	Hematopoietic cell transplantation utilization and outcomes for primary plasma cell leukemia in the current era. Leukemia, 2020, 34, 3338-3347.	3.3	27
108	Different MAF translocations confer similar prognosis in newly diagnosed multiple myeloma patients. Leukemia and Lymphoma, 2020, 61, 1885-1893.	0.6	3

#	ARTICLE	IF	CITATIONS
109	Long-term survival of 1338 MM patients treated with tandem autologous vs. autologous-allogeneic transplantation. <i>Bone Marrow Transplantation</i> , 2020, 55, 1810-1816.	1.3	31
110	Current Use of and Trends in Hematopoietic Cell Transplantation in the United States. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, e177-e182.	2.0	378
111	A Phase 1 First in Human (FIH) Study of AMG 701, an Anti-B-Cell Maturation Antigen (BCMA) Half-Life Extended (HLE) BiTE [®] (bispecific T-cell engager) Molecule, in Relapsed/Refractory (RR) Multiple Myeloma (MM). <i>Blood</i> , 2020, 136, 28-29.	0.6	83
112	CARTITUDE-1: Phase 1b/2 Study of Ciltacabtagene Autoleucl, a B-Cell Maturation Antigen-Directed Chimeric Antigen Receptor T Cell Therapy, in Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2020, 136, 22-25.	0.6	63
113	Patient Expectations and Perceptions of Treatment in CARTITUDE-1: Phase 1b/2 Study of Ciltacabtagene Autoleucl in Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2020, 136, 13-15.	0.6	5
114	A Matching-Adjusted Indirect Comparison of Efficacy Outcomes for Idecabtagene Vicleucl (ide-cel,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 and Refractory Multiple Myeloma. <i>Blood</i> , 2020, 136, 6-7.	0.6	4
115	Universal: An Allogeneic First-in-Human Study of the Anti-Bcma ALLO-715 and the Anti-CD52 ALLO-647 in Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2020, 136, 24-25.	0.6	55
116	Single-Cell RNA Sequencing Identifies Expression Patterns Associated with Clinical Responses to Dual-Targeted CAR-T Cell Therapy. <i>Blood</i> , 2020, 136, 33-34.	0.6	5
117	Long-term follow-up of BMT CTN 0702 (STaMINA) of postautologous hematopoietic cell transplantation (autoHCT) strategies in the upfront treatment of multiple myeloma (MM).. <i>Journal of Clinical Oncology</i> , 2020, 38, 8506-8506.	0.8	63
118	Bortezomib induction prior to autologous hematopoietic cell transplantation (AHCT) for newly diagnosed light chain amyloidosis (AL): A study of 426 patients.. <i>Journal of Clinical Oncology</i> , 2020, 38, 8515-8515.	0.8	1
119	A phase Ib study of TAK-079, an investigational anti-CD38 monoclonal antibody (mAb) in patients with relapsed/ refractory multiple myeloma (RRMM): Preliminary results.. <i>Journal of Clinical Oncology</i> , 2020, 38, 8539-8539.	0.8	19
120	Phase II trial using haploidentical hematopoietic cell transplantation (HCT) followed by donor natural killer (NK) cell infusion and sirolimus maintenance for patients with high-risk solid tumors.. <i>Journal of Clinical Oncology</i> , 2020, 38, e23551-e23551.	0.8	5
121	Healthcare resource utilization and economic burden of cytokine release syndrome (CRS) and neurologic events (NE) in patients (pts) with relapsed/refractory multiple myeloma (RRMM) receiving iclecabtagene vicleucl (ide-cel, bb2121) in KarMMa.. <i>Journal of Clinical Oncology</i> , 2020, 38, 61-61.	0.8	9
122	Real-world stem cell mobilization (PBSC) patterns in MM pts receiving autologous transplant (ASCT).. <i>Journal of Clinical Oncology</i> , 2020, 38, e20536-e20536.	0.8	0
123	The significance of beta-II microglobulin (β 2M) and International Staging System (ISS) in multiple myeloma (MM) patients (pts.) with renal impairment (RI).. <i>Journal of Clinical Oncology</i> , 2020, 38, 8544-8544.	0.8	1
124	Exploring multiple myeloma survivor interest in lifestyle interventions.. <i>Journal of Clinical Oncology</i> , 2020, 38, e20558-e20558.	0.8	0
125	Plegia to walking: AHSCBMT in severe NMOSD relapse. <i>BMJ Neurology Open</i> , 2020, 2, e000073.	0.7	2
126	Allogeneic Transplant Outcomes for T-Cell Lymphomas: A Single Center Analysis. <i>Blood</i> , 2020, 136, 20-21.	0.6	0

#	ARTICLE	IF	CITATIONS
127	Secondary Hematologic Malignancies after Autologous Stem Cell Transplantation for Multiple Myeloma Are Associated with a Distinct Mutational Profile. <i>Blood</i> , 2020, 136, 28-28.	0.6	0
128	Successful Manufacturing of CAR T-Cells with Small Volume Peripheral Blood from Healthy Donors Using the Clinimacs Prodigy Device. <i>Blood</i> , 2020, 136, 27-28.	0.6	1
129	Safety Analysis of Patients Who Received Ruxolitinib for the Treatment of Steroid-Refractory Chronic Graft-Versus-Host Disease in an Expanded Access Program. <i>Blood</i> , 2020, 136, 39-40.	0.6	0
130	Single-Cell Cytokine Analysis of LV20.19 Bispecific CAR T-Cell Products from a Phase I Clinical Trial. <i>Blood</i> , 2020, 136, 22-22.	0.6	2
131	Patient Perspectives on Treatment Experience and Health-Related Quality of Life in Patients with Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2020, 136, 29-30.	0.6	0
132	Quality of Life, Tryptophan Metabolites, and Neurotoxicity Assessments of Patients with Relapsed or Refractory B Cell Malignancies Undergoing CAR 20/19 - T Cell Therapy. <i>Blood</i> , 2020, 136, 42-43.	0.6	3
133	Treatment Patterns and Healthcare Resource Utilization in Patients with Multiple Myeloma and Baseline Renal Impairment. <i>Blood</i> , 2020, 136, 17-18.	0.6	0
134	Phase III Study of Daratumumab/rhuph20 (nsc- 810307) + Lenalidomide or Lenalidomide As Post-Autologous Stem Cell Transplant Maintenance Therapy in Patients with Multiple Myeloma (mm) Using Minimal Residual Disease Directed Therapy Duration (DRAMMATIC study): SWOG s1803. <i>Blood</i> , 2020, 136, 21-22.	0.6	10
135	Final outcomes of escalated melphalan 280 mg/m ² with amifostine cytoprotection followed autologous hematopoietic stem cell transplantation for multiple myeloma: high CR and VGPR rates do not translate into improved survival. <i>Bone Marrow Transplantation</i> , 2019, 54, 293-299.	1.3	12
136	Acquired factor X deficiency in light-chain (AL) amyloidosis is rare and associated with advanced disease. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2019, 12, 10-14.	0.6	23
137	Incidence and characteristics of engraftment syndrome after autologous hematopoietic cell transplantation in light chain amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 210-215.	1.4	2
138	Hematopoietic Cell Transplantation for Light-Chain Amyloidosis. , 2019, , 255-261.		0
139	Survival outcomes of allogeneic hematopoietic cell transplants with EBV-positive or EBV-negative post-transplant lymphoproliferative disorder, A CIBMTR study. <i>Transplant Infectious Disease</i> , 2019, 21, e13145.	0.7	22
140	Baseline patient-reported outcomes in light-chain amyloidosis patients enrolled on an interventional clinical trial. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 87-88.	1.4	2
141	Phase I/II trial of bendamustine, ixazomib, and dexamethasone in relapsed/refractory multiple myeloma. <i>Blood Cancer Journal</i> , 2019, 9, 56.	2.8	15
142	Factors Associated With Unplanned 30-Day Readmissions After Hematopoietic Cell Transplantation Among US Hospitals. <i>JAMA Network Open</i> , 2019, 2, e196476.	2.8	12
143	Lenalidomide maintenance post-transplantation in newly diagnosed multiple myeloma: real-world outcomes and costs. <i>Future Oncology</i> , 2019, 15, 4045-4056.	1.1	6
144	An updated single center experience with plerixafor and granulocyte colony-stimulating factor for stem cell mobilization in light chain amyloidosis. <i>Journal of Clinical Apheresis</i> , 2019, 34, 686-691.	0.7	3

#	ARTICLE	IF	CITATIONS
145	Oprozomib in patients with newly diagnosed multiple myeloma. <i>Blood Cancer Journal</i> , 2019, 9, 66.	2.8	14
146	Ixazomib, lenalidomide, and dexamethasone in patients with newly diagnosed multiple myeloma: long-term follow-up including ixazomib maintenance. <i>Leukemia</i> , 2019, 33, 1736-1746.	3.3	45
147	Virus detection in the cerebrospinal fluid of hematopoietic stem cell transplant recipients is associated with poor patient outcomes: a CIBMTR contemporary longitudinal study. <i>Bone Marrow Transplantation</i> , 2019, 54, 1354-1360.	1.3	19
148	Efficacy and safety results from a phase 1b/2, multicenter, open-label study of oprozomib and dexamethasone in patients with relapsed and/or refractory multiple myeloma. <i>Leukemia Research</i> , 2019, 83, 106172.	0.4	15
149	Germline Risk Contribution to Genomic Instability in Multiple Myeloma. <i>Frontiers in Genetics</i> , 2019, 10, 424.	1.1	10
150	Worldwide Network for Blood and Marrow Transplantation Recommendations for Establishing a Hematopoietic Cell Transplantation Program, Part I: Minimum Requirements and Beyond. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2322-2329.	2.0	21
151	When Monoclonal Gammopathy is of Renal Significance: A Case Study of Crystalglobulinemia From Chicago Multiple Myeloma Rounds. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e251-e258.	0.2	4
152	Worldwide Network for Blood and Marrow Transplantation Recommendations for Establishing a Hematopoietic Stem Cell Transplantation Program in Countries with Limited Resources, Part II: Clinical, Technical, and Socioeconomic Considerations. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2330-2337.	2.0	22
153	Comparison of Graft Acquisition and Early Direct Charges of Haploidentical Related Donor Transplantation versus Umbilical Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1456-1464.	2.0	18
154	Multi Targeted CART-T Cell Therapies for B-Cell Malignancies. <i>Frontiers in Oncology</i> , 2019, 9, 146.	1.3	123
155	Outcomes of patients with multiple myeloma refractory to CD38-targeted monoclonal antibody therapy. <i>Leukemia</i> , 2019, 33, 2266-2275.	3.3	385
156	Versican proteolysis predicts immune effector infiltration and post-transplant survival in myeloma. <i>Leukemia and Lymphoma</i> , 2019, 60, 2558-2562.	0.6	13
157	Three prophylaxis regimens (tacrolimus, mycophenolate mofetil, and cyclophosphamide; tacrolimus, methotrexate for prevention of graft-versus-host disease with haemopoietic cell transplantation with reduced-intensity conditioning: a randomised phase 2 trial with a non-randomised contemporaneous control group (BMT CTN 1202). <i>Lancet Haematology</i> , 2019, 6, e132-e143.	2.2	200
158	Efficacy, Toxicity, and Infectious Complications in Ruxolitinib-Treated Patients with Corticosteroid-Refractory Graft-versus-Host Disease after Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1689-1694.	2.0	70
159	A Phase 2 Study of Pembrolizumab during Lymphodepletion after Autologous Hematopoietic Cell Transplantation for Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1492-1497.	2.0	23
160	Autologous Transplantation, Consolidation, and Maintenance Therapy in Multiple Myeloma: Results of the BMT CTN 0702 Trial. <i>Journal of Clinical Oncology</i> , 2019, 37, 589-597.	0.8	184
161	Autologous Hematopoietic Stem Cell Transplantation for Male Germ Cell Tumors: Improved Outcomes Over 3 Decades. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1099-1106.	2.0	12
162	Outcomes of Reduced-Intensity Conditioning Allogeneic Hematopoietic Cell Transplantation Performed in the Inpatient versus Outpatient Setting. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 827-833.	2.0	23

#	ARTICLE	IF	CITATIONS
163	Revised International Staging System Is Predictive and Prognostic for Early Relapse (<24 months) after Autologous Transplantation for Newly Diagnosed Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 683-688.	2.0	18
164	Direct HLA Genetic Comparisons Identify Highly Matched Unrelated Donor-Recipient Pairs with Improved Transplantation Outcome. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 921-931.	2.0	21
165	Effect of Aging and Predonation Comorbidities on the Related Peripheral Blood Stem Cell Donor Experience: Report from the Related Donor Safety Study. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 699-711.	2.0	11
166	Adoption of triplet therapy and clinical outcomes in routine practice among newly diagnosed multiple myeloma patients not receiving frontline stem cell transplant in the USA. <i>Expert Review of Hematology</i> , 2019, 12, 71-79.	1.0	2
167	Related peripheral blood stem cell donors experience more severe symptoms and less complete recovery at one year compared to unrelated donors. <i>Haematologica</i> , 2019, 104, 844-854.	1.7	13
168	Outcomes of Haploidentical Transplantation in Patients with Relapsed Multiple Myeloma: An EBMT/CIBMTR Report. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 335-342.	2.0	20
169	Impact of Obesity on Clinical Outcomes of Elderly Patients Undergoing Allogeneic Hematopoietic Cell Transplantation for Myeloid Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, e33-e38.	2.0	10
170	Long-term follow up of tandem autologous-allogeneic hematopoietic cell transplantation for multiple myeloma. <i>Haematologica</i> , 2019, 104, 380-391.	1.7	25
171	Re-Induction and Targeted Conditioning with Anti-CD45 Iodine (131I) Apamistamab [Iomab-B] Leads to High Rates of Transplantation and Successful Engraftment in Older Patients with Active, Relapsed or Refractory (rel/ref) AML after Failure of Chemotherapy and Targeted Agents: Preliminary Midpoint Results from the Prospective, Randomized Phase 3 Sierra Trial. <i>Blood</i> , 2019, 134, 5642-5642.	0.6	3
172	Daratumumab, Carfilzomib, Lenalidomide and Dexamethasone (Dara-KRd) Induction, Autologous Transplantation and Post-Transplant, Response-Adapted, Measurable Residual Disease (MRD)-Based Dara-Krd Consolidation in Patients with Newly Diagnosed Multiple Myeloma (NDMM). <i>Blood</i> , 2019, 134, 860-860.	0.6	80
173	Busulfan, Melphalan, and Bortezomib Compared to Single Agent High-Dose Melphalan As a Conditioning Regimen for Autologous Hematopoietic Stem Cell Transplantation in Multiple Myeloma: Long Term Follow up of a Novel Conditioning Regimen. <i>Blood</i> , 2019, 134, 2023-2023.	0.6	1
174	Evolving Real-World Treatment Patterns in Patients with Newly-Diagnosed Multiple Myeloma (NDMM) in the United States (U.S.). <i>Blood</i> , 2019, 134, 3164-3164.	0.6	3
175	Overall Survival of Triple Class Refractory, Penta-Exposed Multiple Myeloma (MM) Patients Treated with Selinexor Plus Dexamethasone or Conventional Care: A Combined Analysis of the STORM and Mammoth Studies. <i>Blood</i> , 2019, 134, 3125-3125.	0.6	10
176	Fresh Versus Cryopreserved/Thawed Bispecific Anti-CD19/CD20 CAR-T Cells for Relapsed, Refractory Non-Hodgkin Lymphoma. <i>Blood</i> , 2019, 134, 4465-4465.	0.6	6
177	Phase I Clinical Trial of CK0801 (cord blood regulatory T cells) in Patients with Bone Marrow Failure Syndrome (BMF) Including Aplastic Anemia, Myelodysplasia and Myelofibrosis. <i>Blood</i> , 2019, 134, 1221-1221.	0.6	4
178	Preliminary Results from a Phase 1b Study of TAK-079, an Investigational Anti-CD38 Monoclonal Antibody (mAb) in Patients with Relapsed/ Refractory Multiple Myeloma (RRMM). <i>Blood</i> , 2019, 134, 140-140.	0.6	22
179	Results of a Phase I Study of Pnk-007, Allogeneic, Off the Shelf NK Cell, Post Autologous Transplant in Multiple Myeloma (NCT02955550). <i>Blood</i> , 2019, 134, 4451-4451.	0.6	5
180	Results of a phase I study of bispecific anti-CD19, anti-CD20 chimeric antigen receptor (CAR) modified T cells for relapsed, refractory, non-Hodgkin lymphoma.. <i>Journal of Clinical Oncology</i> , 2019, 37, 2510-2510.	0.8	35

#	ARTICLE	IF	CITATIONS
181	Safety and tolerability of BION-1301 in adults with relapsed or refractory multiple myeloma.. Journal of Clinical Oncology, 2019, 37, 8012-8012.	0.8	10
182	Prospective study to measure the impact of MMprofiler on treatment intention in newly diagnosed multiple myeloma patients (PROMMIS).. Journal of Clinical Oncology, 2019, 37, 8030-8030.	0.8	2
183	Treatment patterns in patients with multiple myeloma (MM): A retrospective study using Medicare data.. Journal of Clinical Oncology, 2019, 37, e19506-e19506.	0.8	1
184	Pharmacokinetics, pharmacodynamics, safety, and tolerability of BION-1301 in adults with relapsed or refractory multiple myeloma.. Journal of Clinical Oncology, 2019, 37, 8022-8022.	0.8	0
185	Versican (VCAN) Proteolysis Predicts Survival in Multiple Myeloma (MM) after High Dose Therapy and Autologous Hematopoietic Cell Transplantation (HDT/AHCT). Blood, 2019, 134, 3088-3088.	0.6	0
186	Tocilizumab, tacrolimus and methotrexate for the prevention of acute graft- <i>versus</i> -host disease: low incidence of lower gastrointestinal tract disease. Haematologica, 2018, 103, 717-727.	1.7	38
187	Use of propylene glycol-free melphalan conditioning in light-chain amyloidosis patients undergoing autologous hematopoietic cell transplantation is well tolerated and effective. Bone Marrow Transplantation, 2018, 53, 1210-1213.	1.3	7
188	Prolonged Duration of Therapy Is Associated With Improved Survival in Patients Treated for Relapsed/Refractory Multiple Myeloma in Routine Clinical Care in the United States. Clinical Lymphoma, Myeloma and Leukemia, 2018, 18, 152-160.	0.2	34
189	Phase 1/2 Trial of Carfilzomib Plus High-Dose Melphalan Preparative Regimen for Salvage Autologous Hematopoietic Cell Transplantation Followed by Maintenance Carfilzomib in Patients with Relapsed/Refractory Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2018, 24, 1379-1385.	2.0	19
190	Survival of Lymphoma Patients Experiencing Relapse or Progression after an Allogeneic Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2018, 24, 983-988.	2.0	5
191	Closed-system manufacturing of CD19 and dual-targeted CD20/19 chimeric antigen receptor T cells using the CliniMACS Prodigy device at an academic medical center. Cytotherapy, 2018, 20, 394-406.	0.3	89
192	Chemo-Mobilization in Myelomaâ€”Diminishing Returns in the Era of Novel Agent Induction?. Biology of Blood and Marrow Transplantation, 2018, 24, 203-204.	2.0	1
193	Autologous Transplantation for Newly Diagnosed Multiple Myeloma in the Era of Novel Agent Induction. JAMA Oncology, 2018, 4, 343.	3.4	130
194	Treatment patterns and health care resource utilization among patients with relapsed/refractory systemic light chain amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2018, 25, 1-7.	1.4	18
195	Haploidentical Hematopoietic Cell Transplantation in Lymphomas. , 2018, , 245-260.		0
196	Peripheral Blood Grafts for T Cellâ€”Replete Haploidentical Transplantation Increase the Incidence and Severity of Cytokine Release Syndrome. Biology of Blood and Marrow Transplantation, 2018, 24, 1664-1670.	2.0	36
197	Disease burden, complication rates, and health-care costs of heparin-induced thrombocytopenia in the USA: a population-based study. Lancet Haematology,the, 2018, 5, e220-e231.	2.2	76
198	Association between response kinetics and outcomes in relapsed/refractory multiple myeloma: analysis from TOURMALINE-MM1. Leukemia, 2018, 32, 2032-2036.	3.3	12

#	ARTICLE	IF	CITATIONS
199	PEGylated-nanoliposomal clusterin for amyloidogenic light chain-induced endothelial dysfunction. <i>Journal of Liposome Research</i> , 2018, 28, 97-105.	1.5	3
200	The impact of age and comorbidities on practice patterns and outcomes in patients with relapsed/refractory multiple myeloma in the era of novel therapies. <i>Journal of Geriatric Oncology</i> , 2018, 9, 138-144.	0.5	28
201	Payment and Care for Hematopoietic Cell Transplantation Patients: Toward a Specialized Medical Home for Complex Care Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 4-12.	2.0	6
202	Autologous/Allogeneic Hematopoietic Cell Transplantation versus Tandem Autologous Transplantation for Multiple Myeloma: Comparison of Long-Term Postrelapse Survival. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 478-485.	2.0	31
203	Presence of fluorescent in situ hybridization abnormalities is associated with plasma cell burden in light chain amyloidosis. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2018, 11, 105-111.	0.6	7
204	Patient-reported distress is prevalent in systemic light chain (AL) amyloidosis but not determined by severity of disease. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2018, 25, 129-134.	1.4	6
205	Recent advances in understanding and treating immunoglobulin light chain amyloidosis. <i>F1000Research</i> , 2018, 7, 1348.	0.8	14
206	Indications and Outcomes of Allogeneic Hematopoietic Cell Transplantation for Hematologic Malignancies in Adults. , 2018, , 1596-1607.		0
207	Incidence and survival of therapy related myeloid neoplasm in United States. <i>Leukemia Research</i> , 2018, 71, 95-99.	0.4	24
208	Second primary malignancy after multiple myeloma—population trends and cause—specific mortality. <i>British Journal of Haematology</i> , 2018, 182, 513-520.	1.2	25
209	Repurposing existing medications as cancer therapy: design and feasibility of a randomized pilot investigating propranolol administration in patients receiving hematopoietic cell transplantation. <i>BMC Cancer</i> , 2018, 18, 593.	1.1	28
210	Healthcare resource utilization with ixazomib or placebo plus lenalidomide-dexamethasone in the randomized, double-blind, phase 3 TOURMALINE-MM1 study in relapsed/refractory multiple myeloma. <i>Journal of Medical Economics</i> , 2018, 21, 793-798.	1.0	8
211	Pharmacokinetics of High-Dose Propylene Glycol—Free Melphalan in Multiple Myeloma Patients Undergoing Autologous Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1610-1614.	2.0	8
212	Staging Systems for Newly Diagnosed Myeloma Patients Undergoing Autologous Hematopoietic Cell Transplantation: The Revised International Staging System Shows the Most Differentiation between Groups. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 2443-2449.	2.0	11
213	Meta-analysis to Evaluate High-Dose Therapy Followed by Stem Cell Transplant in Patients With Multiple Myeloma—Reply. <i>JAMA Oncology</i> , 2018, 4, 1618.	3.4	3
214	Novel biomarkers in multiple myeloma. <i>Translational Research</i> , 2018, 201, 49-59.	2.2	31
215	A Phase 1 Study with Point-of-Care Manufacturing of Dual Targeted, Tandem Anti-CD19, Anti-CD20 Chimeric Antigen Receptor Modified T (CAR-T) Cells for Relapsed, Refractory, Non-Hodgkin Lymphoma. <i>Blood</i> , 2018, 132, 4193-4193.	0.6	27
216	Natural History of Patients with Multiple Myeloma Refractory to Elotuzumab and Outcomes of Subsequent Therapy with Anti-CD38 Monoclonal Antibodies. <i>Blood</i> , 2018, 132, 3303-3303.	0.6	1

#	ARTICLE	IF	CITATIONS
217	A Phase 1b Study of Oprozomib with Dexamethasone or Pomalidomide and Dexamethasone in Patients with Relapsed or Refractory Multiple Myeloma. <i>Blood</i> , 2018, 132, 803-803.	0.6	2
218	Subsequent Treatment Outcomes of Multiple Myeloma Refractory to CD38-Monoclonal Antibody Therapy. <i>Blood</i> , 2018, 132, 2015-2015.	0.6	10
219	The Prognostic Impact of t(14;16) in Multiple Myeloma: A Multicenter Retrospective Study of 213 Patients. Is It Time to Revise the Revised ISS?. <i>Blood</i> , 2018, 132, 4452-4452.	0.6	3
220	Point-of-Care Manufacturing of CD20.19 Bi-Specific Chimeric Antigen Receptor T (CAR-T) Cells in a Standard Academic Cell Processing Facility for a Phase I Clinical Trial in Relapsed, Refractory NHL. <i>Blood</i> , 2018, 132, 4553-4553.	0.6	5
221	Off the Shelf: Sapiens: A User's Manual for a Confused Species. , 2018, 15, .		0
222	Tandem high-dose chemotherapy and autologous hematopoietic stem cell transplantation (SCT) compared to single SCT for relapsed/refractory germ cell tumors (GCT).. <i>Journal of Clinical Oncology</i> , 2018, 36, 572-572.	0.8	0
223	Graft-versus-host disease (GVHD) risk with daratumumab (Dara) therapy post allogeneic transplantation (alloHCT) for multiple myeloma (MM).. <i>Journal of Clinical Oncology</i> , 2018, 36, 8028-8028.	0.8	0
224	Evaluation and identification of protocols for safe and efficacious institutional administration of intravenous immune globulin in hypogammaglobulinemia associated with chronic lymphocytic leukemia, non-Hodgkin lymphoma, and multiple myeloma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 250-250.	0.8	0
225	The Prognostic Impact of t(14;20) in Multiple Myeloma - a Multicenter Retrospective Study of 26 Patients. <i>Blood</i> , 2018, 132, 5600-5600.	0.6	0
226	Incidence and Predictors of 30-Day Readmissions Following Autologous Hematopoietic Cell Transplantation (auto-HCT) in the US. <i>Blood</i> , 2018, 132, 3544-3544.	0.6	0
227	Association between Transplant Volumes and 30-Day Readmissions Following Allogeneic Hematopoietic Cell Transplantation (allo-HCT) in the US. <i>Blood</i> , 2018, 132, 617-617.	0.6	0
228	Phase I/II Trial of Bendamustine, Ixazomib and Dexamethasone (BID) in Patients (pts.) with Relapsed/Refractory Multiple Myeloma (RRMM). <i>Blood</i> , 2018, 132, 1998-1998.	0.6	0
229	Ricolinostat, the First Selective Histone Deacetylase 6 Inhibitor, in Combination with Bortezomib and Dexamethasone for Relapsed or Refractory Multiple Myeloma. <i>Clinical Cancer Research</i> , 2017, 23, 3307-3315.	3.2	203
230	Autologous Hematopoietic Cell Transplantation in Patients With Multiple Myeloma: Effect of Age. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 165-172.	0.2	17
231	Instrumental variable with competing risk model. <i>Statistics in Medicine</i> , 2017, 36, 1240-1255.	0.8	14
232	Phase I/II study of the novel proteasome inhibitor delanzomib (CEP-18770) for relapsed and refractory multiple myeloma. <i>Leukemia and Lymphoma</i> , 2017, 58, 1872-1879.	0.6	50
233	Predictive factors and outcomes for ibrutinib therapy in relapsed/refractory mantle cell lymphoma—a real world study. <i>Hematological Oncology</i> , 2017, 35, 528-535.	0.8	56
234	Disease burden of systemic light-chain amyloidosis: a systematic literature review. <i>Current Medical Research and Opinion</i> , 2017, 33, 1017-1031.	0.9	22

#	ARTICLE	IF	CITATIONS
235	Allogeneic Hematopoietic Cell Transplantation for Aggressive NK Cell Leukemia. A Center for International Blood and Marrow Transplant Research Analysis. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 853-856.	2.0	28
236	Effect of Routine Surveillance Imaging on the Outcomes of Patients With Classical Hodgkin Lymphoma After Autologous Hematopoietic Cell Transplantation. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 408-414.	0.2	8
237	Management of adverse events associated with ixazomib plus lenalidomide/dexamethasone in relapsed/refractory multiple myeloma. <i>British Journal of Haematology</i> , 2017, 178, 571-582.	1.2	45
238	PD-1 blockade for relapsed lymphoma post allogeneic hematopoietic cell transplant: high response rate but frequent GVHD. <i>Blood</i> , 2017, 130, 221-228.	0.6	214
239	Hispanics have the lowest stem cell transplant utilization rate for autologous hematopoietic cell transplantation for multiple myeloma in the United States: A CIBMTR report. <i>Cancer</i> , 2017, 123, 3141-3149.	2.0	65
240	Recipient Immune Modulation with Atorvastatin for Acute Graft-versus-Host Disease Prophylaxis after Allogeneic Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1295-1302.	2.0	8
241	Recent advances in understanding multiple myeloma. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2017, 10, 267-271.	0.6	17
242	Marizomib for central nervous system multiple myeloma. <i>British Journal of Haematology</i> , 2017, 177, 221-225.	1.2	49
243	Response Assessment in Myeloma: Practical Manual on Consistent Reporting in an Era of Dramatic Therapeutic Advances. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1193-1202.	2.0	14
244	Local Disease Control in Ocular Adnexal Lymphoproliferative Disorders: Comparative Outcomes of MALT Versus Non-MALT Histologies. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 305-311.e2.	0.2	6
245	Evaluation of the Pharmacokinetics and Efficacy of a Busulfan Test Dose in Adult Patients Undergoing Myeloablative Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 952-957.	2.0	18
246	Haematopoietic cell transplantation for blastic plasmacytoid dendritic cell neoplasm: a North American multicentre collaborative study. <i>British Journal of Haematology</i> , 2017, 179, 781-789.	1.2	56
247	Updated analysis of CALGB (Alliance) 100104 assessing lenalidomide versus placebo maintenance after single autologous stem-cell transplantation for multiple myeloma: a randomised, double-blind, phase 3 trial. <i>Lancet Haematology</i> , 2017, 4, e431-e442.	2.2	132
248	Rationale and design of DUAL study: Doxycycline to Upgrade response in light chain (AL) amyloidosis (DUAL): A phase 2 pilot study of a two-pronged approach of prolonged doxycycline with plasma cell-directed therapy in the treatment of AL amyloidosis. <i>Contemporary Clinical Trials Communications</i> , 2017, 8, 33-38.	0.5	17
249	Alpha-1 antitrypsin for the treatment of steroid-refractory acute gastrointestinal graft-versus-host disease. <i>American Journal of Hematology</i> , 2017, 92, E610-E611.	2.0	7
250	Etanercept and Corticosteroid Therapy for the Treatment of Late-Onset Idiopathic Pneumonia Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1955-1960.	2.0	24
251	Early mortality in patients with acute myelogenous leukemia treated in teaching versus non-teaching hospitals: A large database analysis. <i>American Journal of Hematology</i> , 2017, 92, E563-E565.	2.0	4
252	Liver biopsy findings in patients with hematopoietic cell transplantation. <i>Human Pathology</i> , 2017, 66, 136-143.	1.1	8

#	ARTICLE	IF	CITATIONS
253	Allogeneic Transplantation for Relapsed Waldenström Macroglobulinemia and Lymphoplasmacytic Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 60-66.	2.0	17
254	Heavy/light chain ratio normalization prior to transplant is of independent prognostic significance in multiple myeloma: a <sc>BMT CTN</sc> 0102 correlative study. <i>British Journal of Haematology</i> , 2017, 178, 816-819.	1.2	4
255	Maintenance versus Induction Therapy Choice on Outcomes after Autologous Transplantation for Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 269-277.	2.0	19
256	Long-Term Outcome of Inflammatory Breast Cancer Compared to Non-Inflammatory Breast Cancer in the Setting of High-Dose Chemotherapy with Autologous Hematopoietic Cell Transplantation. <i>Journal of Cancer</i> , 2017, 8, 1009-1017.	1.2	5
257	Autologous stem cell transplant (ASCT) for newly diagnosed multiple myeloma (MM) in the era of novel agents: A meta-analysis of phase III randomized controlled trials.. <i>Journal of Clinical Oncology</i> , 2017, 35, 8022-8022.	0.8	0
258	Allogeneic hematopoietic cell transplantation for myelofibrosis (MF) in high risk patients.. <i>Journal of Clinical Oncology</i> , 2017, 35, 7062-7062.	0.8	0
259	Response status as predictor of survival after autologous hematopoietic cell transplant (AHCT), without or with consolidation (with bortezomib, lenalidomide (Len) and dexamethasone) and len maintenance (AM vs. ACM) versus tandem AHCT and len maintenance (TAM) for up-front treatment of patients (pts) with multiple myeloma (MM): BMT CTN0702-stamina (NCT01109004).. <i>Journal of Clinical Oncology</i> , 2017, 35, 8010-8010.	0.8	0
260	Bendamustine with ixazomib and dexamethasone (BID) for double refractory relapsed multiple myeloma (RRMM): Phase I safety and dosing results.. <i>Journal of Clinical Oncology</i> , 2017, 35, 8012-8012.	0.8	0
261	Allogeneic stem cell transplant (AHCT) in the eighth decade: Age is just a number.. <i>Journal of Clinical Oncology</i> , 2017, 35, 7045-7045.	0.8	0
262	Population Trends in Incidence of Second Malignant Neoplasm and Cause-Specific Mortality in Patients with Multiple Myeloma. <i>Blood</i> , 2017, 130, 682-682.	0.6	0
263	Reactivation of Pulmonary Tuberculosis following Treatment of Myelofibrosis with Ruxolitinib. <i>Case Reports in Hematology</i> , 2016, 2016, 1-4.	0.3	17
264	Moving Beyond Autologous Transplantation in Multiple Myeloma: Consolidation, Maintenance, Allogeneic Transplant, and Immune Therapy. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2016, 35, 210-221.	1.8	8
265	Development of Novel Immunotherapies for Multiple Myeloma. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1506.	1.8	22
266	Infrequent Skin Contamination with Clostridium difficile Spores Among Oncology Patients on Units With a High Incidence of C. difficile Colonization. <i>Open Forum Infectious Diseases</i> , 2016, 3, .	0.4	0
267	A Prospective Observational Study to Evaluate a Cytomegalovirus (CMV)â€™specific T-SPOT® Assay in Hematopoietic Stem Cell Transplant Recipients: The REACT Study Interim Data Review. <i>Open Forum Infectious Diseases</i> , 2016, 3, .	0.4	0
268	Allogeneic Hematopoietic Cell Transplantation in Multiple Myeloma: Impact of Disease Risk and Post Allograft Minimal Residual Disease on Survival. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, 379-386.	0.2	17
269	Prospective, Multicenter Clinical Trial of Atorvastatin-Based Acute Graft-Versus-Host-Disease (aGVHD) Prophylaxis in Recipients of HLA-Matched Related Donor (MRD) and Matched Unrelated Donor (MUD) Allogeneic Hematopoietic Cell Transplantation (alloHCT). <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, S47-S48.	2.0	1
270	Busulfan, Melphalan, and Bortezomib versus High-Dose Melphalan as a Conditioning Regimen for Autologous Hematopoietic Stem Cell Transplantation in Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1391-1396.	2.0	30

#	ARTICLE	IF	CITATIONS
271	New Light Chain Amyloid Response Criteria Help Risk Stratification of Patients by Day 100 after Autologous Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 768-770.	2.0	5
272	Differences between unselected patients and participants in multiple myeloma clinical trials in US: a threat to external validity. <i>Leukemia and Lymphoma</i> , 2016, 57, 2827-2832.	0.6	48
273	Reduced intensity haplo plus single cord transplant compared to double cord transplant: improved engraftment and graft-versus-host disease-free, relapse-free survival. <i>Haematologica</i> , 2016, 101, 634-643.	1.7	30
274	Resistant or Sensitive: Time Is of the Essence: Response to Malek et al.. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1908.	2.0	0
275	Impact of Routine Surveillance Imaging on Outcomes of Patients With Diffuse Large B-Cell Lymphoma After Autologous Hematopoietic Cell Transplantation. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, 672-678.	0.2	7
276	Targeting CD38 in Refractory Extranodal Natural Killer Cellâ€“T-Cell Lymphoma. <i>New England Journal of Medicine</i> , 2016, 375, 1501-1502.	13.9	86
277	Post-Transplant Outcomes in High-Risk Compared with Nonâ€“High-Risk Multiple Myeloma: A CIBMTR Analysis. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1893-1899.	2.0	34
278	HLA polymorphism and risk of multiple myeloma. <i>Leukemia</i> , 2016, 30, 2260-2264.	3.3	19
279	Hematopoietic Progenitor Cell Mobilization with Ifosfamide, Carboplatin, and Etoposide Chemotherapy versus Plerixafor-Based Strategies in Patients with Hodgkin and Non-Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1773-1780.	2.0	7
280	Monosialogangliosideâ€“Containing Nanoliposomes Restore Endothelial Function Impaired by AL Amyloidosis Light Chain Proteins. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	10
281	Propylene glycol-free melphalan as conditioning regimen for autologous transplantation in myeloma. <i>International Journal of Hematologic Oncology</i> , 2016, 5, 5-10.	0.7	2
282	Reduced-Intensity Transplantation for Lymphomas Using Haploidentical Related Donors Versus HLA-Matched Sibling Donors: A Center for International Blood and Marrow Transplant Research Analysis. <i>Journal of Clinical Oncology</i> , 2016, 34, 3141-3149.	0.8	212
283	Prophylactic Natural Killer Cell Immunotherapy Following HLA-Haploidentical Hematopoietic Cell Transplantation Prevents Relapse and Improves Survival in Patients with High-Risk Hematological Malignancies. <i>Blood</i> , 2016, 128, 1161-1161.	0.6	3
284	Early Mortality in Patients with Acute Promyelocytic Leukemia (APL) Treated in Teaching Versus Non-Teaching Hospitals. <i>Blood</i> , 2016, 128, 2784-2784.	0.6	2
285	Autologous Hematopoietic Cell Transplantation in Patients with Multiple Myeloma: IMPACT of Age. <i>Blood</i> , 2016, 128, 3456-3456.	0.6	1
286	CAR-T Cell Production Using the ClinimacsÂ® Prodigy System. <i>Blood</i> , 2016, 128, 5724-5724.	0.6	12
287	Trends in Pre- and Post-Transplant Therapies Prior to First Autologous Hematopoietic Cell Transplantation Among Patients with Multiple Myeloma in the United States, 2004-2014. <i>Blood</i> , 2016, 128, 677-677.	0.6	3
288	Comparison of Autologous Hematopoietic Cell Transplant (autoHCT), Bortezomib, Lenalidomide (Len) and Dexamethasone (RVD) Consolidation with Len Maintenance (ACM), Tandem Autohct with Len Maintenance (TAM) and Autohct with Len Maintenance (AM) for up-Front Treatment of Patients with Multiple Myeloma (MM): Primary Results from the Randomized Phase III Trial of the Blood and Marrow Transplant Clinical Trials Network (BMT CTN 0702 - StaMINA Trial). <i>Blood</i> , 2016, 128, LBA-1-LBA-1.	0.6	52

#	ARTICLE	IF	CITATIONS
289	Updated data from a phase II dose finding trial of single agent isatuximab (SAR650984, anti-CD38 mAb) in relapsed/refractory multiple myeloma (RRMM).. Journal of Clinical Oncology, 2016, 34, 8005-8005.	0.8	29
290	Recent advances in understanding multiple myeloma. F1000Research, 2016, 5, 2053.	0.8	13
291	Association of abnormal molecular markers with clonal plasma cell burden in light chain amyloidosis.. Journal of Clinical Oncology, 2016, 34, 8063-8063.	0.8	0
292	Predictive factors and outcomes for ibrutinib therapy in relapsed/refractory (R/R) mantle cell lymphoma (MCL).. Journal of Clinical Oncology, 2016, 34, 7544-7544.	0.8	0
293	Adding peri-transplant rituximab to nonmyeloablative (NMA) conditioning before allogeneic hematopoietic cell transplantation (allo-HCT) to improve disease-related outcomes in patients with chronic lymphocytic leukemia (CLL): Phase II clinical trial.. Journal of Clinical Oncology, 2016, 34, 7052-7052.	0.8	0
294	Allogeneic hematopoietic cell transplantation (AHCT) for hematological malignancies (HM) in United States: A comparison of hospitalization outcomes between young and elderly patients.. Journal of Clinical Oncology, 2016, 34, 7049-7049.	0.8	0
295	Duration of second line treatment and survival in multiple myeloma.. Journal of Clinical Oncology, 2016, 34, e18107-e18107.	0.8	0
296	Impact of Obesity on Outcomes of Elderly Patients Undergoing Allogeneic Hematopoietic Cell Transplant for Myeloid Malignancies. Blood, 2016, 128, 4667-4667.	0.6	0
297	"Tailoring" Hematopoietic Progenitor Cell Collection: Impact of a Data-Driven Prediction Algorithm for Blood Volume Processing in Large Volume Leukapheresis. Blood, 2016, 128, 2188-2188.	0.6	0
298	Use of "Big Data" to Define Disease Burden, Complication Rates and Healthcare Costs in Patients with Heparin Induced Thrombocytopenia (HIT). Blood, 2016, 128, 418-418.	0.6	0
299	Carfilzomib Plus High Dose Melphalan Conditioning Prior to Autologous Hematopoietic Cell Transplantation Followed By Carfilzomib Maintenance in Patients with Relapsed Multiple Myeloma. Blood, 2016, 128, 4630-4630.	0.6	0
300	Natural History of Relapsed Myeloma, Refractory to Immunomodulatory Drugs and Proteasome Inhibitors: A Multicenter IMWG Study. Blood, 2016, 128, 4414-4414.	0.6	0
301	Long-term sustained disease control in patients with mantle cell lymphoma with or without active disease after treatment with allogeneic hematopoietic cell transplantation after nonmyeloablative conditioning. Cancer, 2015, 121, 3709-3716.	2.0	27
302	Changes in cardiac biomarkers with bortezomib treatment in patients with advanced cardiac amyloidosis. American Journal of Hematology, 2015, 90, E212-3.	2.0	10
303	Disparities in Utilization of Autologous Hematopoietic Cell Transplantation for Treatment of Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2015, 21, 701-706.	2.0	66
304	New Cancers after Autotransplantations for Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2015, 21, 738-745.	2.0	33
305	Hematopoietic Stem Cell Transplantation for Multiple Myeloma: Guidelines from the American Society for Blood and Marrow Transplantation. Biology of Blood and Marrow Transplantation, 2015, 21, 1155-1166.	2.0	104
306	Reduced-Intensity Allografting as First Transplantation Approach in Relapsed/Refractory Grades One and Two Follicular Lymphoma Provides Improved Outcomes in Long-Term Survivors. Biology of Blood and Marrow Transplantation, 2015, 21, 2091-2099.	2.0	55

#	ARTICLE	IF	CITATIONS
307	Engraftment Syndrome after Autologous Stem Cell Transplantation: An Update Unifying the Definition and Management Approach. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 2061-2068.	2.0	87
308	Ibrutinib in Refractory Classic Hodgkin's Lymphoma. <i>New England Journal of Medicine</i> , 2015, 373, 1381-1382.	13.9	35
309	Improved Outcomes After Autologous Hematopoietic Cell Transplantation for Light Chain Amyloidosis: A Center for International Blood and Marrow Transplant Research Study. <i>Journal of Clinical Oncology</i> , 2015, 33, 3741-3749.	0.8	163
310	Hematopoietic Cell Transplantation as Curative Therapy for Patients with Myelofibrosis: Long-Term Success in all Age Groups. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1883-1887.	2.0	36
311	Hydroxyethyl starch as a substitute for dextran 40 for thawing peripheral blood progenitor cell products. <i>Cytotherapy</i> , 2015, 17, 1813-1819.	0.3	15
312	A Phase IIb, Multicenter, Open-Label, Safety, and Efficacy Study of High-Dose, Propylene Glycol-Free Melphalan Hydrochloride for Injection (EVOMELA) for Myeloablative Conditioning in Multiple Myeloma Patients Undergoing Autologous Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 2100-2105.	2.0	25
313	Impact of Pretransplant Therapy and Depth of Disease Response before Autologous Transplantation for Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 335-341.	2.0	64
314	All in the family: Clueing into the link between metabolic syndrome and hematologic malignancies. <i>Blood Reviews</i> , 2015, 29, 71-80.	2.8	14
315	Ricolinostat (ACY-1215), the First Selective HDAC6 Inhibitor, in Combination with Bortezomib and Dexamethasone in Patients with Relapsed or Relapsed-and-Refractory Multiple Myeloma: Phase 1b Results (ACY-100 Study). <i>Blood</i> , 2015, 126, 1827-1827.	0.6	10
316	Post-Transplant Therapy Is More Important Than Induction Regimen Choice in Autologous Hematopoietic Cell Transplantation (AHCT) Recipients for Multiple Myeloma (MM). <i>Blood</i> , 2015, 126, 396-396.	0.6	2
317	A Dose Finding Phase II Trial of Isatuximab (SAR650984, Anti-CD38 mAb) As a Single Agent in Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2015, 126, 509-509.	0.6	27
318	Phase 2 Study of Carfilzomib (CFZ) with or without Filanesib (FIL) in Patients with Advanced Multiple Myeloma (MM). <i>Blood</i> , 2015, 126, 728-728.	0.6	9
319	A multicenter, randomized, open-label, phase 2 study of carfilzomib with or without ARRY-520 (filanesib) in patients with advanced multiple myeloma. <i>Journal of Clinical Oncology</i> , 2015, 33, 8612-8612.	0.8	1
320	Recent advances in post autologous transplantation maintenance therapies in B-cell non-Hodgkin lymphomas. <i>World Journal of Transplantation</i> , 2015, 5, 81.	0.6	3
321	A statistical model for predicting neutropenic fever. <i>Journal of Clinical Oncology</i> , 2015, 33, e18050-e18050.	0.8	0
322	Incidence of catheter-related venous thromboembolism in peripherally inserted central venous catheters vs tunneled chest central venous catheters in patients with hematologic malignancies. <i>Journal of Clinical Oncology</i> , 2015, 33, e20684-e20684.	0.8	0
323	Chemomobilization with (R)-ICE (rituximab, ifosfamide, carboplatin, etoposide) compared to G-CSF and plerixafor (G+P) mobilization in lymphoid malignancies. <i>Journal of Clinical Oncology</i> , 2015, 33, 7033-7033.	0.8	0
324	Association of reduced intensity conditioning (RIC) allograft (alloHCT) as first transplant approach in relapsed/refractory grade 3(G-3) follicular lymphoma (FL) with improved outcomes in long-term survivors. <i>Journal of Clinical Oncology</i> , 2015, 33, 7009-7009.	0.8	0

#	ARTICLE	IF	CITATIONS
325	Day 100 Absolute Lymphocyte Count (ALC) Predicts Risk of Serious Infections in Lymphoma Patients Undergoing Autologous Hematopoietic Cell Transplantation (HCT). <i>Blood</i> , 2015, 126, 3168-3168.	0.6	0
326	Impact of Immunophenotype and Cytogenetics in Early Assessment of Post Induction Response in Acute Myeloid Leukemia (AML). <i>Blood</i> , 2015, 126, 4954-4954.	0.6	0
327	Demographic Differences Between Unselected Patients and Participants of Multiple Myeloma Clinical Trials in the US: A Threat to External Validity. <i>Blood</i> , 2015, 126, 634-634.	0.6	0
328	Impact of Routine Surveillance Imaging on Outcomes in Patients with Diffuse Large B-Cell Lymphoma (DLBCL) Undergoing Autologous Hematopoietic Cell Transplantation (auto-HCT). <i>Blood</i> , 2015, 126, 4360-4360.	0.6	0
329	Impact of Routine Surveillance Imaging on Outcomes in Patients with Classical Hodgkin Lymphoma (cHL) Undergoing Autologous Hematopoietic Cell Transplantation (auto-HCT). <i>Blood</i> , 2015, 126, 3169-3169.	0.6	0
330	Local Control of Ocular Adnexal Lympho-Proliferative Disorders (OALD): Similar Outcomes in MALT and Non-MALT Histologies. <i>Blood</i> , 2015, 126, 2711-2711.	0.6	0
331	Efficacy of bortezomib, cyclophosphamide and dexamethasone in treatment-naïve patients with high-risk cardiac AL amyloidosis (Mayo Clinic stage III). <i>Haematologica</i> , 2014, 99, 1479-1485.	1.7	118
332	Hematopoietic stem cell transplantation in older persons: respecting the heterogeneity of age. <i>Expert Review of Hematology</i> , 2014, 7, 321-324.	1.0	8
333	Safety and tolerability of ixazomib, an oral proteasome inhibitor, in combination with lenalidomide and dexamethasone in patients with previously untreated multiple myeloma: an open-label phase 1/2 study. <i>Lancet Oncology</i> , The, 2014, 15, 1503-1512.	5.1	233
334	Outcomes in patients with relapsed or refractory multiple myeloma in a phase I study of everolimus in combination with lenalidomide. <i>British Journal of Haematology</i> , 2014, 166, 401-409.	1.2	35
335	Lenalidomide Maintenance for High-Risk Multiple Myeloma after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1183-1189.	2.0	89
336	Clinical and imaging predictors of 1-year and long-term mortality in light chain (AL) amyloidosis: a 5-year follow-up study. <i>Heart and Vessels</i> , 2014, 29, 793-800.	0.5	15
337	Plerixafor and Abbreviated-Course Granulocyte Colony-Stimulating Factor for Mobilizing Hematopoietic Progenitor Cells in Light Chain Amyloidosis. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1926-1931.	2.0	23
338	Nanoliposomes protect against AL amyloid light chain protein-induced endothelial injury. <i>Journal of Liposome Research</i> , 2014, 24, 69-73.	1.5	12
339	Autologous or Reduced-Intensity Conditioning Allogeneic Hematopoietic Cell Transplantation for Chemotherapy-Sensitive Mantle-Cell Lymphoma: Analysis of Transplantation Timing and Modality. <i>Journal of Clinical Oncology</i> , 2014, 32, 273-281.	0.8	133
340	Older Patients with Myeloma Derive Similar Benefit from Autologous Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1796-1803.	2.0	73
341	Incidence and outcomes of Clostridium difficile-associated disease in hematopoietic cell transplant recipients. <i>International Journal of Hematology</i> , 2014, 99, 758-765.	0.7	35
342	Early Failure of Frontline Rituximab-Containing Chemo-immunotherapy in Diffuse Large B Cell Lymphoma Does Not Predict Futility of Autologous Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1729-1736.	2.0	119

#	ARTICLE	IF	CITATIONS
343	Reduced-Intensity Hematopoietic Cell Transplantation for Patients with Primary Myelofibrosis: A Cohort Analysis from the Center for International Blood and Marrow Transplant Research. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 89-97.	2.0	130
344	Hematopoietic Cell Transplant Comorbidity Index Is Predictive of Survival after Autologous Hematopoietic Cell Transplantation in Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 402-408.e1.	2.0	98
345	A randomized phase II trial of tacrolimus, mycophenolate mofetil and sirolimus after non-myceloablative unrelated donor transplantation. <i>Haematologica</i> , 2014, 99, 1624-1631.	1.7	33
346	Ruxolitinib Prior to Allogeneic Stem Cell Transplantation Does Not Adversely Affect Post-Transplant Outcomes. <i>Blood</i> , 2014, 124, 1851-1851.	0.6	3
347	Improved Outcomes of Autologous Hematopoietic Cell Transplantation (AHCT) for Light Chain (AL) Amyloidosis: A Center for International Blood and Marrow Transplant Registry (CIBMTR) Study. <i>Blood</i> , 2014, 124, 193-193.	0.6	3
348	Contribution of Chemotherapy Mobilization to Disease Control in Multiple Myeloma Treated with Autologous Transplantation. <i>Blood</i> , 2014, 124, 2447-2447.	0.6	1
349	Oprozomib and Dexamethasone in Patients with Relapsed and/or Refractory Multiple Myeloma: Initial Results from the Dose Escalation Portion of a Phase 1b/2, Multicenter, Open-Label Study. <i>Blood</i> , 2014, 124, 3453-3453.	0.6	16
350	Phase 1B Results of Ricolinostat (ACY-1215) Combination Therapy with Bortezomib and Dexamethasone in Patients with Relapsed or Relapsed and Refractory Multiple Myeloma (MM). <i>Blood</i> , 2014, 124, 4764-4764.	0.6	12
351	Long-Term Ixazomib Maintenance Is Tolerable and Improves Depth of Response Following Ixazomib-Lenalidomide-Dexamethasone Induction in Patients (Pts) with Previously Untreated Multiple Myeloma (MM): Phase 2 Study Results. <i>Blood</i> , 2014, 124, 82-82.	0.6	18
352	A Novel Tool Using Marrow Natural Killer (NK) Cell Percentages to Predict Collection Requirements of Peripheral Blood Mononuclear Cell (MNC), Apheresis Products Used in NK Cell Adoptive Immunotherapy. <i>Blood</i> , 2014, 124, 3851-3851.	0.6	0
353	Meta-Analysis of Pharmacotherapy Vs. Observation for Management of Smoldering Multiple Myeloma. <i>Blood</i> , 2014, 124, 4771-4771.	0.6	0
354	Disparities in Utilization of Autologous Hematopoietic Progenitor Cell Transplantation for Multiple Myeloma in the US. <i>Blood</i> , 2014, 124, 557-557.	0.6	0
355	A Statistical Model for Predicting Neutropenic Fever. <i>Blood</i> , 2014, 124, 5258-5258.	0.6	0
356	D-Dimer Kinetics, Chemotherapy and Risk of Bleeding in Acute Promyelocytic Leukemia. <i>Blood</i> , 2014, 124, 1490-1490.	0.6	0
357	Salvage Second Hematopoietic Cell Transplantation in Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 760-766.	2.0	98
358	Impact of Pretransplantation Conditioning Regimens on Outcomes of Allogeneic Transplantation for Chemotherapy-Unresponsive Diffuse Large B Cell Lymphoma and Grade III Follicular Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 746-753.	2.0	83
359	Donor Lymphocyte Infusion for Relapsed Hematological Malignancies after Allogeneic Hematopoietic Cell Transplantation: Prognostic Relevance of the Initial CD3+ T Cell Dose. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 949-957.	2.0	79
360	Multiple Myeloma: Future Directions in Autologous Transplantation and Novel Agents. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, S20-S25.	2.0	8

#	ARTICLE	IF	CITATIONS
361	Autologous and Allogeneic Transplantation for Burkitt Lymphoma Outcomes and Changes in Utilization: A Report from the Center for International Blood and Marrow Transplant Research. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 173-179.	2.0	38
362	Divergent Effects of Novel Immunomodulatory Agents and Cyclophosphamide on the Risk of Engraftment Syndrome after Autologous Peripheral Blood Stem Cell Transplantation for Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1368-1373.	2.0	29
363	Fludarabine and 2-Gy TBI is Superior to 2ÂGy TBI as Conditioning for HLA-Matched Related Hematopoietic Cell Transplantation: A Phase III Randomized Trial. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1340-1347.	2.0	23
364	Intermittent Zoledronic Acid Prevents Bone Loss in Adults after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1361-1367.	2.0	24
365	Simplified Validated Prognostic Model for Progression-Free Survival after Autologous Transplantation for Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1740-1744.	2.0	52
366	Trends in Utilization and Outcomes of Autologous Transplantation as Early Therapy for Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 1615-1624.	2.0	99
367	Allogeneic Hematopoietic Cell Transplantation for Chemotherapy-Unresponsive Mantle Cell Lymphoma: A Cohort Analysis from the Center for International Blood and Marrow Transplant Research. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 625-631.	2.0	91
368	Hematopoietic Cell Transplantation for Systemic Mature T-Cell Non-Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2013, 31, 3100-3109.	0.8	206
369	Autologous haematopoietic cell transplantation for non-Hodgkin lymphoma with secondary CNS involvement. <i>British Journal of Haematology</i> , 2013, 162, 648-656.	1.2	29
370	Graft-Versus-Host Disease and Graft-Versus-Tumor Effects After Allogeneic Hematopoietic Cell Transplantation. <i>Journal of Clinical Oncology</i> , 2013, 31, 1530-1538.	0.8	197
371	Randomized Placebo-Controlled Phase III Study Of Perifosine Combined With Bortezomib and Dexamethasone In Relapsed, Refractory Multiple Myeloma Patients Previously Treated With Bortezomib. <i>Blood</i> , 2013, 122, 3189-3189.	0.6	6
372	Multiple Myeloma (MM) In Older (>70 year) Patients - Similar Benefit From Autologous Hematopoietic Cell Transplantation (AHCT) Compared With Younger Patients. <i>Blood</i> , 2013, 122, 416-416.	0.6	3
373	Incidence of venous thromboembolism in patients with hematologic malignancies related to upper extremity peripherally inserted central venous catheters. <i>Journal of Clinical Oncology</i> , 2013, 31, 6586-6586.	0.8	0
374	Randomized, multicenter, phase 2 study (EVOLUTION) of combinations of bortezomib, dexamethasone, cyclophosphamide, and lenalidomide in previously untreated multiple myeloma. <i>Blood</i> , 2012, 119, 4375-4382.	0.6	396
375	Immunophenotypic Stability of SÂzary Cells by Flow Cytometry. <i>American Journal of Clinical Pathology</i> , 2012, 137, 403-411.	0.4	22
376	Allogeneic hematopoietic cell transplantation for myelofibrosis in the era of JAK inhibitors. <i>Blood</i> , 2012, 120, 1367-1379.	0.6	95
377	Conditioning regimens for allotransplants for diffuse large B-cell lymphoma: myeloablative or reduced intensity?. <i>Blood</i> , 2012, 120, 4256-4262.	0.6	128
378	Protective role of clusterin in preserving endothelial function in AL amyloidosis. <i>Atherosclerosis</i> , 2012, 225, 220-223.	0.4	17

#	ARTICLE	IF	CITATIONS
379	Alternate Donor Hematopoietic Cell Transplantation (HCT) in Non-Hodgkin Lymphoma Using Lower Intensity Conditioning: A Report from the CIBMTR. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1036-1043.e1.	2.0	15
380	Outcome of Lower-Intensity Allogeneic Transplantation in Non-Hodgkin Lymphoma after Autologous Transplantation Failure. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1255-1264.	2.0	27
381	Characteristics of CliniMACS [®] System CD34-Enriched T ⁺ Cell-Depleted Grafts in a Multicenter Trial for Acute Myeloid Leukemia-Blood and Marrow Transplant Clinical Trials Network (BMT CTN) Protocol 0303. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 690-697.	2.0	63
382	Risk of progression and survival in multiple myeloma relapsing after therapy with IMiDs and bortezomib: A multicenter international myeloma working group study. <i>Leukemia</i> , 2012, 26, 149-157.	3.3	664
383	Lenalidomide after Stem-Cell Transplantation for Multiple Myeloma. <i>New England Journal of Medicine</i> , 2012, 366, 1770-1781.	13.9	1,024
384	Clofarabine Plus Cytarabine Compared With Cytarabine Alone in Older Patients With Relapsed or Refractory Acute Myelogenous Leukemia: Results From the CLASSIC I Trial. <i>Journal of Clinical Oncology</i> , 2012, 30, 2492-2499.	0.8	165
385	A Phase 1/2 Study of Weekly MLN9708, an Investigational Oral Proteasome Inhibitor, in Combination with Lenalidomide and Dexamethasone in Patients with Previously Untreated Multiple Myeloma (MM). <i>Blood</i> , 2012, 120, 332-332.	0.6	12
386	Oral weekly MLN9708, an investigational proteasome inhibitor, in combination with lenalidomide and dexamethasone in patients (pts) with previously untreated multiple myeloma (MM): A phase I/II study.. <i>Journal of Clinical Oncology</i> , 2012, 30, 8033-8033.	0.8	6
387	Intermittent Zoledronic Acid (ZA) for the Prevention of Osteoporosis After Allogeneic Hematopoietic Cell Transplantation (HCT). <i>Blood</i> , 2012, 120, 1965-1965.	0.6	0
388	Donor Lymphocyte Infusion for Relapsed Hematological Malignancies After Allogeneic Hematopoietic Cell Transplantation: Prognostic Relevance of the Initial CD3+ T Cell Dose. <i>Blood</i> , 2012, 120, 354-354.	0.6	0
389	Low Risk of Chronic Graft-versus-Host Disease and Relapse Associated with T Cell-Depleted Peripheral Blood Stem Cell Transplantation for Acute Myelogenous Leukemia in First Remission: Results of the Blood and Marrow Transplant Clinical Trials Network Protocol 0303. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1343-1351.	2.0	135
390	Effect of Obesity on Outcomes after Autologous Hematopoietic Stem Cell Transplantation for Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1765-1774.	2.0	53
391	Tocilizumab for the Treatment of Steroid Refractory Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1862-1868.	2.0	109
392	Autologous haemopoietic stem-cell transplantation followed by allogeneic or autologous haemopoietic stem-cell transplantation in patients with multiple myeloma (BMT CTN 0102): a phase 3 biological assignment trial. <i>Lancet Oncology</i> , The, 2011, 12, 1195-1203.	5.1	263
393	Trends in allogeneic stem cell transplantation for multiple myeloma: a CIBMTR analysis. <i>Blood</i> , 2011, 118, 1979-1988.	0.6	77
394	CD200 expression in plasma cell myeloma. <i>British Journal of Haematology</i> , 2011, 153, 408-411.	1.2	35
395	Percussion hemoglobinuria - a novel term for hand trauma-induced mechanical hemolysis: a case report. <i>Journal of Medical Case Reports</i> , 2011, 5, 508.	0.4	7
396	Long-term Outcomes Among Older Patients Following Nonmyeloablative Conditioning and Allogeneic Hematopoietic Cell Transplantation for Advanced Hematologic Malignancies. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 1874.	3.8	274

#	ARTICLE	IF	CITATIONS
397	Human microvascular dysfunction and apoptotic injury induced by AL amyloidosis light chain proteins. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011, 301, H2305-H2312.	1.5	70
398	Immunoglobulin Free Light Chain (FLC) and Heavy Chain/Light Chain (HLC) Assays – Comparison with Electrophoretic Responses in Multiple Myeloma (MM). <i>Blood</i> , 2011, 118, 2877-2877.	0.6	4
399	Biomarker Correlation with Outcomes in Patients with Relapsed or Refractory Multiple Myeloma on a Phase I Study of Everolimus in Combination with Lenalidomide. <i>Blood</i> , 2011, 118, 3966-3966.	0.6	2
400	Detection of amyloid in abdominal fat pad aspirates in early amyloidosis: Role of electron microscopy and Congo red stained cell block sections. <i>CytoJournal</i> , 2011, 8, 11.	0.8	26
401	Bortezomib Based Therapy for Newly Diagnosed Patients with Advanced Multisystem Light Chain Amyloidosis (AL). <i>Blood</i> , 2011, 118, 1880-1880.	0.6	0
402	The Impact of Co-Morbidities on the Outcome of Autologous Stem Cell Transplantation for Multiple Myeloma. <i>Blood</i> , 2011, 118, 4511-4511.	0.6	0
403	Patterns of Myeloma (MM) Progression After Autologous Transplant (AHCT) – Biochemical Progression Vs. Clinical Relapse. <i>Blood</i> , 2011, 118, 5097-5097.	0.6	0
404	Performing and Processing FNA of Anterior Fat Pad for Amyloid. <i>Journal of Visualized Experiments</i> , 2010, . .	0.2	20
405	Access to hematopoietic stem cell transplantation. <i>Cancer</i> , 2010, 116, 3469-3476.	2.0	124
406	Efficacy and safety of long-term (>7 year) alemtuzumab therapy for refractory T-cell large granular lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2010, 150, 480-481.	1.2	9
407	Light Chain Amyloidosis Circa 2010: Six Prognostic Markers and One Sobering Reality. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 653-655.	1.2	0
408	Systemic and microvascular oxidative stress induced by light chain amyloidosis. <i>International Journal of Cardiology</i> , 2010, 145, 67-68.	0.8	45
409	A Comparison of HLA-Identical Sibling Allogeneic versus Autologous Transplantation for Diffuse Large B-Cell Lymphoma: A Report from the CIBMTR. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 35-45.	2.0	88
410	Race and Outcomes of Autologous Hematopoietic Cell Transplantation for Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2010, 16, 395-402.	2.0	55
411	Outcome of Patients With IgD and IgM Multiple Myeloma Undergoing Autologous Hematopoietic Stem Cell Transplantation: A Retrospective CIBMTR Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2010, 10, 458-463.	0.2	29
412	Allogeneic Hematopoietic Cell Transplantation (AHCT) for Primary Cutaneous T Cell Lymphoma (CTCL): a Center for International Blood and Marrow Transplant Research (CIBMTR) Review. <i>Blood</i> , 2010, 116, 364-364.	0.6	3
413	Tandem Autologous Hematopoietic Stem Cell Transplants (AuHCT) with or without Maintenance Therapy (auto-auto) Versus Single AuHCT Followed by HLA Matched Sibling Non- Myeloablative Allogeneic HCT (auto-allo) for Patients with Standard Risk (SR) Multiple Myeloma (MM): Results From the Blood and Marrow Transplant Clinical Trials Network (BMT CTN) 0102 Trial. <i>Blood</i> , 2010, 116, 41-41.	0.6	14
414	Novel Three- and Four-Drug Combination Regimens of Bortezomib, Dexamethasone, Cyclophosphamide, and Lenalidomide, for Previously Untreated Multiple Myeloma: Results From the Multi-Center, Randomized, Phase 2 EVOLUTION Study. <i>Blood</i> , 2010, 116, 621-621.	0.6	14

#	ARTICLE	IF	CITATIONS
415	Patterns of Serum Free Light Chain (FLC) Recovery After Reduced Intensity Conditioning (RIC) Allogeneic Transplant for Multiple Myeloma (MM) Predict Long Term Outcomes. <i>Blood</i> , 2010, 116, 1301-1301.	0.6	0
416	Utility of CD56 Immunohistochemical Studies in Follow-up of Plasma Cell Myeloma. <i>American Journal of Clinical Pathology</i> , 2009, 132, 60-66.	0.4	30
417	Prognostic implication of late gadolinium enhancement on cardiac MRI in light chain (AL) amyloidosis on long term follow up. <i>BMC Medical Physics</i> , 2009, 9, 5.	2.4	46
418	Unrelated Donor Reduced-Intensity Allogeneic Hematopoietic Stem Cell Transplantation for Relapsed and Refractory Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 109-117.	2.0	98
419	Unrelated Donor Hematopoietic Cell Transplantation for Non-Hodgkin Lymphoma: Long-Term Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 554-563.	2.0	33
420	Impact of Pre-transplant Rituximab on Survival after Autologous Hematopoietic Stem Cell Transplantation for Diffuse Large B Cell Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 1455-1464.	2.0	52
421	Left Ventricular Ejection Time on Echocardiography Predicts Long-Term Mortality in Light Chain Amyloidosis. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 1396-1402.	1.2	39
422	Long-term outcome of patients with multiple myeloma after autologous hematopoietic cell transplantation and nonmyeloablative allografting. <i>Blood</i> , 2009, 113, 3383-3391.	0.6	106
423	Response to Bortezomib Based Induction Therapy in Newly Diagnosed Light Chain (AL) Amyloidosis.. <i>Blood</i> , 2009, 114, 1867-1867.	0.6	2
424	An Open-Label Phase I Study of the Safety and Efficacy of RAD001 in Combination with Lenalidomide in the Treatment of Patients with Relapsed and Relapsed/Refractory Multiple Myeloma.. <i>Blood</i> , 2009, 114, 3856-3856.	0.6	5
425	HLA-Identical Sibling-Matched, CD34+ Selected, T Cell Depleted Peripheral Blood Stem Cells Following Myeloablative Conditioning for First or Second Remission Acute Myeloid Leukemia (AML): Results of Blood and Marrow Transplant Clinical Trials Network (BMT CTN) Protocol 0303.. <i>Blood</i> , 2009, 114, 655-655.	0.6	4
426	Intraventricular dyssynchrony in light chain amyloidosis: a new mechanism of systolic dysfunction assessed by 3-dimensional echocardiography. <i>Cardiovascular Ultrasound</i> , 2008, 6, 40.	0.5	23
427	Allogeneic Transplants in Follicular Lymphoma: Higher Risk of Disease Progression after Reduced-Intensity Compared to Myeloablative Conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 236-245.	2.0	157
428	Second Autologous Stem Cell Transplantation for Relapsed Lymphoma after a Prior Autologous Transplant. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 904-912.	2.0	56
429	Comparison of Twin and Autologous Transplants for Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1118-1124.	2.0	28
430	Comparable Outcomes in Nonsecretory and Secretory Multiple Myeloma after Autologous Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 1134-1140.	2.0	27
431	Nonmyeloablative conditioning for relapsed follicular lymphoma. <i>Blood</i> , 2008, 112, 2585-2586.	0.6	3
432	HLA Specificities and Predisposition to the Development of Multiple Myeloma (MM).. <i>Blood</i> , 2008, 112, 1688-1688.	0.6	0

#	ARTICLE	IF	CITATIONS
433	Use of a Potassium Channel Blocker to Inhibit Effector-Memory T Cells Isolated from Recipients of Allogeneic BMSCT.. Blood, 2008, 112, 1154-1154.	0.6	0
434	Suppressive Anti-HCV Therapy for Prevention of Donor to Recipient Transmission in Stem Cell Transplantation. American Journal of Gastroenterology, 2007, 102, 449-451.	0.2	25
435	Multiple Myeloma: Charging Toward a Bright Future. Ca-A Cancer Journal for Clinicians, 2007, 57, 301-318.	157.7	82
436	Long-Term Outcome of Autologous Followed by Nonmyeloablative Allografting from HLA-Identical Sibling for Multiple Myeloma (MM).. Blood, 2007, 110, 3029-3029.	0.6	2
437	Autologous or Allogeneic Stem Cell Transplantation in Patients with Waldenstrom's Macroglobulinemia. Biology of Blood and Marrow Transplantation, 2006, 12, 845-854.	2.0	68
438	NF- κ B as a target for the prevention of graft-versus-host disease: comparative efficacy of bortezomib and PS-1145. Blood, 2006, 107, 827-834.	0.6	109
439	Superior Survival after Autologous vs. Allogeneic Hematopoietic Stem Cell Transplantation (HCT) for Diffuse Large B-Cell Lymphoma (DLBCL) Not Explained by Differences in Chemosensitivity.. Blood, 2006, 108, 3021-3021.	0.6	6
440	New questions about transplantation in multiple myeloma. Oncology, 2006, 20, 1230-42; discussion 1242, 1244, 1249-50.	0.4	5
441	Targeting NF- κ B for the Prevention of Graft Versus Host Disease.. Blood, 2005, 106, 3109-3109.	0.6	0
442	Temporal discordance between graft-versus-leukemia and graft-versus-host responses: A strategy for the separation of graft-versus-leukemia/graft-versus-host reactivity?. Biology of Blood and Marrow Transplantation, 2004, 10, 743-747.	2.0	11
443	Allogeneic hematopoietic cell transplants for plasma cell myeloma. , 0, , 468-476.		0
444	Statistics: Do we understand the results of our analyses?. , 0, , 674-677.		0