

Dongfang Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6607152/publications.pdf>

Version: 2024-02-01

29
papers

587
citations

623734

14
h-index

642732

23
g-index

31
all docs

31
docs citations

31
times ranked

952
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of GLP-1R rs2254336 and rs3765467 polymorphisms on gastrointestinal adverse reactions in type 2 diabetes patients treated with liraglutide. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 589-596.	1.9	7
2	CTRP7 Is a Biomarker Related to Insulin Resistance and Oxidative Stress: Cross-Sectional and Intervention Studies In Vivo and In Vitro. <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 2022, 1-17.	4.0	5
3	The Relationships among Plasma Fetuin-B, Thyroid Autoimmunity, and Fertilization Rate In Vitro Fertilization and Embryo Transfer. <i>International Journal of Endocrinology</i> , 2022, 2022, 1-7.	1.5	0
4	Association between circulating follistatin-like 1 and metabolic syndrome in middle-aged and old population: A cross-sectional study. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3373.	4.0	9
5	The relationship of mesencephalic astrocyte-derived neurotrophic factor with hyperlipidemia in patients with or without type 2 diabetes mellitus. <i>Hormones</i> , 2021, 20, 537-543.	1.9	7
6	Effective and safe delivery of GLP-1AR and FGF-21 plasmids using amino-functionalized dual-mesoporous silica nanoparticles in vitro and in vivo. <i>Biomaterials</i> , 2021, 271, 120763.	11.4	15
7	Role and mechanism of TXNIP in ageing-related renal fibrosis. <i>Mechanisms of Ageing and Development</i> , 2021, 196, 111475.	4.6	8
8	Unique three-site compound heterozygous mutation in the WFS1 gene in Wolfram syndrome. <i>BMC Endocrine Disorders</i> , 2021, 21, 166.	2.2	1
9	Circulating CTRP7 Is a Potential Predictor for Metabolic Syndrome. <i>Frontiers in Endocrinology</i> , 2021, 12, 774309.	3.5	7
10	Increased plasma osteopontin levels are associated with nonalcoholic fatty liver disease in patients with type 2 diabetes mellitus. <i>Cytokine</i> , 2020, 125, 154837.	3.2	11
11	Central Sfrp5 regulates hepatic glucose flux and VLDL-triglyceride secretion. <i>Metabolism: Clinical and Experimental</i> , 2020, 103, 154029.	3.4	17
12	Elevated Circulating Fetuin-B Levels Are Associated with Insulin Resistance and Reduced by GLP-1RA in Newly Diagnosed PCOS Women. <i>Mediators of Inflammation</i> , 2020, 2020, 1-12.	3.0	15
13	Thioredoxin-interacting protein: a critical link between autophagy disorders and pancreatic β -cell dysfunction. <i>Endocrine</i> , 2020, 70, 526-537.	2.3	7
14	Follistatin-like 1 as a Novel Adipomyokine Related to Insulin Resistance and Physical Activity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e4499-e4509.	3.6	25
15	Protein Expression Profile in IVF Follicular Fluid and Pregnancy Outcome Analysis in Euthyroid Women with Thyroid Autoimmunity. <i>ACS Omega</i> , 2020, 5, 11439-11447.	3.5	10
16	Transient Receptor Potential Channel Canonical Type 3 Deficiency Antagonizes Myofibroblast Transdifferentiation In Vivo. <i>BioMed Research International</i> , 2020, 2020, 1-12.	1.9	3
17	DOCK5 regulates energy balance and hepatic insulin sensitivity by targeting mTORC1 signaling. <i>EMBO Reports</i> , 2020, 21, e49473.	4.5	16
18	Liraglutide protects pancreatic β cells from endoplasmic reticulum stress by upregulating MANF to promote autophagy turnover. <i>Life Sciences</i> , 2020, 252, 117648.	4.3	18

#	ARTICLE	IF	CITATIONS
19	Osteoprotegerin Promotes Liver Steatosis by Targeting the ERK-PPAR-CD36 Pathway. <i>Diabetes</i> , 2019, 68, 1902-1914.	0.6	56
20	Changes in whole metabolites after exenatide treatment in overweight/obese polycystic ovary syndrome patients. <i>Clinical Endocrinology</i> , 2019, 91, 508-516.	2.4	25
21	<p>Association between serum TSH levels and metabolic components in euthyroid subjects: a nationwide population-based study</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 1563-1569.	2.4	16
22	Gut ghrelin regulates hepatic glucose production and insulin signaling via a gut-brain-liver pathway. <i>Cell Communication and Signaling</i> , 2019, 17, 8.	6.5	16
23	CILP-2 is a novel secreted protein and associated with insulin resistance. <i>Journal of Molecular Cell Biology</i> , 2019, 11, 1083-1094.	3.3	19
24	C1q/TNF-Related Protein5 (CTRP5) as a Biomarker to Predict Metabolic Syndrome and Each of Its Components. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-8.	1.5	9
25	Efficacy of low-level light therapy for treatment of diabetic foot ulcer: A systematic review and meta-analysis of randomized controlled trials. <i>Diabetes Research and Clinical Practice</i> , 2018, 143, 215-224.	2.8	30
26	C1q/TNF-related protein-6 is associated with insulin resistance and the development of diabetes in Chinese population. <i>Acta Diabetologica</i> , 2018, 55, 1221-1229.	2.5	18
27	Circulating Zinc- \pm glycoprotein levels and Insulin Resistance in Polycystic Ovary Syndrome. <i>Scientific Reports</i> , 2016, 6, 25934.	3.3	28
28	Zinc- \pm -Glycoprotein Is Associated With Insulin Resistance in Humans and Is Regulated by Hyperglycemia, Hyperinsulinemia, or Liraglutide Administration. <i>Diabetes Care</i> , 2013, 36, 1074-1082.	8.6	83
29	Circulating Sfrp5 Is a Signature of Obesity-Related Metabolic Disorders and Is Regulated by Glucose and Liraglutide in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 290-298.	3.6	103