

# Camille H Raynes-Greenow

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6607828/camille-h-raynes-greenow-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118  
papers

2,004  
citations

24  
h-index

40  
g-index

130  
ext. papers

2,368  
ext. citations

3.8  
avg, IF

4.86  
L-index

#	Paper	IF	Citations
118	Factors influencing quality nutrition service provision at antenatal care contacts: Findings from a public health facility-based observational study in 21 districts of Bangladesh.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0262867	3.7	1
117	Pregnant Women's Exposure to Household Air Pollution in Rural Bangladesh: A Feasibility Study for Poriborton: The CHANge Trial.. <i>International Journal of Environmental Research and Public Health</i> , <b>2022</b> , 19,	4.6	1
116	The long-term burden of congenital cytomegalovirus: Hospitalisation and mortality in a population-based matched cohort study.. <i>European Journal of Paediatric Neurology</i> , <b>2022</b> , 37, 82-86	3.8	
115	Protocol for a cluster randomised controlled trial of LPG cookstoves compared to usual cooking practices to reduce perinatal mortality and morbidity in rural Bangladesh called Poriborton: the CHANge trial.. <i>Trials</i> , <b>2022</b> , 23, 325	2.8	0
114	The effect of electronic job aid assisted one-to-one counselling to support exclusive breastfeeding among 0-5-month-old infants in rural Bangladesh.. <i>Maternal and Child Nutrition</i> , <b>2022</b> , e13377	3.4	
113	A better understanding of the association between maternal perception of foetal movements and late stillbirth-findings from an individual participant data meta-analysis. <i>BMC Medicine</i> , <b>2021</b> , 19, 267	11.4	1
112	One planet one health: What about the kids?. <i>Journal of Paediatrics and Child Health</i> , <b>2021</b> , 57, 1741-1744	4.3	1
111	Barriers to uptaking HIV testing among pregnant women attending antenatal clinics in low- and middle-income countries: A systematic review of qualitative findings. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2021</b> , 61, 817-829	1.7	0
110	Postpartum women's knowledge and planned use of contraception in Myanmar. <i>BMJ Sexual and Reproductive Health</i> , <b>2021</b> , 47, 179-184	1.9	
109	Cardiac and vascular health in late preterm infants. <i>Journal of Developmental Origins of Health and Disease</i> , <b>2021</b> , 1-7	2.4	0
108	An analysis of the impact of newborn survival policies in Pakistan using a policy triangle framework. <i>Health Research Policy and Systems</i> , <b>2021</b> , 19, 86	3.7	2
107	Is pelvic floor muscle strength and thickness associated with pelvic organ prolapse in Nepali women? - A cross-sectional study. <i>Brazilian Journal of Physical Therapy</i> , <b>2021</b> , 25, 214-220	3.7	1
106	Modifiable socio-cultural beliefs and practices influencing early and adequate utilisation of antenatal care in rural Bangladesh: A qualitative study. <i>Midwifery</i> , <b>2021</b> , 93, 102881	2.8	1
105	Perinatal depression in Pakistan: A systematic review and meta-analysis. <i>Birth</i> , <b>2021</b> , 48, 149-163	3.1	7
104	Effect of nutrition counselling with a digital job aid on child dietary diversity: Analysis of secondary outcomes from a cluster randomised controlled trial in rural Bangladesh. <i>Maternal and Child Nutrition</i> , <b>2021</b> , e13267	3.4	2
103	'I should have seen her face at least once': parent's and healthcare providers' experiences and practices of care after stillbirth in Kabul province, Afghanistan. <i>Journal of Perinatology</i> , <b>2021</b> , 41, 2182-2195	3.1	0
102	Stillbirth risk prediction using machine learning for a large cohort of births from Western Australia, 1980-2015. <i>Scientific Reports</i> , <b>2020</b> , 10, 5354	4.9	13

101	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis. <i>PLoS ONE</i> , <b>2020</b> , 15, e0230861	3.7	6
100	A Feasibility Study Assessing Acceptability and Supply Issues of Distributing LPG Cookstoves and Gas Cylinders to Pregnant Women Living in Rural Bangladesh for Poriborton: The CHANge Trial. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	5
99	Understanding pathways leading to stillbirth: The role of care-seeking and care received during pregnancy and childbirth in Kabul province, Afghanistan. <i>Women and Birth</i> , <b>2020</b> , 33, 544-555	3.3	3
98	Impact of an informational flipchart on lifestyle advice for Nepali women with a pelvic organ prolapse: a randomized controlled trial. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 1223-1230	2	1
97	Country compliance with WHO-recommended antenatal care guidelines: equity analysis of the 2015-2016 Demography and Health Survey in Myanmar. <i>BMJ Global Health</i> , <b>2020</b> , 5,	6.6	5
96	Protocol for the development and validation of a risk prediction model for stillbirths from 35 weeks gestation in Australia. <i>Diagnostic and Prognostic Research</i> , <b>2020</b> , 4, 21	5.5	1
95	Self-adopted natural users of liquid petroleum gas for household cooking by pregnant women in rural Bangladesh: characteristics of high use and opportunities for intervention. <i>Environmental Research Letters</i> , <b>2020</b> , 15, 095008	6.2	5
94	Traditional practices during pregnancy and birth, and perceptions of perinatal losses in women of rural Pakistan. <i>Midwifery</i> , <b>2020</b> , 91, 102854	2.8	2
93	How Can We Improve the Consumption of a Nutritionally Balanced Maternal Diet in Rural Bangladesh? The Key Elements of the "Balanced Plate" Intervention. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	3
92	Influence of maternal and placental factors on newborn body composition. <i>Journal of Paediatrics and Child Health</i> , <b>2020</b> , 56, 224-230	1.3	3
91	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis <b>2020</b> , 15, e0230861		
90	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis <b>2020</b> , 15, e0230861		
89	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis <b>2020</b> , 15, e0230861		
88	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis <b>2020</b> , 15, e0230861		
87	Association of Supine Going-to-Sleep Position in Late Pregnancy With Reduced Birth Weight: A Secondary Analysis of an Individual Participant Data Meta-analysis. <i>JAMA Network Open</i> , <b>2019</b> , 2, e1912614	10.4	8
86	Gender equity in epidemiology: a policy brief. <i>Annals of Epidemiology</i> , <b>2019</b> , 35, 1-3	6.4	4
85	Under-Five Mortality and Associated Factors: Evidence from the Nepal Demographic and Health Survey (2001?2016). <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,	4.6	4
84	Risk of adverse pregnancy outcomes associated with short and long birth intervals in Bangladesh: evidence from six Bangladesh Demographic and Health Surveys, 1996-2014. <i>BMJ Open</i> , <b>2019</b> , 9, e024392	3	13

83	An Individual Participant Data Meta-analysis of Maternal Going-to-Sleep Position, Interactions with Fetal Vulnerability, and the Risk of Late Stillbirth. <i>EClinicalMedicine</i> , <b>2019</b> , 10, 49-57	11.3	27
82	Factors associated with perinatal mortality in Nepal: evidence from Nepal demographic and health survey 2001-2016. <i>BMC Pregnancy and Childbirth</i> , <b>2019</b> , 19, 88	3.2	12
81	Understanding country-specific determinants of stillbirth using household surveys: The case of Afghanistan. <i>Paediatric and Perinatal Epidemiology</i> , <b>2019</b> , 33, 28-44	2.7	8
80	How community and healthcare provider perceptions, practices and experiences influence reporting, disclosure and data collection on stillbirth: Findings of a qualitative study in Afghanistan. <i>Social Science and Medicine</i> , <b>2019</b> , 236, 112413	5.1	9
79	Perceptions and practices related to birthweight in rural Bangladesh: Implications for neonatal health programs in low- and middle-income settings. <i>PLoS ONE</i> , <b>2019</b> , 14, e0221691	3.7	4
78	Noninvasive assessment of autonomic function in human neonates born at the extremes of fetal growth spectrum. <i>Physiological Reports</i> , <b>2018</b> , 6, e13682	2.6	3
77	Household Food Security and Birth Size of Infants: Analysis of the Bangladesh Demographic and Health Survey 2011. <i>Current Developments in Nutrition</i> , <b>2018</b> , 2, nzy003	0.4	12
76	The Collaborative IPD of Sleep and Stillbirth (Cribss): is maternal going-to-sleep position a risk factor for late stillbirth and does maternal sleep position interact with fetal vulnerability? An individual participant data meta-analysis study protocol. <i>BMJ Open</i> , <b>2018</b> , 8, e020323	3	4
75	Factors associated with inadequate receipt of components and use of antenatal care services in Nigeria: a population-based study. <i>International Health</i> , <b>2018</b> , 10, 172-181	2.4	18
74	Bereaved parents' experience of care and follow-up after stillbirth in Sydney hospitals. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2018</b> , 58, 185-191	1.7	6
73	A community-based cluster randomised controlled trial in rural Bangladesh to evaluate the impact of the use of iron-folic acid supplements early in pregnancy on the risk of neonatal mortality: the Shonjibon trial. <i>BMC Public Health</i> , <b>2018</b> , 18, 816	4.1	3
72	Perinatal Mortality in South Asia: Systematic Review of Observational Studies. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,	4.6	10
71	Association between health service use and diarrhoea management approach among caregivers of under-five children in Nepal. <i>PLoS ONE</i> , <b>2018</b> , 13, e0191988	3.7	7
70	An anthropometric approach to characterising neonatal morbidity and body composition, using air displacement plethysmography as a criterion method. <i>PLoS ONE</i> , <b>2018</b> , 13, e0195193	3.7	3
69	Prevalence and determinants of iron deficiency anemia among non-pregnant women of reproductive age in Pakistan. <i>Asia Pacific Journal of Clinical Nutrition</i> , <b>2018</b> , 27, 195-203	1	9
68	Body Fatness and Cardiovascular Health in Newborn Infants. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	7
67	Teaching pelvic floor muscle training to local health workers in rural Nepal. <i>International Journal of Health Promotion and Education</i> , <b>2018</b> , 56, 289-297	0.8	3
66	Variations in perinatal mortality associated with different polluting fuel types and kitchen location in Bangladesh. <i>International Journal of Occupational and Environmental Health</i> , <b>2018</b> , 24, 47-54		10

65	Beyond counting stillbirths to understanding their determinants in low- and middle-income countries: a systematic assessment of stillbirth data availability in household surveys. <i>Tropical Medicine and International Health</i> , <b>2017</b> , 22, 294-311	2.3	16
64	Prevalence and determinants of unintended pregnancies amongst women attending antenatal clinics in Pakistan. <i>BMC Pregnancy and Childbirth</i> , <b>2017</b> , 17, 156	3.2	41
63	Making a balanced plate for pregnant women to improve birthweight of infants: a study protocol for a cluster randomised controlled trial in rural Bangladesh. <i>BMJ Open</i> , <b>2017</b> , 7, e015393	3	6
62	Socio-economic predictors of stillbirths in Nepal (2001-2011). <i>PLoS ONE</i> , <b>2017</b> , 12, e0181332	3.7	15
61	Quantity and Quality of Carbohydrate Intake during Pregnancy, Newborn Body Fatness and Cardiac Autonomic Control: Conferred Cardiovascular Risk?. <i>Nutrients</i> , <b>2017</b> , 9,	6.7	8
60	Can a Leaflet with Brief Verbal Instruction Teach Nepali Women How to Correctly Contract Their Pelvic Floor Muscles?. <i>Journal of Nepal Health Research Council</i> , <b>2017</b> , 15, 105-109	0.9	9
59	School absence and its effect on school performance for children born with orofacial clefts. <i>Birth Defects Research</i> , <b>2017</b> , 109, 1048-1056	2.9	7
58	Gaps and challenges underpinning the first analysis of global coverage of early antenatal care. <i>The Lancet Global Health</i> , <b>2017</b> , 5, e949-e950	13.6	9
57	Description of inter-institutional referrals after admission for labor and delivery: a prospective population based cohort study in rural Maharashtra, India. <i>BMC Health Services Research</i> , <b>2017</b> , 17, 360	2.9	11
56	Factors associated with contraceptive use among sexually active Nepalese youths in the Kathmandu Valley. <i>Contraception and Reproductive Medicine</i> , <b>2017</b> , 2, 13	2.2	10
55	Knowledge, experience, and utilisation of sexual and reproductive health services amongst Nepalese youth living in the Kathmandu Valley. <i>Sexual and Reproductive Healthcare</i> , <b>2017</b> , 11, 25-30	2.4	8
54	Congenital Cytomegalovirus among Children with Cerebral Palsy. <i>Journal of Pediatrics</i> , <b>2017</b> , 181, 267-273	16.1	37
53	Predictors of stillbirths in Bangladesh: evidence from the 2004-2014 nation-wide household surveys. <i>Global Health Action</i> , <b>2017</b> , 10, 1410048	3	14
52	The influence of grandmothers on breastfeeding rates: a systematic review. <i>BMC Pregnancy and Childbirth</i> , <b>2016</b> , 16, 91	3.2	75
51	Antenatal management of gestational diabetes mellitus can improve neonatal outcomes. <i>Midwifery</i> , <b>2016</b> , 34, 66-71	2.8	4
50	Household Air Pollution Intervention Implications: Findings from Qualitative Studies and a Field Trial of Clean Cookstoves in Two Rural Villages in India. <i>International Journal of Environmental Research and Public Health</i> , <b>2016</b> , 13,	4.6	16
49	Prevalence and Predictors of Iron Deficiency Anemia in Children under Five Years of Age in Pakistan, A Secondary Analysis of National Nutrition Survey Data 2011-2012. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155051	3.7	30
48	Hospitalisations up to adulthood for children born with orofacial clefts. <i>Journal of Paediatrics and Child Health</i> , <b>2016</b> , 52, 441-8	1.3	7

47	Long-term survival for infants born with orofacial clefts in Western Australia. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , <b>2016</b> , 106, 172-7		4
46	Anxiety and acceptability related to participation in stillbirth research. <i>Midwifery</i> , <b>2015</b> , 31, 1067-72	2.8	2
45	Sleep position, fetal growth restriction, and late-pregnancy stillbirth: the Sydney stillbirth study. <i>Obstetrics and Gynecology</i> , <b>2015</b> , 125, 347-355	4.9	72
44	Childhood hepatitis C virus infection: An Australian national surveillance study of incident cases over five years. <i>Journal of Paediatrics and Child Health</i> , <b>2015</b> , 51, 1115-20	1.3	8
43	Differential estimates of underweight-for-age and growth related morbidity according to different growth standards in Indian children. <i>Indian Journal of Pediatrics</i> , <b>2015</b> , 82, 19-24	3	1
42	Poor sleep during the periconceptual period increases risk for neural tube defects in offspring. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , <b>2015</b> , 103, 780-6		4
41	Cytomegalovirus-related childhood mortality in Australia 1999-2011. <i>Journal of Paediatrics and Child Health</i> , <b>2015</b> , 51, 901-5	1.3	7
40	Population-based surveillance of neonatal herpes simplex virus infection in Australia, 1997-2011. <i>Clinical Infectious Diseases</i> , <b>2014</b> , 59, 525-31	11.6	38
39	Congenital cytomegalovirus is associated with severe forms of cerebral palsy and female sex in a retrospective population-based study. <i>Developmental Medicine and Child Neurology</i> , <b>2014</b> , 56, 846-52	3.3	16
38	Do neonatal hypoglycaemia guidelines in Australia and New Zealand facilitate breast feeding?. <i>Midwifery</i> , <b>2014</b> , 30, 1179-86	2.8	4
37	Maternal alcohol consumption during pregnancy and the risk of orofacial clefts in infants: a systematic review and meta-analysis. <i>Paediatric and Perinatal Epidemiology</i> , <b>2014</b> , 28, 322-32	2.7	24
36	A cross-sectional study of maternal perception of fetal movements and antenatal advice in a general pregnant population, using a qualitative framework. <i>BMC Pregnancy and Childbirth</i> , <b>2013</b> , 13, 32	3.2	23
35	Audit of a clinical guideline for neonatal hypoglycaemia screening. <i>Journal of Paediatrics and Child Health</i> , <b>2013</b> , 49, 833-8	1.3	7
34	Fetal and maternal factors associated with neonatal adiposity as measured by air displacement plethysmography: a large cross-sectional study. <i>Early Human Development</i> , <b>2013</b> , 89, 839-43	2.2	48
33	Risk factors for antepartum stillbirth and the influence of maternal age in New South Wales Australia: a population based study. <i>BMC Pregnancy and Childbirth</i> , <b>2013</b> , 13, 12	3.2	34
32	Is body fat percentage a better measure of undernutrition in newborns than birth weight percentiles?. <i>Pediatric Research</i> , <b>2013</b> , 74, 730-6	3.2	34
31	Body composition is normal in term infants born to mothers with well-controlled gestational diabetes mellitus. <i>Diabetes Care</i> , <b>2013</b> , 36, 562-4	14.6	26
30	Customized versus population-based birth weight charts for the detection of neonatal growth and perinatal morbidity in a cross-sectional study of term neonates. <i>American Journal of Epidemiology</i> , <b>2013</b> , 178, 1301-8	3.8	29



29	Neonatal length inaccuracies in clinical practice and related percentile discrepancies detected by a simple length-board. <i>Journal of Paediatrics and Child Health</i> , <b>2013</b> , 49, 199-203	1.3	42
28	Breastfeeding within the first hour compared to more than one hour reduces risk of early-onset feeding problems in term neonates: a cross-sectional study. <i>Breastfeeding Medicine</i> , <b>2013</b> , 8, 513-4	2.1	10
27	Descriptive epidemiology of cleft lip and cleft palate in Western Australia. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , <b>2013</b> , 97, 101-8		23
26	Stillbirth risk in a second pregnancy. <i>Obstetrics and Gynecology</i> , <b>2012</b> , 119, 509-17	4.9	63
25	Sleep apnea in early childhood associated with preterm birth but not small for gestational age: a population-based record linkage study. <i>Sleep</i> , <b>2012</b> , 35, 1475-80	1.1	50
24	Quality of data in perinatal population health databases: a systematic review. <i>Medical Care</i> , <b>2012</b> , 50, e7-20	3.1	173
23	Women's experiences of care and their concerns and needs following a significant primary postpartum hemorrhage. <i>Birth</i> , <b>2011</b> , 38, 327-35	3.1	16
22	The impact of the baby bonus on maternity services in New South Wales. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2010</b> , 50, 25-9	1.7	10
21	Assisting informed decision making for labour analgesia: a randomised controlled trial of a decision aid for labour analgesia versus a pamphlet. <i>BMC Pregnancy and Childbirth</i> , <b>2010</b> , 10, 15	3.2	36
20	Is there an association between endometriosis and the risk of pre-eclampsia? A population based study. <i>Human Reproduction</i> , <b>2009</b> , 24, 2348-52	5.7	48
19	Do audio-guided decision aids improve outcomes? A randomized controlled trial of an audio-guided decision aid compared with a booklet decision aid for Australian women considering labour analgesia. <i>Health Expectations</i> , <b>2009</b> , 12, 407-16	3.7	10
18	The impact of the Baby Bonus payment in New South Wales: who is having "one for the country"?. <i>Medical Journal of Australia</i> , <b>2009</b> , 190, 238-41	4	22
17	Are babies getting bigger? An analysis of birthweight trends in New South Wales, 1990-2005. <i>Medical Journal of Australia</i> , <b>2009</b> , 190, 312-5	4	29
16	Residential mobility in a cohort of primiparous women during pregnancy and post-partum. <i>Australian and New Zealand Journal of Public Health</i> , <b>2008</b> , 32, 131-4	2.3	17
15	Development and pilot-testing of a decision aid for women with a breech-presenting baby. <i>Midwifery</i> , <b>2007</b> , 23, 38-47	2.8	9
14	Knowledge and decision-making for labour analgesia of Australian primiparous women. <i>Midwifery</i> , <b>2007</b> , 23, 139-45	2.8	21
13	A simple patient-initiated intervention to increase antenatal detection of breech presentation at term. <i>Paediatric and Perinatal Epidemiology</i> , <b>2004</b> , 18, 371-6	2.7	4
12	Protocol for a randomised controlled trial of a decision aid for the management of pain in labour and childbirth [ISRCTN52287533]. <i>BMC Pregnancy and Childbirth</i> , <b>2004</b> , 4, 24	3.2	15

11	Pregnant women's preferences and knowledge of term breech management, in an Australian setting. <i>Midwifery</i> , <b>2004</b> , 20, 181-7	2.8	40
10	Delivery of singleton preterm infants in New South Wales, 1990-1997. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2003</b> , 43, 32-7	1.7	11
9	Management of labour among women with epidural analgesia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2003</b> , 43, 78-81	1.7	11
8	The management of breech pregnancies in Australia and New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2003</b> , 43, 294-7; discussion 261	1.7	27
7	The management of twin births in Australia and New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2003</b> , 43, 397	1.7	3
6	A randomised trial, conducted by midwives, of perineal repairs comparing a polyglycolic suture material and chromic catgut. <i>Midwifery</i> , <b>2002</b> , 18, 223-9	2.8	22
5	Late diagnosis of three cases of transfusion-acquired HIV-1 infection. <i>Medical Journal of Australia</i> , <b>2000</b> , 172, 349	4	1
4	HLA and other host factors in transfusion-acquired HIV-1 infection. <i>Human Immunology</i> , <b>2000</b> , 61, 172-6	2.3	19
3	Effect of long-term infection with nef-defective attenuated HIV type 1 on CD4+ and CD8+ T lymphocytes: increased CD45RO+CD4+ T lymphocytes and limited activation of CD8+ T lymphocytes. <i>AIDS Research and Human Retroviruses</i> , <b>1999</b> , 15, 1519-27	1.6	26
2	Immunologic and virologic status after 14 to 18 years of infection with an attenuated strain of HIV-1. A report from the Sydney Blood Bank Cohort. <i>New England Journal of Medicine</i> , <b>1999</b> , 340, 1715-22	59.2	291
1	Maternal empowerment and healthcare access determines stillbirths and early neonatal mortality in Pakistan: analysis of demographic and health survey 2012-13. <i>Journal of Global Health Reports</i> , <b>2013</b> , 2, 1-7	1.1	3