

Takashi Matsukura

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6608223/takashi-matsukura-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

10
papers

88
citations

7
h-index

9
g-index

10
ext. papers

103
ext. citations

3
avg, IF

1.43
L-index

#	Paper	IF	Citations
10	Antenatal Glucocorticoids Reduce the Incidence of Refractory Hypotension in Low Birthweight Infants during the Early Neonatal Period, but Do Not Affect It beyond This Time. <i>American Journal of Perinatology</i> , 2021 , 38, 1057-1061	3.3	0
9	Response of preterm infants with transient hypothyroxinaemia of prematurity to the thyrotropin-releasing hormone stimulation test is characterized by a delayed decrease in thyroid-stimulating hormone after the peak. <i>Clinical Endocrinology</i> , 2020 , 93, 605-612	3.4	0
8	Corticotrophin-releasing hormone stimulation tests for the infants with relative adrenal insufficiency. <i>Clinical Endocrinology</i> , 2017 , 87, 660-664	3.4	4
7	Screening for secondary hyperparathyroidism in preterm infants. <i>Pediatrics International</i> , 2016 , 58, 988-992	3.4	7
6	Fetal growth restriction but not preterm birth is a risk factor for severe hypospadias. <i>Pediatrics International</i> , 2016 , 58, 573-7	1.2	9
5	High prevalence of severe circulatory complications with diazoxide in premature infants. <i>Neonatology</i> , 2014 , 105, 166-71	4	21
4	Salivary biomarkers are not suitable for pain assessment in newborns. <i>Early Human Development</i> , 2013 , 89, 503-6	2.2	8
3	Limited response to CRH stimulation tests at 2 weeks of age in preterm infants born at less than 30 weeks of gestational age. <i>Clinical Endocrinology</i> , 2013 , 78, 724-9	3.4	14
2	Hyperthyrotropinemia at 2 weeks of age indicates thyroid dysfunction and predicts the occurrence of delayed elevation of thyrotropin in very low birth weight infants. <i>Clinical Endocrinology</i> , 2012 , 77, 255-61	3.4	9
1	Diagnostic value of salivary cortisol in the CRH stimulation test in premature infants. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 890-6	5.6	16