

# Hugo Westerlund

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6609739/hugo-westerlund-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

223  
papers

9,067  
citations

57  
h-index

86  
g-index

229  
ext. papers

10,927  
ext. citations

5.1  
avg, IF

5.8  
L-index

#	Paper	IF	Citations
223	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet, The</i> , <b>2012</b> , 380, 1491-7	4.0	606
222	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603,838 individuals. <i>Lancet, The</i> , <b>2015</b> , 386, 1739-46	4.0	368
221	Self-rated health before and after retirement in France (GAZEL): a cohort study. <i>Lancet, The</i> , <b>2009</b> , 374, 1889-96	4.0	223
220	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. <i>Lancet Public Health, The</i> , <b>2017</b> , 2, e277-e285	22.4	214
219	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. <i>Psychological Medicine</i> , <b>2017</b> , 47, 1342-1356	6.9	195
218	Body mass index and risk of dementia: Analysis of individual-level data from 1.3 million individuals. <i>Alzheimer's and Dementia</i> , <b>2018</b> , 14, 601-609	1.2	163
217	Effort-Reward Imbalance at Work and Incident Coronary Heart Disease: A Multicohort Study of 90,164 Individuals. <i>Epidemiology</i> , <b>2017</b> , 28, 619-626	3.1	161
216	Job strain as a risk factor for leisure-time physical inactivity: an individual-participant meta-analysis of up to 170,000 men and women: the IPD-Work Consortium. <i>American Journal of Epidemiology</i> , <b>2012</b> , 176, 1078-89	3.8	153
215	Effect of retirement on major chronic conditions and fatigue: French GAZEL occupational cohort study. <i>BMJ, The</i> , <b>2010</b> , 341, c6149	5.9	142
214	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222 120 individuals. <i>Lancet Diabetes and Endocrinology, the</i> , <b>2015</b> , 3, 27-34	18.1	141
213	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. <i>Lancet Public Health, The</i> , <b>2018</b> , 3, e490-e497	22.4	138
212	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ, The</i> , <b>2013</b> , 347, f4746	5.9	133
211	Job strain as a risk factor for type 2 diabetes: a pooled analysis of 124,808 men and women. <i>Diabetes Care</i> , <b>2014</b> , 37, 2268-75	14.6	131
210	Job strain and cardiovascular disease risk factors: meta-analysis of individual-participant data from 47,000 men and women. <i>PLoS ONE</i> , <b>2013</b> , 8, e67323	3.7	125
209	Sleep disturbances and cause-specific mortality: Results from the GAZEL cohort study. <i>American Journal of Epidemiology</i> , <b>2011</b> , 173, 300-9	3.8	121
208	Job strain in relation to body mass index: pooled analysis of 160 000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , <b>2012</b> , 272, 65-73	10.8	115
207	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , <b>2012</b> , 12, 62	4.1	110

206	From midlife to early old age: health trajectories associated with retirement. <i>Epidemiology</i> , <b>2010</b> , 21, 284-90	3.1	110
205	Demand, control and social climate as predictors of emotional exhaustion symptoms in working Swedish men and women. <i>Scandinavian Journal of Public Health</i> , <b>2008</b> , 36, 737-43	3	110
204	Sickness presenteeism predicts suboptimal self-rated health and sickness absence: a nationally representative study of the Swedish working population. <i>PLoS ONE</i> , <b>2012</b> , 7, e44721	3.7	104
203	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , <b>2015</b> , 350, g7772	5.9	102
202	Diagnosis-specific sickness absence as a predictor of mortality: the Whitehall II prospective cohort study. <i>BMJ, The</i> , <b>2008</b> , 337, a1469	5.9	100
201	Work-family conflict and health in Swedish working women and men: a 2-year prospective analysis (the SLOSH study). <i>European Journal of Public Health</i> , <b>2013</b> , 23, 710-6	2.1	95
200	Comorbidity and functional trajectories from midlife to old age: the Health and Retirement Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2015</b> , 70, 332-8	6.4	90
199	Job strain and health-related lifestyle: findings from an individual-participant meta-analysis of 118,000 working adults. <i>American Journal of Public Health</i> , <b>2013</b> , 103, 2090-7	5.1	87
198	Is retirement beneficial for mental health?: antidepressant use before and after retirement. <i>Epidemiology</i> , <b>2011</b> , 22, 553-9	3.1	87
197	Office design's impact on sick leave rates. <i>Ergonomics</i> , <b>2014</b> , 57, 139-47	2.9	84
196	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116,000 European men and women. <i>BMJ, The</i> , <b>2013</b> , 346, f165	5.9	82
195	Effect of retirement on sleep disturbances: the GAZEL prospective cohort study. <i>Sleep</i> , <b>2009</b> , 32, 1459-66.1	6.1	82
194	Job strain and tobacco smoking: an individual-participant data meta-analysis of 166,130 adults in 15 European studies. <i>PLoS ONE</i> , <b>2012</b> , 7, e35463	3.7	81
193	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , <b>2013</b> , 185, 763-9	3.5	81
192	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ, The</i> , <b>2019</b> , 365, l1495	5.9	80
191	Managerial leadership is associated with self-reported sickness absence and sickness presenteeism among Swedish men and women. <i>Scandinavian Journal of Public Health</i> , <b>2008</b> , 36, 803-11	3	79
190	Socioeconomic status over the life course and allostatic load in adulthood: results from the Northern Swedish Cohort. <i>Journal of Epidemiology and Community Health</i> , <b>2011</b> , 65, 986-92	5.1	77
189	Concentration requirements modify the effect of office type on indicators of health and performance. <i>Journal of Environmental Psychology</i> , <b>2014</b> , 38, 167-174	6.7	76

188	Job strain and the risk of stroke: an individual-participant data meta-analysis. <i>Stroke</i> , <b>2015</b> , 46, 557-9	6.7	75
187	Managerial leadership and ischaemic heart disease among employees: the Swedish WOLF study. <i>Occupational and Environmental Medicine</i> , <b>2009</b> , 66, 51-5	2.1	75
186	Breast cancer among shift workers: results of the WOLF longitudinal cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2013</b> , 39, 170-177	4.3	75
185	Job strain and alcohol intake: a collaborative meta-analysis of individual-participant data from 140,000 men and women. <i>PLoS ONE</i> , <b>2012</b> , 7, e40101	3.7	74
184	Workplace expansion, long-term sickness absence, and hospital admission. <i>Lancet, The</i> , <b>2004</b> , 363, 1193-7	4.0	73
183	The Symptom Checklist-core depression (SCL-CD6) scale: psychometric properties of a brief six item scale for the assessment of depression. <i>Scandinavian Journal of Public Health</i> , <b>2014</b> , 42, 82-8	3	70
182	How valid is a short measure of effort-reward imbalance at work? A replication study from Sweden. <i>Occupational and Environmental Medicine</i> , <b>2010</b> , 67, 526-31	2.1	69
181	Job strain and depressive symptoms in men and women: a prospective study of the working population in Sweden. <i>Journal of Epidemiology and Community Health</i> , <b>2014</b> , 68, 78-82	5.1	68
180	Prevalence and characteristics of hearing problems in a working and non-working Swedish population. <i>Journal of Epidemiology and Community Health</i> , <b>2010</b> , 64, 453-60	5.1	68
179	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2018</b> , 44, 239-250	4.3	67
178	Life-course accumulation of neighborhood disadvantage and allostatic load: empirical integration of three social determinants of health frameworks. <i>American Journal of Public Health</i> , <b>2014</b> , 104, 904-10	5.1	65
177	Cross-lagged relationships between workplace demands, control, support, and sleep problems. <i>Sleep</i> , <b>2011</b> , 34, 1403-10	1.1	64
176	Diagnosis-specific sick leave as a risk marker for disability pension in a Swedish population. <i>Journal of Epidemiology and Community Health</i> , <b>2007</b> , 61, 915-20	5.1	64
175	Emotional distress before coronary bypass grafting limits the benefits of surgery. <i>American Heart Journal</i> , <b>1998</b> , 136, 510-7	4.9	64
174	Smoking, physical inactivity and obesity as predictors of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Epidemiology</i> , <b>2016</b> , 45, 1260-1270	7.8	64
173	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology, the</i> , <b>2018</b> , 6, 705-713	18.1	61
172	Work and Sleep--A Prospective Study of Psychosocial Work Factors, Physical Work Factors, and Work Scheduling. <i>Sleep</i> , <b>2015</b> , 38, 1129-36	1.1	60
171	Sickness presenteeism among Swedish police officers. <i>Journal of Occupational Rehabilitation</i> , <b>2011</b> , 21, 17-22	3.6	60

170	Nurses' practice environment and satisfaction with schedule flexibility is related to intention to leave due to dissatisfaction: A multi-country, multilevel study. <i>International Journal of Nursing Studies</i> , <b>2016</b> , 58, 47-58	5.8	60
169	Body mass index as a predictor of healthy and disease-free life expectancy between ages 50 and 75: a multicohort study. <i>International Journal of Obesity</i> , <b>2017</b> , 41, 769-775	5.5	59
168	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , <b>2020</b> , 180, 760-768	11.5	59
167	Psychosocial working conditions and depressive symptoms among Swedish employees. <i>International Archives of Occupational and Environmental Health</i> , <b>2009</b> , 82, 951-60	3.2	57
166	Subjective social status: its determinants and association with health in the Swedish working population (the SLOSH study). <i>European Journal of Public Health</i> , <b>2012</b> , 22, 593-7	2.1	57
165	Cohort Profile: The Swedish Longitudinal Occupational Survey of Health (SLOSH). <i>International Journal of Epidemiology</i> , <b>2018</b> , 47, 691-692i	7.8	56
164	Factor structure and longitudinal measurement invariance of the demand control support model: an evidence from the Swedish Longitudinal Occupational Survey of Health (SLOSH). <i>PLoS ONE</i> , <b>2013</b> , 8, e70541	3.7	55
163	Tinnitus severity is reduced with reduction of depressive mood--a prospective population study in Sweden. <i>PLoS ONE</i> , <b>2012</b> , 7, e37733	3.7	52
162	Nurses' practice environment and work-family conflict in relation to burn out: a multilevel modelling approach. <i>PLoS ONE</i> , <b>2014</b> , 9, e96991	3.7	50
161	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , <b>2017</b> , 38, 2621-2628	9.5	49
160	Age-related trajectories of physical functioning in work and retirement: the role of sociodemographic factors, lifestyle and disease. <i>Journal of Epidemiology and Community Health</i> , <b>2014</b> , 68, 503-9	5.1	49
159	Sickness presenteeism is more than an alternative to sickness absence: results from the population-based SLOSH study. <i>International Archives of Occupational and Environmental Health</i> , <b>2012</b> , 85, 905-14	3.2	49
158	Health effects on leaders and co-workers of an art-based leadership development program. <i>Psychotherapy and Psychosomatics</i> , <b>2011</b> , 80, 78-87	9.4	49
157	Effect of retirement on alcohol consumption: longitudinal evidence from the French Gazel cohort study. <i>PLoS ONE</i> , <b>2011</b> , 6, e26531	3.7	49
156	Diagnosis-specific sick leave as a long-term predictor of disability pension: a 13-year follow-up of the GAZEL cohort study. <i>Journal of Epidemiology and Community Health</i> , <b>2012</b> , 66, 155-9	5.1	44
155	Association of contractual and subjective job insecurity with sickness presenteeism among public sector employees. <i>Journal of Occupational and Environmental Medicine</i> , <b>2010</b> , 52, 830-5	2	44
154	Workplace bullying and violence as risk factors for type 2 diabetes: a multicohort study and meta-analysis. <i>Diabetologia</i> , <b>2018</b> , 61, 75-83	10.3	44
153	Trajectories of self-rated health in the last 15 years of life by cause of death. <i>European Journal of Epidemiology</i> , <b>2016</b> , 31, 177-85	12.1	43

152	Social and material adversity from adolescence to adulthood and allostatic load in middle-aged women and men: results from the Northern Swedish Cohort. <i>Annals of Behavioral Medicine</i> , <b>2012</b> , 43, 117-28	4.5	43
151	Depressive symptoms as a cause and effect of job loss in men and women: evidence in the context of organisational downsizing from the Swedish Longitudinal Occupational Survey of Health. <i>BMC Public Health</i> , <b>2015</b> , 15, 1045	4.1	41
150	All-cause and diagnosis-specific sickness absence as a predictor of sustained suboptimal health: a 14-year follow-up in the GAZEL cohort. <i>Journal of Epidemiology and Community Health</i> , <b>2010</b> , 64, 311-7	5.1	41
149	Workplace bullying and workplace violence as risk factors for cardiovascular disease: a multi-cohort study. <i>European Heart Journal</i> , <b>2019</b> , 40, 1124-1134	9.5	40
148	Change in physical activity and weight in relation to retirement: the French GAZEL Cohort Study. <i>BMJ Open</i> , <b>2012</b> , 2, e000522	3	38
147	Work-related sleep disturbances and sickness absence in the Swedish working population, 1993-1999. <i>Sleep</i> , <b>2008</b> , 31, 1169-77	1.1	38
146	Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. <i>International Archives of Occupational and Environmental Health</i> , <b>2014</b> , 87, 249-56	3.2	36
145	Job strain and ischaemic disease: does the inclusion of older employees in the cohort dilute the association? The WOLF Stockholm Study. <i>Journal of Epidemiology and Community Health</i> , <b>2008</b> , 62, 372-4 <sup>5.1</sup>	5.1	36
144	Destructive managerial leadership and psychological well-being among employees in Swedish, Polish, and Italian hotels. <i>Work</i> , <b>2011</b> , 39, 267-81	1.6	35
143	Managerial leadership is associated with employee stress, health, and sickness absence independently of the demand-control-support model. <i>Work</i> , <b>2010</b> , 37, 71-9	1.6	35
142	Copenhagen Psychosocial Questionnaire - A validation study using the Job Demand-Resources model. <i>PLoS ONE</i> , <b>2018</b> , 13, e0196450	3.7	34
141	The role of sleep disturbances in the longitudinal relationship between psychosocial working conditions, measured by work demands and support, and depression. <i>Sleep</i> , <b>2014</b> , 37, 1977-85	1.1	34
140	Does sickness absence due to psychiatric disorder predict cause-specific mortality? A 16-year follow-up of the GAZEL occupational cohort study. <i>American Journal of Epidemiology</i> , <b>2010</b> , 172, 700-7	3.8	32
139	Organizational instability and cardiovascular risk factors in white-collar employees: an analysis of correlates of structural instability of workplace organization on risk factors for coronary heart disease in a sample of 3,904 white collar employees in the Stockholm region. <i>European Journal of Public Health</i> , <b>2004</b> , 14, 37-42	2.1	32
138	Do peer relations in adolescence influence health in adulthood? Peer problems in the school setting and the metabolic syndrome in middle-age. <i>PLoS ONE</i> , <b>2012</b> , 7, e39385	3.7	31
137	Treatment of patients with chronic somatic symptoms by means of art psychotherapy: a process description. <i>Psychotherapy and Psychosomatics</i> , <b>1998</b> , 67, 50-6	9.4	30
136	The effect of noise absorption variation in open-plan offices: A field study with a cross-over design. <i>Journal of Environmental Psychology</i> , <b>2015</b> , 44, 34-44	6.7	29
135	Work stress, anthropometry, lung function, blood pressure, and blood-based biomarkers: a cross-sectional study of 43,593 French men and women. <i>Scientific Reports</i> , <b>2017</b> , 7, 9282	4.9	29

134	Influence of retirement and work stress on headache prevalence: a longitudinal modelling study from the GAZEL Cohort Study. <i>Cephalalgia</i> , <b>2011</b> , 31, 696-705	6.1	29
133	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , <b>2016</b> , 188, E447-E455	3.5	29
132	Patterns of weight gain in middle-aged and older US adults, 1992-2010. <i>Epidemiology</i> , <b>2015</b> , 26, 165-8	3.1	28
131	Organizational downsizing and depressive symptoms in the European recession: the experience of workers in France, Hungary, Sweden and the United Kingdom. <i>PLoS ONE</i> , <b>2014</b> , 9, e97063	3.7	28
130	Social adversity in adolescence increases the physiological vulnerability to job strain in adulthood: a prospective population-based study. <i>PLoS ONE</i> , <b>2012</b> , 7, e35967	3.7	28
129	Sickness absence as a prognostic marker for common chronic conditions: analysis of mortality in the GAZEL study. <i>Occupational and Environmental Medicine</i> , <b>2008</b> , 65, 820-6	2.1	27
128	Self-rated health in the last 12 years of life compared to matched surviving controls: the Health and Retirement Study. <i>PLoS ONE</i> , <b>2014</b> , 9, e107879	3.7	27
127	Addressing challenges of validity and internal consistency of mental health measures in a 27-year longitudinal cohort study - the Northern Swedish Cohort study. <i>BMC Medical Research Methodology</i> , <b>2016</b> , 16, 4	4.7	26
126	Hospital organizational factors influence work-family conflict in registered nurses: Multilevel modeling of a nation-wide cross-sectional survey in Sweden. <i>International Journal of Nursing Studies</i> , <b>2014</b> , 51, 744-51	5.8	26
125	Socioeconomic Inequalities in Disability-free Life Expectancy in Older People from England and the United States: A Cross-national Population-Based Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2020</b> , 75, 906-913	6.4	25
124	Expectancies, socioeconomic status, and self-rated health: use of the simplified TOMCATS Questionnaire. <i>International Journal of Behavioral Medicine</i> , <b>2013</b> , 20, 242-51	2.6	25
123	Antecedents and characteristics of lean thinking implementation in a Swedish hospital: a case study. <i>Quality Management in Health Care</i> , <b>2013</b> , 22, 48-61	1	25
122	Dual source support and control at work in relation to poor health. <i>Scandinavian Journal of Public Health</i> , <b>2005</b> , 33, 455-63	3	25
121	Information and communication technology demands at work: the association with job strain, effort-reward imbalance and self-rated health in different socio-economic strata. <i>International Archives of Occupational and Environmental Health</i> , <b>2016</b> , 89, 1049-58	3.2	25
120	The impact of involuntary exit from employment in later life on the risk of major depression and being prescribed anti-depressant medication. <i>Aging and Mental Health</i> , <b>2015</b> , 19, 381-9	3.5	24
119	The association between office design and performance on demanding cognitive tasks. <i>Journal of Environmental Psychology</i> , <b>2015</b> , 42, 172-181	6.7	24
118	Diagnosis-specific disability pension predicts suicidal behaviour and mortality in young adults: a nationwide prospective cohort study. <i>BMJ Open</i> , <b>2013</b> , 3,	3	24
117	Parental academic involvement in adolescence, academic achievement over the life course and allostatic load in middle age: a prospective population-based cohort study. <i>Journal of Epidemiology and Community Health</i> , <b>2013</b> , 67, 508-13	5.1	24

116	Using sickness absence records to predict future depression in a working population: prospective findings from the GAZEL cohort. <i>American Journal of Public Health</i> , <b>2009</b> , 99, 1417-22	5.1	24
115	Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 16-23	7	22
114	Mental health in adolescence as determinant of alcohol consumption trajectories in the Northern Swedish Cohort. <i>International Journal of Public Health</i> , <b>2015</b> , 60, 335-42	4	21
113	Is cultural activity at work related to mental health in employees?. <i>International Archives of Occupational and Environmental Health</i> , <b>2013</b> , 86, 281-8	3.2	21
112	Effect of depression onset on adherence to medication among hypertensive patients: a longitudinal modelling study. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 1477-84; discussion 1484	1.9	21
111	Validation of Online Versions of Tinnitus Questionnaires Translated into Swedish. <i>Frontiers in Aging Neuroscience</i> , <b>2016</b> , 8, 272	5.3	21
110	Job strain and atrial fibrillation - Results from the Swedish Longitudinal Occupational Survey of Health and meta-analysis of three studies. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 1142-1149	3.9	20
109	Job strain and loss of healthy life years between ages 50 and 75 by sex and occupational position: analyses of 64 934 individuals from four prospective cohort studies. <i>Occupational and Environmental Medicine</i> , <b>2018</b> , 75, 486-493	2.1	20
108	Does good leadership buffer effects of high emotional demands at work on risk of antidepressant treatment? A prospective study from two Nordic countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2014</b> , 49, 1209-18	4.5	20
107	Influence of retirement on nonadherence to medication for hypertension and diabetes. <i>Cmaj</i> , <b>2013</b> , 185, E784-90	3.5	19
106	Coping with critical life events and lack of control--the exertion of control. <i>Psychoneuroendocrinology</i> , <b>2005</b> , 30, 1027-32	5	19
105	Work-home interference and its prospective relation to major depression and treatment with antidepressants. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2014</b> , 40, 66-73	4.3	19
104	Sleep Duration and Sleep Disturbances as Predictors of Healthy and Chronic Disease-Free Life Expectancy Between Ages 50 and 75: A Pooled Analysis of Three Cohorts. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2019</b> , 74, 204-210	6.4	19
103	Interactions between lean management and the psychosocial work environment in a hospital setting - a multi-method study. <i>BMC Health Services Research</i> , <b>2014</b> , 14, 480	2.9	18
102	Non-listening and self centered leadership--relationships to socioeconomic conditions and employee mental health. <i>PLoS ONE</i> , <b>2012</b> , 7, e44119	3.7	17
101	Aging and the Change in Fatigue and Sleep - A Longitudinal Study Across 8 Years in Three Age Groups. <i>Frontiers in Psychology</i> , <b>2018</b> , 9, 234	3.4	16
100	Does lean implementation interact with group functioning?. <i>Journal of Health Organization and Management</i> , <b>2014</b> , 28, 196-213	1.9	16
99	Job strain and the risk of severe asthma exacerbations: a meta-analysis of individual-participant data from 100 000 European men and women. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2014</b> , 69, 775-83	9.3	16

98	Residential selection across the life course: adolescent contextual and individual determinants of neighborhood disadvantage in mid-adulthood. <i>PLoS ONE</i> , <b>2013</b> , 8, e80241	3.7	16
97	A Qualitative Study on the Content Validity of the Social Capital Scales in the Copenhagen Psychosocial Questionnaire (COPSOQ II). <i>Scandinavian Journal of Work and Organizational Psychology</i> , <b>2016</b> , 1,	1.8	16
96	Reciprocal relations between work stress and insomnia symptoms: A prospective study. <i>Journal of Sleep Research</i> , <b>2020</b> , 29, e12949	5.8	16
95	Socioeconomic differences in healthy and disease-free life expectancy between ages 50 and 75: a multi-cohort study. <i>European Journal of Public Health</i> , <b>2019</b> , 29, 267-272	2.1	16
94	Is perception of leadership influenced by office environment?. <i>Journal of Corporate Real Estate</i> , <b>2013</b> , 15, 194-212	1.9	15
93	Does Personality Have a Different Impact on Self-Rated Distraction, Job Satisfaction, and Job Performance in Different Office Types?. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155295	3.7	15
92	The impact of moderate and major workplace expansion and downsizing on the psychosocial and physical work environment and income in Sweden. <i>Scandinavian Journal of Public Health</i> , <b>2007</b> , 35, 62-9	3	14
91	Job strain and the risk of inflammatory bowel diseases: individual-participant meta-analysis of 95,000 men and women. <i>PLoS ONE</i> , <b>2014</b> , 9, e88711	3.7	14
90	It is not just about occupation, but also about where you work. <i>Community Dentistry and Oral Epidemiology</i> , <b>2017</b> , 45, 372-379	2.8	13
89	Validation of the Copenhagen Psychosocial Questionnaire Version III and Establishment of Benchmarks for Psychosocial Risk Management in Sweden. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	13
88	Antidepressant use and associations with psychosocial work characteristics. A comparative study of Swedish and Danish gainfully employed. <i>Journal of Affective Disorders</i> , <b>2013</b> , 149, 38-45	6.6	13
87	The negative effects on mental health of being in a non-desired occupation in an increasingly precarious labour market. <i>SSM - Population Health</i> , <b>2017</b> , 3, 516-524	3.8	13
86	Purchases of Prescription Antidepressants in the Swedish Population in Relation to Major Workplace Downsizing. <i>Epidemiology</i> , <b>2016</b> , 27, 257-64	3.1	13
85	Differences in the association between sickness absence and long-term sub-optimal health by occupational position: a 14-year follow-up in the GAZEL cohort. <i>Occupational and Environmental Medicine</i> , <b>2011</b> , 68, 729-33	2.1	13
84	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , <b>2016</b> , 114, 813-8	8.7	12
83	Socio-economic predictors of depressive symptoms around old age retirement in Swedish women and men. <i>Aging and Mental Health</i> , <b>2019</b> , 23, 558-565	3.5	12
82	Does inflammation provide a link between psychosocial work characteristics and diabetes? Analysis of the role of interleukin-6 and C-reactive protein in the Whitehall II cohort study. <i>Brain, Behavior, and Immunity</i> , <b>2019</b> , 78, 153-160	16.6	11
81	How Visual Management for Continuous Improvement Might Guide and Affect Hospital Staff: A Case Study. <i>Quality Management in Health Care</i> , <b>2015</b> , 24, 222-8	1	11

80	Short- and long-term effects of major organisational change on minor psychiatric disorder and self-rated health: results from the Whitehall II study. <i>Occupational and Environmental Medicine</i> , <b>2013</b> , 70, 688-96	2.1	11
79	Sickness presence in the Swedish Police in 2007 and in 2010: Associations with demographic factors, job characteristics, and health. <i>Work</i> , <b>2016</b> , 54, 379-87	1.6	11
78	Long working hours, anthropometry, lung function, blood pressure and blood-based biomarkers: cross-sectional findings from the CONSTANCES study. <i>Journal of Epidemiology and Community Health</i> , <b>2019</b> , 73, 130-135	5.1	11
77	Trajectories of job demands and control: risk for subsequent symptoms of major depression in the nationally representative Swedish Longitudinal Occupational Survey of Health (SLOSH). <i>International Archives of Occupational and Environmental Health</i> , <b>2018</b> , 91, 263-272	3.2	11
76	Influence of Retirement on Adherence to Statins in the Insurance Medicine All-Sweden Total Population Data Base. <i>PLoS ONE</i> , <b>2015</b> , 10, e0130901	3.7	10
75	Cross-cultural validity of the demand-control questionnaire: Swedish and Brazilian workers. <i>Revista De Saude Publica</i> , <b>2014</b> , 48, 486-96	2.4	10
74	Fetal and life course origins of serum lipids in mid-adulthood: results from a prospective cohort study. <i>BMC Public Health</i> , <b>2010</b> , 10, 484	4.1	10
73	Does job promotion affect men's and women's health differently? Dynamic panel models with fixed effects. <i>International Journal of Epidemiology</i> , <b>2017</b> , 46, 1137-1146	7.8	10
72	Multicohort study of change in job strain, poor mental health and incident cardiometabolic disease. <i>Occupational and Environmental Medicine</i> , <b>2019</b> , 76, 785-792	2.1	10
71	Interactional justice at work is related to sickness absence: a study using repeated measures in the Swedish working population. <i>BMC Public Health</i> , <b>2017</b> , 17, 912	4.1	9
70	Job demands, control and social support as predictors of trajectories of depressive symptoms. <i>Journal of Affective Disorders</i> , <b>2018</b> , 235, 535-543	6.6	9
69	Determinants in adolescence for adult sickness absence in women and men: a 26-year follow-up of a prospective population based cohort (Northern Swedish cohort). <i>BMC Public Health</i> , <b>2013</b> , 13, 75	4.1	9
68	Is transition to disability pension in young people associated with changes in risk of attempted suicide?. <i>Psychological Medicine</i> , <b>2014</b> , 44, 2331-8	6.9	9
67	Involvement and structure: a qualitative study of organizational change and sickness absence among women in the public sector in Sweden. <i>BMC Public Health</i> , <b>2011</b> , 11, 318	4.1	9
66	Covert coping with unfair treatment at work and risk of incident myocardial infarction and cardiac death among men: prospective cohort study. <i>Journal of Epidemiology and Community Health</i> , <b>2011</b> , 65, 420-5	5.1	9
65	Psychophysiological effects of temporary alternative employment. <i>Social Science and Medicine</i> , <b>2001</b> , 52, 405-15	5.1	9
64	Technostress operationalised as information and communication technology (ICT) demands among managers and other occupational groups [Results from the Swedish Longitudinal Occupational Survey of Health (SLOSH)]. <i>Computers in Human Behavior</i> , <b>2021</b> , 114, 106486	7.7	9
63	Paid and unpaid working hours among Swedish men and women in relation to depressive symptom trajectories: results from four waves of the Swedish Longitudinal Occupational Survey of Health. <i>BMJ Open</i> , <b>2018</b> , 8, e017525	3	9

62	Repeated exposure to high ICT demands at work, and development of suboptimal self-rated health: findings from a 4-year follow-up of the SLOSH study. <i>International Archives of Occupational and Environmental Health</i> , <b>2019</b> , 92, 717-728	3.2	8
61	Self-rated health amongst male and female employees in Sweden: a nationally representative study. <i>International Archives of Occupational and Environmental Health</i> , <b>2015</b> , 88, 849-59	3.2	8
60	Temporal relationships between job strain and low-back pain. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2017</b> , 43, 396-404	4.3	8
59	Psychosocial work demands and physical workload decrease with ageing in blue-collar and white-collar workers: a prospective study based on the SLOSH cohort. <i>BMJ Open</i> , <b>2019</b> , 9, e030918	3	8
58	Psychosocial work characteristics, sleep disturbances and risk of subsequent depressive symptoms: a study of time-varying effect modification. <i>Journal of Sleep Research</i> , <b>2017</b> , 26, 266-276	5.8	7
57	Staying in or switching between permanent, temporary and self-employment during 2008-2010: Associations with changing job characteristics and emotional exhaustion. <i>Economic and Industrial Democracy</i> , <b>2019</b> , 40, 215-237	1.1	7
56	Parental academic involvement in adolescence as predictor of mental health trajectories over the life course: a prospective population-based cohort study. <i>BMC Public Health</i> , <b>2015</b> , 15, 653	4.1	7
55	Social adversities in adolescence predict unfavourable trajectories of internalized mental health symptoms until middle age: results from the Northern Swedish Cohort. <i>European Journal of Public Health</i> , <b>2016</b> , 26, 23-9	2.1	7
54	Improvements in physical and mental health following a rehabilitation programme for breast cancer patients. <i>European Journal of Oncology Nursing</i> , <b>2011</b> , 15, 12-5	2.8	7
53	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , <b>2020</b> , 44, 1368-1375	5.5	7
52	Prevailing over Adversity: Factors Counteracting the Long-Term Negative Health Influences of Social and Material Disadvantages in Youth. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,	4.6	7
51	Unemployment in the teens and trajectories of alcohol consumption in adulthood. <i>BMJ Open</i> , <b>2016</b> , 6, e006430	3	6
50	Associations between onset of effort-reward imbalance at work and onset of musculoskeletal pain: analyzing observational longitudinal data as pseudo-trials. <i>Pain</i> , <b>2018</b> , 159, 1477-1483	8	6
49	Does working while ill trigger serious coronary events? The Whitehall II study. <i>Journal of Occupational and Environmental Medicine</i> , <b>2009</b> , 51, 1099-104	2	6
48	Longitudinal Mediation Modeling of Unhealthy Behaviors as Mediators between Workplace Demands/Support and Depressive Symptoms. <i>PLoS ONE</i> , <b>2016</b> , 11, e0169276	3.7	6
47	Job insecurity and risk of coronary heart disease: Mediation analyses of health behaviors, sleep problems, physiological and psychological factors. <i>Psychoneuroendocrinology</i> , <b>2020</b> , 118, 104706	5	6
46	A comparison of the B-spline group-based trajectory model with the polynomial group-based trajectory model for identifying trajectories of depressive symptoms around old-age retirement. <i>Aging and Mental Health</i> , <b>2020</b> , 24, 445-452	3.5	6
45	Downsizing and purchases of psychotropic drugs: A longitudinal study of stayers, changers and unemployed. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203433	3.7	6

44	Construct validity of a global scale for Workplace Social Capital based on COPSOQ III. <i>PLoS ONE</i> , <b>2019</b> , 14, e0221893	3.7	5
43	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e013538	6	5
42	Bridges, pathways and valleys: labour market position and risk of hospitalization in a Swedish sample aged 55-63. <i>Scandinavian Journal of Public Health</i> , <b>2004</b> , 32, 368-73	3	5
41	Benchmarks for Evidence-Based Risk Assessment with the Swedish Version of the 4-Item Psychosocial Safety Climate Scale. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	5
40	Health- and Age-Related Workplace Factors as Predictors of Preferred, Expected, and Actual Retirement Timing: Findings from a Swedish Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	5
39	Commuting distance and behavior-related health: A longitudinal study. <i>Preventive Medicine</i> , <b>2021</b> , 150, 106665	4.3	5
38	Informal caregiving as a risk factor for type 2 diabetes in individuals with favourable and unfavourable psychosocial work environments: A longitudinal multi-cohort study. <i>Diabetes and Metabolism</i> , <b>2018</b> , 44, 38-44	5.4	4
37	Does social and professional establishment at age 30 mediate the association between school connectedness and family climate at age 16 and mental health symptoms at age 43?. <i>Journal of Affective Disorders</i> , <b>2019</b> , 246, 52-61	6.6	4
36	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries.. <i>Lancet Regional Health - Europe, The</i> , <b>2021</b> , 11, 100212		4
35	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , <b>2013</b> , 2, 233	3.6	3
34	Reduction in sleep disturbances at retirement: evidence from the Swedish Longitudinal Occupational Survey of Health. <i>Ageing and Society</i> , <b>2020</b> , 40, 2155-2173	1.7	3
33	How does cessation of work affect sleep? Prospective analyses of sleep duration, timing and efficiency from the Swedish Retirement Study. <i>Journal of Sleep Research</i> , <b>2021</b> , 30, e13157	5.8	3
32	The nature of paid work in the retirement years. <i>Ageing and Society</i> , 1-23	1.7	3
31	Leadership and Employee Health <b>2010</b> , 46-58		2
30	Changes in anabolic and catabolic activity among women taking part in an alternative labour market programme. <i>Integrative Psychological and Behavioral Science</i> , <b>2004</b> , 39, 3-15		2
29	Psychosocial working characteristics before retirement and depressive symptoms across the retirement transition: a longitudinal latent class analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2020</b> , 46, 488-497	4.3	2
28	Psychosocial job strain and polypharmacy: a national cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2020</b> , 46, 589-598	4.3	2
27	Informal Caregiving and Quality of Life Among Older Adults: Prospective Analyses from the Swedish Longitudinal Occupational Survey of Health (SLOSH). <i>Social Indicators Research</i> , <b>2020</b> , 1	2.7	2

26	Changes in Job Quality as People Work Beyond Pensionable Age in Sweden. <i>Work, Aging and Retirement</i> ,	3.9	2
25	Sickness absence and sickness presence in relation to office type: An observational study of employer-recorded and self-reported data from Sweden. <i>PLoS ONE</i> , <b>2020</b> , 15, e0231934	3.7	1
24	Psychotropic medication before and after disability retirement by pre-retirement perceived work-related stress. <i>European Journal of Public Health</i> , <b>2020</b> , 30, 158-163	2.1	1
23	Accuracy of a Single Item on Mentally Tiring Work as Proxy Measure of Job Demands and Efforts in the Gazel Cohort. <i>Journal of Occupational and Environmental Medicine</i> , <b>2017</b> , 59, e156-e158	2	1
22	Work-Related Sleep Disturbances and Sickness Absence in the Swedish Working Population, 1993–1999. <i>Sleep</i> , <b>2008</b> ,	1.1	1
21	It’s giving me the blues: A fixed-effects and g-formula approach to understanding job insecurity, sleep disturbances, and major depression.. <i>Social Science and Medicine</i> , <b>2022</b> , 297, 114805	5.1	1
20	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , <b>2</b> , 233	3.6	1
19	Characteristics of Workplace Psychosocial Resources and Risk of Diabetes: A Prospective Cohort Study. <i>Diabetes Care</i> , <b>2021</b> ,	14.6	1
18	Labor market exit around retirement age in Sweden and trajectories of psychotropic drugs in a context of downsizing. <i>BMC Public Health</i> , <b>2020</b> , 20, 618	4.1	1
17	Stuck at a workplace: What’s work control, demands and learning got to do with it? A longitudinal multilevel study on Swedish permanent employees in situations of ‘Workplace locked-in’ <i>International Journal of Human Resource Management</i> , <b>2020</b> , 31, 1771-1792	3.6	1
16	Home and Workplace Neighborhood Socioeconomic Status and Behavior-related Health: A Within-individual Analysis. <i>Annals of Behavioral Medicine</i> , <b>2021</b> , 55, 779-790	4.5	1
15	Do good psychosocial working conditions prolong working lives? Findings from a prospective study in Sweden. <i>European Journal of Ageing</i> , <b>1</b>	3.6	1
14	Does staff-assessed care quality predict early failure of dental fillings? A prospective study. <i>Community Dentistry and Oral Epidemiology</i> , <b>2020</b> , 48, 387-394	2.8	0
13	Does Labor Market Position Explain the Differences in Self-Rated Health between Employed Immigrants and Native Swedes: a Population-Based Study from Southern Sweden. <i>Journal of International Migration and Integration</i> , <b>2019</b> , 20, 703-715	1.1	0
12	Work changes and employee age, maladaptive coping expectations, and well-being: a Swedish cohort study.. <i>International Archives of Occupational and Environmental Health</i> , <b>2022</b> , 1	3.2	0
11	Workplace Violence and Long-term Sickness Absence: Assessment of the Potential Buffering Effect of Social Support in Two Occupational Cohort Studies. <i>Journal of Occupational and Environmental Medicine</i> , <b>2020</b> , 62, 830-838	2	0
10	Onset of Workplace Bullying and Risk of Weight Gain: A Multicohort Longitudinal Study. <i>Obesity</i> , <b>2020</b> , 28, 2216-2223	8	0
9	Sexual and gender harassment in Swedish workplaces: A prospective cohort study on implications for long-term sickness absence. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2021</b> , 47, 466-474 <sup>4.3</sup>	4.3	0

8	Does workplace social capital predict care quality through job satisfaction and stress at the clinic? A prospective study. <i>BMC Public Health</i> , <b>2021</b> , 21, 1320	4.1	○
7	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , <b>2022</b> , 19, 100417		○
6	Birth size is not associated with depressive symptoms from adolescence to middle-age: results from the Northern Swedish Cohort study. <i>Journal of Developmental Origins of Health and Disease</i> , <b>2019</b> , 10, 376-383	2.4	
5	Psychosomatic perspectives on job stress in a changing world: Individual and structural perspectives. <i>International Congress Series</i> , <b>2002</b> , 1241, 155-163		
4	How does work impact daily sleep quality? A within-individual study using actigraphy and self-reports over the retirement transition. <i>Journal of Sleep Research</i> , <b>2021</b> , e13513	5.8	
3	Group activity participation at age 21 and depressive symptoms during boom and recession in Sweden: a 20-year follow-up. <i>European Journal of Public Health</i> , <b>2019</b> , 29, 475-481	2.1	
2	How consistently does sleep quality improve at retirement? Prospective analyses with group-based trajectory models. <i>Journal of Sleep Research</i> , <b>2021</b> , e13474	5.8	
1	Job Quality in the Late Career in Sweden, Japan and the United States.. <i>Research on Aging</i> , <b>2022</b> , 1640275221075985		