

Chao Liu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/661218/chao-liu-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

1,258
citations

18
h-index

34
g-index

90
ext. papers

1,797
ext. citations

2.2
avg, IF

4.79
L-index

#	Paper	IF	Citations
84	Mid-infrared surface plasmon resonance sensor based on photonic crystal fibers. <i>Optics Express</i> , 2017 , 25, 14227-14237	3.3	156
83	Symmetrical dual D-shape photonic crystal fibers for surface plasmon resonance sensing. <i>Optics Express</i> , 2018 , 26, 9039-9049	3.3	146
82	Analysis of a Surface Plasmon Resonance Probe Based on Photonic Crystal Fibers for Low Refractive Index Detection. <i>Plasmonics</i> , 2018 , 13, 779-784	2.4	100
81	Surface plasmon resonance (SPR) infrared sensor based on D-shape photonic crystal fibers with ITO coatings. <i>Optics Communications</i> , 2020 , 464, 125496	2	69
80	Numerical analysis of a photonic crystal fiber based on a surface plasmon resonance sensor with an annular analyte channel. <i>Optics Communications</i> , 2017 , 382, 162-166	2	57
79	Theoretical assessment of a highly sensitive photonic crystal fibre based on surface plasmon resonance sensor operating in the near-infrared wavelength. <i>Journal of Modern Optics</i> , 2019 , 66, 1-6	1.1	53
78	A Highly Sensitive Dual-Core Photonic Crystal Fiber Based on a Surface Plasmon Resonance Biosensor with Silver-Graphene Layer. <i>Plasmonics</i> , 2017 , 12, 1847-1853	2.4	49
77	A highly temperature-sensitive photonic crystal fiber based on surface plasmon resonance. <i>Optics Communications</i> , 2016 , 359, 378-382	2	47
76	Microstructures of Ni ₂ N composite coatings prepared by pulse electrodeposition technology. <i>Applied Surface Science</i> , 2013 , 271, 7-11	6.7	47
75	Thermal tuning of terahertz metamaterial absorber properties based on VO ₂ . <i>Physical Chemistry Chemical Physics</i> , 2022 ,	3.6	40
74	Surface plasmon resonance sensor based on photonic crystal fiber with indium tin oxide film. <i>Optical Materials</i> , 2020 , 102, 109800	3.3	35
73	Birefringent PCF-Based SPR Sensor for a Broad Range of Low Refractive Index Detection. <i>IEEE Photonics Technology Letters</i> , 2018 , 30, 1471-1474	2.2	31
72	A high-sensitivity photonic crystal fiber (PCF) based on the surface plasmon resonance (SPR) biosensor for detection of density alteration in non-physiological cells (DANCE). <i>Opto-electronics Review</i> , 2018 , 26, 50-56	2.4	29
71	Design and theoretical analysis of a photonic crystal fiber based on surface plasmon resonance sensing. <i>Journal of Nanophotonics</i> , 2015 , 9, 093050	1.1	24
70	Ex-centric core photonic crystal fiber sensor with gold nanowires based on surface plasmon resonance. <i>Optik</i> , 2019 , 196, 163173	2.5	24
69	Surface plasmon resonance sensor based on coupling effects of dual photonic crystal fibers for low refractive indexes detection. <i>Results in Physics</i> , 2020 , 18, 103240	3.7	23
68	Near-infrared surface plasmon resonance sensor based on photonic crystal fiber with big open rings. <i>Optik</i> , 2020 , 207, 164466	2.5	20

67	The single-polarization filter composed of gold-coated photonic crystal fiber. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2019 , 383, 3200-3206	2.3	20
66	Dual-Band Polarization Conversion Metasurface for RCS Reduction. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 3044-3049	4.9	17
65	Tunable single-polarization bimetal-coated and liquid-filled photonic crystal fiber filter based on surface plasmon resonance. <i>Applied Optics</i> , 2019 , 58, 6308-6314	1.7	16
64	Surface plasmon resonance sensor based on eccentric core photonic quasi-crystal fiber with indium tin oxide. <i>Applied Optics</i> , 2019 , 58, 6848-6853	1.7	16
63	Synthesis of NiTiN composite nanocoatings by magnetic pulse current deposition. <i>Ceramics International</i> , 2015 , 41, 11445-11448	5.1	14
62	Ultra-short and dual-core photonic crystal fiber polarization splitter composed of metal and gallium arsenide. <i>Optik</i> , 2021 , 226, 165779	2.5	13
61	Overview of refractive index sensors comprising photonic crystal fibers based on the surface plasmon resonance effect [Invited]. <i>Chinese Optics Letters</i> , 2021 , 19, 102202	2.2	13
60	Analysis of a highly birefringent asymmetric photonic crystal fibre based on a surface plasmon resonance sensor. <i>Journal of Modern Optics</i> , 2016 , 63, 1189-1195	1.1	12
59	A Highly Sensitive SPR Sensors Based on Two Parallel PCFs for Low Refractive Index Detection. <i>IEEE Photonics Journal</i> , 2018 , 10, 1-10	1.8	12
58	Dual-Bandwidth Linear Polarization Converter Based on Anisotropic Metasurface. <i>IEEE Photonics Journal</i> , 2020 , 12, 1-11	1.8	12
57	A hollow dual-core PCF-SPR sensor with gold layers on the inner and outer surfaces of the thin cladding. <i>Results in Optics</i> , 2020 , 1, 100004	1	11
56	Surface plasmon resonance sensor based on U-shaped photonic quasi-crystal fiber. <i>Applied Optics</i> , 2021 , 60, 1761-1766	1.7	11
55	Theoretical Assessment of Localized Surface Plasmon Resonance Properties of Au-Interlayer-Ag Multilayered Nanoshells. <i>Plasmonics</i> , 2016 , 11, 1589-1595	2.4	9
54	Surface plasmon resonance chemical sensor composed of a microstructured optical fiber for the detection of an ultra-wide refractive index range and gas-liquid pollutants. <i>Optics Express</i> , 2021 , 29, 40734	3.3	9
53	High-Efficiency Dual-Frequency Reflective Linear Polarization Converter Based on Metasurface for Microwave Bands. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 1910	2.6	8
52	A high-birefringent photonic quasi-crystal fiber with two elliptical air holes. <i>Optik</i> , 2019 , 184, 10-15	2.5	7
51	Multi-wavelength unidirectional forward scattering in the visible range in an all-dielectric silicon hollow nanodisk. <i>Applied Optics</i> , 2018 , 57, 4771-4776	1.7	7
50	Localized surface plasmon resonance properties of Ag nanorod arrays on graphene-coated Au substrate. <i>Optics Communications</i> , 2017 , 402, 216-220	2	6

49	Effects of sputtering power on structural, electrical and optical properties of Cr-doped ZnO thin films prepared by magnetron sputtering. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 493-497	2.1	6
48	Highly sensitive PCF-SPR biosensor for hyperthermia temperature monitoring. <i>Journal of Optics (India)</i> , 2018 , 47, 288-294	1.3	6
47	Design of bimetal-coated photonic crystal fiber filter based on surface plasmon resonance. <i>Results in Optics</i> , 2020 , 1, 100027	1	5
46	Reflection-type 1-bit coding metasurface for radar cross section reduction combined diffusion and reflection. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 445107	3	5
45	Transfer matrix method for simulation of the fiber Bragg grating in polarization maintaining fiber. <i>Optics Communications</i> , 2019 , 452, 185-188	2	5
44	Plasma-target surface interaction during non-equilibrium plasma irradiation at atmospheric pressure: Generation of dusty plasma. <i>Laser and Particle Beams</i> , 2014 , 32, 69-78	0.9	5
43	A square-lattice D-shaped photonic crystal fiber sensor based on SPR to detect analytes with large refractive indexes. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2022 , 138, 115106	3	4
42	Ultra-short dual-core GaAs photonic crystal fiber splitter filled with nematic liquid crystal. <i>Optical Engineering</i> , 2021 , 60,	1.1	4
41	Circular anti-resonance fibre supporting orbital angular momentum modes with flat dispersion, high purity and low confinement loss. <i>Journal of Modern Optics</i> , 2021 , 68, 784-791	1.1	4
40	Analysis of Local Surface Plasmon Resonance in Multilayered Au/Ag/Graphene Nanoshells. <i>Nano</i> , 2017 , 12, 1750062	1.1	3
39	Dual-band unidirectional forward scattering of AuBi sliced nanorod in the visible region. <i>Applied Physics A: Materials Science and Processing</i> , 2019 , 125, 1	2.6	3
38	Optical diode composed of subwavelength slit-groove arrays with ultrahigh transmission contrast based on surface plasmon polariton. <i>Optik</i> , 2019 , 186, 266-274	2.5	3
37	Discriminating Twisting Direction by Polarization Maintaining Fiber Bragg Grating. <i>IEEE Photonics Technology Letters</i> , 2018 , 30, 654-657	2.2	3
36	Effects of substrate temperature on the structural and magnetic properties in Cr-doped ZnO films prepared by magnetron sputtering. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 4139-4144	2.1	3
35	Influence of annealing on microstructure and properties of Cr-doped ZnO thin films deposited on glass surface. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 3812-3818	2.1	3
34	Optical Anapole Modes in Gallium Phosphide Nanodisk with Forked Slits for Electric Field Enhancement. <i>Nanomaterials</i> , 2021 , 11,	5.4	3
33	Design of pure silica-based photonic crystal fiber for supporting 114 OAM modes transmission. <i>Journal of Optics (United Kingdom)</i> , 2021 , 23, 095701	1.7	3
32	High-sensitivity SPR sensor based on the eightfold eccentric core PQF with locally coated indium tin oxide. <i>Applied Optics</i> , 2020 , 59, 6484-6489	1.7	2

31	Photonic spin Hall effect: a new window in D-shaped fiber by weak measurements. <i>Optics Express</i> , 2019 , 27, 14064-14074	3.3	2
30	Single-polarization photonic crystal fiber filter composed of elliptical gold films. <i>Optical Engineering</i> , 2020 , 59, 1	1.1	2
29	Optimization of photonic crystal fibers for transmission of orbital angular momentum modes. <i>Optical and Quantum Electronics</i> , 2021 , 53, 1	2.4	2
28	Dual-band directional scattering with all-dielectric trimer in the near-infrared region. <i>Applied Optics</i> , 2019 , 58, 5082-5089	1.7	2
27	Numerical analysis of a high-birefringent photonic quasi-crystal fiber with circular air holes. <i>Optik</i> , 2020 , 207, 163850	2.5	2
26	Investigation of a high-sensitivity surface plasmon resonance sensor based on the eccentric core quasi D-shape photonic quasi-crystal fiber. <i>Journal of Modern Optics</i> , 2021 , 68, 555-563	1.1	2
25	Optical properties of local surface plasmon resonance in Ag/ITO sliced nanosphere by the discrete dipole approximation. <i>Applied Physics A: Materials Science and Processing</i> , 2016 , 122, 1	2.6	2
24	Asymmetrical photonic crystal fiber based on the surface plasmon resonance sensor and analysis by the lower-birefringence peak method. <i>Optik</i> , 2019 , 189, 121-129	2.5	1
23	Toroidal dipole and magnetic multipole excitations from the same nanostructure with different direction of electric dipole emitters. <i>Applied Physics A: Materials Science and Processing</i> , 2020 , 126, 1	2.6	1
22	Ultra-sensitive hexagonal PCF-SPR sensor with a broad detection range. <i>Journal of Modern Optics</i> , 2020 , 67, 1545-1554	1.1	1
21	Multiple unidirectional forward scattering of hybrid metal-dielectric nanoantenna in the near-infrared region. <i>Optical Materials Express</i> , 2018 , 8, 3410	2.6	1
20	Forward and Backward Unidirectional Scattering by the Core-Shell Nanocube Dimer with Balanced Gain and Loss. <i>Nanomaterials</i> , 2020 , 10,	5.4	1
19	Localized surface plasmon resonance properties of symmetry-broken Au@Ag multilayered nanoshells. <i>Applied Physics A: Materials Science and Processing</i> , 2018 , 124, 1	2.6	1
18	Combining Pancharatnam-Berry Phase and Conformal Coding Metasurface for Dual-band RCS Reduction. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	1
17	A new technique to optimize the properties of photonic crystal fibers supporting transmission of multiple orbital angular momentum modes. <i>Journal of Optics (India)</i> , 1	1.3	1
16	Efficient photonic crystal fiber polarization splitters composed of gallium arsenide and nematic liquid crystals. <i>Modern Physics Letters B</i> , 2021 , 35, 2150077	1.6	0
15	A novel photonic quasi-crystal fiber for transmission of orbital angular momentum modes. <i>Optik</i> , 2022 , 251, 168446	2.5	0
14	Highly Sensitive Dual-core Photonic Crystal Fiber Based on a Surface Plasmon Resonance Sensor with Gold Film. <i>Plasmonics</i> , 1	2.4	0

13	Photonic fibre crystal sensor with a D-shape based on surface plasma resonance containing microfluidic channels for detection of a wide range of refractive indexes. <i>Journal of Modern Optics</i> , 1-11	1.1	○
12	Multi-functional gallium arsenide photonic crystal polarization splitter with a gold core. <i>Modern Physics Letters B</i> , 2021 , 35, 2150229	1.6	○
11	A photonic quasi-crystal fiber composed of circular air holes with high birefringence and low confinement loss. <i>Optik</i> , 2021 , 231, 166497	2.5	○
10	Enhancement of unidirectional forward scattering and suppression of backward scattering in hollow silicon nanoblocks. <i>Applied Optics</i> , 2021 , 60, 8737-8743	1.7	○
9	Design of broadband single-polarization filter based on simple structure photonic crystal fiber with gold-coated air holes. <i>Modern Physics Letters B</i> , 2150473	1.6	○
8	Numerical Analysis of Multifunctional Biosensor with Dual-Channel Photonic Crystal Fibers Based on Localized Surface Plasmon Resonance. <i>Coatings</i> , 2022 , 12, 742	2.9	○
7	Structural and optical properties of oxygen to argon flow ratio on the Zn _{0.98} Cr _{0.02} O thin films deposited by RF magnetron sputtering. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 316-321	2.1	
6	Localized Surface Plasmon Resonance Properties of Concentric Dual-Ring Nanodisk. <i>Nano</i> , 2019 , 14, 1950071	1.1	
5	Analysis of Localized Surface Plasmon Resonance in Ag/ITO/CdS/SiO ₂ Multilayered Nanostructured Composite. <i>Nano</i> , 2015 , 10, 1550117	1.1	
4	Nanoscale Mechanical Properties of Nanoindented NiMnGa Ferromagnetic Shape Memory Thin Film. <i>Scanning</i> , 2017 , 2017, 4630156	1.6	
3	Fano resonances in symmetric plasmonic split-ring/ring dimer nanostructures. <i>Applied Optics</i> , 2019 , 58, 8069-8074	1.7	
2	Theoretical Study on the Stability, Electronic, Magnetic and Spectral Properties of GaAg (n = 1 $\bar{1}$) Clusters. <i>Russian Journal of Physical Chemistry B</i> , 2021 , 15, 420-427	1.2	
1	Grating Structure Broadband Absorber Based on Gallium Arsenide and Titanium. <i>Coatings</i> , 2022 , 12, 5882.9		