

# Gregory J Anderson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6613560/publications.pdf>

Version: 2024-02-01

186  
papers

15,094  
citations

22153

59  
h-index

19190

118  
g-index

189  
all docs

189  
docs citations

189  
times ranked

16469  
citing authors

#	ARTICLE	IF	CITATIONS
1	The biology of mammalian multi-copper ferroxidases. <i>BioMetals</i> , 2023, 36, 263-281.	4.1	17
2	A Novel Ferritin-Core Analog Is a Safe and Effective Alternative to Oral Ferrous Iron for Treating Iron Deficiency during Pregnancy in Mice. <i>Journal of Nutrition</i> , 2022, 152, 714-722.	2.9	8
3	Supplementation with Sucrosomial® iron leads to favourable changes in the intestinal microbiome when compared to ferrous sulfate in mice. <i>BioMetals</i> , 2022, 35, 27-38.	4.1	9
4	Iron accumulation is associated with periodontal destruction in a mouse model of HFE-related haemochromatosis. <i>Journal of Periodontal Research</i> , 2022, 57, 294-304.	2.7	8
5	Double-edge sword roles of iron in driving energy production versus instigating ferroptosis. <i>Cell Death and Disease</i> , 2022, 13, 40.	6.3	61
6	Development of a Cancer Vaccine Using In Vivo Click Chemistry-Mediated Active Lymph Node Accumulation for Improved Immunotherapy. <i>Advanced Materials</i> , 2021, 33, e2006007.	21.0	70
7	Revisiting hemochromatosis: genetic vs. phenotypic manifestations. <i>Annals of Translational Medicine</i> , 2021, 9, 731-731.	1.7	27
8	Bioengineered bacteria-derived outer membrane vesicles as a versatile antigen display platform for tumor vaccination via Plug-and-Display technology. <i>Nature Communications</i> , 2021, 12, 2041.	12.8	207
9	The Placental Ferroxidase Zyklopen Is Not Essential for Iron Transport to the Fetus in Mice. <i>Journal of Nutrition</i> , 2021, 151, 2541-2550.	2.9	7
10	Ironing Out the Effects of Overweight and Obesity on Hepcidin Production during Pregnancy. <i>Journal of Nutrition</i> , 2021, 151, 2087-2088.	2.9	1
11	Utility and limitations of Hepascore and transient elastography to detect advanced hepatic fibrosis in HFE hemochromatosis. <i>Scientific Reports</i> , 2021, 11, 14654.	3.3	4
12	Bacterial cytoplasmic membranes synergistically enhance the antitumor activity of autologous cancer vaccines. <i>Science Translational Medicine</i> , 2021, 13, .	12.4	109
13	Penetration Cascade of Size Switchable Nanosystem in Desmoplastic Stroma for Improved Pancreatic Cancer Therapy. <i>ACS Nano</i> , 2021, 15, 14149-14161.	14.6	34
14	Calcitonin increases hepatic hepcidin expression through the BMP6 of kidney in mice. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021, 68, 126796.	3.0	2
15	Increased susceptibility of cystic fibrosis airway epithelial cells to ferroptosis. <i>Biological Research</i> , 2021, 54, 38.	3.4	13
16	Investigating the Links between Lower Iron Status in Pregnancy and Respiratory Disease in Offspring Using Murine Models. <i>Nutrients</i> , 2021, 13, 4461.	4.1	2
17	Iron; Intestinal Absorption. , 2020, , 301-311.		0
18	Regression of Fibrosis Stage With Treatment Reduces Long-Term Risk of Liver Cancer in Patients With Hemochromatosis Caused by Mutation in HFE. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 1851-1857.	4.4	26

#	ARTICLE	IF	CITATIONS
19	Emerging nanomedicines for anti-stromal therapy against desmoplastic tumors. <i>Biomaterials</i> , 2020, 232, 119745.	11.4	46
20	Dihydrolipoic Acidâ€“Gold Nanoclusters Regulate Microglial Polarization and Have the Potential To Alter Neurogenesis. <i>Nano Letters</i> , 2020, 20, 478-495.	9.1	92
21	Iron Biofortification: Who Gives a Bean?. <i>Journal of Nutrition</i> , 2020, 150, 2841-2842.	2.9	3
22	Bacterial Outer Membrane Vesicles Presenting Programmed Death 1 for Improved Cancer Immunotherapy via Immune Activation and Checkpoint Inhibition. <i>ACS Nano</i> , 2020, 14, 16698-16711.	14.6	132
23	Modularly Designed Peptide Nanoprodrug Augments Antitumor Immunity of PD-L1 Checkpoint Blockade by Targeting Indoleamine 2,3-Dioxygenase. <i>Journal of the American Chemical Society</i> , 2020, 142, 2490-2496.	13.7	98
24	High Dietary Iron Disrupts Iron Homeostasis and Induces Amyloid- $\beta^2$ and Phospho- $\tau$ , Expression in the Hippocampus of Adult Wild-Type and APP/PS1 Transgenic Mice. <i>Journal of Nutrition</i> , 2019, 149, 2247-2254.	2.9	18
25	Multi-copper ferroxidase deficiency leads to iron accumulation and oxidative damage in astrocytes and oligodendrocytes. <i>Scientific Reports</i> , 2019, 9, 9437.	3.3	29
26	Targeted Co-delivery of the Iron Chelator Deferoxamine and a HIF1 $\alpha$ Inhibitor Impairs Pancreatic Tumor Growth. <i>ACS Nano</i> , 2019, 13, 2176-2189.	14.6	46
27	Biallelic HEPHL1 variants impair ferroxidase activity and cause an abnormal hair phenotype. <i>PLoS Genetics</i> , 2019, 15, e1008143.	3.5	23
28	An Extendable Star-Like Nanoplatfrom for Functional and Anatomical Imaging-Guided Photothermal Oncotherapy. <i>ACS Nano</i> , 2019, 13, 4379-4391.	14.6	65
29	Mice overexpressing hepcidin suggest ferroportin does not play a major role in Mn homeostasis. <i>Metallomics</i> , 2019, 11, 959-967.	2.4	7
30	Dietary iron absorption during early postnatal life. <i>BioMetals</i> , 2019, 32, 385-393.	4.1	12
31	Mutations in the HFE gene can be associated with increased lung disease severity in cystic fibrosis. <i>Gene</i> , 2019, 683, 12-17.	2.2	6
32	Sequentially Responsive Therapeutic Peptide Assembling Nanoparticles for Dual-Targeted Cancer Immunotherapy. <i>Nano Letters</i> , 2018, 18, 3250-3258.	9.1	255
33	Multi-Copper Ferroxidaseâ€“Deficient Mice Have Increased Brain Iron Concentrations and Learning and Memory Deficits. <i>Journal of Nutrition</i> , 2018, 148, 643-649.	2.9	25
34	Targeted Brain Delivery of Rabies Virus Glycoprotein 29-Modified Deferoxamine-Loaded Nanoparticles Reverses Functional Deficits in Parkinsonian Mice. <i>ACS Nano</i> , 2018, 12, 4123-4139.	14.6	145
35	A DNA nanorobot functions as a cancer therapeutic in response to a molecular trigger in vivo. <i>Nature Biotechnology</i> , 2018, 36, 258-264.	17.5	1,066
36	Copper Ions and Coordination Complexes as Novel Carbapenem Adjuvants. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	31

#	ARTICLE	IF	CITATIONS
37	Cirrhosis in Hemochromatosis: Independent Risk Factors in 368 HFE p.C282Y Homozygotes. <i>Annals of Hepatology</i> , 2018, 17, 871-879.	1.5	25
38	Iron Wars – The Host Strikes Back. <i>New England Journal of Medicine</i> , 2018, 379, 2078-2080.	27.0	2
39	Specific tissue factor delivery using a tumor-homing peptide for inducing tumor infarction. <i>Biochemical Pharmacology</i> , 2018, 156, 501-510.	4.4	23
40	Iron supplementation has minor effects on gut microbiota composition in overweight and obese women in early pregnancy. <i>British Journal of Nutrition</i> , 2018, 120, 283-289.	2.3	20
41	Mechanisms and Regulation of Intestinal Iron Transport. , 2018, , 1451-1483.		8
42	Polymeric Nanoparticles Enhance the Ability of Deferoxamine To Deplete Hepatic and Systemic Iron. <i>Nano Letters</i> , 2018, 18, 5782-5790.	9.1	27
43	Severe Iron Metabolism Defects in Mice With Double Knockout of the Multicopper Ferroxidases Hephaestin and Ceruloplasmin. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 6, 405-427.	4.5	36
44	Reversal of pancreatic desmoplasia by re-educating stellate cells with a tumour microenvironment-activated nanosystem. <i>Nature Communications</i> , 2018, 9, 3390.	12.8	249
45	Food deprivation increases hepatic hepcidin expression and can overcome the effect of Hfe deletion in male mice. <i>FASEB Journal</i> , 2018, 32, 6079-6088.	0.5	6
46	Ceruloplasmin and hephaestin jointly protect the exocrine pancreas against oxidative damage by facilitating iron efflux. <i>Redox Biology</i> , 2018, 17, 432-439.	9.0	22
47	Circulating iron levels influence the regulation of hepcidin following stimulated erythropoiesis. <i>Haematologica</i> , 2018, 103, 1616-1626.	3.5	30
48	Is there a better way to set population iron recommendations?. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 1255-1256.	4.7	1
49	Nasal delivery of nanoliposome-encapsulated ferric ammonium citrate can increase the iron content of rat brain. <i>Journal of Nanobiotechnology</i> , 2017, 15, 42.	9.1	40
50	Reply.. <i>Hepatology</i> , 2017, 65, 1072-1073.	7.3	1
51	Ferroportin Is Essential for Iron Absorption During Suckling, But Is Hyporesponsive to the Regulatory Hormone Hepcidin. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 3, 410-421.	4.5	24
52	GNPAT p.D519G is independently associated with markedly increased iron stores in HFE p.C282Y homozygotes. <i>Blood Cells, Molecules, and Diseases</i> , 2017, 63, 15-20.	1.4	13
53	Current understanding of iron homeostasis. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 1559S-1566S.	4.7	393
54	Nanoparticle-mediated local depletion of tumour-associated platelets disrupts vascular barriers and augments drug accumulation in tumours. <i>Nature Biomedical Engineering</i> , 2017, 1, 667-679.	22.5	132

#	ARTICLE	IF	CITATIONS
55	Reduction of body iron in HFE -related haemochromatosis and moderate iron overload (Mi-Iron): a multicentre, participant-blinded, randomised controlled trial. <i>Lancet Haematology</i> , 2017, 4, e607-e614.	4.6	35
56	Intestinal hephaestin potentiates iron absorption in weanling, adult, and pregnant mice under physiological conditions. <i>Blood Advances</i> , 2017, 1, 1335-1346.	5.2	12
57	Large scale expression and purification of secreted mouse hephaestin. <i>PLoS ONE</i> , 2017, 12, e0184366.	2.5	9
58	Characterization of Putative Erythroid Regulators of Heparin in Mouse Models of Anemia. <i>PLoS ONE</i> , 2017, 12, e0171054.	2.5	17
59	Notes on the ant-mimic genus <i>Anatea</i> Berland (Araneae: Theridiidae) and two new species from tropical Australia. <i>Records of the Australian Museum</i> , 2017, 69, 1-13.	0.2	0
60	Reply. <i>Hepatology</i> , 2016, 63, 2058-2060.	7.3	0
61	Hephaestin and ceruloplasmin facilitate iron metabolism in the mouse kidney. <i>Scientific Reports</i> , 2016, 6, 39470.	3.3	40
62	Iron homeostasis. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2016, 19, 276-281.	2.5	43
63	Iron Homeostasis and the Pathophysiology and Management of Iron Deficiency. , 2016, , 13-22.		0
64	Hepcidin independent iron recycling in a mouse model of $\beta$ -thalassaemia intermedia. <i>British Journal of Haematology</i> , 2016, 175, 308-317.	2.5	5
65	Correlation of serum hepcidin levels with disease progression in hepatitis B virus-related disease assessed by nanopore film based assay. <i>Scientific Reports</i> , 2016, 6, 34252.	3.3	21
66	Reply. <i>Hepatology</i> , 2016, 63, 2056-2057.	7.3	1
67	Functional Analysis of <i>GLRX5</i> Mutants Reveals Distinct Functionalities of GLRX5 Protein. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 207-217.	2.6	36
68	Redox cycling metals: Pedaling their roles in metabolism and their use in the development of novel therapeutics. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 727-748.	4.1	111
69	Cancer Cell-derived Exosomes Induce Mitogen-activated Protein Kinase-dependent Monocyte Survival by Transport of Functional Receptor Tyrosine Kinases. <i>Journal of Biological Chemistry</i> , 2016, 291, 8453-8464.	3.4	83
70	GNPAT p.D519G is Independently Associated with Markedly Increased Iron Stores in HFE p.C282Y Homozygotes. <i>Blood</i> , 2016, 128, 3617-3617.	1.4	0
71	pHLIP-mediated targeting of truncated tissue factor to tumor vessels causes vascular occlusion and impairs tumor growth. <i>Oncotarget</i> , 2015, 6, 23523-23532.	1.8	29
72	Exome sequencing in HFE C282Y homozygous men with extreme phenotypes identifies a GNPAT variant associated with severe iron overload. <i>Hepatology</i> , 2015, 62, 429-439.	7.3	75

#	ARTICLE	IF	CITATIONS
73	Hephaestin and Ceruloplasmin Play Distinct but Interrelated Roles in Iron Homeostasis in Mouse Brain. <i>Journal of Nutrition</i> , 2015, 145, 1003-1009.	2.9	56
74	Reply. <i>Hepatology</i> , 2015, 62, 1918-1919.	7.3	4
75	Multiple Layer-by-Layer Lipid-Polymer Hybrid Nanoparticles for Improved FOLFIRINOX Chemotherapy in Pancreatic Tumor Models. <i>Advanced Functional Materials</i> , 2015, 25, 788-798.	14.9	96
76	Natural history of <i>HFE</i> simple heterozygosity for <i>C282Y</i> and <i>H63D</i> : A prospective 12-year study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 719-725.	2.8	25
77	The Multicopper Ferroxidase Hephaestin Enhances Intestinal Iron Absorption in Mice. <i>PLoS ONE</i> , 2014, 9, e98792.	2.5	70
78	Nanoparticulate iron(III) oxo-hydroxide delivers safe iron that is well absorbed and utilised in humans. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2014, 10, 1877-1886.	3.3	120
79	Elevated metal concentrations in the CF airway correlate with cellular injury and disease severity. <i>Journal of Cystic Fibrosis</i> , 2014, 13, 289-295.	0.7	71
80	Nanopore film based enrichment and quantification of low abundance hepcidin from human bodily fluids. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2014, 10, e879-e888.	3.3	16
81	The regulation of iron transport. <i>BioFactors</i> , 2014, 40, 206-214.	5.4	148
82	A doxorubicin delivery platform using engineered natural membrane vesicle exosomes for targeted tumor therapy. <i>Biomaterials</i> , 2014, 35, 2383-2390.	11.4	1,352
83	Mechanistic and regulatory aspects of intestinal iron absorption. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, G397-G409.	3.4	253
84	Pyrosequencing reveals transient cystic fibrosis lung microbiome changes with intravenous antibiotics. <i>European Respiratory Journal</i> , 2014, 44, 922-930.	6.7	71
85	Heterozygous missense mutations in the <i>GLRX5</i> gene cause sideroblastic anemia in a Chinese patient. <i>Blood</i> , 2014, 124, 2750-2751.	1.4	40
86	Exome Sequencing Identifies a <i>GNPAT</i> Variant Associated with Severe Iron Overload in <i>HFE C282Y</i> Homozygous Men with Extreme Phenotypes; Possible Role in Regulation of Hepcidin Expression. <i>Blood</i> , 2014, 124, 745-745.	1.4	2
87	Excess iron modulates endoplasmic reticulum stress-associated pathways in a mouse model of alcohol and high-fat diet-induced liver injury. <i>Laboratory Investigation</i> , 2013, 93, 1295-1312.	3.7	89
88	Transfusion suppresses erythropoiesis and increases hepcidin in adult patients with $\beta^2$ -thalassemia major: a longitudinal study. <i>Blood</i> , 2013, 122, 124-133.	1.4	126
89	A Corn Oil-Based Diet Protects Against Combined Ethanol and Iron-Induced Liver Injury in a Mouse Model of Hemochromatosis. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 1619-1631.	2.4	6
90	Exome Sequencing Identifies Genes and Variant Alleles Associated With Severity Of Iron Overload In Hemochromatosis <i>HFE C282Y</i> Homozygotes. <i>Blood</i> , 2013, 122, 179-179.	1.4	4

#	ARTICLE	IF	CITATIONS
91	Association of TMPRSS6 polymorphisms with ferritin, hemoglobin, and type 2 diabetes risk in a Chinese Han population. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 626-632.	4.7	53
92	Intestinal iron absorption. <i>Journal of Trace Elements in Medicine and Biology</i> , 2012, 26, 115-119.	3.0	155
93	Effects of gestational age and surface modification on materno-fetal transfer of nanoparticles in murine pregnancy. <i>Scientific Reports</i> , 2012, 2, 847.	3.3	104
94	Molecular Mechanisms of Intestinal Iron Transport. , 2012, , 1921-1947.		14
95	Sustained expression of heme oxygenase-1 alters iron homeostasis in nonerythroid cells. <i>Free Radical Biology and Medicine</i> , 2012, 53, 366-374.	2.9	21
96	A Chinese family carrying novel mutations in <i>SEC23B</i> and <i>HFE2</i> , the genes responsible for congenital dyserythropoietic anaemia (CDA II) and primary iron overload, respectively. <i>British Journal of Haematology</i> , 2012, 158, 143-145.	2.5	12
97	Stimulated erythropoiesis with secondary iron loading leads to a decrease in hepcidin despite an increase in bone morphogenetic protein 6 expression. <i>British Journal of Haematology</i> , 2012, 157, 615-626.	2.5	39
98	Essential but toxic: Controlling the flux of iron in the body. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2012, 39, 719-724.	1.9	36
99	Reduced Expression of Ferroportin-1 Mediates Hyporesponsiveness of Suckling Rats to Stimuli That Reduce Iron Absorption. <i>Gastroenterology</i> , 2011, 141, 300-309.	1.3	24
100	Controlling Assembly of Paired Gold Clusters within Apoferritin Nanoreactor for in Vivo Kidney Targeting and Biomedical Imaging. <i>Journal of the American Chemical Society</i> , 2011, 133, 8617-8624.	13.7	258
101	Pyocyanin-induced toxicity in A549 respiratory cells is causally linked to oxidative stress. <i>Toxicology in Vitro</i> , 2011, 25, 1353-1358.	2.4	50
102	Ferroportin1 deficiency in mouse macrophages impairs iron homeostasis and inflammatory responses. <i>Blood</i> , 2011, 118, 1912-1922.	1.4	185
103	A comparison of self-reported and record-linked blood donation history in an Australian cohort. <i>Transfusion</i> , 2011, 51, 2189-2198.	1.6	13
104	Gastrins, iron homeostasis and colorectal cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 889-895.	4.1	23
105	Intestinal iron absorption during suckling in mammals. <i>BioMetals</i> , 2011, 24, 567-574.	4.1	16
106	Direct evidence for catalase and peroxidase activities of ferritin-platinum nanoparticles. <i>Biomaterials</i> , 2011, 32, 1611-1618.	11.4	397
107	Altered lipid metabolism in Hfe-knockout mice promotes severe NAFLD and early fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, G865-G876.	3.4	31
108	Gastrin-Deficient Mice Have Disturbed Hematopoiesis in Response to Iron Deficiency. <i>Endocrinology</i> , 2011, 152, 3062-3073.	2.8	12

#	ARTICLE	IF	CITATIONS
109	5-Aza-2â€²-deoxycytidine Activates Iron Uptake and Heme Biosynthesis by Increasing c-Myc Nuclear Localization and Binding to the E-boxes of Transferrin Receptor 1 (TfR1) and Ferrochelatase (Fech) Genes. <i>Journal of Biological Chemistry</i> , 2011, 286, 37196-37206.	3.4	19
110	In silico QTL mapping of basal liver iron levels in inbred mouse strains. <i>Physiological Genomics</i> , 2011, 43, 136-147.	2.3	16
111	Severe iron deficiency blunts the response of the iron regulatory gene Hmp and pro-inflammatory cytokines to lipopolysaccharide. <i>Haematologica</i> , 2010, 95, 1660-1667.	3.5	50
112	HFE C282Y homozygotes are at increased risk of breast and colorectal cancer. <i>Hepatology</i> , 2010, 51, 1311-1318.	7.3	123
113	<i>HFE</i> Cys282Tyr homozygotes with serum ferritin concentrations below 1000 $\mu$ g/L are at low risk of hemochromatosis. <i>Hepatology</i> , 2010, 52, 925-933.	7.3	47
114	Molecular basis of iron-loading disorders. <i>Expert Reviews in Molecular Medicine</i> , 2010, 12, e36.	3.9	42
115	Role of iron in the pathogenesis of cysteamine-induced duodenal ulceration in rats. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, G1277-G1286.	3.4	23
116	Hepcidin compared with prohepcidin: an absorbing story. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 475-476.	4.7	24
117	Serum hyaluronic acid with serum ferritin accurately predicts cirrhosis and reduces the need for liver biopsy in C282Y hemochromatosis. <i>Hepatology</i> , 2009, 49, 418-425.	7.3	46
118	<i>HFE</i> C282Y/H63D compound heterozygotes are at low risk of hemochromatosis-related morbidity. <i>Hepatology</i> , 2009, 50, 94-101.	7.3	101
119	Things that go BMP in the liver: Bone morphogenetic protein 6 and the control of body iron homeostasis. <i>Hepatology</i> , 2009, 50, 316-319.	7.3	3
120	Combined deletion of Hfe and transferrin receptor 2 in mice leads to marked dysregulation of hepcidin and iron overload. <i>Hepatology</i> , 2009, 50, 1992-2000.	7.3	180
121	Interacting signals in the control of hepcidin expression. <i>BioMetals</i> , 2009, 22, 77-87.	4.1	82
122	Hepcidin Regulation in Wildâ€Type and Hfe Knockout Mice in Response to Alcohol Consumption: Evidence for an Alcoholâ€Induced Hypoxic Response. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1391-1400.	2.4	24
123	Age-dependent expression of hephaestin in the brain of ceruloplasmin-deficient mice. <i>Journal of Trace Elements in Medicine and Biology</i> , 2009, 23, 290-299.	3.0	7
124	Iron absorption and metabolism. <i>Current Opinion in Gastroenterology</i> , 2009, 25, 129-135.	2.3	151
125	The Cellular Physiology of Iron. , 2009, , 3-29.		1
126	SNP selection for genes of iron metabolism in a study of genetic modifiers of hemochromatosis. <i>BMC Medical Genetics</i> , 2008, 9, 18.	2.1	18



#	ARTICLE	IF	CITATIONS
127	Cell-specific location of Hfe: It is the 'cyte that matters. <i>Hepatology</i> , 2008, 48, 336-338.	7.3	0
128	Small-molecule dissection of BMP signaling. <i>Nature Chemical Biology</i> , 2008, 4, 15-16.	8.0	48
129	The Natural History of Serum Iron Indices for HFE C282Y Homozygosity Associated With Hereditary Hemochromatosis. <i>Gastroenterology</i> , 2008, 135, 1945-1952.	1.3	86
130	A genome-wide screen for modifiers of transgene variegation identifies genes with critical roles in development. <i>Genome Biology</i> , 2008, 9, R182.	9.6	97
131	How much iron is too much?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2008, 2, 287-290.	3.0	3
132	Iron-Overload-Related Disease in <i>HFE</i> Hereditary Hemochromatosis. <i>New England Journal of Medicine</i> , 2008, 358, 221-230.	27.0	649
133	Overexpression of Cellular Iron Import Proteins Is Associated with Malignant Progression of Esophageal Adenocarcinoma. <i>Clinical Cancer Research</i> , 2008, 14, 379-387.	7.0	108
134	Interrelationships between circulating gastrin and iron status in mice and humans. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, G855-G861.	3.4	14
135	Cystic fibrosis: ironing out the problem of infection?. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2008, 295, L23-L24.	2.9	8
136	Elevated iron absorption in the neonatal rat reflects high expression of iron transport genes in the distal alimentary tract. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 293, G525-G531.	3.4	29
137	A novel mutation in ferroportin implicated in iron overload. <i>Journal of Hepatology</i> , 2007, 46, 921-926.	3.7	26
138	Mechanisms of iron loading and toxicity. <i>American Journal of Hematology</i> , 2007, 82, 1128-1131.	4.1	109
139	Regulation of systemic iron homeostasis: how the body responds to changes in iron demand. <i>BioMetals</i> , 2007, 20, 665-74.	4.1	64
140	Circulating gastrin is increased in hemochromatosis. <i>FEBS Letters</i> , 2006, 580, 6195-6198.	2.8	11
141	The Clinical Relevance of Compound Heterozygosity for the C282Y and H63D Substitutions in Hemochromatosis. <i>Clinical Gastroenterology and Hepatology</i> , 2006, 4, 1403-1410.	4.4	92
142	Iron metabolism in the hemoglobin-deficit mouse: correlation of diferric transferrin with hepcidin expression. <i>Blood</i> , 2006, 107, 1659-1664.	1.4	51
143	Decreased Hephaestin Activity in the Intestine of Copper-Deficient Mice Causes Systemic Iron Deficiency. <i>Journal of Nutrition</i> , 2006, 136, 1236-1241.	2.9	89
144	Hepcidin Is Down-regulated in Alcoholic Liver Injury: Implications for the Pathogenesis of Alcoholic Liver Disease. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 106-112.	2.4	138

#	ARTICLE	IF	CITATIONS
145	Iron metabolism meets signal transduction. <i>Nature Genetics</i> , 2006, 38, 503-504.	21.4	36
146	Screening for Hemochromatosis in Asymptomatic Subjects With or Without a Family History. <i>Archives of Internal Medicine</i> , 2006, 166, 294.	3.8	173
147	The role of duodenal cytochrome b in intestinal iron absorption remains unclear. <i>Blood</i> , 2005, 106, 4413-4414.	1.4	19
148	Systemic Regulation of Intestinal Iron Absorption. <i>IUBMB Life</i> , 2005, 57, 499-503.	3.4	25
149	Recent advances in intestinal iron transport. <i>Current Gastroenterology Reports</i> , 2005, 7, 365-372.	2.5	21
150	Mechanisms of Haem and Non-Haem Iron Absorption: Lessons from Inherited Disorders of Iron Metabolism. <i>BioMetals</i> , 2005, 18, 339-348.	4.1	59
151	Hepatic Iron Metabolism. <i>Seminars in Liver Disease</i> , 2005, 25, 420-432.	3.6	112
152	Iron Imports. I. Intestinal iron absorption and its regulation. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, G631-G635.	3.4	91
153	Identification of an Intestinal Heme Transporter. <i>Cell</i> , 2005, 122, 789-801.	28.9	628
154	Increased hepcidin expression and hypoferraemia associated with an acute phase response are not affected by inactivation of HFE. <i>British Journal of Haematology</i> , 2004, 126, 434-436.	2.5	60
155	Hephaestin is a ferroxidase that maintains partial activity in sex-linked anemia mice. <i>Blood</i> , 2004, 103, 3933-3939.	1.4	134
156	Disrupted hepcidin regulation in HFE-associated haemochromatosis and the liver as a regulator of body iron homeostasis. <i>Lancet</i> , 2003, 361, 669-673.	13.7	568
157	The orchestration of body iron intake: how and where do enterocytes receive their cues?. <i>Blood Cells, Molecules, and Diseases</i> , 2003, 30, 288-297.	1.4	180
158	Systemic regulation of Hephaestin and Ireg1 revealed in studies of genetic and nutritional iron deficiency. <i>Blood</i> , 2003, 102, 1893-1899.	1.4	104
159	The Ceruloplasmin Homolog Hephaestin and the Control of Intestinal Iron Absorption. <i>Blood Cells, Molecules, and Diseases</i> , 2002, 29, 367-375.	1.4	90
160	Hepcidin expression inversely correlates with the expression of duodenal iron transporters and iron absorption in rats. <i>Gastroenterology</i> , 2002, 123, 835-844.	1.3	308
161	DHPLC mutation analysis of jagged1 (JAG1) reveals six novel mutations in Australian alagille syndrome patients. <i>Human Mutation</i> , 2002, 20, 481-481.	2.5	21
162	HFE and Non-HFE Hemochromatosis. <i>International Journal of Hematology</i> , 2002, 76, 203-207.	1.6	19

#	ARTICLE	IF	CITATIONS
163	The Expression and Regulation of the Iron Transport Molecules Hephaestin and IREG1. <i>Cell Biochemistry and Biophysics</i> , 2002, 36, 137-146.	1.8	32
164	Regulation of Intestinal Iron Transport. , 2002, , .		8
165	Ironing Out Disease: Inherited Disorders of Iron Homeostasis. <i>IUBMB Life</i> , 2001, 51, 11-17.	3.4	21
166	Cloning and gastrointestinal expression of rat hephaestin: relationship to other iron transport proteins. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, G931-G939.	3.4	111
167	Intestinal Iron Transport and its Regulation. <i>Hematology</i> , 2001, 6, 193-203.	1.5	9
168	Ironing Out Disease: Inherited Disorders of Iron Homeostasis. <i>IUBMB Life</i> , 2001, 51, 11-17.	3.4	17
169	Jagged1 (JAG1) mutation detection in an Australian Alagille syndrome population. <i>Human Mutation</i> , 2000, 16, 408-416.	2.5	35
170	Ferritin metabolism in hemochromatosis. , 2000, , 145-156.		3
171	Subcellular localization and differentiation-associated expression of hephaestin: A protein required for intestinal iron absorption. <i>Gastroenterology</i> , 2000, 118, A661.	1.3	1
172	Distribution and regulation of iron transport genes in the rat gastrointestinal tract: Implications for the control of iron absorption. <i>Gastroenterology</i> , 2000, 118, A69.	1.3	0
173	Genetic Disorders of Trace Element Metabolism. , 2000, , 201-226.		1
174	Of metals, mice, and men: what animal models can teach us about body iron loading. <i>Journal of Clinical Investigation</i> , 2000, 105, 1185-1186.	8.2	13
175	Hephaestin, a ceruloplasmin homologue implicated in intestinal iron transport, is defective in the sla mouse. <i>Nature Genetics</i> , 1999, 21, 195-199.	21.4	971
176	Haemochromatosis and control of intestinal iron absorption. <i>Lancet, The</i> , 1999, 353, 2089-2090.	13.7	8
177	Non-transferrin-bound iron and cellular toxicity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1999, 14, 105-108.	2.8	49
178	A family with attenuated familial adenomatous polyposis due to a mutation in the alternatively spliced region of APC exon 9. <i>Human Mutation</i> , 1998, 11, 450-455.	2.5	33
179	Mapping the Gene for Sex-Linked Anemia: An Inherited Defect of Intestinal Iron Absorption in the Mouse. <i>Genomics</i> , 1998, 48, 34-39.	2.9	31
180	Control of iron absorption. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996, 11, 1030-1032.	2.8	26

#	ARTICLE	IF	CITATIONS
181	The endocytosis of transferrin by rat intestinal epithelial cells. <i>Gastroenterology</i> , 1994, 106, 414-422.	1.3	43
182	Ferric iron reduction and iron assimilation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Inorganic Biochemistry</i> , 1992, 47, 249-255.	3.5	27
183	Intestinal transferrin receptors and iron absorption in the neonatal rat. <i>British Journal of Haematology</i> , 1991, 77, 229-236.	2.5	32
184	Transferrin receptor distribution and regulation in the rat small intestine. <i>Gastroenterology</i> , 1990, 98, 576-585.	1.3	81
185	Transferrin receptors in hemochromatosis. <i>Hepatology</i> , 1987, 7, 967-969.	7.3	16
186	Improved purification of the human placental transferrin receptor and a novel immunoradiometric assay for receptor protein. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1986, 884, 225-233.	2.4	22