Andrea N Goldstein-Piekarski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/661421/publications.pdf Version: 2024-02-01



Andrea N

#	Article	IF	CITATIONS
1	Mediating Effects of Neural Targets on Depression, Weight, and Anxiety Outcomes of an Integrated Collaborative Care Intervention: The ENGAGE-2 Mechanistic Pilot Randomized Clinical Trial. Biological Psychiatry Global Open Science, 2023, 3, 430-442.	2.2	9
2	Mapping Neural Circuit Biotypes to Symptoms and Behavioral Dimensions of Depression and Anxiety. Biological Psychiatry, 2022, 91, 561-571.	1.3	39
3	Viability of an Early Sleep Intervention to Mitigate Poor Sleep and Improve Well-being in the COVID-19 Pandemic: Protocol for a Feasibility Randomized Controlled Trial. JMIR Research Protocols, 2022, 11, e34409.	1.0	0
4	Understanding mechanisms of integrated behavioral therapy for co-occurring obesity and depression in primary care: a mediation analysis in the RAINBOW trial. Translational Behavioral Medicine, 2021, 11, 382-392.	2.4	11
5	Kleine-Levin syndrome is associated with birth difficulties and genetic variants in the <i>TRANK1</i> gene loci. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	26
6	Accelerated neuromodulation therapy for Obsessive-Compulsive Disorder. Brain Stimulation, 2021, 14, 435-437.	1.6	25
7	Activation of Cognitive Control Network During Inhibition Processing Dynamically Predicts Symptom Outcomes for Depression: A 24-month Longitudinal Study. Biological Psychiatry, 2021, 89, S98.	1.3	0
8	Early changes in neural circuit function engaged by negative emotion and modified by behavioural intervention are associated with depression and problem-solving outcomes: A report from the ENGAGE randomized controlled trial. EBioMedicine, 2021, 67, 103387.	6.1	10
9	Problem-solving therapy–induced amygdala engagement mediates lifestyle behavior change in obesity with comorbid depression: a randomized proof-of-mechanism trial. American Journal of Clinical Nutrition, 2021, 114, 2060-2073.	4.7	7
10	Connectivity of the Cognitive Control Network During Response Inhibition as a Predictive and Response Biomarker in Major Depression: Evidence From a Randomized Clinical Trial. Biological Psychiatry, 2020, 87, 462-472.	1.3	42
11	Integrating sleep, neuroimaging, and computational approaches for precision psychiatry. Neuropsychopharmacology, 2020, 45, 192-204.	5.4	19
12	Applying a neural circuit taxonomy in depression and anxiety for personalized psychiatry. , 2020, , 499-519.		0
13	Intrinsic connectomes are a predictive biomarker of remission in major depressive disorder. Molecular Psychiatry, 2020, 25, 1537-1549.	7.9	99
14	Sleep-wake disorders in Alzheimer's disease: further genetic analyses in relation to objective sleep measures. International Psychogeriatrics, 2020, 32, 807-813.	1.0	6
15	The ENGAGE-2 study: Engaging self-regulation targets to understand the mechanisms of behavior change and improve mood and weight outcomes in a randomized controlled trial (Phase 2). Contemporary Clinical Trials, 2020, 95, 106072.	1.8	14
16	Effect of an Intervention for Obesity and Depression on Patient-Centered Outcomes: An RCT. American Journal of Preventive Medicine, 2020, 58, 496-505.	3.0	9
17	T13. Functional Impacts of Acute Stress on Negative Affective Circuit Function in Anxiety and Depression. Biological Psychiatry, 2019, 85, S134.	1.3	0
18	Resting-State Functional MRI: Everything That Nonexperts Have Always Wanted to Know. American Journal of Neuroradiology, 2018, 39, 1390-1399.	2.4	266

ANDREA N

#	Article	IF	CITATIONS
19	Intrinsic functional connectivity predicts remission on antidepressants: a randomized controlled trial to identify clinically applicable imaging biomarkers. Translational Psychiatry, 2018, 8, 57.	4.8	79
20	The ENGAGE study: Integrating neuroimaging, virtual reality and smartphone sensing to understand self-regulation for managing depression and obesity in a precision medicine model. Behaviour Research and Therapy, 2018, 101, 58-70.	3.1	27
21	Sex, Sleep Deprivation, and the Anxious Brain. Journal of Cognitive Neuroscience, 2018, 30, 565-578.	2.3	38
22	Antidepressant Outcomes Predicted by Genetic Variation in Corticotropin-Releasing Hormone Binding Protein. American Journal of Psychiatry, 2018, 175, 251-261.	7.2	39
23	Transdiagnostic Symptom Clusters and Associations With Brain, Behavior, and Daily Function in Mood, Anxiety, and Trauma Disorders. JAMA Psychiatry, 2018, 75, 201.	11.0	143
24	More Research Needed on the Association Between Genotype and Antidepressant Response: Response to Fabbri et al American Journal of Psychiatry, 2018, 175, 576-577.	7.2	3
25	The sleep-deprived human brain. Nature Reviews Neuroscience, 2017, 18, 404-418.	10.2	701
26	Sex differences modulating serotonergic polymorphisms implicated in the mechanistic pathways of risk for depression and related disorders:. Journal of Neuroscience Research, 2017, 95, 737-762.	2.9	27
27	Human amygdala engagement moderated by early life stress exposure is a biobehavioral target for predicting recovery on antidepressants. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 11955-11960.	7.1	50
28	Developing a clinical translational neuroscience taxonomy for anxiety and mood disorder: protocol for the baseline-follow up Research domain criteria Anxiety and Depression ("RADâ€) project. BMC Psychiatry, 2016, 16, 68.	2.6	33
29	Human Hippocampal Structure: A Novel Biomarker Predicting Mnemonic Vulnerability to, and Recovery from, Sleep Deprivation. Journal of Neuroscience, 2016, 36, 2355-2363.	3.6	45
30	Sleep Deprivation Impairs the Human Central and Peripheral Nervous System Discrimination of Social Threat. Journal of Neuroscience, 2015, 35, 10135-10145.	3.6	86
31	Mapping Neural Circuit Biotypes to Symptoms and Behavioral Dimensions of Depression and Anxiety. SSRN Electronic Journal, 0, , .	0.4	4