

JosÃ© M Pulgar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6614581/publications.pdf>

Version: 2024-02-01

37
papers

955
citations

516710

16
h-index

454955

30
g-index

37
all docs

37
docs citations

37
times ranked

1084
citing authors

#	ARTICLE	IF	CITATIONS
1	Parasitism by metacercariae modulates the morphological, organic and mechanical responses of the shell of an intertidal bivalve to environmental drivers. <i>Science of the Total Environment</i> , 2022, 830, 154747.	8.0	3
2	A country's response to tackling plastic pollution in aquatic ecosystems: The Chilean way. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 420-440.	2.0	17
3	Exposure to artificial light at night (ALAN) alters RNA:DNA ratios in a sandy beach coleopteran insect. <i>Marine Pollution Bulletin</i> , 2021, 165, 112132.	5.0	8
4	Spatio-temporal changes in the biochemical parameters of the fishery resource <i>Concholepas concholepas</i> (Gastropoda: Muricidae) in the Southeastern Pacific Ocean. <i>Regional Studies in Marine Science</i> , 2021, 44, 101735.	0.7	3
5	A decade later, reviewing floating marine debris in Northern Chilean Patagonia. <i>Marine Pollution Bulletin</i> , 2021, 168, 112372.	5.0	10
6	Artificial Light at Night (ALAN) negatively affects the settlement success of two prominent intertidal barnacles in the southeast Pacific. <i>Marine Pollution Bulletin</i> , 2021, 168, 112416.	5.0	7
7	Artificial light at night alters the activity and feeding behaviour of sandy beach amphipods and pose a threat to their ecological role in Atlantic Canada. <i>Science of the Total Environment</i> , 2021, 780, 146568.	8.0	20
8	Microplastic ingestion cause intestinal lesions in the intertidal fish <i>Girella laevis</i> . <i>Marine Pollution Bulletin</i> , 2020, 151, 110795.	5.0	125
9	Geographical variability and parasitism on body size, reproduction and shell characteristics of the keyhole limpet <i>Fissurella crassa</i> (Mollusca: Vetigastropoda). <i>Marine Environmental Research</i> , 2020, 161, 105060.	2.5	5
10	Exploring the influence of upwelling on the total allowed catch and harvests of a benthic gastropod managed under a territorial user rights for fisheries regime along the Chilean coast.. <i>Ocean and Coastal Management</i> , 2020, 195, 105256.	4.4	16
11	Context-Dependence in parasite effects on keyhole limpets. <i>Marine Environmental Research</i> , 2020, 157, 104923.	2.5	8
12	Artificial light pollution influences behavioral and physiological traits in a keystone predator species, <i>Concholepas concholepas</i> . <i>Science of the Total Environment</i> , 2019, 661, 543-552.	8.0	36
13	The influence of microplastics pollution on the feeding behavior of a prominent sandy beach amphipod, <i>Orchestoidea tuberculata</i> (Nicolet, 1849). <i>Marine Pollution Bulletin</i> , 2019, 145, 23-27.	5.0	33
14	Role of temperature and carbonate system variability on a host-parasite system: Implications for the gigantism hypothesis. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2019, 9, 7-15.	1.5	3
15	Endogenous cycles, activity patterns and energy expenditure of an intertidal fish is modified by artificial light pollution at night (ALAN). <i>Environmental Pollution</i> , 2019, 244, 361-366.	7.5	65
16	Refuge quality to cope with UV radiation affects energy allocation in an intertidal fish. <i>Marine Pollution Bulletin</i> , 2018, 130, 268-270.	5.0	10
17	Oceanographic upwelling conditions influence signaling pathways involved in muscle growth of intertidal fish. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2018, 218, 37-43.	1.6	9
18	First detection of plastic microfibers in a wild population of South American fur seals (<i>Arctocephalus australis</i>) in the Chilean Northern Patagonia. <i>Marine Pollution Bulletin</i> , 2018, 136, 50-54.	5.0	57

#	ARTICLE	IF	CITATIONS
19	Living on a trophic subsidy: Algal quality drives an upper-shore herbivore's consumption, preference and absorption but not growth rates. <i>PLoS ONE</i> , 2018, 13, e0196121.	2.5	12
20	Is the feeding type related with the content of microplastics in intertidal fish gut?. <i>Marine Pollution Bulletin</i> , 2017, 116, 498-500.	5.0	229
21	Intertidal pool fish <i>Girella laevis</i> (Kyphosidae) shown strong physiological homeostasis but shy personality: The cost of living in hypercapnic habitats. <i>Marine Pollution Bulletin</i> , 2017, 118, 57-63.	5.0	9
22	Seawater-temperature and UV-radiation interaction modifies oxygen consumption, digestive process and growth of an intertidal fish. <i>Marine Environmental Research</i> , 2017, 129, 408-412.	2.5	20
23	Upwelling-derived oceanographic conditions impact growth performance and growth-related gene expression in intertidal fish. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2017, 214, 12-18.	1.6	11
24	UV radiation impacts body weight, oxygen consumption, and shelter selection in the intertidal vertebrate <i>Girella laevis</i> . <i>Science of the Total Environment</i> , 2017, 578, 317-322.	8.0	21
25	Upwelling promotes earlier onset and increased rate of gonadal development of four coastal herbivores. <i>Bulletin of Marine Science</i> , 2017, 93, 671-688.	0.8	21
26	Predation and anthropogenic impact on community structure of boulder beaches. <i>Scientia Marina</i> , 2016, 80, 543.	0.6	10
27	Effect of UV radiation on habitat selection by <i>Girella laevis</i> and <i>Graus nigra</i> (Kyphosidae). <i>Journal of Fish Biology</i> , 2015, 86, 812-821.	1.6	18
28	Increased Parasitism of Limpets by a Trematode Metacercaria in Fisheries Management Areas of Central Chile: Effects on Host Growth and Reproduction. <i>EcoHealth</i> , 2014, 11, 215-226.	2.0	10
29	Spatial and temporal variability in subtidal macroinvertebrates diversity patterns in a management and exploitation area for benthic resources (MEABRs). <i>Ocean and Coastal Management</i> , 2014, 93, 121-128.	4.4	13
30	Can upwelling signals be detected in intertidal fishes of different trophic levels?. <i>Journal of Fish Biology</i> , 2013, 83, 1407-1415.	1.6	16
31	Upwelling affects food availability, impacting the morphological and molecular conditions of the herbivorous limpet <i>Fissurella crassa</i> (Mollusca: Archeogastropoda). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 797-802.	0.8	18
32	Impact of wave exposure on seasonal morphological and reproductive responses of the intertidal limpet <i>Fissurella crassa</i> (Mollusca: Archaeogastropoda). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1595-1601.	0.8	8
33	First Intermediate Host of the Digenean Trematode <i>Proctoeces lintoni</i> (Fellodistomidae) in Chile. <i>Journal of Parasitology</i> , 2009, 95, 1408-1414.	0.7	18
34	Intraspecific geographic and seasonal physiological variability in an intertidal fish, <i>Girella laevis</i> , along a climatic gradient. <i>Journal of Fish Biology</i> , 2006, 68, 975-981.	1.6	10
35	Local distribution and thermal ecology of two intertidal fishes. <i>Oecologia</i> , 2005, 142, 511-520.	2.0	35
36	Does food quality influence thermoregulatory behavior in the intertidal fish <i>Girella laevis</i> ?. <i>Journal of Thermal Biology</i> , 2003, 28, 539-544.	2.5	17

#	ARTICLE	IF	CITATIONS
37	Behavioral thermoregulation in the intertidal fish <i>Girella laevifrons</i> (kyphosidae): The effect of starvation. Marine and Freshwater Behaviour and Physiology, 1999, 32, 27-38.	0.9	24