

# Liguo Qin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6615392/publications.pdf>

Version: 2024-02-01

30  
papers

624  
citations

623734

14  
h-index

580821

25  
g-index

30  
all docs

30  
docs citations

30  
times ranked

729  
citing authors

#	ARTICLE	IF	CITATIONS
1	Bioinspired Surface for Cell Overlay and the Tribological Performances. Lecture Notes in Mechanical Engineering, 2022, , 124-127.	0.4	0
2	Carboxylic Multi-Walled Carbon Nanotubes as Reinforcing Fillers in Ionic Polymer-Metal Composite Actuators with Enhanced Driving Performance. Advanced Engineering Materials, 2022, 24, .	3.5	6
3	Releasable agarose-hyaluronan hydrogel with anti-friction performance and enhanced stability for artificial joint applications. Tribology International, 2021, 153, 106622.	5.9	9
4	Enhanced electrical/dielectrical properties of MWCNT@Fe <sub>3</sub> O <sub>4</sub> /polyimide flexible composite film aligned by magnetic field. Journal of Materials Science: Materials in Electronics, 2021, 32, 524-542.	2.2	9
5	Novel Therapeutic Platform of Micelles and Nanogels from Dopa-Functionalized Triblock Copolymers. Small, 2021, 17, e2007305.	10.0	9
6	Economic Friendly ZnO-Based UV Sensors Using Hydrothermal Growth: A Review. Materials, 2021, 14, 4083.	2.9	26
7	In vitro released characteristics of BSA lubricants from Agarose hydrogel with tunable mechanical behaviors for artificial joint applications. Biotribology, 2021, , 100200.	1.9	2
8	Drag reduction and antifouling properties of non-smooth surfaces modified with ZIF-67. Surface and Coatings Technology, 2021, 427, 127836.	4.8	24
9	Constructing a Dual-Function Surface by Microcasting and Nanospraying for Efficient Drag Reduction and Potential Antifouling Capabilities. Micromachines, 2019, 10, 490.	2.9	32
10	High Temperature Anti-Friction Behaviors of a-Si:H Films and Counterface Material Selection. Coatings, 2019, 9, 450.	2.6	8
11	Polydopamine-Assisted Immobilization of Chitosan Brushes on a Textured CoCrMo Alloy to Improve its Tribology and Biocompatibility. Materials, 2019, 12, 3014.	2.9	7
12	Tribological performance of DLC coating under aqueous solutions. Lubrication Science, 2019, 31, 262-272.	2.1	0
13	Preparation and oil lubrication of polyvinylidene fluoride (PVDF) nanospheres. Materials Research Express, 2019, 6, 085093.	1.6	6
14	A facile method to enhance the tribological performances of MoSe <sub>2</sub> nanoparticles as oil additives. Tribology International, 2019, 137, 22-29.	5.9	27
15	Osmosis effect on protein sustained release of Agarose hydrogel for anti-friction performance. Tribology International, 2019, 132, 108-117.	5.9	7
16	Biomimetic surfaces with hierarchical structure using microsized texture and nanosized Cu particles for superhydrophobicity. Advanced Materials Letters, 2019, 10, 569-573.	0.6	1
17	PCEC hydrogel used on sustained-release hyaluronic acid delivery with lubrication effect. Journal of Applied Polymer Science, 2018, 135, 46228.	2.6	11
18	An effective method of edge deburring for laser surface texturing of Co-Cr-Mo alloy. International Journal of Advanced Manufacturing Technology, 2018, 94, 1491-1503.	3.0	23

#	ARTICLE	IF	CITATIONS
19	Fabricating hierarchical micro and nano structures on implantable Co-Cr-Mo alloy for tissue engineering by one-step laser ablation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 161, 628-635.	5.0	27
20	Investigating the tribological and biological performance of covalently grafted chitosan coatings on Co-Cr-Mo alloy. <i>Tribology International</i> , 2018, 127, 302-312.	5.9	31
21	Biotribological application of poly( $\mu$ -caprolactone)-poly(ethylene glycol)-poly( $\mu$ -caprolactone) hydrogel as an efficient carrier with slow-release lubrication effect. <i>Journal of Materials Science</i> , 2017, 52, 12054-12066.	3.7	9
22	An investigation on the lubrication mechanism of MoS <sub>2</sub> nano sheet in point contact: The manner of particle entering the contact area. <i>Tribology International</i> , 2017, 107, 48-55.	5.9	72
23	Modification of spider gear back to uniform the stress and improve the anti-wear performance of a real thrust washer. <i>Engineering Failure Analysis</i> , 2016, 60, 107-116.	4.0	4
24	Understanding the Physical Adsorption Action Mechanism of MoS <sub>2</sub> Nanoparticles in Boundary Lubrication with Different Polyisobutyleneamine Succinimide (PIBS) Concentrations. <i>Tribology Letters</i> , 2015, 60, 1.	2.6	16
25	Preparation and bioactive properties of chitosan and casein phosphopeptides composite coatings for orthopedic implants. <i>Carbohydrate Polymers</i> , 2015, 133, 236-244.	10.2	42
26	Response of MC3T3-E1 osteoblast cells to the microenvironment produced on Co-Cr-Mo alloy using laser surface texturing. <i>Journal of Materials Science</i> , 2014, 49, 2662-2671.	3.7	41
27	Influence of surface wettability on the tribological properties of laser textured Co-Cr-Mo alloy in aqueous bovine serum albumin solution. <i>Applied Surface Science</i> , 2013, 268, 79-86.	6.1	96
28	In vivo synthesis of calcium oxalate whiskers on CoCrMo alloy surfaces via biomineralization. <i>Materials Science and Engineering C</i> , 2013, 33, 3839-3844.	7.3	1
29	Modification, characterization and structure-anticoagulant activity relationships of persimmon polysaccharides. <i>Carbohydrate Polymers</i> , 2010, 82, 515-520.	10.2	37
30	Sulfated modification and immunomodulatory activity of water-soluble polysaccharides derived from fresh Chinese persimmon fruit. <i>International Journal of Biological Macromolecules</i> , 2010, 46, 67-71.	7.5	41