

Max Lhning

List of Publications by Citations

Source: <https://exaly.com/author-pdf/661575/max-lohning-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

6,554
citations

37
h-index

67
g-index

67
ext. papers

7,438
ext. citations

14.3
avg, IF

5
L-index

#	Paper	IF	Citations
64	P- and E-selectin mediate recruitment of T-helper-1 but not T-helper-2 cells into inflamed tissues. <i>Nature</i> , 1997 , 385, 81-3	50.4	667
63	The alarmin IL-33 promotes regulatory T-cell function in the intestine. <i>Nature</i> , 2014 , 513, 564-568	50.4	619
62	Stat6-independent GATA-3 autoactivation directs IL-4-independent Th2 development and commitment. <i>Immunity</i> , 2000 , 12, 27-37	32.3	573
61	Eosinophils are required for the maintenance of plasma cells in the bone marrow. <i>Nature Immunology</i> , 2011 , 12, 151-9	19.1	375
60	The alarmin interleukin-33 drives protective antiviral CD8+ T cell responses. <i>Science</i> , 2012 , 335, 984-9	33.3	288
59	Professional memory CD4+ T lymphocytes preferentially reside and rest in the bone marrow. <i>Immunity</i> , 2009 , 30, 721-30	32.3	275
58	The microRNA miR-182 is induced by IL-2 and promotes clonal expansion of activated helper T lymphocytes. <i>Nature Immunology</i> , 2010 , 11, 1057-62	19.1	269
57	Interferons direct Th2 cell reprogramming to generate a stable GATA-3(+)T-bet(+) cell subset with combined Th2 and Th1 cell functions. <i>Immunity</i> , 2010 , 32, 116-28	32.3	249
56	Aggravation of viral hepatitis by platelet-derived serotonin. <i>Nature Medicine</i> , 2008 , 14, 756-61	50.5	192
55	Expression of ICOS in vivo defines CD4+ effector T cells with high inflammatory potential and a strong bias for secretion of interleukin 10. <i>Journal of Experimental Medicine</i> , 2003 , 197, 181-93	16.6	192
54	Instruction for cytokine expression in T helper lymphocytes in relation to proliferation and cell cycle progression. <i>Journal of Experimental Medicine</i> , 1999 , 190, 1439-50	16.6	171
53	Enforced viral replication activates adaptive immunity and is essential for the control of a cytopathic virus. <i>Nature Immunology</i> , 2011 , 13, 51-7	19.1	165
52	Type I interferon protects antiviral CD8+ T cells from NK cell cytotoxicity. <i>Immunity</i> , 2014 , 40, 949-60	32.3	156
51	Inverse correlation between IL-7 receptor expression and CD8 T cell exhaustion during persistent antigen stimulation. <i>European Journal of Immunology</i> , 2005 , 35, 738-45	6.1	132
50	Regulation of expression of IL-4 alleles: analysis using a chimeric GFP/IL-4 gene. <i>Immunity</i> , 2001 , 14, 1-11	32.3	132
49	Endotoxins prevent murine IgE production, T(H)2 immune responses, and development of airway eosinophilia but not airway hyperreactivity. <i>Journal of Allergy and Clinical Immunology</i> , 2002 , 110, 110-6	11.5	108
48	Long-lived virus-reactive memory T cells generated from purified cytokine-secreting T helper type 1 and type 2 effectors. <i>Journal of Experimental Medicine</i> , 2008 , 205, 53-61	16.6	107

47	T-bet- and STAT4-dependent IL-33 receptor expression directly promotes antiviral Th1 cell responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 4056-61	11.5	103
46	Stable T-bet(+)GATA-3(+) Th1/Th2 hybrid cells arise in vivo, can develop directly from naive precursors, and limit immunopathologic inflammation. <i>PLoS Biology</i> , 2013 , 11, e1001633	9.7	103
45	Development of replication-defective lymphocytic choriomeningitis virus vectors for the induction of potent CD8+ T cell immunity. <i>Nature Medicine</i> , 2010 , 16, 339-45	50.5	102
44	IL-33 in T Cell Differentiation, Function, and Immune Homeostasis. <i>Trends in Immunology</i> , 2016 , 37, 321-334	14.4	100
43	Regulation and function of T1/ST2 expression on CD4+ T cells: induction of type 2 cytokine production by T1/ST2 cross-linking. <i>Journal of Immunology</i> , 2001 , 166, 3143-50	5.3	98
42	An instructive component in T helper cell type 2 (Th2) development mediated by GATA-3. <i>Journal of Experimental Medicine</i> , 2001 , 193, 643-50	16.6	95
41	Sequential production of IL-2, IFN-gamma and IL-10 by individual staphylococcal enterotoxin B-activated T helper lymphocytes. <i>European Journal of Immunology</i> , 1998 , 28, 1534-43	6.1	94
40	Tolerance induction with T cell-dependent protein antigens induces regulatory sialylated IgGs. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 1647-55.e13	11.5	84
39	Cytokine memory of T helper lymphocytes. <i>Advances in Immunology</i> , 2002 , 80, 115-81	5.6	80
38	Autoregulation of Th1-mediated inflammation by twist1. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1889-901	16.6	75
37	GATA-3 transcriptional imprinting in Th2 lymphocytes: a mathematical model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 9364-8	11.5	74
36	Viral replicative capacity is the primary determinant of lymphocytic choriomeningitis virus persistence and immunosuppression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 21641-6	11.5	70
35	Short-term memory in gene induction reveals the regulatory principle behind stochastic IL-4 expression. <i>Molecular Systems Biology</i> , 2010 , 6, 359	12.2	67
34	IL-33 Receptor-Expressing Regulatory T Cells Are Highly Activated, Th2 Biased and Suppress CD4 T Cell Proliferation through IL-10 and TGF β Release. <i>PLoS ONE</i> , 2016 , 11, e0161507	3.7	66
33	Transcriptional control networks of cell differentiation: insights from helper T lymphocytes. <i>Progress in Biophysics and Molecular Biology</i> , 2004 , 86, 45-76	4.7	62
32	A critical control element for interleukin-4 memory expression in T helper lymphocytes. <i>Journal of Biological Chemistry</i> , 2005 , 280, 28177-85	5.4	58
31	Macrophage migration inhibitory factor counterregulates dexamethasone-mediated suppression of hypoxia-inducible factor-1 alpha function and differentially influences human CD4+ T cell proliferation under hypoxia. <i>Journal of Immunology</i> , 2011 , 186, 764-74	5.3	44
30	Superoxide Dismutase 1 Protects Hepatocytes from Type I Interferon-Driven Oxidative Damage. <i>Immunity</i> , 2015 , 43, 974-86	32.3	43

29	Usp18 driven enforced viral replication in dendritic cells contributes to break of immunological tolerance in autoimmune diabetes. <i>PLoS Pathogens</i> , 2013 , 9, e1003650	7.6	43
28	Unlike $\gamma\delta$ cells, $\alpha\beta$ cells, LT α cells and NKT cells do not require IRF4 for the production of IL-17A and IL-22. <i>European Journal of Immunology</i> , 2012 , 42, 3189-201	6.1	39
27	Replicating viral vector platform exploits alarmin signals for potent CD8 T cell-mediated tumour immunotherapy. <i>Nature Communications</i> , 2017 , 8, 15327	17.4	37
26	miR-148a is upregulated by Twist1 and T-bet and promotes Th1-cell survival by regulating the proapoptotic gene Bim. <i>European Journal of Immunology</i> , 2015 , 45, 1192-205	6.1	34
25	Individual T helper cells have a quantitative cytokine memory. <i>Immunity</i> , 2015 , 42, 108-22	32.3	31
24	Establishment of memory for IL-10 expression in developing T helper 2 cells requires repetitive IL-4 costimulation and does not impair proliferation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 12307-12	11.5	29
23	CD49b-dependent establishment of T helper cell memory. <i>Immunology and Cell Biology</i> , 2013 , 91, 524-315		26
22	Human monocytes and macrophages differ in their mechanisms of adaptation to hypoxia. <i>Arthritis Research and Therapy</i> , 2012 , 14, R181	5.7	25
21	Inducible costimulator-positive T cells are required for allergen-induced local B-cell infiltration and antigen-specific IgE production in lung tissue. <i>Journal of Allergy and Clinical Immunology</i> , 2004 , 114, 775-82	11.5	25
20	Single-cell transcriptomes of murine bone marrow stromal cells reveal niche-associated heterogeneity. <i>European Journal of Immunology</i> , 2019 , 49, 1372-1379	6.1	20
19	Detection and isolation of cytokine secreting cells using the cytometric cytokine secretion assay. <i>Current Protocols in Immunology</i> , 2002 , Chapter 6, Unit 6.27	4	18
18	Immunoactivation induced by chronic viral infection inhibits viral replication and drives immunosuppression through sustained IFN-I responses. <i>European Journal of Immunology</i> , 2016 , 46, 372-80	6.1	18
17	Deficiency of the B cell-activating factor receptor results in limited CD169+ macrophage function during viral infection. <i>Journal of Virology</i> , 2015 , 89, 4748-59	6.6	16
16	Synovial Fibroblasts Selectively Suppress Th1 Cell Responses through IDO1-Mediated Tryptophan Catabolism. <i>Journal of Immunology</i> , 2017 , 198, 3109-3117	5.3	15
15	T cells can mediate viral clearance from ependyma but not from brain parenchyma in a major histocompatibility class I- and perforin-independent manner. <i>Brain</i> , 2010 , 133, 1054-66	11.2	14
14	Spatiotemporally restricted arenavirus replication induces immune surveillance and type I interferon-dependent tumour regression. <i>Nature Communications</i> , 2017 , 8, 14447	17.4	12
13	CD49b/CD69-Dependent Generation of Resting T Helper Cell Memory. <i>Frontiers in Immunology</i> , 2013 , 4, 183	8.4	11
12	"Negative vaccination" by specific CD4 T cell tolerisation enhances virus-specific protective antibody responses. <i>PLoS ONE</i> , 2007 , 2, e1162	3.7	10

11	Memory CD8 T Cell Protection From Viral Reinfection Depends on Interleukin-33 Alarmin Signals. <i>Frontiers in Immunology</i> , 2019 , 10, 1833	8.4	7
10	Th2/1 Hybrid Cells Occurring in Murine and Human Strongyloidiasis Share Effector Functions of Th1 Cells. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017 , 7, 261	5.9	7
9	NK cell receptor NKG2D enforces proinflammatory features and pathogenicity of Th1 and Th17 cells. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	7
8	Reversible expression of tryptases in continuous L138.8A mast cells. <i>European Journal of Immunology</i> , 2000 , 30, 2954-61	6.1	5
7	B Cells Negatively Regulate the Establishment of CD49b(+)T-bet(+) Resting Memory T Helper Cells in the Bone Marrow. <i>Frontiers in Immunology</i> , 2016 , 7, 26	8.4	5
6	Th2 cells lacking T-bet suppress naive and memory T cell responses via IL-10. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	3
5	Enhanced Cell Division Is Required for the Generation of Memory CD4 T Cells to Migrate Into Their Proper Location. <i>Frontiers in Immunology</i> , 2019 , 10, 3113	8.4	2
4	Manipulation of the balance between Th2 and Th2/1 hybrid cells affects parasite nematode fitness in mice. <i>European Journal of Immunology</i> , 2018 , 48, 1958-1964	6.1	2
3	Systematic review on the reporting accuracy of experimental details in publications using mouse femoral fracture models. <i>Bone</i> , 2021 , 152, 116088	4.7	2
2	MIF does only marginally enhance the pro-regenerative capacities of DFO in a mouse-osteotomy-model of compromised bone healing conditions. <i>Bone</i> , 2022 , 154, 116247	4.7	1
1	Mast Cells Modulate Antigen-Specific CD8 T Cell Activation During LCMV Infection. <i>Frontiers in Immunology</i> , 2021 , 12, 688347	8.4	0