Mikhail V Pletnikov

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6615947/publications.pdf

Version: 2024-02-01

167 papers

8,693 citations

44069 48 h-index 51608 86 g-index

176 all docs

176 docs citations

176 times ranked

11394 citing authors

#	Article	IF	CITATIONS
1	HIV-associated neurocognitive disorder â€" pathogenesis and prospects for treatment. Nature Reviews Neurology, 2016, 12, 234-248.	10.1	690
2	Neurobiology of Schizophrenia. Neuron, 2006, 52, 139-153.	8.1	617
3	Dominant-negative DISC1 transgenic mice display schizophrenia-associated phenotypes detected by measures translatable to humans. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 14501-14506.	7.1	394
4	Acute Kidney Injury Leads to Inflammation and Functional Changes in the Brain. Journal of the American Society of Nephrology: JASN, 2008, 19, 1360-1370.	6.1	323
5	Inducible expression of mutant human DISC1 in mice is associated with brain and behavioral abnormalities reminiscent of schizophrenia. Molecular Psychiatry, 2008, 13, 173-186.	7.9	312
6	Prenatal Interaction of Mutant DISC1 and Immune Activation Produces Adult Psychopathology. Biological Psychiatry, 2010, 68, 1172-1181.	1.3	243
7	Activity-Induced Notch Signaling in Neurons Requires Arc/Arg3.1 and Is Essential for Synaptic Plasticity in Hippocampal Networks. Neuron, 2011, 69, 437-444.	8.1	184
8	Maternal immune activation: reporting guidelines to improve the rigor, reproducibility, and transparency of the model. Neuropsychopharmacology, 2019, 44, 245-258.	5.4	180
9	Trisomy for the Down syndrome  critical region' is necessary but not sufficient for brain phenotypes of trisomic mice. Human Molecular Genetics, 2007, 16, 774-782.	2.9	158
10	Prenatal exposure to antibodies from mothers of children with autism produces neurobehavioral alterations: A pregnant dam mouse model. Journal of Neuroimmunology, 2009, 211, 39-48.	2.3	148
11	The dynamin-related GTPase Opa1 is required for glucose-stimulated ATP production in pancreatic beta cells. Molecular Biology of the Cell, 2011, 22, 2235-2245.	2.1	142
12	PET imaging of microglia by targeting macrophage colony-stimulating factor 1 receptor (CSF1R). Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 1686-1691.	7.1	140
13	Differential effects of prenatal and postnatal expressions of mutant human DISC1 on neurobehavioral phenotypes in transgenic mice: evidence for neurodevelopmental origin of major psychiatric disorders. Molecular Psychiatry, 2011, 16, 293-306.	7.9	139
14	Pathogenic disruption of DISC1-serine racemase binding elicits schizophrenia-like behavior via D-serine depletion. Molecular Psychiatry, 2013, 18, 557-567.	7.9	133
15	Review of Pathological Hallmarks of Schizophrenia: Comparison of Genetic Models With Patients and Nongenetic Models. Schizophrenia Bulletin, 2010, 36, 301-313.	4.3	125
16	Cannabis and the Developing Brain: Insights into Its Long-Lasting Effects. Journal of Neuroscience, 2019, 39, 8250-8258.	3.6	124
17	Developmental brain injury associated with abnormal play behavior in neonatally Borna disease virus-infected Lewis rats: a model of autism. Behavioural Brain Research, 1999, 100, 43-50.	2.2	118
18	IL-6 induces regionally selective spinal cord injury in patients with the neuroinflammatory disorder transverse myelitis. Journal of Clinical Investigation, 2005, 115, 2731-2741.	8.2	115

#	Article	IF	Citations
19	Chlorovirus ATCV-1 is part of the human oropharyngeal virome and is associated with changes in cognitive functions in humans and mice. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 16106-16111.	7.1	109
20	Toxoplasma gondii strain-dependent effects on mouse behaviour. Folia Parasitologica, 2010, 57, 151-155.	1.3	101
21	Cognitive impairments induced by necrotizing enterocolitis can be prevented by inhibiting microglial activation in mouse brain. Science Translational Medicine, 2018, 10, .	12.4	89
22	Animal models of gene–environment interactions in schizophrenia. Behavioural Brain Research, 2009, 204, 274-281.	2.2	88
23	The AAA+ ATPase Thorase Regulates AMPA Receptor-Dependent Synaptic Plasticity and Behavior. Cell, 2011, 145, 284-299.	28.9	88
24	Sex-specific changes in gene expression and behavior induced by chronic Toxoplasma infection in mice. Neuroscience, 2012, 206, 39-48.	2.3	86
25	Is lead exposure in early life an environmental risk factor for Schizophrenia? Neurobiological connections and testable hypotheses. NeuroToxicology, 2012, 33, 560-574.	3.0	82
26	Borna disease virus-induced hippocampal dentate gyrus damage is associated with spatial learning and memory deficits. Brain Research Bulletin, 1999, 48, 23-30.	3.0	79
27	Regrowth of Serotonin Axons in the Adult Mouse Brain Following Injury. Neuron, 2016, 91, 748-762.	8.1	7 5
28	Gain-of-function glutamate receptor interacting protein 1 variants alter GluA2 recycling and surface distribution in patients with autism. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 4920-4925.	7.1	74
29	Mouse model of intrauterine inflammation: Sex-specific differences in long-term neurologic and immune sequelae. Brain, Behavior, and Immunity, 2014, 38, 142-150.	4.1	74
30	Toxoplasma gondii: Biological Parameters of the Connection to Schizophrenia. Schizophrenia Bulletin, 2018, 44, 983-992.	4.3	71
31	Neuroinflammation and Behavioral Abnormalities after Neonatal Terbutaline Treatment in Rats: Implications for Autism. Journal of Pharmacology and Experimental Therapeutics, 2007, 322, 16-22.	2.5	70
32	Animal models of gene–environment interaction in schizophrenia: A dimensional perspective. Progress in Neurobiology, 2016, 136, 1-27.	5.7	67
33	Abnormal social behaviors in young and adult rats neonatally infected with Borna disease virus. Behavioural Brain Research, 2007, 176, 141-148.	2.2	66
34	Synphilin-1 attenuates neuronal degeneration in the A53T Â-synuclein transgenic mouse model. Human Molecular Genetics, 2010, 19, 2087-2098.	2.9	65
35	^{18} F-ASEM, a Radiolabeled Antagonist for Imaging the \hat{l} ±7-Nicotinic Acetylcholine Receptor with PET. Journal of Nuclear Medicine, 2014, 55, 672-677.	5.0	65
36	MCT1 Deletion in Oligodendrocyte Lineage Cells Causes Late-Onset Hypomyelination and Axonal Degeneration. Cell Reports, 2021, 34, 108610.	6.4	65

3

#	Article	IF	CITATIONS
37	Molecularly defined cortical astroglia subpopulation modulates neurons via secretion of Norrin. Nature Neuroscience, 2019, 22, 741-752.	14.8	64
38	GluA3-deficiency in mice is associated with increased social and aggressive behavior and elevated dopamine in striatum. Behavioural Brain Research, 2012, 229, 265-272.	2.2	61
39	Enlargement of the lateral ventricles in mutant DISC1 transgenic mice. Molecular Psychiatry, 2008, 13, 115-115.	7.9	60
40	Toxoplasma Gondii and Cognitive Deficits in Schizophrenia: An Animal Model Perspective. Schizophrenia Bulletin, 2012, 38, 1155-1161.	4.3	60
41	Persistent Neonatal Borna Disease Virus (BDV) Infection of the Brain Causes Chronic Emotional Abnormalities in Adult Rats. Physiology and Behavior, 1999, 66, 823-831.	2.1	59
42	Effects of neonatal rat Borna disease virus (BDV) infection on the postnatal development of the brain monoaminergic systems. Developmental Brain Research, 2000, 119, 179-185.	1.7	59
43	Microvascular anomaly conditions in psychiatric disease. Schizophrenia – angiogenesis connection. Neuroscience and Biobehavioral Reviews, 2017, 77, 327-339.	6.1	58
44	Borna disease virus infection of the neonatal rat Developmental brain injury model of autism spectrum disorders. Frontiers in Bioscience - Landmark, 2002, 7, d593-607.	3.0	57
45	Inhibition of Glutamate Carboxypeptidase II (GCPII) activity as a treatment for cognitive impairment in multiple sclerosis. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 20101-20106.	7.1	57
46	Evaluation of a Neonatal Rat Model for Prediction of Mumps Virus Neurovirulence in Humans. Journal of Virology, 2000, 74, 5382-5384.	3.4	56
47	Mouse models of gene–environment interactions in schizophrenia. Neurobiology of Disease, 2013, 57, 5-11.	4.4	50
48	DISC1 in Astrocytes Influences Adult Neurogenesis and Hippocampus-Dependent Behaviors in Mice. Neuropsychopharmacology, 2017, 42, 2242-2251.	5.4	50
49	Transgenic Mouse Model Expressing the Caspase 6 Fragment of Mutant Huntingtin. Journal of Neuroscience, 2012, 32, 183-193.	3.6	49
50	Cerebral complement C1q activation in chronic Toxoplasma infection. Brain, Behavior, and Immunity, 2016, 58, 52-56.	4.1	48
51	Astrocytes play a key role in activation of microglia by persistent Borna disease virus infection. Journal of Neuroinflammation, 2008, 5, 50.	7.2	46
52	Chronic Exposure of Mutant DISC1 Mice to Lead Produces Sex-Dependent Abnormalities Consistent With Schizophrenia and Related Mental Disorders: A Gene-Environment Interaction Study. Schizophrenia Bulletin, 2014, 40, 575-584.	4.3	46
53	Inositol Hexakisphosphate Kinase-3 Regulates the Morphology and Synapse Formation of Cerebellar Purkinje Cells via Spectrin/Adducin. Journal of Neuroscience, 2015, 35, 11056-11067.	3.6	46
54	Pathogen-mediated NMDA receptor autoimmunity and cellular barrier dysfunction in schizophrenia. Translational Psychiatry, 2017, 7, e1186-e1186.	4.8	46

#	Article	IF	CITATIONS
55	Evidence that many of the DISC1 isoforms in C57BL/6J mice are also expressed in 129S6/SvEv mice. Molecular Psychiatry, 2007, 12, 897-899.	7.9	45
56	Elevated testosterone and reduced 5-HIAA concentrations are associated with wounding and hantavirus infection in male Norway rats. Hormones and Behavior, 2007, 52, 474-481.	2.1	44
57	Working memory deficits in neuronal nitric oxide synthase knockout mice: Potential impairments in prefrontal cortex mediated cognitive function. Biochemical and Biophysical Research Communications, 2011, 408, 707-712.	2.1	44
58	The expression of long noncoding RNA NEAT1 is reduced in schizophrenia and modulates oligodendrocytes transcription. NPJ Schizophrenia, 2019, 5, 3.	3.6	44
59	Measurement of lactate levels in postmortem brain, iPSCs, and animal models of schizophrenia. Scientific Reports, 2019, 9, 5087.	3.3	44
60	Mutant DISC1 affects methamphetamine-induced sensitization and conditioned place preference: a comorbidity model. Neuropharmacology, 2012, 62, 1242-1251.	4.1	43
61	Endocannabinoid system: Potential novel targets for treatment of schizophrenia. Neurobiology of Disease, 2013, 53, 10-17.	4.4	43
62	Adolescent Δ9-Tetrahydrocannabinol Exposure and Astrocyte-Specific Genetic Vulnerability Converge on Nuclear Factor-κB–Cyclooxygenase-2 Signaling to ImpairÂMemory in Adulthood. Biological Psychiatry, 2019, 85, 891-903.	1.3	43
63	Comparison of the Neurovirulence of a Vaccine and a Wild-Type Mumps Virus Strain in the Developing Rat Brain. Journal of Virology, 1998, 72, 8037-8042.	3.4	43
64	Adolescent cannabis exposure interacts with mutant DISC1 to produce impaired adult emotional memory. Neurobiology of Disease, 2015, 82, 176-184.	4.4	39
65	Beyond the looking glass: recent advances in understanding the impact of environmental exposures on neuropsychiatric disease. Neuropsychopharmacology, 2020, 45, 1086-1096.	5.4	39
66	Anti-NMDA receptor autoantibodies and associated neurobehavioral pathology in mice are dependent on age of first exposure to Toxoplasma gondii. Neurobiology of Disease, 2016, 91, 307-314.	4.4	38
67	Expression of mutant human DISC1 in mice supports abnormalities in differentiation of oligodendrocytes. Schizophrenia Research, 2011, 130, 238-249.	2.0	37
68	Borna disease virus infection of the neonatal rat: Developmental brain injury model of autism spectrum disorders. Frontiers in Bioscience - Landmark, 2002, 7, d593.	3.0	36
69	Changes in Mumps Virus Gene Sequence Associated with Variability in Neurovirulent Phenotype. Journal of Virology, 2003, 77, 11616-11624.	3.4	36
70	Toxoplasma gondiiâ€"A Gastrointestinal Pathogen Associated with Human Brain Diseases. International Review of Neurobiology, 2016, 131, 143-163.	2.0	36
71	Behavioral sequelae of astrocyte dysfunction: focus on animal models of schizophrenia. Schizophrenia Research, 2016, 176, 72-82.	2.0	35
72	Pre-clinical models of neurodevelopmental disorders: focus on the cerebellum. Reviews in the Neurosciences, 2014, 25, 177-94.	2.9	34

#	Article	IF	Citations
73	DISC1 regulates lactate metabolism in astrocytes: implications for psychiatric disorders. Translational Psychiatry, 2018, 8, 76.	4.8	34
74	PC12 cell model of inducible expression of mutant DISC1: New evidence for a dominant-negative mechanism of abnormal neuronal differentiation. Neuroscience Research, 2007, 58, 234-244.	1.9	33
75	Behavioral Abnormalities in a Mouse Model of Chronic Toxoplasmosis Are Associated with MAG1 Antibody Levels and Cyst Burden. PLoS Neglected Tropical Diseases, 2016, 10, e0004674.	3.0	33
76	Effects of genetic background on neonatal Borna disease virus infection-induced neurodevelopmental damage. Brain Research, 2002, 944, 97-107.	2.2	32
77	Effects of genetic background on neonatal Borna disease virus infection-induced neurodevelopmental damage. Brain Research, 2002, 944, 108-123.	2.2	30
78	Borna disease: virus-induced neurobehavioral disease pathogenesis. Current Opinion in Microbiology, 2001, 4, 467-475.	5.1	29
79	Enhanced Neurovirulence of Borna Disease Virus Variants Associated with Nucleotide Changes in the Glycoprotein and L Polymerase Genes. Journal of Virology, 2002, 76, 8650-8658.	3.4	29
80	Chronic infection of Toxoplasma gondii downregulates miR-132 expression in multiple brain regions in a sex-dependent manner. Parasitology, 2015, 142, 623-632.	1.5	28
81	Secreted frizzled-related protein 3 (sFRP3) regulates antidepressant responses in mice and humans. Molecular Psychiatry, 2013, 18, 957-958.	7.9	27
82	Neuregulin 3 Knockout Mice Exhibit Behaviors Consistent with Psychotic Disorders. Molecular Neuropsychiatry, 2016, 2, 79-87.	2.9	27
83	Neonatal Borna disease virus infection (BDV)-induced damage to the cerebellum is associated with sensorimotor deficits in developing Lewis rats. Developmental Brain Research, 2001, 126, 1-12.	1.7	26
84	Frontal cortical synaptic communication is abnormal in Disc1 genetic mouse models of schizophrenia. Schizophrenia Research, 2013, 146, 264-272.	2.0	26
85	Anti-Gluten Immune Response following Toxoplasma gondii Infection in Mice. PLoS ONE, 2012, 7, e50991.	2.5	26
86	Brain-specific Drp1 regulates postsynaptic endocytosis and dendrite formation independently of mitochondrial division. ELife, 2019, 8 , .	6.0	26
87	Neuron–glia interactions clarify genetic–environmental links in mental illness. Trends in Neurosciences, 2004, 27, 294-297.	8.6	23
88	Early Minocycline Treatment Prevents a Decrease in Striatal Dopamine in an SIV Model of HIV-Associated Neurological Disease. Journal of NeuroImmune Pharmacology, 2012, 7, 454-464.	4.1	23
89	Transplanted glial restricted precursor cells improve neurobehavioral and neuropathological outcomes in a mouse model of neonatal white matter injury despite limited cell survival. Glia, 2015, 63, 452-465.	4.9	23
90	The Toxoplasma MAG1 peptides induce sex-based humoral immune response in mice and distinguish active from chronic human infection. Microbes and Infection, 2013, 15, 74-83.	1.9	22

#	Article	IF	Citations
91	Exploring the cerebellum with a new tool: neonatal Borna disease virus (BDV) infection of the rat's brain. Cerebellum, 2003, 2, 62-70.	2.5	21
92	Activation of Microglia by Borna Disease Virus Infection: In Vitro Study. Journal of Virology, 2006, 80, 12141-12148.	3.4	21
93	<scp>DISC</scp> 1, astrocytes and neuronal maturation: a possible mechanistic link with implications for mental disorders. Journal of Neurochemistry, 2016, 138, 518-524.	3.9	21
94	Chronic Toxoplasma gondii Infection Induces Anti- <i>N</i> -Methyl- <scp>d</scp> -Aspartate Receptor Autoantibodies and Associated Behavioral Changes and Neuropathology. Infection and Immunity, 2018, 86, .	2.2	21
95	Neonatal Borna disease virus infection in rats is associated with increased extracellular levels of glutamate and neurodegeneration in the striatum. Journal of NeuroVirology, 2007, 13, 185-194.	2.1	20
96	DISC1 Pathway in Brain Development: Exploring Therapeutic Targets for Major Psychiatric Disorders. Frontiers in Psychiatry, 2012, 3, 25.	2.6	20
97	Thorase variants are associated with defects in glutamatergic neurotransmission that can be rescued by Perampanel. Science Translational Medicine, 2017, 9, .	12.4	20
98	FAM19A1, a brainâ€enriched and metabolically responsive neurokine, regulates food intake patterns and mouse behaviors. FASEB Journal, 2019, 33, 14734-14747.	0.5	20
99	Persistent Borna Disease Virus (BDV) infection activates microglia prior to a detectable loss of granule cells in the hippocampus. Journal of Neuroinflammation, 2008, 5, 16.	7.2	19
100	AAH2 gene is not required for dopamine-dependent neurochemical and behavioral abnormalities produced by Toxoplasma infection in mouse. Behavioural Brain Research, 2018, 347, 193-200.	2.2	19
101	Inducible and conditional transgenic mouse models of schizophrenia. Progress in Brain Research, 2009, 179, 35-47.	1.4	18
102	Startle Modification and P50 Gating in Schizophrenia Patients and Controls: Russian Population. Spanish Journal of Psychology, 2016, 19, E8.	2.1	18
103	Experimental Infection: Pathogenesis of Neurobehavioral Disease. , 0, , 125-178.		18
104	Relationship between memory and fear: Developmental and pharmacological studies. Pharmacology Biochemistry and Behavior, 1996, 54, 93-98.	2.9	17
105	A Novel Experimental Animal Model of Adult Chronic Hydrocephalus. Neurosurgery, 2016, 79, 746-756.	1.1	17
106	Expression of mutant DISC1 in Purkinje cells increases their spontaneous activity and impairs cognitive and social behaviors in mice. Neurobiology of Disease, 2017, 103, 144-153.	4.4	17
107	Deletion of Glycogen Synthase Kinase-3β in D2 Receptor–Positive Neurons Ameliorates Cognitive Impairment via NMDA Receptor–Dependent Synaptic Plasticity. Biological Psychiatry, 2020, 87, 745-755.	1.3	17
108	Link between temperament traits, brain neurochemistry and response to SSRI: insights from animal model of social behavior. Journal of Affective Disorders, 2021, 282, 1055-1066.	4.1	17

#	Article	IF	Citations
109	Mutant disruptedâ€inâ€schizophrenia 1 in astrocytes: Focus on glutamate metabolism. Journal of Neuroscience Research, 2014, 92, 1659-1668.	2.9	15
110	Role for neonatal D-serine signaling: prevention of physiological and behavioral deficits in adult Pick1 knockout mice. Molecular Psychiatry, 2016, 21, 386-393.	7.9	15
111	GDE2 is essential for neuronal survival in the postnatal mammalian spinal cord. Molecular Neurodegeneration, 2017, 12, 8.	10.8	15
112	TSPO in a murine model of Sandhoff disease: presymptomatic marker of neurodegeneration and disease pathophysiology. Neurobiology of Disease, 2016, 85, 174-186.	4.4	14
113	Nitrated meat products are associated with mania in humans and altered behavior and brain gene expression in rats. Molecular Psychiatry, 2020, 25, 560-571.	7.9	14
114	Quantitative Multi-modal Brain Autoradiography of Glutamatergic, Dopaminergic, Cannabinoid, and Nicotinic Receptors in Mutant Disrupted-In-Schizophrenia-1 (DISC1) Mice. Molecular Imaging and Biology, 2015, 17, 355-363.	2.6	13
115	Astrocyte DISC1 contributes to cognitive function in a brain region-dependent manner. Human Molecular Genetics, 2020, 29, 2936-2950.	2.9	12
116	Developmental alterations in serotoninergic neurotransmission in Borna disease virus (BDV)-infected rats: A multidisciplinary analysis. Journal of NeuroVirology, 2004, 10, 267-277.	2.1	11
117	Wild-type and attenuated influenza virus infection of the neonatal rat brain. Journal of NeuroVirology, 2004, 10, 305-314.	2.1	11
118	<i>Toxoplasma gondii-</i> Induced Long-Term Changes in the Upper Intestinal Microflora during the Chronic Stage of Infection. Scientifica, 2018, 2018, 1-11.	1.7	11
119	Imaging microstructure with diffusion and susceptibility MR: neuronal density correlation in Disruptedâ€inâ€Schizophreniaâ€i mutant mice. NMR in Biomedicine, 2020, 33, e4365.	2.8	11
120	Diffusion Tensor Imaging Abnormalities in the Cerebral White Matter Correlate with Sex-Dependent Neurobehavioral Deficits in Adult Mice with Neonatal Ischemia. Developmental Neuroscience, 2016, 38, 83-95.	2.0	9
121	Activityâ€based anorexia disrupts systemic oxidative state and induces cortical mitochondrial fission in adolescent female rats. International Journal of Eating Disorders, 2021, 54, 639-645.	4.0	9
122	Multidimensional nature of dominant behavior: Insights from behavioral neuroscience. Neuroscience and Biobehavioral Reviews, 2022, 132, 603-620.	6.1	9
123	One minute ultraviolet exposure inhibits Toxoplasma gondii tachyzoite replication and cyst conversion without diminishing host humoral-mediated immune response. Experimental Parasitology, 2014, 145, 110-117.	1.2	8
124	Cell Type-Specific Effects of Mutant DISC1: A Proteomics Study. Molecular Neuropsychiatry, 2016, 2, 28-36.	2.9	8
125	Reducing <scp>l</scp> â€lactate release from hippocampal astrocytes by intracellular oxidation increases novelty induced activity in mice. Clia, 2021, 69, 1241-1250.	4.9	8
126	Reply to Kjartansd \tilde{A}^3 ttir et al.: Chlorovirus ATCV-1 findings not explained by contamination. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E927.	7.1	7

#	Article	IF	Citations
127	DISC1 signaling in cocaine addiction: Towards molecular mechanisms of co-morbidity. Neuroscience Research, 2016, 105, 70-74.	1.9	7
128	Contributions of nonneuronal brain cells in substance use disorders. Neuropsychopharmacology, 2020, 45, 224-225.	5.4	7
129	Postnatal weight gain inhibition does not account for neurobehavioral consequences of neonatal Borna disease virus infection. Physiology and Behavior, 2003, 80, 359-366.	2.1	6
130	Genetic contributions to influenza virus attenuation in the rat brain. Journal of NeuroVirology, 2008, 14, 136-142.	2.1	6
131	The Contingent Negative Variation Laterality and Dynamics in Antisaccade Task in Normal and Unmedicated Schizophrenic Subjects. Spanish Journal of Psychology, 2011, 14, 869-883.	2.1	6
132	Antidepressant-like effects of a chlorogenic acid- and cynarine-enriched fraction from Dittrichia viscosa root extract. Scientific Reports, 2022, 12, 3647.	3.3	6
133	Astrocyte Bioenergetics and Major Psychiatric Disorders. Advances in Neurobiology, 2021, 26, 173-227.	1.8	5
134	Borna again, starting from the beginning. Molecular Psychiatry, 2000, 5, 577-577.	7.9	4
135	Antibodies to food antigens: Translational research in psychiatric disorders. Neurology Psychiatry and Brain Research, 2012, 18, 87-88.	2.0	4
136	A NewT. gondiiMouse Model of Gene-Environment Interaction Relevant to Psychiatric Disease. Scientifica, 2018, 2018, 1-7.	1.7	4
137	Deficient mitochondrial respiration in astrocytes impairs trace fear conditioning and increases naloxoneâ€precipitated aversion in morphineâ€dependent mice. Glia, 2022, 70, 1289-1300.	4.9	4
138	Overexpression of Truncated Human DISC1 Induces Appearance of Hindbrain Oligodendroglia in the Forebrain During Development. Schizophrenia Bulletin, 2018, 44, 515-524.	4.3	3
139	Maternal Antibodies and the Placental–Fetal IgG Transfer Theory. , 2008, , 309-328.		3
140	Introduction to the special issue from the 2014 meeting of the International Behavioral Neuroscience Society. Neuroscience and Biobehavioral Reviews, 2015, 58, 1-3.	6.1	2
141	Modeling Gene–Environment Interaction in Schizophrenia. Handbook of Behavioral Neuroscience, 2016, 23, 345-360.	0.7	2
142	Constance E. Lieber, Theodore R. Stanley, and the Enduring Impact of Philanthropy on Psychiatry Research. Biological Psychiatry, 2016, 80, 84-86.	1.3	2
143	Developmental, cellular, and behavioral phenotypes in a mouse model of congenital hypoplasia of the dentate gyrus. ELife, 2020, 9, .	6.0	2
144	Homeostatic regulation of neuronal excitability by probiotics in male germâ€free mice. Journal of Neuroscience Research, 2022, 100, 444-460.	2.9	2

#	Article	IF	CITATIONS
145	Evaluation of a Neonatal Rat Model for Prediction of Mumps Virus Neurovirulence in Humans. Journal of Virology, 2000, 74, 5382-5384.	3.4	2
146	Experimental and computational analyses of calcium dynamics in $22q11.2$ deletion model astrocytes. Neuroscience Letters, 2022 , , 136711 .	2.1	2
147	Effect of haloperidol on extracellular concentrations of dopamine and its metabolites in the rat septum during muricidal aggression. Bulletin of Experimental Biology and Medicine, 1992, 114, 1221-1223.	0.8	1
148	The selective effects of a monoclonal antibody against neural growth-related protein A3G7 on central mechanisms of several types of defensive behavior in adult rats. Neuroscience and Behavioral Physiology, 1999, 29, 91-95.	0.4	1
149	DISC1 Mouse Models. Neuromethods, 2011, , 211-229.	0.3	1
150	727: Prenatal IL1 receptor blockade prevents motor but not cognitive deficits in a mouse model of preterm intrauterine inflammation and perinatal brain damage. American Journal of Obstetrics and Gynecology, 2014, 210, S356.	1.3	1
151	Ventricular Volume Dynamics During the Development of Adult Chronic Communicating Hydrocephalus in a Rodent Model. World Neurosurgery, 2018, 120, e1120-e1127.	1.3	1
152	Double trouble: Prenatal immune activation in stress sensitive offspring. Brain, Behavior, and Immunity, 2022, 99, 3-8.	4.1	1
153	Neuronal metabolism in learning and memory: the anticipatory activity perspective. Neuroscience and Biobehavioral Reviews, 2022, , 104664.	6.1	1
154	Physiologic characterization of novel aggressotropic neuropeptides. Neuroscience and Behavioral Physiology, 1996, 26, 460-467.	0.4	0
155	Monoclonal antibodies to A3G7 protein associated with nervous tissue growth disturb learning and memory in adult rats. Bulletin of Experimental Biology and Medicine, 1998, 126, 813-815.	0.8	0
156	Changes in Mumps Virus Gene Sequence Associated with Variability in Neurovirulent Phenotype. Journal of Virology, 2007, 81, 8849-8849.	3.4	0
157	Production and analyses of mutant DISC1 transgenic mice: An animal model of schizophrenia. Neuroscience Research, 2007, 58, S20.	1.9	0
158	MUTANT MODELS AND PSYCHOSIS AT THE CROSSROADS: A CRITICAL RE-EVALUATION OF TECHNIQUES AND TRANSLATION. Schizophrenia Research, 2010, 117, 107-108.	2.0	0
159	411: Chorioamnionitis and the effect of maternal glucose supplementation on neurodevelopmental outcomes in offspring. American Journal of Obstetrics and Gynecology, 2014, 210, S208.	1.3	0
160	Dispatches from the International Behavioral Neuroscience Society meeting 2014. Behavioural Brain Research, 2015, 295, 1-2.	2.2	0
161	Introduction to the special issue from the 2015 meeting of the International Behavioral Neuroscience Society. Neuroscience and Biobehavioral Reviews, 2017, 76, 185-186.	6.1	0
162	494. Selective Expression of Mutant DISC1 in Purkinje Cells Increased Their Spontaneous Activity and Produced Cognitive Abnormalities Relevant to Autism Spectrum Disorders. Biological Psychiatry, 2017, 81, S201.	1.3	O

#	Article	IF	CITATIONS
163	T91. DEVELOPMENT OF NOVEL BIS-AMIDINES FOR THE TREATMENT OF TOXOPLASMOSIS. Schizophrenia Bulletin, 2018, 44, S150-S151.	4.3	O
164	T209. Selective DISC1 Knockdown in Astrocytes Produces Region-Dependent Effects on Cognitive Function. Biological Psychiatry, 2018, 83, S209-S210.	1.3	0
165	F101. Animal Models of Mood Disorders and the Evaluation of Probiotics. Biological Psychiatry, 2018, 83, S276-S277.	1.3	O
166	8.4 GUT DYSBIOSIS AND AUTOIMMUNE FEATURES IN SCHIZOPHRENIA FUEL BROKEN BARRIER HYPOTHESES. Schizophrenia Bulletin, 2019, 45, S101-S101.	4.3	0
167	An animal model of neurodevelopmental damage. , 2005, , 207-215.		0