Samir A M Abdelgaleil

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6616048/publications.pdf

Version: 2024-02-01

55 papers

1,916 citations

331642 21 h-index 265191 42 g-index

55 all docs 55 docs citations

55 times ranked 1894 citing authors

#	Article	IF	CITATIONS
1	Fumigant and Contact Toxicities of Monoterpenes to Sitophilus oryzae (L.) and Tribolium castaneum (Herbst) and their Inhibitory Effects on Acetylcholinesterase Activity. Journal of Chemical Ecology, 2009, 35, 518-525.	1.8	302
2	Comparative antifungal activities and biochemical effects of monoterpenes on plant pathogenic fungi. Pesticide Biochemistry and Physiology, 2012, 103, 56-61.	3.6	197
3	Chemical composition, insecticidal and biochemical effects of essential oils of different plant species from Northern Egypt on the rice weevil, Sitophilus oryzae L Journal of Pest Science, 2016, 89, 219-229.	3.7	89
4	Acaricidal and quantitative structure activity relationship of monoterpenes against the two-spotted spider mite, Tetranychus urticae. Experimental and Applied Acarology, 2010, 52, 261-274.	1.6	87
5	Chemical composition and insecticidal potential of essential oils from Egyptian plants against Sitophilus oryzae (L.) (Coleoptera: Curculionidae) and Tribolium castaneum (Herbst) (Coleoptera:) Tj ETQq1 1 0.	78 4.3 14 rg	BT8 ©verlock
6	Insecticidal and developmental inhibitory properties of monoterpenes on Culex pipiens L. (Diptera:) Tj ETQq0 0 0	rgBT/Ove	erlogk 10 Tf 50
7	Insecticidal and synergistic effects of <i>Majorana hortensis</i> essential oil and some of its major constituents. Entomologia Experimentalis Et Applicata, 2009, 131, 225-232.	1.4	78
8	Bioactivity of two major constituents isolated from the essential oil of Artemisia judaica L Bioresource Technology, 2008, 99, 5947-5950.	9.6	69
9	Antifungal activity of limonoids fromKhaya ivorensis. Pest Management Science, 2005, 61, 186-190.	3.4	61
10	Antifeedant Rings B and D Opened Limonoids fromKhayasenegalensis. Journal of Natural Products, 2001, 64, 1261-1265.	3.0	58
11	Effective antioxidant, antimicrobial and anticancer activities of essential oils of horticultural aromatic crops in northern Egypt. BMC Complementary and Alternative Medicine, 2018, 18, 214.	3.7	56
12	Acaricidal activity, biochemical effects and molecular docking of some monoterpenes against two-spotted spider mite (Tetranychus urticae Koch). Pesticide Biochemistry and Physiology, 2019, 156, 105-115.	3.6	46
13	Insecticidal properties of essential oils against <i>Tribolium castaneum</i> (Herbst) and their inhibitory effects on acetylcholinesterase and adenosine triphosphatases. Natural Product Research, 2016, 30, 710-714.	1.8	43
14	Feeding deterrent and growth inhibitory properties of limonoids fromKhaya senegalensis against the cotton leafworm, Spodoptera littoralis. Pest Management Science, 2004, 60, 199-203.	3.4	41
15	Molluscicidal and insecticidal potential of monoterpenes on the white garden snail, Theba pisana (Muller) and the cotton leafworm, Spodoptera littoralis (Boisduval). Applied Entomology and Zoology, 2010, 45, 425-433.	1.2	39
16	Insecticidal activities of monoterpenes and phenylpropenes against Sitophilus oryzae and their inhibitory effects on acetylcholinesterase and adenosine triphosphatases. Applied Entomology and Zoology, 2018, 53, 173-181.	1,2	39
17	Adulticidal, larvicidal and biochemical properties of essential oils against Culex pipiens L. Journal of Asia-Pacific Entomology, 2017, 20, 133-139.	0.9	37
18	Insecticidal potential and repellent and biochemical effects of phenylpropenes and monoterpenes on the red flour beetle, Tribolium castaneum Herbst. Environmental Science and Pollution Research, 2019, 26, 6801-6810.	5.3	36

#	Article	IF	CITATIONS
19	Preparation and characterizations of essential oil and monoterpene nanoemulsions and acaricidal activity against two-spotted spider mite (<i>Tetranychus urticae</i> Koch). International Journal of Acarology, 2018, 44, 330-340.	0.7	28
20	Enhancement the efficacy of spinosad for the control Sitophilus oryzae by combined application with diatomaceous earth and Trichoderma harzianum. Journal of Stored Products Research, 2020, 88, 101663.	2.6	26
21	Efficacy of ozone for Callosobruchus maculatus and Callosobruchus chinensis control in cowpea seeds and its impact on seed quality. Journal of Stored Products Research, 2021, 92, 101786.	2.6	23
22	Molluscicidal and anti-feedant activities of diterpenes from Euphorbia paralias L. Pest Management Science, 2002, 58, 479-482.	3.4	22
23	Effects of monoterpenes on mortality, growth, fecundity, and ovarian development of Bactrocera zonata (Saunders) (Diptera: Tephritidae). Environmental Science and Pollution Research, 2018, 25, 15671-15679.	5. 3	22
24	Terpenoids, DEET and short chain fatty acids as toxicants and repellents for Rhyzopertha dominica (coleoptera: Bostrichidae) and Lasioderma serricorne (Coleoptera: Ptinidae). Journal of Stored Products Research, 2020, 87, 101610.	2.6	22
25	Antimicrobial and phytotoxic activities of secondary metabolites from Haplophyllum tuberculatum and Chrysanthemum coronarium. South African Journal of Botany, 2020, 128, 35-41.	2.5	20
26	Efficacy of low-dose combinations of diatomaceous earth, spinosad and Trichoderma harzianum for the control of Callosobruchus maculatus and Callosobruchus chinensis on stored cowpea seeds. Journal of Stored Products Research, 2021, 91, 101778.	2.6	20
27	Herbicidal Activity of Three Sesquiterpene Lactones on Wild Oat (<i>Avena fatua</i>) and Their Possible Mode of Action. Weed Science, 2009, 57, 6-9.	1.5	19
28	Antifeedant, growth regulatory and biochemical effects of terpenes and phenylpropenes on Spodoptera littoralis Boisduval. International Journal of Tropical Insect Science, 2020, 40, 423-433.	1.0	19
29	PRE and POST Herbicidal Activity of Monoterpenes against Barnyard Grass (<i>Echinochloa) Tj ETQq1 1 0.784314</i>	4 rgBT /Ov	verlock 10 Tf
30	Potential of low application rate combinations of three chitin synthesis inhibitor insecticides with spinosad for the control of Sitophilus oryzae on stored wheat. Journal of Stored Products Research, 2022, 95, 101926.	2.6	17
31	Comparative toxicity, growth inhibitory and biochemical effects of terpenes and phenylpropenes on Spodoptera littoralis (Boisd.). Journal of Asia-Pacific Entomology, 2020, 23, 67-75.	0.9	16
32	Herbicidal potential of pseudoguaninolide sesquiterpenes on wild oat, Avena fatua L Biochemical Systematics and Ecology, 2012, 44, 333-337.	1.3	15
33	Ethanedinitrile as a Fumigant for <i>Lasioderma serricorne</i> (Coleoptera: Anobiidae), and <i>Rhyzopertha dominica</i> (Coleoptera: Bostrichidae): Toxicity and Mode of Action. Journal of Economic Entomology, 2020, 113, 1519-1527.	1.8	14
34	Effectiveness of monoterpenes and phenylpropenes on Sitophilus oryzae L. (Coleoptera:) Tj ETQq0 0 0 rgBT /Ove	rlock 10 T	f 50 142 Td
35	Acaricidal and antiacetylcholinesterase activities of essential oils from six plants growing in Egypt. International Journal of Acarology, 2019, 45, 245-251.	0.7	13
36	Effect of monoterpenes, phenylpropenes and sesquiterpenes on development, fecundity and fertility of Spodoptera littoralis (Boisduval). International Journal of Tropical Insect Science, 0, , 1.	1.0	12

#	Article	IF	CITATIONS
37	Insecticidal efficacy of two inert dusts and Trichoderma harzianum, applied alone or in combination, against Callosobruchus maculatus and Callosobruchus chinensis on stored cowpea seeds. Crop Protection, 2021, 146, 105656.	2.1	12
38	Monoterpenes: chemistry, insecticidal activity against stored product insects and modes of action—a review. International Journal of Pest Management, 0, , 1-23.	1.8	11
39	Bioherbicidal activity of terpenes and phenylpropenes against Echinochloa crus-galli. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2019, 54, 954-963.	1.5	10
40	Efficacy of combined treatments of abamectin with three inert dusts for the control of Callosobruchus chinensis on cowpea seeds. Crop Protection, 2022, 153, 105884.	2.1	10
41	Antibacterial and herbicidal properties of secondary metabolites from fungi. Natural Product Research, 2021, 35, 5446-5451.	1.8	9
42	Insecticidal properties and grain protective efficacy of essential oils against stored product insects. International Journal of Tropical Insect Science, 2022, 42, 3639-3648.	1.0	9
43	Control of Sitophilus granarius and Sitophilus oryzae on stored wheat using low-rate combinations of natural zeolite with three insecticides. Journal of Stored Products Research, 2022, 97, 101975.	2.6	9
44	Nematicidal activity of phytochemicals and their potential use for the control of Meloidogyne javanica infected eggplant in the greenhouse. European Journal of Plant Pathology, 2020, 158, 381-390.	1.7	7
45	Production, characterization and bio-emulsifying application of exopolysaccharides from Rhodotorula mucilaginosa YMM19. 3 Biotech, 2021, 11, 349.	2.2	7
46	Effectiveness of two inert dusts in conjunction with carbon dioxide for the control of Callosobruchus maculatus and C. chinensis in stored cowpea seeds. Journal of Stored Products Research, 2022, 95, 101910.	2.6	7
47	Monoterpenes: Promising natural products for public health insect control- A review. International Journal of Tropical Insect Science, 2022, 42, 1059-1075.	1.0	7
48	Effectiveness of diatomaceous earth combined with chlorfluazuron and hexaflumuron in the control of Callosobruchus maculatus and C. chinensis on stored cowpea seeds. Journal of Stored Products Research, 2022, 97, 101985.	2.6	7
49	Chemical composition and effects of four essential oils on mortality, development and physiology of the West Nile virus vector, Culex pipiens. International Journal of Tropical Insect Science, 2020, 40, 789-799.	1.0	6
50	Chemical composition and fumigant toxicity of essential oils from ten aromatic plants growing in Egypt against different stages of confused flour beetle, Tribolium confusum Jacquelin du Val. International Journal of Tropical Insect Science, 0, , 1.	1.0	5
51	Chemical composition, aphicidal and antiacetylcholinesterase activities of essential oils against Aphis nerii Boyer de Fonscolombe (Hemiptera: Aphididae). Journal of Asia-Pacific Entomology, 2021, , .	0.9	4
52	Composition, toxicity and developmental potential of three essential oils on the West Nile virus mosquito, <i>Culex pipiens</i> L. International Journal of Pest Management, 2023, 69, 175-183.	1.8	4
53	Monoterpenes improve the insecticidal efficacy of spinosad against Sitophilus oryzae (L.) on stored wheat. International Journal of Pest Management, 0, , 1-11.	1.8	4
54	Contact and fumigant toxicities of \hat{A} monoterpenes and phenyl propenes, and their possible mode of action to oleander aphid. International Journal of Tropical Insect Science, 0, , .	1.0	2

ARTICLE IF CITATIONS

Combinations of insecticides with carbon dioxide for the management of Sitophilus oryzae (Linnaeus) Tj ETQq1 1 0.784314 rgBT /Ove 2022, 157, 105969.