Pascal Spincemaille

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6616613/pascal-spincemaille-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers4,500
citations33
h-index65
g-index140
ext. papers5,455
ext. citations4.6
avg, IF5.4
L-index

#	Paper	IF	Citations
122	QSMRim-Net: Imbalance-aware learning for identification of chronic active multiple sclerosis lesions on quantitative susceptibility maps <i>NeuroImage: Clinical</i> , 2022 , 34, 102979	5.3	2
121	Quantitative transport mapping (QTM) for differentiating benign and malignant breast lesion: Comparison with traditional kinetics modeling and semi-quantitative enhancement curve characteristics. <i>Magnetic Resonance Imaging</i> , 2021 , 86, 86-93	3.3	1
120	The appearance of magnetic susceptibility objects in SWI phase depends on object size: Comparison with QSM and CT. <i>Clinical Imaging</i> , 2021 , 82, 67-72	2.7	O
119	ALL-Net: Anatomical information lesion-wise loss function integrated into neural network for multiple sclerosis lesion segmentation. <i>NeuroImage: Clinical</i> , 2021 , 32, 102854	5.3	1
118	QQ-NET - using deep learning to solve quantitative susceptibility mapping and quantitative blood oxygen level dependent magnitude (QSM+qBOLD or QQ) based oxygen extraction fraction (OEF) mapping. <i>Magnetic Resonance in Medicine</i> , 2021 , 87, 1583	4.4	1
117	Attenuation of motion artifacts in fMRI using discrete reconstruction of irregular fMRI trajectories (DRIFT). <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 1586-1599	4.4	
116	Multiecho complex total field inversion method (mcTFI) for improved signal modeling in quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2165-2178	4.4	2
115	Quantitative Susceptibility Mapping for Staging Acute Cerebral Hemorrhages: Comparing the Conventional and Multiecho Complex Total Field Inversion magnetic resonance imaging MR Methods. <i>Journal of Magnetic Resonance Imaging</i> , 2021 , 54, 1843-1854	5.6	0
114	Temporal clustering, tissue composition, and total variation for mapping oxygen extraction fraction using QSM and quantitative BOLD. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 2635-2646	4.4	2
113	Quantitative transport mapping (QTM) of the kidney with an approximate microvascular network. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 2247-2262	4.4	4
112	Deep neural network for water/fat separation: Supervised training, unsupervised training, and no training. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 2263-2277	4.4	3
111	Cerebral oxygen extraction fraction: Comparison of dual-gas challenge calibrated BOLD with CBF and challenge-free gradient echo QSM+qBOLD. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 953-961	4.4	2
110	Integrated quantitative susceptibility and R * mapping for evaluation of liver fibrosis: An ex vivo feasibility study. <i>NMR in Biomedicine</i> , 2021 , 34, e4412	4.4	2
109	Increased risk for cerebral small vessel disease is associated with quantitative susceptibility mapping in HIV infected and uninfected individuals. <i>NeuroImage: Clinical</i> , 2021 , 32, 102786	5.3	О
108	Multispectral Imaging for Metallic Biopsy Marker Detection During MRI-Guided Breast Biopsy: A Feasibility Study for Clinical Translation. <i>Frontiers in Oncology</i> , 2021 , 11, 605014	5.3	
107	DEEPMIR: a deep neural network for differential detection of cerebral microbleeds and iron deposits in MRI. <i>Scientific Reports</i> , 2021 , 11, 14124	4.9	3
106	DCE-MRI quantitative transport mapping for noninvasively detecting hypoxia inducible factor-1 pepidermal growth factor receptor overexpression, and Ki-67 in nasopharyngeal carcinoma patients. <i>Radiotherapy and Oncology</i> , 2021 , 164, 146-154	5.3	1

105	Brain oxygen extraction fraction mapping in patients with multiple sclerosis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 271678X211048031	7.3	1
104	GAMER MRI: Gated-attention mechanism ranking of multi-contrast MRI in brain pathology. <i>NeuroImage: Clinical</i> , 2021 , 29, 102522	5.3	1
103	Temporal Feature Fusion with Sampling Pattern Optimization for Multi-echo Gradient Echo Acquisition and Image Reconstruction. <i>Lecture Notes in Computer Science</i> , 2021 , 232-242	0.9	
102	Spatially Adaptive Regularization in Total Field Inversion for Quantitative Susceptibility Mapping. <i>IScience</i> , 2020 , 23, 101553	6.1	
101	Quantitative susceptibility mapping of carotid plaques using nonlinear total field inversion: Initial experience in patients with significant carotid stenosis. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 1501	-1509	3
100	Validation of MRI quantitative susceptibility mapping of superparamagnetic iron oxide nanoparticles for hyperthermia applications in live subjects. <i>Scientific Reports</i> , 2020 , 10, 1171	4.9	8
99	Fidelity imposed network edit (FINE) for solving ill-posed image reconstruction. <i>NeuroImage</i> , 2020 , 211, 116579	7.9	18
98	Cluster analysis of time evolution (CAT) for quantitative susceptibility mapping (QSM) and quantitative blood oxygen level-dependent magnitude (qBOLD)-based oxygen extraction fraction (OEF) and cerebral metabolic rate of oxygen (CMRO) mapping. <i>Magnetic Resonance in Medicine</i> ,	4.4	16
97	Quantitative Susceptibility Mapping: MRI at 7T versus 3T. <i>Journal of Neuroimaging</i> , 2020 , 30, 65-75	2.8	13
96	Initial Experience of Challenge-Free MRI-Based Oxygen Extraction Fraction Mapping of Ischemic Stroke at Various Stages: Comparison With Perfusion and Diffusion Mapping. <i>Frontiers in Neuroscience</i> , 2020 , 14, 535441	5.1	8
95	Quantitative Measurement of Metal Accumulation in Brain of Patients With Wilson@ Disease. <i>Movement Disorders</i> , 2020 , 35, 1787-1795	7	2
94	Dipole modeling of multispectral signal for detecting metallic biopsy markers during MRI-guided breast biopsy: a pilot study. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 1380-1389	4.4	1
93	Automated adaptive preconditioner for quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2020 , 83, 271-285	4.4	5
92	Quantitative Susceptibility Mapping of Magnetic Quadrupole Moments. <i>Concepts in Magnetic Resonance Part A: Bridging Education and Research</i> , 2019 , 2019, 1-14	0.6	
91	Patents on Quantitative Susceptibility Mapping (QSM) of Tissue Magnetism. <i>Recent Patents on Biotechnology</i> , 2019 , 13, 90-113	2.2	1
90	Clinical feasibility of brain quantitative susceptibility mapping. <i>Magnetic Resonance Imaging</i> , 2019 , 60, 44-51	3.3	7
89	Clinical Integration of Automated Processing for Brain Quantitative Susceptibility Mapping: Multi-Site Reproducibility and Single-Site Robustness. <i>Journal of Neuroimaging</i> , 2019 , 29, 689-698	2.8	13
88	Quantitative susceptibility mapping of the spine using in-phase echoes to initialize inhomogeneous field and R2* for the nonconvex optimization problem of fat-water separation. <i>NMR in Biomedicine</i> , 2019 , 32, e4156	4.4	3

87	Quantitative Susceptibility Mapping of Time-Dependent Susceptibility Changes in Multiple Sclerosis Lesions. <i>American Journal of Neuroradiology</i> , 2019 , 40, 987-993	4.4	18
86	Free breathing three-dimensional cardiac quantitative susceptibility mapping for differential cardiac chamber blood oxygenation - initial validation in patients with cardiovascular disease inclusive of direct comparison to invasive catheterization. <i>Journal of Cardiovascular Magnetic</i>	6.9	5
85	Clinical Integration of Quantitative Susceptibility Mapping Magnetic Resonance Imaging into Neurosurgical Practice. <i>World Neurosurgery</i> , 2019 , 122, e10-e19	2.1	6
84	3D texture analyses within the substantia nigra of Parkinson@ disease patients on quantitative susceptibility maps and R2 maps. <i>NeuroImage</i> , 2019 , 188, 465-472	7.9	31
83	Rapid automated liver quantitative susceptibility mapping. <i>Journal of Magnetic Resonance Imaging</i> , 2019 , 50, 725-732	5.6	14
82	Sliding motion compensated low-rank plus sparse (SMC-LS) reconstruction for high spatiotemporal free-breathing liver 4D DCE-MRI. <i>Magnetic Resonance Imaging</i> , 2019 , 58, 56-66	3.3	4
81	Multicenter reproducibility of quantitative susceptibility mapping in a gadolinium phantom using MEDI+0 automatic zero referencing. <i>Magnetic Resonance in Medicine</i> , 2019 , 81, 1229-1236	4.4	22
80	Cerebral metabolic rate of oxygen (CMRO) mapping by combining quantitative susceptibility mapping (QSM) and quantitative blood oxygenation level-dependent imaging (qBOLD). <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 1595-1604	4.4	31
79	Brain Injury Lesion Imaging Using Preconditioned Quantitative Susceptibility Mapping without Skull Stripping. <i>American Journal of Neuroradiology</i> , 2018 , 39, 648-653	4.4	2
78	Quantitative susceptibility mapping across two clinical field strengths: Contrast-to-noise ratio enhancement at 1.5T. <i>Journal of Magnetic Resonance Imaging</i> , 2018 , 48, 1410-1420	5.6	7
77	Magnetic susceptibility increases as diamagnetic molecules breakdown: Myelin digestion during multiple sclerosis lesion formation contributes to increase on QSM. <i>Journal of Magnetic Resonance Imaging</i> , 2018 , 48, 1281-1287	5.6	17
76	Bone quantitative susceptibility mapping using a chemical species-specific R2* signal model with ultrashort and conventional echo data. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 121-128	4.4	41
75	Quantitative susceptibility mapping-based cerebral metabolic rate of oxygen mapping with minimum local variance. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 172-179	4.4	22
74	Coherence enhancement in quantitative susceptibility mapping by means of anisotropic weighting in morphology enabled dipole inversion. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1172-1180	4.4	2
73	Cardiac quantitative susceptibility mapping (QSM) for heart chamber oxygenation. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1545-1552	4.4	16
72	MEDI+0: Morphology enabled dipole inversion with automatic uniform cerebrospinal fluid zero reference for quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 2795-2803	4.4	73
71	Vastly accelerated linear least-squares fitting with numerical optimization for dual-input delay-compensated quantitative liver perfusion mapping. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 24	1 \$:2 42	14
70	Brain Iron Distribution after Multiple Doses of Ultra-small Superparamagnetic Iron Oxide Particles in Rats. <i>Comparative Medicine</i> , 2018 , 68, 139-147	1.6	6

(2015-2018)

69	Discontinuity Preserving Liver MR Registration with 3D Active Contour Motion Segmentation. <i>IEEE Transactions on Biomedical Engineering</i> , 2018 ,	5	8
68	Magnetic resonance microscopy may enable distinction between normal histomorphological features and prostate cancer in the resected prostate gland. <i>BJU International</i> , 2017 , 119, 414-423	5.6	4
67	Cerebral metabolic rate of oxygen (CMRO) mapping with hyperventilation challenge using quantitative susceptibility mapping (QSM). <i>Magnetic Resonance in Medicine</i> , 2017 , 77, 1762-1773	4.4	33
66	Rapid whole brain myelin water content mapping without an external water standard at 1.5T. <i>Magnetic Resonance Imaging</i> , 2017 , 39, 82-88	3.3	7
65	Primal-dual and forward gradient implementation for quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 2416-2427	4.4	5
64	Clinical quantitative susceptibility mapping (QSM): Biometal imaging and its emerging roles in patient care. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 46, 951-971	5.6	128
63	Nonlinear profile order for three-dimensional hybrid radial acquisition applied to self-gated free-breathing cardiac cine MRI. <i>Chinese Physics B</i> , 2017 , 26, 018701	1.2	
62	On the influence of zero-padding on the nonlinear operations in Quantitative Susceptibility Mapping. <i>Magnetic Resonance Imaging</i> , 2017 , 35, 154-159	3.3	6
61	Preconditioned total field inversion (TFI) method for quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 303-315	4.4	75
60	Susceptibility underestimation in a high-susceptibility phantom: Dependence on imaging resolution, magnitude contrast, and other parameters. <i>Magnetic Resonance in Medicine</i> , 2017 , 78, 1080	-1086	32
59	Diagnostic accuracy of intracellular uptake rates calculated using dynamic Gd-EOB-DTPA-enhanced MRI for hepatic fibrosis stage. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 45, 1177-1185	5.6	21
58	Quantitative evaluation of gadoxetate hepatocyte phase homogeneity: potential imaging markers for detection of early cirrhosis. <i>Clinical Imaging</i> , 2016 , 40, 979-86	2.7	2
57	Anticipatory Posturing of the Vocal Tract Reveals Dissociation of Speech Movement Plans from Linguistic Units. <i>PLoS ONE</i> , 2016 , 11, e0146813	3.7	20
56	Feasibility and reproducibility of whole brain myelin water mapping in 4 minutes using fast acquisition with spiral trajectory and adiabatic T2prep (FAST-T2) at 3T. <i>Magnetic Resonance in Medicine</i> , 2016 , 76, 456-65	4.4	35
55	The influence of molecular order and microstructure on the R2* and the magnetic susceptibility tensor. <i>Magnetic Resonance Imaging</i> , 2016 , 34, 682-9	3.3	4
54	Age and sex related differences in subcortical brain iron concentrations among healthy adults. <i>NeuroImage</i> , 2015 , 122, 385-98	7.9	57
53	Reproducibility of quantitative susceptibility mapping in the brain at two field strengths from two vendors. <i>Journal of Magnetic Resonance Imaging</i> , 2015 , 42, 1592-600	5.6	69
52	Simultaneous phase unwrapping and removal of chemical shift (SPURS) using graph cuts: application in quantitative susceptibility mapping. <i>IEEE Transactions on Medical Imaging</i> , 2015 , 34, 531-	4d ^{1.7}	62

51	Quantification of cerebral perfusion using dynamic quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 1540-8	4.4	22
50	Quantitative mapping of cerebral metabolic rate of oxygen (CMRO2) using quantitative susceptibility mapping (QSM). <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 945-52	4.4	92
49	Patch based reconstruction of undersampled data (PROUD) for high signal-to-noise ratio and high frame rate contrast enhanced liver imaging. <i>Magnetic Resonance in Medicine</i> , 2015 , 74, 1587-97	4.4	4
48	Multiple sclerosis lesion geometry in quantitative susceptibility mapping (QSM) and phase imaging. Journal of Magnetic Resonance Imaging, 2015 , 42, 224-9	5.6	38
47	Free-Breathing 3D Imaging of Right Ventricular Structure and Function Using Respiratory and Cardiac Self-Gated Cine MRI. <i>BioMed Research International</i> , 2015 , 2015, 819102	3	6
46	Joint estimation of chemical shift and quantitative susceptibility mapping (chemical QSM). <i>Magnetic Resonance in Medicine</i> , 2015 , 73, 2100-10	4.4	40
45	Reconstruction of highly under-sampled dynamic MRI using sparse representation of 1D temporal snippets 2015 ,		2
44	Background field removal by solving the Laplacian boundary value problem. <i>NMR in Biomedicine</i> , 2014 , 27, 312-9	4.4	136
43	Highly accelerated 3D dynamic contrast enhanced MRI from sparse spiral sampling using integrated partial separability model and JSENSE 2014 ,		2
42	Direct coronary motion extraction from a 2D fat image navigator for prospectively gated coronary MR angiography. <i>Magnetic Resonance in Medicine</i> , 2014 , 71, 599-607	4.4	25
41	An iterative spherical mean value method for background field removal in MRI. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 1065-71	4.4	23
40	Flow compensated quantitative susceptibility mapping for venous oxygenation imaging. <i>Magnetic Resonance in Medicine</i> , 2014 , 72, 438-45	4.4	84
39	Self-gated free-breathing 3D coronary CINE imaging with simultaneous water and fat visualization. <i>PLoS ONE</i> , 2014 , 9, e89315	3.7	11
38	How accurate is MOLLI T1 mapping in vivo? Validation by spin echo methods. <i>PLoS ONE</i> , 2014 , 9, e10732	23.7	8
37	Fast 3D contrast enhanced MRI of the liver using temporal resolution acceleration with constrained evolution reconstruction. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 370-81	4.4	37
36	Nonlinear formulation of the magnetic field to source relationship for robust quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2013 , 69, 467-76	4.4	229
35	Magnetic susceptibility anisotropy: cylindrical symmetry from macroscopically ordered anisotropic molecules and accuracy of MRI measurements using few orientations. <i>NeuroImage</i> , 2013 , 70, 363-76	7.9	62
34	Noise Effects in Various Quantitative Susceptibility Mapping Methods. <i>IEEE Transactions on Biomedical Engineering</i> , 2013 , 60, 3441-8	5	39

(2010-2013)

33	Improved hepatic arterial phase MRI with 3-second temporal resolution. <i>Journal of Magnetic Resonance Imaging</i> , 2013 , 37, 1129-36	5.6	29
32	Accuracy of the morphology enabled dipole inversion (MEDI) algorithm for quantitative susceptibility mapping in MRI. <i>IEEE Transactions on Medical Imaging</i> , 2012 , 31, 816-24	11.7	73
31	Cerebral microbleeds: burden assessment by using quantitative susceptibility mapping. <i>Radiology</i> , 2012 , 262, 269-78	20.5	136
30	Morphology enabled dipole inversion for quantitative susceptibility mapping using structural consistency between the magnitude image and the susceptibility map. <i>NeuroImage</i> , 2012 , 59, 2560-8	7.9	303
29	T2 prep three-dimensional spiral imaging with efficient whole brain coverage for myelin water quantification at 1.5 tesla. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 614-21	4.4	48
28	Reducing the object orientation dependence of susceptibility effects in gradient echo MRI through quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1563-9	4.4	86
27	Flip angle profile correction for Thand Thuantification with look-locker inversion recovery 2D steady-state free precession imaging. <i>Magnetic Resonance in Medicine</i> , 2012 , 68, 1579-85	4.4	18
26	Three-dimensional flow-independent balanced steady-state free precession vessel wall MRI of the popliteal artery: preliminary experience and comparison with flow-dependent black-blood techniques. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 34, 696-701	5.6	3
25	A fast Edge-preserving Bayesian reconstruction method for Parallel Imaging applications in cardiac MRI. <i>Magnetic Resonance in Medicine</i> , 2011 , 65, 184-9	4.4	3
24	Morphology enabled dipole inversion (MEDI) from a single-angle acquisition: comparison with COSMOS in human brain imaging. <i>Magnetic Resonance in Medicine</i> , 2011 , 66, 777-83	4.4	236
23	A radial self-calibrated (RASCAL) generalized autocalibrating partially parallel acquisition (GRAPPA) method using weight interpolation. <i>NMR in Biomedicine</i> , 2011 , 24, 844-54	4.4	7
22	A novel background field removal method for MRI using projection onto dipole fields (PDF). <i>NMR in Biomedicine</i> , 2011 , 24, 1129-36	4.4	256
21	Z intensity-weighted position self-respiratory gating method for free-breathing 3D cardiac CINE imaging. <i>Magnetic Resonance Imaging</i> , 2011 , 29, 861-8	3.3	25
20	Nonlinear regularization for per voxel estimation of magnetic susceptibility distributions from MRI field maps. <i>IEEE Transactions on Medical Imaging</i> , 2010 , 29, 273-81	11.7	159
19	Quantitative susceptibility map reconstruction from MR phase data using bayesian regularization: validation and application to brain imaging. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 194-206	4.4	457
18	Effect of blood flow on double inversion recovery vessel wall MRI of the peripheral arteries: quantitation with T2 mapping and comparison with flow-insensitive T2-prepared inversion recovery imaging. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 736-44	4.4	10
17	Respiratory and cardiac self-gated free-breathing cardiac CINE imaging with multiecho 3D hybrid radial SSFP acquisition. <i>Magnetic Resonance in Medicine</i> , 2010 , 63, 1230-7	4.4	98
16	Unambiguous identification of superparamagnetic iron oxide particles through quantitative susceptibility mapping of the nonlinear response to magnetic fields. <i>Magnetic Resonance Imaging</i> , 2010 , 28, 1383-9	3.3	49

15	Calculation of susceptibility through multiple orientation sampling (COSMOS): a method for conditioning the inverse problem from measured magnetic field map to susceptibility source image in MRI. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 196-204	4.4	312
14	Free-breathing 3-dimensional steady-state free precession coronary magnetic resonance angiography: comparison of four navigator gating techniques. <i>Magnetic Resonance Imaging</i> , 2009 , 27, 807-14	3.3	15
13	In vivo quantification of contrast agent concentration using the induced magnetic field for time-resolved arterial input function measurement with MRI. <i>Medical Physics</i> , 2008 , 35, 5328-39	4.4	61
12	A fast navigator-gated 3D sequence for delayed enhancement MRI of the myocardium: comparison with breathhold 2D imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 27, 802-8	5.6	43
11	Free-breathing 3D steady-state free precession coronary magnetic resonance angiography: comparison of diaphragm and cardiac fat navigators. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 28, 509-14	5.6	12
10	Effective motion-sensitizing magnetization preparation for black blood magnetic resonance imaging of the heart. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 28, 1092-100	5.6	41
9	Kalman filtering for real-time navigator processing. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 158-68	4.4	35
8	Three-dimensional cine imaging using variable-density spiral trajectories and SSFP with application to coronary artery angiography. <i>Magnetic Resonance in Medicine</i> , 2007 , 58, 535-43	4.4	27
7	Optimal coil array design: the two-coil case. <i>Magnetic Resonance Imaging</i> , 2007 , 25, 671-7	3.3	2
6	Cardiac fat navigator-gated steady-state free precession 3D magnetic resonance angiography of coronary arteries. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 210-5	4.4	26
5	Reduction of reconstruction time for time-resolved spiral 3D contrast-enhanced magnetic resonance angiography using parallel computing. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 704-8	4.4	13
4	Motion artifact suppression in breath hold 3D contrast enhanced magnetic resonance angiography using ECG ordering. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 739-42		2
3	Contrast-enhanced magnetic resonance angiography with biodegradable (Gd-DTPA)-cystamine copolymers: comparison with MS-325 in a swine model. <i>Molecular Pharmaceutics</i> , 2006 , 3, 558-65	5.6	6
2	Improved magnetization preparation for navigator steady-state free precession 3D coronary MR angiography. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 1297-300	4.4	9
1	View ordering for magnetization prepared steady state free precession acquisition: application in contrast-enhanced MR angiography. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 461-6	4.4	14