

Egle Corrado

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6617999/egle-corrado-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|-------------------|-------------------------|----------------|-----------------|
| 57 papers | 1,248 citations | 18 h-index | 34 g-index |
| 66 ext. papers | 1,418 ext. citations | 3.5 avg, IF | 3.77 L-index |

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 57 | Effectiveness and Safety of oral anticoagulants in cardiac amyloidosis: lights and shadows.. <i>Current Problems in Cardiology</i> , 2022 , 101188 | 17.1 | 1 |
| 56 | Coronary artery disease in South Asian patients: cardiovascular risk factors, pathogenesis and treatments.. <i>Current Problems in Cardiology</i> , 2022 , 101228 | 17.1 | 0 |
| 55 | Direct Oral Anticoagulants in the Setting of Catheter Ablation of Atrial Fibrillation: State of art. <i>Current Problems in Cardiology</i> , 2021 , 46, 100622 | 17.1 | 1 |
| 54 | Evaluation of remnant cholesterol levels and Monocyte-to-HDL-cholesterol ratio in South Asian patients with acute coronary syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2144-2150 | 4.5 | 1 |
| 53 | Update on Brugada Syndrome 2019. <i>Current Problems in Cardiology</i> , 2021 , 46, 100454 | 17.1 | 12 |
| 52 | Biomarkers of Coronary Microvascular Dysfunction in Patients With Microvascular Angina: A Narrative Review. <i>Angiology</i> , 2021 , 33197211034267 | 2.1 | 0 |
| 51 | Low- vs high-dose ARNI effects on clinical status, exercise performance and cardiac function in real-life HFrEF patients. <i>European Journal of Clinical Pharmacology</i> , 2021 , 1 | 2.8 | 0 |
| 50 | Reverse remodeling and arrhythmic burden reduction in a patient with an implantable cardioverter defibrillator treated with sacubitril/valsartan: Case report. <i>Clinical Case Reports (discontinued)</i> , 2020 , 8, 1349-1352 | 0.7 | 2 |
| 49 | Use of statins in patients with peripheral artery disease. <i>Trends in Cardiovascular Medicine</i> , 2020 , 30, 257-262 | 2.2 | 1 |
| 48 | Management of Direct Oral Anticoagulants in Patients with Atrial Fibrillation Undergoing Cardioversion. <i>Medicina (Lithuania)</i> , 2019 , 55, | 3.1 | 2 |
| 47 | Exenatide once-weekly improves metabolic parameters, endothelial dysfunction and carotid intima-media thickness in patients with type-2 diabetes: An 8-month prospective study. <i>Diabetes Research and Clinical Practice</i> , 2019 , 149, 163-169 | 7.4 | 16 |
| 46 | Impact of preclinical carotid atherosclerosis on global cardiovascular risk stratification and events in a 10-year follow-up: comparison between the algorithms of the Framingham Heart Study, the European SCORE and the Italian Progetto CuoreS <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 91-96 | 1.9 | 7 |
| 45 | Use of direct oral anticoagulants in very elderly patients: a case report of apixaban in an ultracentenary patient. <i>Journal of Cardiovascular Medicine</i> , 2019 , 20, 403-405 | 1.9 | 3 |
| 44 | Echocardiographic Assessment of Ventricular Septal Rupture and Left Ventricular Aneurysm after Inferior and Posterior Myocardial Infarction. <i>Journal of Cardiovascular Echography</i> , 2018 , 28, 61-64 | 0.6 | 4 |
| 43 | Real-world use of ticagrelor and prasugrel in patients with NSTEMI undergoing percutaneous coronary intervention. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 450-451 | 1.9 | 4 |
| 42 | Amyloidosis and device therapy: an open debate. <i>International Angiology</i> , 2017 , 36, 497-498 | 2.2 | |
| 41 | Bicuspid aortic valve and unruptured sinus of Valsalva aneurysm, a rare association. <i>International Journal of Cardiology</i> , 2016 , 202, 103-5 | 3.2 | 4 |

| | | | |
|----|--|-----|----|
| 40 | Aortic stenosis: insights on pathogenesis and clinical implications. <i>Journal of Geriatric Cardiology</i> , 2016 , 13, 489-98 | 1.7 | 11 |
| 39 | Multimodality imaging in cardiac echinococcosis for diagnosis and follow-up of an untreatable cyst. <i>International Journal of Cardiology</i> , 2016 , 221, 468-70 | 3.2 | 5 |
| 38 | The association between coronary microvascular dysfunction and carotid intima media thickness in patients with cardiac syndrome X. <i>International Journal of Cardiology</i> , 2016 , 214, 383-6 | 3.2 | 5 |
| 37 | Non-responders to cardiac resynchronization therapy: Insights from multimodality imaging and electrocardiography. A brief review. <i>International Journal of Cardiology</i> , 2016 , 225, 402-407 | 3.2 | 24 |
| 36 | Magnitude of QRS duration reduction after biventricular pacing identifies responders to cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2016 , 221, 450-5 | 3.2 | 23 |
| 35 | The importance of being "responder" in cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2016 , 223, 838-841 | 3.2 | 1 |
| 34 | Decision making in a presumptive case of STEMI-like myocarditis. <i>International Journal of Cardiology</i> , 2015 , 186, 164-6 | 3.2 | |
| 33 | A rare case of Prinzmetal angina 3 days after coronary artery stenting with a second-generation drug-eluting stent. <i>Coronary Artery Disease</i> , 2015 , 26, 91-3 | 1.4 | 5 |
| 32 | Erectile dysfunction is associated with low total serum testosterone levels and impaired flow-mediated vasodilation in intermediate risk men according to the Framingham risk score. <i>Atherosclerosis</i> , 2015 , 238, 415-9 | 3.1 | 14 |
| 31 | Residual vein thrombosis and onset of post-thrombotic syndrome: influence of the 4G/5G polymorphism of plasminogen activator inhibitor-1 gene. <i>Thrombosis Research</i> , 2014 , 133, 371-4 | 8.2 | 10 |
| 30 | Prognostic role of aldosterone in patients with acute coronary syndrome: short and medium term follow-up. <i>Journal of Cardiovascular Medicine</i> , 2014 , 15, 27-32 | 1.9 | 5 |
| 29 | ST segment elevations: always a marker of acute myocardial infarction?. <i>Indian Heart Journal</i> , 2013 , 65, 412-23 | 1.6 | 30 |
| 28 | Papillary muscle relocation in conjunction with valve annuloplasty improve repair results in severe ischemic mitral regurgitation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012 , 143, 1352-5 | 1.5 | 55 |
| 27 | Metabolic syndrome (MetS) predicts cardio and cerebrovascular events in a twenty years follow-up. A prospective study. <i>Atherosclerosis</i> , 2012 , 223, 468-72 | 3.1 | 31 |
| 26 | Risk factors for contrast induced nephropathy: a study among Italian patients. <i>Indian Heart Journal</i> , 2012 , 64, 484-91 | 1.6 | 18 |
| 25 | Bifocal stimulation in patient with congenitally corrected transposition of great vessels. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, e296-8 | 1.6 | |
| 24 | Outcomes of aortic valve repair according to valve morphology and surgical techniques. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2012 , 15, 644-50 | 1.8 | 9 |
| 23 | Cilostazol and atherogenic dyslipidemia: a clinically relevant effect?. <i>Expert Opinion on Pharmacotherapy</i> , 2011 , 12, 647-55 | 4 | 24 |

| | | | |
|----|---|-----|-----|
| 22 | Preclinical carotid atherosclerosis enhances the global cardiovascular risk and increases the rate of cerebro- and cardiovascular events in a five-year follow-up. <i>Atherosclerosis</i> , 2010 , 211, 287-90 | 3.1 | 26 |
| 21 | Asymptomatic carotid lesions add to cardiovascular risk prediction. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 514-8 | | 18 |
| 20 | An update on the role of markers of inflammation in atherosclerosis. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 1-11 | 4 | 149 |
| 19 | POINT: Efficacy of adding mitral valve restrictive annuloplasty to coronary artery bypass grafting in patients with moderate ischemic mitral valve regurgitation: a randomized trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009 , 138, 278-85 | 1.5 | 233 |
| 18 | Off-pump versus on-pump myocardial revascularization in patients with ST-segment elevation myocardial infarction: a randomized trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009 , 137, 650-6; discussion 656-7 | 1.5 | 48 |
| 17 | ICD implantation in noncompaction of the left ventricular myocardium: a case report. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009 , 32, 1092-5 | 1.6 | 10 |
| 16 | The predictive role of C-reactive protein in patients with hypertension and subclinical atherosclerosis. <i>Internal Medicine Journal</i> , 2009 , 39, 539-45 | 1.6 | 16 |
| 15 | Markers of inflammation are strong predictors of subclinical and clinical atherosclerosis in women with hypertension. <i>Coronary Artery Disease</i> , 2009 , 20, 15-20 | 1.4 | 28 |
| 14 | Analysis of N-terminal pro-B-type natriuretic peptide in patients with acute coronary syndromes. <i>Coronary Artery Disease</i> , 2009 , 20, 225-9 | 1.4 | 3 |
| 13 | Superficial venous thrombosis: prevalence of common genetic risk factors and their role on spreading to deep veins. <i>Thrombosis Research</i> , 2008 , 123, 194-9 | 8.2 | 41 |
| 12 | Prediction of cardio- and cerebro-vascular events in patients with subclinical carotid atherosclerosis and low HDL-cholesterol. <i>Atherosclerosis</i> , 2008 , 200, 389-95 | 3.1 | 33 |
| 11 | Endothelial dysfunction and carotid lesions are strong predictors of clinical events in patients with early stages of atherosclerosis: a 24-month follow-up study. <i>Coronary Artery Disease</i> , 2008 , 19, 139-44 | 1.4 | 51 |
| 10 | Giant left atrium: a condition that is rarely seen today. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 967-8 | 1.9 | 1 |
| 9 | Older age and markers of inflammation are strong predictors of clinical events in women with asymptomatic carotid lesions. <i>Menopause</i> , 2008 , 15, 240-7 | 2.5 | 13 |
| 8 | Evaluation of C-reactive protein in primary and secondary prevention. <i>Journal of Investigative Medicine</i> , 2007 , 55, 430-8 | 2.9 | 8 |
| 7 | Peripheral atherosclerosis is associated with the occurrence of restenosis after percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2007 , 18, 627-31 | 1.4 | 6 |
| 6 | Asymptomatic carotid lesions and aging: Role of hypertension and other traditional and emerging risk factors. <i>Archives of Medical Research</i> , 2006 , 37, 342-7 | 6.6 | 12 |
| 5 | Response to letter by Drs. Mohammed Abbas, Maria Sessa, and Francesco Corea. <i>Archives of Medical Research</i> , 2006 , 37, 810-1 | 6.6 | |

| | | | |
|---|---|-----|----|
| 4 | Association of elevated fibrinogen and C-reactive protein levels with carotid lesions in patients with newly diagnosed hypertension or type II diabetes. <i>Archives of Medical Research</i> , 2006 , 37, 1004-9 | 6.6 | 32 |
| 3 | Markers of inflammation and infection influence the outcome of patients with baseline asymptomatic carotid lesions: a 5-year follow-up study. <i>Stroke</i> , 2006 , 37, 482-6 | 6.7 | 92 |
| 2 | Increased levels of C-reactive protein and fibrinogen influence the risk of vascular events in patients with NIDDM. <i>International Journal of Cardiology</i> , 2006 , 106, 16-20 | 3.2 | 37 |
| 1 | Soluble CD40L and cardiovascular risk in asymptomatic low-grade carotid stenosis. <i>Stroke</i> , 2005 , 36, 673-6 | 5.7 | 54 |