

Yuchen Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6618503/publications.pdf>

Version: 2024-02-01

17
papers

497
citations

840776

11
h-index

888059

17
g-index

17
all docs

17
docs citations

17
times ranked

797
citing authors

#	ARTICLE	IF	CITATIONS
1	The DRD2 Taq1A polymorphism moderates the effect of PTSD symptom severity on the left hippocampal CA3 volume: a pilot study. <i>Psychopharmacology</i> , 2022, 239, 3431-3438.	3.1	4
2	Associations of parental and perinatal factors with subsequent risk of stress-related disorders: a nationwide cohort study with sibling comparison. <i>Molecular Psychiatry</i> , 2022, 27, 1712-1719.	7.9	7
3	Psychological distress among health professional students during the COVID-19 outbreak. <i>Psychological Medicine</i> , 2021, 51, 1952-1954.	4.5	178
4	The resting-state functional connectivity of amygdala subregions associated with post-traumatic stress symptom and sleep quality in trauma survivors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1053-1064.	3.2	7
5	Bidirectional Associations Between School Connectedness and Mental Health Problems in Early Adolescence: A Cross-Lagged Model. <i>School Mental Health</i> , 2021, 13, 730-742.	2.1	4
6	The influence of environmental pressure on Internet Use Disorder in adolescents: The potential mediating role of cognitive function. <i>Addictive Behaviors</i> , 2020, 101, 105976.	3.0	20
7	Public awareness, emotional reactions and human mobility in response to the COVID-19 outbreak in China – a population-based ecological study. <i>Psychological Medicine</i> , 2020, , 1-8.	4.5	17
8	COVID-19 outbreak-related psychological distress among healthcare trainees: a cross-sectional study in China. <i>BMJ Open</i> , 2020, 10, e041671.	1.9	23
9	Exploring memory function in earthquake trauma survivors with resting-state fMRI and machine learning. <i>BMC Psychiatry</i> , 2020, 20, 43.	2.6	10
10	Altered amygdala subregion-related circuits in treatment-naïve post-traumatic stress disorder comorbid with major depressive disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 1092-1101.	0.7	19
11	Increased functional segregation of brain network associated with symptomatology and sustained attention in chronic post-traumatic stress disorder. <i>Journal of Affective Disorders</i> , 2019, 247, 183-191.	4.1	21
12	Precuneus-related regional and network functional deficits in social anxiety disorder: A resting-state functional MRI study. <i>Comprehensive Psychiatry</i> , 2018, 82, 22-29.	3.1	61
13	Altered regional and integrated resting-state brain activity in general social anxiety disorder patients before and after group cognitive behavior therapy. <i>Psychiatry Research - Neuroimaging</i> , 2018, 272, 30-37.	1.8	31
14	Pre-treatment Resting-State Functional MR Imaging Predicts the Long-Term Clinical Outcome After Short-Term Paroxetine Treatment in Post-traumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 532.	2.6	27
15	Cerebellar Neural Circuits Involving Executive Control Network Predict Response to Group Cognitive Behavior Therapy in Social Anxiety Disorder. <i>Cerebellum</i> , 2017, 16, 673-682.	2.5	16
16	Altered Topological Properties of Brain Networks in Social Anxiety Disorder: A Resting-state Functional MRI Study. <i>Scientific Reports</i> , 2017, 7, 43089.	3.3	39
17	Therapy for Adult Social Anxiety Disorder. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1429-e1438.	2.2	13