

Antonio Luque

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6619450/antonio-luque-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135
papers

3,938
citations

38
h-index

56
g-index

145
ext. papers

4,151
ext. citations

4.4
avg, IF

4.77
L-index

#	Paper	IF	Citations
135	Novel tetranuclear orthometalated complexes of Pd(II) and Pt(II) derived from p-isopropylbenzaldehyde thiosemicarbazone with cytotoxic activity in cis-DDP resistant tumor cell lines. Interaction of these complexes with DNA. <i>Journal of Medicinal Chemistry</i> , 1998 , 41, 1399-408	8.3	195
134	Influence of the Peripheral Ligand Atoms on the Exchange Interaction in Oxalato-Bridged Nickel(II) Complexes: An Orbital Model. Crystal Structures and Magnetic Properties of (H(3)dien)(2)[Ni(2)(ox)(5)].12H(2)O and [Ni(2)(dien)(2)(H(2)O)(2)(ox)]Cl(2). <i>Inorganic Chemistry</i> , 1996 , 35, 3741-3751	5.1	151
133	A novel organic-inorganic hybrid based on a dinuclear copper complex supported on a kegglin polyoxometalate. <i>Inorganic Chemistry</i> , 2003 , 42, 3709-11	5.1	137
132	Syntheses, crystal structures, and magnetic properties of one-dimensional oxalato-bridged Co(II), Ni(II), and Cu(II) complexes with n-aminopyridine (n = 2-4) as terminal ligand. <i>Inorganic Chemistry</i> , 2001 , 40, 5526-35	5.1	131
131	One-dimensional oxalato-bridged Cu(II), Co(II), and Zn(II) complexes with purine and adenine as terminal ligands. <i>Inorganic Chemistry</i> , 2004 , 43, 5761-70	5.1	106
130	An unusual 3D coordination polymer based on bridging interactions of the nucleobase adenine. <i>Inorganic Chemistry</i> , 2004 , 43, 4549-51	5.1	94
129	Synthesis, chemical characterization, X-ray crystal structure and magnetic properties of oxalato-bridged copper(II) binuclear complexes with 2,2'-bipyridine and diethylenetriamine as peripheral ligands. <i>Polyhedron</i> , 1999 , 18, 1235-1245	2.7	88
128	Contribution to the development of new substitution patterns of optically active .beta.-lactams: synthesis of homochiral 4-(1-aminoalkyl)azetidin-2-ones from N-(tert-butyloxycarbonyl).alpha.-amino aldehyde-derived imines via asymmetric Staudinger reaction. <i>Journal of the American Chemical Society</i> , 1992 , 114, 9360-9369	16.4	84
127	Ion-Pair Charge-Transfer Complexes Based on (o-Phenylenebis(oxamato))cuprate(II) and Cyclic Diquaternary Cations of 1,10-Phenanthroline and 2,2'PBipyridine: Synthesis, Crystal Structure, and Physical Properties. <i>Inorganic Chemistry</i> , 1998 , 37, 6452-6460	5.1	82
126	Supramolecular architectures and magnetic properties of coordination polymers based on pyrazinedicarboxylato ligands showing embedded water clusters. <i>Inorganic Chemistry</i> , 2006 , 45, 5367-82	5.1	79
125	Metal-carboxylato-nucleobase systems: From supramolecular assemblies to 3D porous materials. <i>Coordination Chemistry Reviews</i> , 2013 , 257, 2716-2736	23.2	73
124	Supramolecular architectures assembled by the interaction of purine nucleobases with metal-oxalato frameworks. Non-covalent stabilization of the 7H-adenine tautomer in the solid-state. <i>Dalton Transactions</i> , 2006 , 902-11	4.3	73
123	Rational Design of 2D Magnetic Metal-Organic Coordination Polymers Assembled from Oxalato and Dipyrityl Spacers. <i>Crystal Growth and Design</i> , 2006 , 6, 1839-1847	3.5	72
122	Synthesis, crystal structure, and magnetic properties of a one-dimensional polymeric copper(II) complex containing an unusual 1,1'Pbicoordinated oxalato bridge. <i>Inorganic Chemistry</i> , 2000 , 39, 6142-4	5.1	72
121	Crystal packing and physical properties of pyridinium tetrabromocuprate(II) complexes assembled via hydrogen bonds and aromatic stacking interactions. <i>New Journal of Chemistry</i> , 2001 , 25, 1208-1214	3.6	63
120	Scandium/Alkaline Metal-Organic Frameworks: Adsorptive Properties and Ionic Conductivity. <i>Chemistry of Materials</i> , 2016 , 28, 2519-2528	9.6	61
119	Lanthanide(III)/pyrimidine-4,6-dicarboxylate/oxalate extended frameworks: a detailed study based on the lanthanide contraction and temperature effects. <i>Inorganic Chemistry</i> , 2011 , 50, 8437-51	5.1	59

118	One-dimensional oxalato-bridged copper(II) complexes with 3-hydroxypyridine and 2-amino-4-methylpyridine. <i>Inorganica Chimica Acta</i> , 2001 , 315, 9-17	2.7	57
117	A direct reaction approach for the synthesis of zeolitic imidazolate frameworks: template and temperature mediated control on network topology and crystal size. <i>Chemical Communications</i> , 2012 , 48, 9930-2	5.8	55
116	Paddle-Wheel Shaped Copper(II)-Adenine Discrete Entities As Supramolecular Building Blocks To Afford Porous Supramolecular MetalOrganic Frameworks (SMOFs). <i>Crystal Growth and Design</i> , 2014 , 14, 4019-4029	3.5	53
115	Scanning probe microscopy characterization of single chains based on a one-dimensional oxalato-bridged manganese(II) complex with 4-aminotriazole. <i>Inorganic Chemistry</i> , 2005 , 44, 8343-8	5.1	51
114	Synthesis, characterisation, crystal structures, and magnetic properties of one-dimensional oxalato-bridged metal(II) complexes with 3-hydroxypyridine and isoquinoline. <i>Inorganica Chimica Acta</i> , 2001 , 324, 141-149	2.7	50
113	Construction of Quaternary Stereogenic Centers via [2 + 2] Cycloaddition Reactions. Synthesis of Homochiral 4,4-Disubstituted 2-Azetidinones and Imine Substituent Effects on beta-Lactam Formation. <i>Journal of Organic Chemistry</i> , 1997 , 62, 2070-2079	4.2	47
112	Open-framework copper adeninate compounds with three-dimensional microchannels tailored by aliphatic monocarboxylic acids. <i>Inorganic Chemistry</i> , 2011 , 50, 5330-2	5.1	45
111	Manganese(II) pyrimidine-4,6-dicarboxylates: synthetic, structural, magnetic, and adsorption insights. <i>Inorganic Chemistry</i> , 2008 , 47, 5267-77	5.1	45
110	Synthetic control to achieve lanthanide(III)/pyrimidine-4,6-dicarboxylate compounds by preventing oxalate formation: structural, magnetic, and luminescent properties. <i>Inorganic Chemistry</i> , 2012 , 51, 7875-88	5.1	44
109	One-Dimensional Oxalato-Bridged Metal(II) Complexes with 4-Amino-1,2,4-triazole as Apical Ligand. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 4280-4290	2.3	44
108	Directing the Formation of Adenine Coordination Polymers from Tunable Copper(II)/Dicarboxylato/Adenine Paddle-Wheel Building Units. <i>Crystal Growth and Design</i> , 2012 , 12, 3324-3334	3.5	42
107	Synthesis, characterisation and crystal structure of 2-aminopyridinium(2-amino-5-bromopyridine)tribromocuprate(II) and bis(2-aminopyridinium)tetrabromocuprate(II). <i>Journal of the Chemical Society Dalton Transactions</i> , 1997 , 217-221		42
106	A new hydrated phase of cobalt(II) oxalate: crystal structure, thermal behavior and magnetic properties of $[\text{Co}(\text{Ebx})(\text{H}_2\text{O})_2] \cdot 2\text{H}_2\text{O}$. <i>Inorganica Chimica Acta</i> , 2004 , 357, 339-344	2.7	41
105	Effects of protonation in decavanadates: crystal structure of tetrakis(n-hexylammonium) dihydrogendecavanadate(V). <i>Journal of the Chemical Society Dalton Transactions</i> , 1995 , 2225-2231		41
104	Observation of a novel cyclic tetrametavanadate anion isolated from aqueous solution. <i>Inorganic Chemistry</i> , 1993 , 32, 775-776	5.1	41
103	Organization of Coordination Polymers on Surfaces by Direct Sublimation. <i>Advanced Materials</i> , 2009 , 21, 2025-2028	24	40
102	A 2D polymer constructed through bridging oxalato and 4,4'-bipyridine ligands: crystal structure and magnetic behavior of $[\text{Cu}_3(\text{Ebx})_3(\text{E},4'\text{-bpy})_2(4,4'\text{-bpy})_2]_n$. <i>Inorganic Chemistry Communication</i> , 2003 , 6, 803-806	3.1	40
101	Water displacement by cyanogold complexes in binuclear nickel(II) compounds based on bridging oxalate. Synthesis, structural diversity, magnetic properties, and DFT calculations. <i>Inorganic Chemistry</i> , 2003 , 42, 960-9	5.1	40

100	Influence of protonation on crystal packing and thermal behaviour of tert-butylammonium decavanadates. <i>Polyhedron</i> , 1996 , 15, 4555-4564	2.7	40
99	Porous supramolecular compound based on paddle-wheel shaped copper(II)-adenine dinuclear entities. <i>CrystEngComm</i> , 2011 , 13, 3301	3.3	39
98	One-dimensional oxalato-bridged copper(II) complex possessing two structurally different metallic centres. <i>Inorganic Chemistry Communication</i> , 2001 , 4, 350-353	3.1	39
97	Unravelling the Growth of Supramolecular Metal-Organic Frameworks Based on Metal-Nucleobase Entities. <i>Crystal Growth and Design</i> , 2015 , 15, 975-983	3.5	38
96	Analysis of the Interaction between Adenine Nucleobase and Metal-Malonato Complexes. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 3889-3899	2.3	37
95	A novel one-dimensional oxalato-bridged copper(II) complex with 2,2'-bipyridine. <i>Inorganic Chemistry Communication</i> , 2001 , 4, 640-642	3.1	36
94	Magneto-structural studies and thermal analysis of n-ethylpyridinium (n=2, 3, 4) tetrabromocuprate(II) complexes. <i>Polyhedron</i> , 2002 , 21, 19-26	2.7	34
93	Porous materials based on metal-nucleobase systems sustained by coordination bonds and base pairing interactions. <i>CrystEngComm</i> , 2015 , 17, 3051-3059	3.3	32
92	Rational design of 1-D metal-organic frameworks based on the novel pyrimidine-4,6-dicarboxylate ligand. New insights into pyrimidine through magnetic interaction. <i>Dalton Transactions</i> , 2007 , 2669-80	4.3	32
91	Molecular recognition of adeninium cations on anionic metal-oxalato frameworks: an experimental and theoretical analysis. <i>Inorganic Chemistry</i> , 2007 , 46, 3593-602	5.1	32
90	Supramolecular Architectures and Magnetic Properties of Self-Assembled Windmill-Like Dinuclear Copper(II) Complexes with Purine Ligands. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 2344-2353	2.3	31
89	Gas Adsorption Properties and Selectivity in Cu(II)/Adeninato/Carboxylato Metal-Biomolecule Frameworks. <i>European Journal of Inorganic Chemistry</i> , 2012 , 2012, 5921-5933	2.3	30
88	Organoammonium diphosphopentamolybdates(VI): influence of organic cations and anion protonation on crystal packing and geometrical features of polyanion. <i>Inorganica Chimica Acta</i> , 1997 , 255, 35-45	2.7	30
87	Synthesis, vibrational study, crystal structure and density functional calculations of [Ni(dien) ₂] ²⁺ complexes. Configurational and conformational study of [M(dien) ₂] ⁿ⁺ complexes. <i>Inorganica Chimica Acta</i> , 1999 , 290, 57-63	2.7	30
86	Reactions of MoO ₃ with diethylenetriamine (dien): Syntheses, solid-state characterization and thermal behaviour. Molecular and crystal structure of a second polymorph of (H ₃ dien) ₂ [Mo ₇ O ₂₄] ₄ ·4H ₂ O. <i>Polyhedron</i> , 1992 , 11, 2027-2038	2.7	30
85	Exploiting Synthetic Conditions to Promote Structural Diversity within the Scandium(III)/Pyrimidine-4,6-dicarboxylate System. <i>Crystal Growth and Design</i> , 2015 , 15, 2352-2363	3.5	29
84	Structure-Directing Effect of Organic Cations in the Assembly of Anionic In(III)/Diazinedicarboxylate Architectures. <i>Crystal Growth and Design</i> , 2012 , 12, 1501-1512	3.5	29
83	Supramolecular architectures of metal-oxalato complexes containing purine nucleobases. <i>Inorganica Chimica Acta</i> , 2011 , 365, 211-219	2.7	29

82	Influence of the synthetic conditions on the structural diversity of extended manganese-oxalato-1,2-bis(4-pyridyl)ethylene systems. <i>Inorganic Chemistry</i> , 2010 , 49, 11346-61	5.1	27
81	Chemically Resistant, Shapeable, and Conducting Metal-Organic Gels and Aerogels Built from Dithiooxamidato Ligand. <i>Advanced Functional Materials</i> , 2017 , 27, 1605448	15.6	26
80	Enhancing luminescence properties of lanthanide(III)/pyrimidine-4,6-dicarboxylato system by solvent-free approach. <i>Dalton Transactions</i> , 2015 , 44, 6972-86	4.3	26
79	Thermally induced interconversions of metal-pyrimidine-4,6-dicarboxylate polymers: a structural, spectroscopic, and magnetic study. <i>Inorganic Chemistry</i> , 2009 , 48, 3087-94	5.1	26
78	Ferromagnetic coupling through a carbonate bridge in the copper (II) chain [Cu(CO ₃)(4-apy) ₂] · nH ₂ O (4-apy = 4-aminopyridine). <i>Inorganic Chemistry Communication</i> , 1999 , 2, 14-16	3.1	26
77	A Trinuclear Nickel(II) Complex Based on Bridging Oxalate and Cyanide Ligands. <i>Inorganic Chemistry</i> , 1997 , 36, 743-745	5.1	25
76	Molecular Recognition of Protonated Cytosine Ribbons by Metal-Oxalato Frameworks. <i>Crystal Growth and Design</i> , 2007 , 7, 2594-2600	3.5	25
75	Two appealing alternatives for MOFs synthesis: solvent-free oven heating vs. microwave heating. <i>RSC Advances</i> , 2014 , 4, 60409-60412	3.7	24
74	Gold(I)-Purine Interactions: Synthesis and Characterization of Cyclic and Open Chain Polynuclear Gold(I) Complexes Containing Xanthine Derivatives and Bis(phosphine) as Bridging Ligands. Crystal Structures of [Au(2)(μ ₂ -HX)(μ ₂ -dmpe)] ₃ ·3H ₂ O and [Au(2)(μ ₂ -TT)(μ ₂ -dmpe)] ₃ ·H ₂ O (H(3)X = Xanthine; H(2)TT = 8-Mercaptotheophylline). <i>Inorganic Chemistry</i> , 1996 , 35, 4232-4238	5.1	24
73	Structural Diversity in a Copper(II)/Isophthalato/9-Methyladenine System. From One- to Three-Dimensional Metal-Biomolecule Frameworks. <i>Crystal Growth and Design</i> , 2013 , 13, 3057-3067	3.5	22
72	A Binuclear Copper(II) Complex Containing the Pyrazine-2,5-dicarboxylate Ligand: Study of the Magnetic Exchange through the Pyrazine Bridge. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 2586-2589	2.3	22
71	Tetracyanometalates of Ni, Pd, and Pt with cyclic diquatery cations of 2,2'Biipyridine and 1,10-phenanthroline. A vibrational, crystallographic, and theoretical study of intermolecular weak interactions. <i>Inorganic Chemistry</i> , 2002 , 41, 4396-404	5.1	22
70	Magneto-structural studies and thermal analysis of the 4-aminopyridinium tetrabromocuprate(II) monohydrate. <i>Polyhedron</i> , 1996 , 15, 1253-1262	2.7	22
69	A straightforward route to obtain zirconium based metal-organic gels. <i>Microporous and Mesoporous Materials</i> , 2019 , 284, 128-132	5.3	21
68	Porous M(II)/pyrimidine-4,6-dicarboxylato neutral frameworks: synthetic influence on the adsorption capacity and evaluation of CO ₂ -adsorbent interactions. <i>Chemistry - A European Journal</i> , 2014 , 20, 1554-68	4.8	21
67	Improving the performance of a poorly adsorbing porous material: template mediated addition of microporosity to a crystalline submicroporous MOF. <i>Chemical Communications</i> , 2012 , 48, 907-9	5.8	21
66	Synthesis, chemical characterization and crystal structure of the (oxalato-O,O')bis(1,10-phenanthroline)copper(II) pentahydrate. <i>Journal of Molecular Structure</i> , 2001 , 570, 181-188	3.4	21
65	Synthesis, crystal structure, thermal behaviour and magnetic properties of a novel one-dimensional copper(II) complex containing neutral and deprotonated 3-hydroxypyridine ligands. <i>New Journal of Chemistry</i> , 2000 , 24, 771-775	3.6	21

64	Solid-state chemistry of nickel(II)-oxalate-amine systems. Synthesis, characterization and crystal structure of the bis(2,2'-bipyridine) (oxalato-O,O')nickel(II) tetrahydrate. <i>Polyhedron</i> , 1995 , 14, 2863-2869	2.7	21
63	Preparation, chemical characterization and structural studies of 3-aminopyridinium salts of dithiooxalate ligand complexes, $[M(S_2C_2O_2)_2]_2$ [M = NiII, PdII or PtII]. <i>Polyhedron</i> , 1992 , 11, 1883-1890	2.7	19
62	Inclusion of organic pyridin-3-onate anions by sheets of hydroxo-bridged Cu(II) dimeric complexes. <i>Inorganica Chimica Acta</i> , 2003 , 349, 273-278	2.7	18
61	A transition metal complex containing pyrazine-2,5-dicarboxylato bridging ligands: a novel three-dimensional manganese(II) compound. <i>Inorganic Chemistry Communication</i> , 2003 , 6, 1224-1227	3.1	18
60	Synthesis, Crystal Structure, and Thermal Behavior of Organically Templated Three-Dimensional Tunnel Structures Based on Keggin Phosphododecamolybdate and Diazines. <i>Chemistry of Materials</i> , 1997 , 9, 2869-2875	9.6	17
59	Crystal structure, magnetic properties and esr studies of (4-apyH) ₄ [CuIIBr ₄][CuI(Br ₂) ₂]: a novel Cu(II) Cu(I) system containing bromocuprate(I) chains and isolated tetrabromocuprate(II) anions. <i>Polyhedron</i> , 1998 , 17, 3875-3880	2.7	17
58	Organic/inorganic hybrids based on four-electron reduced Keggin isomer phosphododecamolybdates and diazines. <i>New Journal of Chemistry</i> , 2003 , 27, 399-408	3.6	16
57	Photoluminescence Modulation in Lanthanide(III)/Pyrazine-2,5-dicarboxylato/Nitrato Frameworks. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 4318-4328	2.3	15
56	Binuclear Nickel(II) Complexes Based on Bridging Oxalate and Pseudohalides as Peripheral Ligands: Synthesis, Crystal Structure, DFT Calculations and Magnetic Properties of $[[Ni(X)(dien)]_2(Ebx)]_n \cdot nH_2O$ Complexes (X = N ₃ ⁻ , NCS ⁻ , n = 0; NCO ⁻ , n = 1). <i>European Journal of Inorganic Chemistry</i> , 2000 , 2000, 2541-2547	2.3	15
55	Synthesis, structure and characterisation of $[Ni(bipy)_3][NaAl(ox)_3]$: (bipy = 2,2'-bipyridine, ox = oxalate). <i>Journal of the Chemical Society Dalton Transactions</i> , 1996 , 3985-3989		15
54	Structural and magnetic characterization of one-dimensional oxalato-bridged metal(II) complexes with 4-amino-3,5-bis(2-pyridyl)-1,2,4-triazole ligand: A supramolecular open-framework. <i>Inorganica Chimica Acta</i> , 2009 , 362, 4212-4218	2.7	14
53	Preparation, chemical characterization and thermal study of 2-aminopyridinium salts of square-planar 1,2-dithiooxalato-S,S' metal complexes (M = NiII, PdII and PtII). <i>Polyhedron</i> , 1995 , 14, 2925-2931	2.7	14
52	[Zr(OH)(benzene-1,4-dicarboxylato)]: a hexagonal polymorph of UiO-66. <i>Chemical Communications</i> , 2019 , 55, 5954-5957	5.8	13
51	3D Magnetically Ordered Open Supramolecular Architectures Based on Ferrimagnetic Cu/Adenine/Hydroxide Heptameric Wheels. <i>Inorganic Chemistry</i> , 2016 , 55, 7755-63	5.1	13
50	Low-Nuclearity MnII Complexes Based on Pyrimidine-4,6-dicarboxylato Bridging Ligand: Crystal Structure, Ion Exchange and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 68-77	2.3	13
49	Synthesis and chemical characterization of 2-methylpyridinium salts of planar nickel(II), palladium(II) and platinum(II) 1,2-dithiooxalato-S,S' complexes. Crystal and molecular structure of bis(2-methylpyridinium) bis(1,2-dithiooxalato-S,S')nickelate(II). <i>Polyhedron</i> , 1993 , 12, 1345-1352	2.7	13
48	Photoluminescence Tuning and Water Detection of Yttrium Diazinedicarboxylate Materials through Lanthanide Doping. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 2650-2663	2.3	11
47	tert-Butylammonium silicododecamolybdate. Synthesis, vibrational study, crystal structure, thermal behaviour and electrochemical properties. <i>Polyhedron</i> , 1998 , 17, 1247-1255	2.7	11

46	Structural diversity of coordination compounds derived from double-chelating and planar diazinedicarboxylate ligands. <i>Coordination Chemistry Reviews</i> , 2017 , 352, 83-107	23.2	10
45	Towards multicomponent MOFs via solvent-free synthesis under conventional oven and microwave assisted heating. <i>Inorganic Chemistry Frontiers</i> , 2015 , 2, 425-433	6.8	10
44	The moO ₃ -ethylenediamine system. Synthesis, thermal behaviour and crystal structure of a novel binuclear molybdenum(VI) oxocomplex, (enH ₂)[O ₃ Mo ^{VI} O ₂ Mo(en)O ₃]. <i>Polyhedron</i> , 1991 , 10, 2057-2064	2.7	10
43	Aerogels of 1D Coordination Polymers: From a Non-Porous Metal-Organic Crystal Structure to a Highly Porous Material. <i>Polymers</i> , 2016 , 8,	4.5	10
42	Thermal features and behaviour of 4-aminopyridinium salts of planar inorganic metal(II) 1,2-dithiooxalato-S,S' complexes, with formula (HC ₅ H ₆ N ₂) ₂ [M(S ₂ C ₂ O ₂) ₂] \cdot 2H ₂ O (where M is NiII, PdII and PtII). <i>Thermochimica Acta</i> , 1994 , 231, 231-237	2.9	9
41	Synthesis, chemical characterization, structural data and thermal behaviour of 3-methylpyridinium salts of 1,2-dithiooxalato-S,S' complexes with formula (HB) ₂ [M(S ₂ C ₂ O ₂) ₂] (M = NiII, PdII and PtII). <i>Polyhedron</i> , 1994 , 13, 2311-2317	2.7	9
40	Synthesis, chemical characterization and thermal behaviour of 1,2-dithiooxalato-S,S' complexes of Ni(II), Pd(II) and Pt(II) with 2-amino-3-methylpyridinium. <i>Thermochimica Acta</i> , 1994 , 233, 223-230	2.9	9
39	Syntheses, thermal behaviour, and spectroscopic and x-ray studies of quinolinium salts of nickel(II), palladium(II) and platinum(II), 1,2-dithiooxalato-S,S' complexes. Packing and bonding of the quinolinium bis(1,2-dithiooxalato-S,S')nickelate(II). <i>Polyhedron</i> , 1993 , 12, 2831-2839	2.7	9
38	Synthesis, solid state characterization and thermal behaviour of some t-butylammonium polymolybdates. <i>Thermochimica Acta</i> , 1992 , 206, 137-147	2.9	8
37	trans-Bis[4-amino-3,5-bis(2-pyridyl)-4H-1,2,4-triazole- λ N ₁ ,N ₅]bis(nitrato- η)copper(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004 , 60, m720-m722		7
36	Porous Supramolecular Architectures Based on π -Stacking Interactions between Discrete Metal-Adenine Entities and the Non-DNA Theobromine/Caffeine Nucleobases. <i>Crystal Growth and Design</i> , 2018 , 18, 3465-3476	3.5	6
35	Dipotassium aquabis(pyrazine-2,3-dicarboxylato- η N,O)cuprate(II) hexahydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003 , 59, m800-m802		6
34	Tetraphenylphosphonium 1,2-dithiooxalato-S,S' complexes of nickel(II), palladium(II) and platinum(II). Synthesis, chemical characterization, spectroscopic and x-ray studies, and thermochemistry. <i>Polyhedron</i> , 1995 , 14, 1091-1096	2.7	6
33	Syntheses, chemical characterization, and thermochemistry of pyridinium salts of 1,2-dithiooxalato-S,S' complexes of Ni(II), Pd(II) and Pt(II). <i>Thermochimica Acta</i> , 1994 , 241, 113-120	2.9	6
32	tert-Butylammonium phosphomolybdates. Synthesis, crystal structure, thermal behaviour and electrochemical properties. <i>Polyhedron</i> , 1997 , 16, 2589-2597	2.7	5
31	Studies on the thermal decomposition of dipotassium trans-diaquabis(oxalato-O,O')nickelate(II) tetrahydrate. <i>Thermochimica Acta</i> , 1995 , 257, 67-73	2.9	5
30	Thermal features and behaviour of protonated diethylenetriamme isopolyvanadates. <i>Thermochimica Acta</i> , 1992 , 209, 189-194	2.9	5
29	Synthesis of oxides, oxocarbides and carbides of molybdenum by thermal decomposition of diethylenetriamine oxomolybdenum compounds. <i>Thermochimica Acta</i> , 1993 , 223, 167-175	2.9	5

28	Adenine nucleobase directed supramolecular architectures based on ferrimagnetic heptanuclear copper(II) entities and benzenecarboxylate anions. <i>Journal of Inorganic Biochemistry</i> , 2020 , 202, 110865	4.2	5
27	Theophylline alkaloid as glue of paddle-wheel copper(II)-adenine entities to afford a rhomboid chain. <i>Inorganica Chimica Acta</i> , 2019 , 484, 437-442	2.7	5
26	Supramolecular Architectures Based on Metal-Cytosine Systems. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 1333-1340	2.3	4
25	Providing evidence for the requirements to achieve supramolecular materials based on metal-nucleobase entities. <i>CrystEngComm</i> , 2018 , 20, 2528-2539	3.3	4
24	Condensed heterometallic bidimensional mixed valence Cu(I)/Cu(II)/Ni(II) cyanidometallate. <i>Dalton Transactions</i> , 2009 , 9722-4	4.3	4
23	Bis(μ ,1,2,4-triazole- κ N1:N2)bis[μ -diaqua(oxalato- κ O,O')copper(II)]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004 , 60, m9-m11		4
22	Synthesis, Crystal Structure, and Vibrational and Electron Spin Resonance Study of tert-Butylammonium Chromohexamolybdates, [(CH ₃) ₃ CNH ₃] _n [H(9-n)CrMo ₆ O ₂₄].mH ₂ O (n = 2, m = 2; n = 3, m = 8). Effects of Degrees of Protonation and Hydration.. <i>Acta Chemica Scandinavica</i> , 1998 , 52, 1194-1201		4
21	Thermal behaviour and properties of n-alkylammonium decavanadates. <i>Thermochimica Acta</i> , 1992 , 206, 61-69	2.9	4
20	Metal-thiobenzoato Complexes: Synthesis, Structure, and Processing as Carbon-Supported Nanoparticles. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 1371-1382	2.3	3
19	Reversible dehydration process in a novel three-dimensional covalent network based on pyrimidine-4,6-dionato bridging ligand. <i>Inorganica Chimica Acta</i> , 2006 , 359, 2583-2588	2.7	3
18	(μ -oxalato-O1,O2:O1',O2')bis[aqua(diethylenetriamine)nickel(II)] bis(hexafluorophosphate) dihydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002 , 58, m81-3		3
17	Bis[bis(2-pyridyl)amine-N,N'](nitrate-O,O')cobalt(II) nitrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001 , 57, m384-m386		3
16	Hydrogen bonding in alkylammonium chlorometalates of the first transition metals. <i>Inorganic Chemistry</i> , 1991 , 30, 1878-1881	5.1	3
15	Synthesis, Crystal Structure and Thermal Behaviour of the Diethylenetriammonium Oxalate-Water (1/4), (H ₃ dien) ₂ (ox) ₃ .4H ₂ O.. <i>Acta Chemica Scandinavica</i> , 1997 , 51, 13-18		3
14	Ferromagnetic supramolecular metal-organic frameworks for active capture and magnetic sensing of emerging drug pollutants. <i>Cell Reports Physical Science</i> , 2021 , 2, 100421	6.1	3
13	Bis(1,10-phenanthroline- κ N,N')bis-(thio-cyanato- κ N)cadmium. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, m704-5		2
12	Bis(2,2'-bipyridine- κ N,N')(nitrate- κ O)copper(II) hexafluorophosphate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006 , 62, m1353-m1355		2
11	Tris[bis(diethylenetriamine)nickel(II)] bis[hexacyanoferrate(III)] decahydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002 , 58, m524-m526		1

10	EDoxalato-bis[aqua(diethylenetriamine)nickel(II)] dinitrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001 , 57, m407-m409		1
9	Synthesis, chemical characterization and crystal structure of the anilinium bis(1,2-Dithiooxalato-S,S?)nickelate(II). <i>Polyhedron</i> , 1996 , 15, 1071-1077	2.7	1
8	Preparation, chemical characterization and thermal behaviour of triethylenetetrammonium isopolyoxovanadates. <i>Thermochimica Acta</i> , 1992 , 209, 135-143	2.9	1
7	Crystal structure of trans-di-aqua-bis-(1H-pyrazole-3-carboxylato-(2- N,O)copper(II) dihydrate. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015 , 71, m232-3	0.7	1
6	Molecular Recognition Process between Nucleobases and Metal-Oxalato Frameworks407-449		1
5	Single-Ion Magnet and Photoluminescence Properties of Lanthanide(III) Coordination Polymers Based on Pyrimidine-4,6-Dicarboxylate. <i>Magnetochemistry</i> , 2021 , 7, 8	3.1	1
4	Kinetic studies on the thermal dehydration of 4-aminopyridinium (1,2-dithiooxalato-S,S?)metalate(II) dihydrate complexes (M = Ni, Pd and Pt). <i>Thermochimica Acta</i> , 1996 , 285, 47-55	2.9	0
3	The crystal structure of a new polymorph of hexa-aqua-nickel(II) bis-(6-oxo-1,6-di-hydro-pyridine-3-carboxyl-ate). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015 , 71, m238-9	0.7	0
2	Supramolecular architectures of metal-oxalato coordination polymers bearing N-tethered adenine nucleobases. <i>Polyhedron</i> , 2019 , 171, 53-64	2.7	
1	The Chemistry of Zirconium/Carboxylate Clustering Process: Acidic Conditions to Promote Carboxylate-Unsaturated Octahedral Hexamers and Pentanuclear Species.. <i>Inorganic Chemistry</i> , 2022 , 61, 4842-4851	5.1	