

Fabiana Madotto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6620813/publications.pdf>

Version: 2024-02-01

58
papers

26,018
citations

159525

30
h-index

155592

55
g-index

61
all docs

61
docs citations

61
times ranked

40977
citing authors

#	ARTICLE	IF	CITATIONS
1	Nutritional assessment in idiopathic pulmonary fibrosis: a prospective multicentre study. ERJ Open Research, 2022, 8, 00443-2021.	1.1	19
2	Presence of comorbidities alters management and worsens outcome of patients with acute respiratory distress syndrome: insights from the LUNG SAFE study. Annals of Intensive Care, 2022, 12, .	2.2	7
3	The natural history of idiopathic pulmonary fibrosis in a large European population: the role of age, sex and comorbidities. Internal and Emergency Medicine, 2021, 16, 1793-1802.	1.0	18
4	Death in hospital following ICU discharge: insights from the LUNG SAFE study. Critical Care, 2021, 25, 144.	2.5	12
5	Differences between Acute Exacerbations of Idiopathic Pulmonary Fibrosis and Other Interstitial Lung Diseases. Diagnostics, 2021, 11, 1623.	1.3	3
6	Compliance Phenotypes in Early Acute Respiratory Distress Syndrome before the COVID-19 Pandemic. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 1244-1252.	2.5	85
7	Patterns and Impact of Arterial CO2 Management in Patients With Acute Respiratory Distress Syndrome. Chest, 2020, 158, 1967-1982.	0.4	19
8	Estimates of the initial impact of the COVID-19 epidemic on overall mortality: evidence from Italy. ERJ Open Research, 2020, 6, 00179-2020.	1.1	12
9	Hyperoxemia and excess oxygen use in early acute respiratory distress syndrome: insights from the LUNG SAFE study. Critical Care, 2020, 24, 125.	2.5	29
10	Demographics, management and outcome of females and males with acute respiratory distress syndrome in the LUNG SAFE prospective cohort study. European Respiratory Journal, 2019, 54, 1900609.	3.1	49
11	Impact of Early Acute Kidney Injury on Management and Outcome in Patients With Acute Respiratory Distress Syndrome: A Secondary Analysis of a Multicenter Observational Study*. Critical Care Medicine, 2019, 47, 1216-1225.	0.4	36
12	Harmful or Physiologic: Diagnosing Fibrinolysis Shutdown in a Trauma Cohort With Rotational Thromboelastometry. Anesthesia and Analgesia, 2018, 127, 840-849.	1.1	71
13	Resolved versus confirmed ARDS after 24h: insights from the LUNG SAFE study. Intensive Care Medicine, 2018, 44, 564-577.	3.9	48
14	The association between air pollution and the incidence of idiopathic pulmonary fibrosis in Northern Italy. European Respiratory Journal, 2018, 51, 1700397.	3.1	96
15	High-flow nasal oxygen versus noninvasive ventilation in adult patients with cystic fibrosis: a randomized crossover physiological study. Annals of Intensive Care, 2018, 8, 85.	2.2	32
16	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	6.3	716
17	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
18	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269

#	ARTICLE	IF	CITATIONS
19	Population and fertility by age and sex for 195 countries and territories, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1995-2051.	6.3	294
20	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	6.3	8,569
21	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 2091-2138.	6.3	335
22	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1859-1922.	6.3	2,123
23	Identifying associations between diabetes and acute respiratory distress syndrome in patients with acute hypoxemic respiratory failure: an analysis of the LUNG SAFE database. <i>Critical Care</i> , 2018, 22, 268.	2.5	28
24	Cognitive-behavioral longitudinal assessment in ALS: the Italian Edinburgh Cognitive and Behavioral ALS screen (ECAS). <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2018, 19, 387-395.	1.1	34
25	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 391, 2236-2271.	6.3	638
26	The Complex Interplay Between Depression/Anxiety and Executive Functioning: Insights From the ECAS in a Large ALS Population. <i>Frontiers in Psychology</i> , 2018, 9, 450.	1.1	14
27	Immunocompromised patients with acute respiratory distress syndrome: secondary analysis of the LUNG SAFE database. <i>Critical Care</i> , 2018, 22, 157.	2.5	84
28	Epidemiology and patterns of tracheostomy practice in patients with acute respiratory distress syndrome in ICUs across 50 countries. <i>Critical Care</i> , 2018, 22, 195.	2.5	91
29	Alcohol use and burden for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035.	6.3	2,005
30	Epidemiology, survival, incidence and prevalence of idiopathic pulmonary fibrosis in the USA and Canada. <i>European Respiratory Journal</i> , 2017, 49, 1601504.	3.1	10
31	Reply: â€œCould Noninvasive Ventilation Failure Rates Be Underestimated in the LUNG SAFE Study?â€ and â€œHigh-Flow Oxygen, Positive End-Expiratory Pressure, and the Berlin Definition of Acute Respiratory Distress Syndrome: Are They Mutually Exclusive?â€ <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 196, 397-398.	2.5	0
32	Some remaining important questions after LUNG SAFE. <i>Intensive Care Medicine</i> , 2017, 43, 598-599.	3.9	3
33	Geo-economic variations in epidemiology, patterns of care, and outcomes in patients with acute respiratory distress syndrome: insights from the LUNG SAFE prospective cohort study. <i>Lancet Respiratory Medicine</i> , 2017, 5, 627-638.	5.2	93
34	The short-term effect of particulate matter on cardiorespiratory drug prescription, as a proxy of mild adverse events. <i>Environmental Research</i> , 2017, 157, 145-152.	3.7	9
35	Noninvasive Ventilation of Patients with Acute Respiratory Distress Syndrome. Insights from the LUNG SAFE Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 67-77.	2.5	456
36	An observational study on the effect of air pollution on the incidence of idiopathic pulmonary fibrosis in Italy. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
37	An epidemiological study on the effect of age, sex and comorbidities on the clinical course of idiopathic pulmonary fibrosis. , 2017, , .		0
38	Work activity and phenylalanine levels in a population of young adults with classic PKU. <i>Medicina Del Lavoro</i> , 2017, 108, 118-122.	0.3	2
39	Epidemiology of Idiopathic Pulmonary Fibrosis in Northern Italy. <i>PLoS ONE</i> , 2016, 11, e0147072.	1.1	56
40	Potentially modifiable factors contributing to outcome from acute respiratory distress syndrome: the LUNG SAFE study. <i>Intensive Care Medicine</i> , 2016, 42, 1865-1876.	3.9	247
41	The validation of the Italian Edinburgh Cognitive and Behavioural ALS Screen (ECAS). <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2016, 17, 489-498.	1.1	125
42	Epidemiological studies in idiopathic pulmonary fibrosis: pitfalls in methodologies and data interpretation. <i>European Respiratory Review</i> , 2015, 24, 436-444.	3.0	47
43	Cardiorespiratory treatments as modifiers of the relationship between particulate matter and health: A case-only analysis on hospitalized patients in Italy. <i>Environmental Research</i> , 2015, 136, 491-499.	3.7	7
44	Burden of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2011, 150, 111-112.	0.8	20
45	Comparison of Echotracking and Magnetic Resonance Assessment of Abdominal Aorta Distensibility and Relationships with Pulse Wave Velocity. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 1970-1976.	0.7	5
46	DENALI: il Data Warehouse di Sanit� Pubblica della Regione Lombardia. <i>Farmeconomia E Percorsi Terapeutici</i> , 2011, 12, 19-23.	0.2	1
47	Valutazione dei processi assistenziali e del carico economico dei soggetti con ospedalizzazione incidente di infarto acuto del miocardio mediante il Data Warehouse DENALI. <i>Farmeconomia E Percorsi Terapeutici</i> , 2011, 12, 25-28.	0.2	0
48	Low anthracyclines doses�induced cardiotoxicity in acute lymphoblastic leukemia long�term female survivors. <i>Pediatric Blood and Cancer</i> , 2010, 55, 1343-1347.	0.8	22
49	Long-Term Risk of Sustained Hypertension in White-Coat or Masked Hypertension. <i>Hypertension</i> , 2009, 54, 226-232.	1.3	258
50	Response to Long-Term Risk in Subjects With White-Coat Hypertension. <i>Hypertension</i> , 2009, 54, .	1.3	0
51	Left ventricular hypertrophy increases cardiovascular risk independently of in-office and out-of-office blood pressure values. <i>Journal of Hypertension</i> , 2009, 27, 2458-2464.	0.3	144
52	Increased long-term risk of new-onset diabetes mellitus in white-coat and masked hypertension. <i>Journal of Hypertension</i> , 2009, 27, 1672-1678.	0.3	95
53	Simultaneous Measurement of Beat-to-Beat Carotid Diameter and Pressure Changes to Assess Arterial Mechanical Properties. <i>Hypertension</i> , 2008, 52, 896-902.	1.3	54
54	Time trends of myocardial infarction 28-day case-fatality in the 1990s: is there a contribution from different changes among socioeconomic classes?. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 593-598.	2.0	8

#	ARTICLE	IF	CITATIONS
55	Long-term risk of diabetes, hypertension and left ventricular hypertrophy associated with the metabolic syndrome in a general population. <i>Journal of Hypertension</i> , 2008, 26, 1602-1611.	0.3	56
56	Long-Term Prognostic Value of Blood Pressure Variability in the General Population. <i>Hypertension</i> , 2007, 49, 1265-1270.	1.3	329
57	Metabolic Syndrome in the Pressioni Arteriose Monitorate E Loro Associazioni (PAMELA) Study. <i>Hypertension</i> , 2007, 49, 40-47.	1.3	221
58	The PAMELA (Pressioni Arteriose Monitorate E Loro Associazioni) Study. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2007, 14, 83-88.	1.0	3