

Sabita S Soedamah-Muthu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6621030/publications.pdf>

Version: 2024-02-01

122
papers

6,766
citations

61945

43
h-index

62565

80
g-index

123
all docs

123
docs citations

123
times ranked

8696
citing authors

#	ARTICLE	IF	CITATIONS
1	Dairy product consumption and incident prediabetes in Dutch middle-aged adults: the Hoorn Studies prospective cohort. <i>European Journal of Nutrition</i> , 2022, 61, 183-196.	1.8	8
2	Impact of Replacement of Individual Dietary SFAs on Circulating Lipids and Other Biomarkers of Cardiometabolic Health: A Systematic Review and Meta-Analysis of Randomized Controlled Trials in Humans. <i>Advances in Nutrition</i> , 2022, 13, 1200-1225.	2.9	20
3	Dairy Product Consumption in Relation to Incident Prediabetes and Longitudinal Insulin Resistance in the Rotterdam Study. <i>Nutrients</i> , 2022, 14, 415.	1.7	10
4	Changes in Perceived Stress and Lifestyle Behaviors in Response to the COVID-19 Pandemic in The Netherlands: An Online Longitudinal Survey Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4375.	1.2	9
5	Incident cardiovascular disease by clustering of favourable risk factors in type 1 diabetes: the EURODIAB Prospective Complications Study. <i>Diabetologia</i> , 2022, 65, 1169-1178.	2.9	6
6	Associations between exploratory dietary patterns and incident type 2 diabetes: a federated meta-analysis of individual participant data from 25 cohort studies. <i>European Journal of Nutrition</i> , 2022, 61, 3649-3667.	1.8	6
7	Association of Sugar-Sweetened Beverages, Low/No-Calorie Beverages and Fruit Juice Intakes with Non-alcoholic Fatty Liver Disease: The SWEET Project. <i>Current Developments in Nutrition</i> , 2022, 6, 934.	0.1	0
8	Development of a salutogenic intervention for healthy eating among Dutch type 2 diabetes mellitus patients. <i>Health Promotion International</i> , 2021, , .	0.9	5
9	Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. <i>Nutrients</i> , 2021, 13, 1223.	1.7	8
10	Sugar-Sweetened Beverages, Fruit Juice, and Low-Calorie Beverages, and All-Cause Mortality Risk Among Dutch Adults: The Lifelines Cohort Study Within the SWEET Project. <i>Current Developments in Nutrition</i> , 2021, 5, 1066.	0.1	0
11	Is protein the forgotten ingredient: Effects of higher compared to lower protein diets on cardiometabolic risk factors. A systematic review and meta-analysis of randomised controlled trials. <i>Atherosclerosis</i> , 2021, 328, 124-135.	0.4	23
12	Dairy Consumption and 3-Year Risk of Type 2 Diabetes after Myocardial Infarction: A Prospective Analysis in the Alpha Omega Cohort. <i>Nutrients</i> , 2021, 13, 3146.	1.7	3
13	MicroRNA 146a is associated with diabetic complications in type 1 diabetic patients from the EURODIAB PCS. <i>Journal of Translational Medicine</i> , 2021, 19, 475.	1.8	12
14	Adherence to a food group-based dietary guideline and incidence of prediabetes and type 2 diabetes. <i>European Journal of Nutrition</i> , 2020, 59, 2159-2169.	1.8	7
15	Plasma and Dietary Linoleic Acid and 3-Year Risk of Type 2 Diabetes After Myocardial Infarction: A Prospective Analysis in the Alpha Omega Cohort. <i>Diabetes Care</i> , 2020, 43, 358-365.	4.3	12
16	Fatty acids in the de novo lipogenesis pathway and incidence of type 2 diabetes: A pooled analysis of prospective cohort studies. <i>PLoS Medicine</i> , 2020, 17, e1003102.	3.9	38
17	Consumption of a diet high in dairy leads to higher 15:0 in cholesteryl esters of healthy people when compared to diets high in meat and grain. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 804-809.	1.1	2
18	Dairy consumption and cardiometabolic risk: advocating change on change analyses. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 944-945.	2.2	2

#	ARTICLE	IF	CITATIONS
19	Dairy consumption and cardiometabolic diseases: Evidence from prospective studies. , 2020, , 1-28.		2
20	Depressive and anxiety symptoms and following of the Dutch Dietary Guidelines 2015 in adults with diabetes: Results from Diabetes MILES-The Netherlands. Journal of Psychosomatic Research, 2020, 135, 110160.	1.2	5
21	WHO draft guidelines on dietary saturated and trans fatty acids: time for a new approach?. BMJ: British Medical Journal, 2019, 366, l4137.	2.4	127
22	The Impact of Dairy Products in the Development of Type 2 Diabetes: Where Does the Evidence Stand in 2019?. Advances in Nutrition, 2019, 10, 1066-1075.	2.9	53
23	Total Fermented Dairy Food Intake Is Inversely Associated with Cardiovascular Disease Risk in Women. Journal of Nutrition, 2019, 149, 1797-1804.	1.3	19
24	High Dietary Intake of Vegetable Protein Is Associated With Lower Prevalence of Renal Function Impairment: Results of the Dutch DIALECT-1 Cohort. Kidney International Reports, 2019, 4, 710-719.	0.4	34
25	Pre-pregnancy dietary micronutrient adequacy is associated with lower risk of developing gestational diabetes in Australian women. Nutrition Research, 2019, 62, 32-40.	1.3	15
26	Intake of dietary saturated fatty acids and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition-Netherlands cohort: associations by types, sources of fatty acids and substitution by macronutrients. European Journal of Nutrition, 2019, 58, 1125-1136.	1.8	34
27	Higher Dairy Food Intake Is Associated With Higher Spine Quantitative Computed Tomography (QCT) Bone Measures in the Framingham Study for Men But Not Women. Journal of Bone and Mineral Research, 2018, 33, 1283-1290.	3.1	7
28	Real-life achievement of lipid-lowering treatment targets in the DIAbetes and LiFestyle Cohort Twente: systemic assessment of pharmacological and nutritional factors. Nutrition and Diabetes, 2018, 8, 24.	1.5	15
29	Dietary Approach to Stop Hypertension (DASH) diet and risk of renal function decline and all-cause mortality in renal transplant recipients. American Journal of Transplantation, 2018, 18, 2523-2533.	2.6	39
30	Dairy Consumption and Cardiometabolic Diseases: Systematic Review and Updated Meta-Analyses of Prospective Cohort Studies. Current Nutrition Reports, 2018, 7, 171-182.	2.1	106
31	Preconception risk of gestational diabetes: Development of a prediction model in nulliparous Australian women. Diabetes Research and Clinical Practice, 2018, 146, 48-57.	1.1	17
32	Fatty acid biomarkers of dairy fat consumption and incidence of type 2 diabetes: A pooled analysis of prospective cohort studies. PLoS Medicine, 2018, 15, e1002670.	3.9	143
33	Pre-pregnancy dietary carbohydrate quantity and quality, and risk of developing gestational diabetes: the Australian Longitudinal Study on Women's Health. British Journal of Nutrition, 2018, 120, 435-444.	1.2	39
34	Glycaemic control in the diabetes and Lifestyle Cohort Twente: A cross-sectional assessment of lifestyle and pharmacological management on Hba1c target achievement. Diabetes, Obesity and Metabolism, 2018, 20, 2494-2499.	2.2	18
35	Mediterranean style diet is associated with low risk of new-onset diabetes after renal transplantation. BMJ Open Diabetes Research and Care, 2017, 5, e000283.	1.2	43
36	Whole dairy matrix or single nutrients in assessment of health effects: current evidence and knowledge gaps. American Journal of Clinical Nutrition, 2017, 105, 1033-1045.	2.2	267

#	ARTICLE	IF	CITATIONS
37	Milk and dairy consumption and risk of cardiovascular diseases and all-cause mortality: dose-response meta-analysis of prospective cohort studies. <i>European Journal of Epidemiology</i> , 2017, 32, 269-287.	2.5	275
38	Omega-6 fatty acid biomarkers and incident type 2 diabetes: pooled analysis of individual-level data for 39,740 adults from 20 prospective cohort studies. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 965-974.	5.5	213
39	Coffee consumption after myocardial infarction and risk of cardiovascular mortality: a prospective analysis in the Alpha Omega Cohort. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 1113-1120.	2.2	25
40	Incidence of prolonged QTc and severe hypoglycemia in type 1 diabetes: the EURODIAB Prospective Complications Study. <i>Acta Diabetologica</i> , 2017, 54, 871-876.	1.2	4
41	Effect of Omega-3 Fatty Acid Supplementation on Plasma Fibroblast Growth Factor 23 Levels in Post-Myocardial Infarction Patients with Chronic Kidney Disease: The Alpha Omega Trial. <i>Nutrients</i> , 2017, 9, 1233.	1.7	5
42	Kidney function and specific mortality in 60-80 years old post-myocardial infarction patients: A 10-year follow-up study. <i>PLoS ONE</i> , 2017, 12, e0171868.	1.1	19
43	Milk and dairy products: good or bad for human health? An assessment of the totality of scientific evidence. <i>Food and Nutrition Research</i> , 2016, 60, 32527.	1.2	297
44	Intake of n-3 fatty acids and long-term outcome in renal transplant recipients: a post hoc analysis of a prospective cohort study. <i>British Journal of Nutrition</i> , 2016, 116, 2066-2073.	1.2	3
45	Dietary epicatechin intake and 25-y risk of cardiovascular mortality: the Zutphen Elderly Study. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 58-64.	2.2	39
46	Quantifying the mediating effect of body mass index on the relation between a Mediterranean diet and development of maternal pregnancy complications: the Australian Longitudinal Study on Women's Health. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 638-645.	2.2	33
47	Dairy fat: does it increase or reduce the risk of cardiovascular disease?. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1191-1192.	2.2	2
48	Urinary potassium excretion, renal ammoniogenesis, and risk of graft failure and mortality in renal transplant recipients. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1703-1711.	2.2	35
49	Dairy Consumption and Risk of Stroke: A Systematic Review and Updated Dose-Response Meta-Analysis of Prospective Cohort Studies. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	103
50	Does Milk Consumption Contribute to Cardiometabolic Health and Overall Diet Quality?. <i>Canadian Journal of Cardiology</i> , 2016, 32, 1026-1032.	0.8	44
51	Consumption of dairy foods and diabetes incidence: a dose-response meta-analysis of observational studies. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 1111-1124.	2.2	315
52	The Role of Energy, Nutrients, Foods, and Dietary Patterns in the Development of Gestational Diabetes Mellitus: A Systematic Review of Observational Studies. <i>Diabetes Care</i> , 2016, 39, 16-23.	4.3	165
53	Low 25-hydroxyvitamin D2 and 25-hydroxyvitamin D3 levels are independently associated with macroalbuminuria, but not with retinopathy and macrovascular disease in type 1 diabetes: the EURODIAB prospective complications study. <i>Cardiovascular Diabetology</i> , 2015, 14, 67.	2.7	43
54	Ten-Year Blood Pressure Trajectories, Cardiovascular Mortality, and Life Years Lost in 2 Extinction Cohorts: the Minnesota Business and Professional Men Study and the Zutphen Study. <i>Journal of the American Heart Association</i> , 2015, 4, e001378.	1.6	68

#	ARTICLE	IF	CITATIONS
55	Prepregnancy dietary patterns and risk of developing hypertensive disorders of pregnancy: results from the Australian Longitudinal Study on Women's Health. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 94-101.	2.2	92
56	Effect of atorvastatin on C-reactive protein and benefits for cardiovascular disease in patients with type 2 diabetes: analyses from the Collaborative Atorvastatin Diabetes Trial. <i>Diabetologia</i> , 2015, 58, 1494-1502.	2.9	29
57	The relationship between fermented food intake and mortality risk in the European Prospective Investigation into Cancer and Nutrition-Netherlands cohort. <i>British Journal of Nutrition</i> , 2015, 113, 498-506.	1.2	48
58	Effect of cheese consumption on blood lipids: a systematic review and meta-analysis of randomized controlled trials. <i>Nutrition Reviews</i> , 2015, 73, 259-275.	2.6	104
59	Healthy eating and lower mortality risk in a large cohort of cardiac patients who received state-of-the-art drug treatment. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1527-1533.	2.2	22
60	Pre-pregnancy dietary patterns and risk of gestational diabetes mellitus: results from an Australian population-based prospective cohort study. <i>Diabetologia</i> , 2015, 58, 2726-2735.	2.9	88
61	Dairy products and the risk of stroke and coronary heart disease: the Rotterdam Study. <i>European Journal of Nutrition</i> , 2015, 54, 981-990.	1.8	56
62	Predicting major outcomes in type 1 diabetes: a model development and validation study. <i>Diabetologia</i> , 2014, 57, 2304-2314.	2.9	43
63	The association between dietary factors and gestational hypertension and pre-eclampsia: a systematic review and meta-analysis of observational studies. <i>BMC Medicine</i> , 2014, 12, 157.	2.3	102
64	Glycemic Control and All-Cause Mortality Risk in Type 1 Diabetes Patients: The EURODIAB Prospective Complications Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 800-807.	1.8	36
65	Adherence to dietary guidelines and cardiovascular disease risk in the EPIC-NL cohort. <i>International Journal of Cardiology</i> , 2014, 176, 354-359.	0.8	60
66	Stability of dietary patterns assessed with reduced rank regression; the Zutphen Elderly Study. <i>Nutrition Journal</i> , 2014, 13, 30.	1.5	35
67	Association of physical activity with all-cause mortality and incident and prevalent cardiovascular disease among patients with type 1 diabetes: the EURODIAB Prospective Complications Study. <i>Diabetologia</i> , 2013, 56, 82-91.	2.9	71
68	Do European people with type 1 diabetes consume a high atherogenic diet? 7-year follow-up of the EURODIAB Prospective Complications Study. <i>European Journal of Nutrition</i> , 2013, 52, 1701-1710.	1.8	24
69	Dairy intake in relation to cardiovascular disease mortality and all-cause mortality: the Hoorn Study. <i>European Journal of Nutrition</i> , 2013, 52, 609-616.	1.8	62
70	Unhealthy dietary patterns associated with inflammation and endothelial dysfunction in type 1 diabetes: The EURODIAB study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 758-764.	1.1	49
71	Dairy intake and coronary heart disease or stroke—A population-based cohort study. <i>International Journal of Cardiology</i> , 2013, 167, 925-929.	0.8	65
72	Dairy product intake in relation to glucose regulation indices and risk of type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 822-828.	1.1	72

#	ARTICLE	IF	CITATIONS
73	Log transformation in biomedical research: (mis)use for covariates. <i>Statistics in Medicine</i> , 2013, 32, 3770-3771.	0.8	3
74	Joint Associations of Alcohol Consumption and Physical Activity With All-Cause and Cardiovascular Mortality. <i>American Journal of Cardiology</i> , 2013, 112, 380-386.	0.7	16
75	PS7 - 2. Glycemic control and all-cause mortality risk in type 1 diabetes patients: the EURODIAB Prospective Complications Study. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2013, 11, 153-153.	0.0	0
76	PS11 - 2. Higher urinary sodium excretion is weakly associated with albuminuria, but not with retinopathy in type 1 diabetes: the EURODIAB Study. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2013, 11, 163-163.	0.0	0
77	Factor Analysis Is More Appropriate to Identify Overall Dietary Patterns Associated with Diabetes When Compared with Treelet Transform Analysis. <i>Journal of Nutrition</i> , 2013, 143, 392-398.	1.3	26
78	Consumption of dairy products and associations with incident diabetes, CHD and mortality in the Whitehall II study. <i>British Journal of Nutrition</i> , 2013, 109, 718-726.	1.2	106
79	Protein intake in relation to risk of hypertension and microalbuminuria in patients with type 1 diabetes. <i>Journal of Hypertension</i> , 2013, 31, 1151-1159.	0.3	8
80	Dairy Consumption and Incidence of Hypertension. <i>Hypertension</i> , 2012, 60, 1131-1137.	1.3	215
81	PS8 - 38. Protein intake in relation to risk of hypertension and microalbuminuria in patients with type 1 diabetes: the EURODIAB Prospective Complications Study. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 124-124.	0.0	0
82	Cardiovascular risk factor management of myocardial infarction patients with and without diabetes in the Netherlands between 2002 and 2006: a cross-sectional analysis of baseline data. <i>BMJ Open</i> , 2012, 2, e001360.	0.8	5
83	Glycemic index and glycemic load in relation to glucose intolerance among Greenland's Inuit population. <i>Diabetes Research and Clinical Practice</i> , 2012, 97, 298-305.	1.1	7
84	Blood urea level and diabetes duration are independently associated with ankle-brachial index in type 2 diabetic patients. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2012, 6, 32-35.	1.8	1
85	Dietary saturated fat and fibre and risk of cardiovascular disease and all-cause mortality among type 1 diabetic patients: the EURODIAB Prospective Complications Study. <i>Diabetologia</i> , 2012, 55, 2132-2141.	2.9	49
86	Dairy intake, blood pressure and incident hypertension in a general British population: the 1946 birth cohort. <i>European Journal of Nutrition</i> , 2012, 51, 583-591.	1.8	25
87	Levels and trends in cardiovascular risk factors and drug treatment in 4837 elderly Dutch myocardial infarction patients between 2002 and 2006. <i>Netherlands Heart Journal</i> , 2012, 20, 102-109.	0.3	9
88	Milk and dairy consumption and incidence of cardiovascular diseases and all-cause mortality: dose-response meta-analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 158-171.	2.2	348
89	Waist circumference and metabolic risk factors have separate and additive effects on the risk of future Type 2 diabetes in patients with vascular diseases. A cohort study. <i>Diabetic Medicine</i> , 2011, 28, 932-940.	1.2	16
90	PS6 - 32. The association between physical activity and cardiovascular disease and all-cause mortality in patients with type 1 diabetes mellitus; The EURODIAB Prospective Complications Study. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2011, 9, 113-113.	0.0	0

#	ARTICLE	IF	CITATIONS
91	PS9 - 49. Dairy consumption is inversely associated with type 2 diabetes: dose-response meta-analysis of prospective cohort studies. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2011, 9, 124-125.	0.0	0
92	The effect of atorvastatin therapy on tumour necrosis factor- α and vascular adhesion molecules in patients with type 2 diabetes mellitus with no prior history of coronary heart disease. <i>British Journal of Diabetes and Vascular Disease</i> , 2011, 11, 288-297.	0.6	1
93	Progression to microalbuminuria in type 1 diabetes: development and validation of a prediction rule. <i>Diabetologia</i> , 2010, 53, 254-262.	2.9	57
94	Trends in vascular risk factors and medication use in patients with various manifestations of vascular diseases or type 2 diabetes mellitus from 1996 to 2007: the Second Manifestations of ARterial disease study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 628-636.	3.1	10
95	Low Peripheral Nerve Conduction Velocities and Amplitudes Are Strongly Related to Diabetic Microvascular Complications in Type 1 Diabetes. <i>Diabetes Care</i> , 2010, 33, 2648-2653.	4.3	45
96	Leisure-time physical activity and risk of type 2 diabetes in patients with established vascular disease or poorly controlled vascular risk factors. <i>Diabetes Research and Clinical Practice</i> , 2010, 87, 372-378.	1.1	10
97	Development of a coronary heart disease risk prediction model for type 1 diabetes: The Pittsburgh CHD in Type 1 Diabetes Risk Model. <i>Diabetes Research and Clinical Practice</i> , 2010, 88, 314-321.	1.1	35
98	Alcohol consumption and risk of recurrent cardiovascular events and mortality in patients with clinically manifest vascular disease and diabetes mellitus: The Second Manifestations of ARterial (SMART) disease study. <i>Atherosclerosis</i> , 2010, 212, 281-286.	0.4	43
99	Improved care of type 2 diabetes patients as a result of the introduction of a practice nurse: 2003-2007. <i>Primary Care Diabetes</i> , 2009, 3, 165-171.	0.9	20
100	Absence of Connexin 40 gene polymorphism, as a marker of undetected atrial fibrillation in patients with unexplained cerebral ischemic events. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009, 16, 616-620.	3.1	5
101	Relationship between plasma sialic acid and fibrinogen concentration and incident micro- and macrovascular complications in type 1 diabetes. The EURODIAB Prospective Complications Study (PCS). <i>Diabetologia</i> , 2008, 51, 493-501.	2.9	25
102	Risk of myocardial infarction in men and women with type 2 diabetes in the UK: a cohort study using the General Practice Research Database. <i>Diabetologia</i> , 2008, 51, 1639-1645.	2.9	60
103	Alcohol consumption and risk of microvascular complications in type 1 diabetes patients: the EURODIAB Prospective Complications Study. <i>Diabetologia</i> , 2008, 51, 1631-1638.	2.9	68
104	The impact of Type 2 diabetes and microalbuminuria on future cardiovascular events in patients with clinically manifest vascular disease from the Second Manifestations of ARterial disease (SMART) study. <i>Diabetic Medicine</i> , 2008, 25, 51-57.	1.2	14
105	Easily obtainable clinical features increase the diagnostic accuracy for latent autoimmune diabetes in adults: An evidence-based report. <i>Primary Care Diabetes</i> , 2008, 2, 207-211.	0.9	6
106	Metabolic syndrome and incidence of type 2 diabetes in patients with manifest vascular disease. <i>Diabetes and Vascular Disease Research</i> , 2008, 5, 114-122.	0.9	26
107	Relationship Between Risk Factors and Mortality in Type 1 Diabetic Patients in Europe. <i>Diabetes Care</i> , 2008, 31, 1360-1366.	4.3	199
108	Short- and long-term mortality after acute myocardial infarction: comparison of patients with and without diabetes mellitus. <i>European Journal of Epidemiology</i> , 2007, 22, 883-888.	2.5	52

#	ARTICLE	IF	CITATIONS
109	Mortality in people with Type 2 diabetes in the UK. <i>Diabetic Medicine</i> , 2006, 23, 516-521.	1.2	173
110	All-cause mortality rates in patients with type 1 diabetes mellitus compared with a non-diabetic population from the UK general practice research database, 1992-1999. <i>Diabetologia</i> , 2006, 49, 660-666.	2.9	193
111	Risk of stroke in people with type 2 diabetes in the UK: a study using the General Practice Research Database. <i>Diabetologia</i> , 2006, 49, 2859-2865.	2.9	96
112	Soluble vascular cell adhesion molecule-1 and soluble E-selectin are associated with micro- and macrovascular complications in Type 1 diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2006, 20, 188-195.	1.2	69
113	High Risk of Cardiovascular Disease in Patients With Type 1 Diabetes in the U.K.: A cohort study using the General Practice Research Database. <i>Diabetes Care</i> , 2006, 29, 798-804.	4.3	315
114	Plasma homocysteine and microvascular and macrovascular complications in type 1 diabetes: a cross-sectional nested case-control study. <i>Journal of Internal Medicine</i> , 2005, 258, 450-459.	2.7	34
115	The Authors' Response. <i>Treatments in Endocrinology: Guiding Your Management of Endocrine Disorders</i> , 2005, 4, 261.	1.8	0
116	Cardiovascular Disease Morbidity and Mortality in Patients with Type 1 Diabetes Mellitus. <i>Treatments in Endocrinology: Guiding Your Management of Endocrine Disorders</i> , 2005, 4, 75-86.	1.8	9
117	Risk Factors for Coronary Heart Disease in Type 1 Diabetic Patients in Europe: The EURODIAB Prospective Complications Study. <i>Diabetes Care</i> , 2004, 27, 530-537.	4.3	224
118	Lipoprotein subclass measurements by nuclear magnetic resonance spectroscopy improve the prediction of coronary artery disease in Type 1 Diabetes. A prospective report from the Pittsburgh Epidemiology of Diabetes Complications Study. <i>Diabetologia</i> , 2003, 46, 674-682.	2.9	101
119	The effect of atorvastatin on serum lipids, lipoproteins and NMR spectroscopy defined lipoprotein subclasses in type 2 diabetic patients with ischaemic heart disease. <i>Atherosclerosis</i> , 2003, 167, 243-255.	0.4	85
120	Trends in hypertension management in Type I diabetes across Europe, 1989/1990 ? 1997/1999. <i>Diabetologia</i> , 2002, 45, 1362-1371.	2.9	33
121	Differences in HDL-cholesterol:apoA-I + apoA-II ratio and apoE phenotype with albuminuric status in Type I diabetic patients. <i>Diabetologia</i> , 2000, 43, 1353-1359.	2.9	24
122	Mindfulness in Relation to Diet Quality in Adults with Type 1 and Type 2 Diabetes: Results from Diabetes MILES-The Netherlands. <i>Mindfulness</i> , 0, , 1.	1.6	0