

# BÃœelent OztÃœerk

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6623986/publications.pdf>

Version: 2024-02-01

49  
papers

1,191  
citations

361296  
20  
h-index

395590  
33  
g-index

49  
all docs

49  
docs citations

49  
times ranked

1109  
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors Affecting Fever Following Percutaneous Nephrolithotomy: A Prospective Clinical Study. <i>Journal of Endourology</i> , 2008, 22, 2135-2138.	1.1	80
2	Hot wear properties of ceramic and basalt fiber reinforced hybrid friction materials. <i>Tribology International</i> , 2007, 40, 37-48.	3.0	78
3	Successful Percutaneous Nephrolithotomy in Children: Multicenter Study on Current Status of its Use, Efficacy and Complications Using Clavien Classification. <i>Journal of Urology</i> , 2011, 185, 1419-1424.	0.2	77
4	Percutaneous Nephrolithotomy: Nephrostomy or Tubeless or Totally Tubeless?. <i>Urology</i> , 2010, 75, 1043-1046.	0.5	71
5	Effects of Resin Type and Fiber Length on the Mechanical and Tribological Properties of Brake Friction Materials. <i>Tribology Letters</i> , 2011, 42, 339-350.	1.2	70
6	Effects of Different Kinds of Fibers on Mechanical and Tribological Properties of Brake Friction Materials. <i>Tribology Transactions</i> , 2013, 56, 536-545.	1.1	68
7	Effectiveness of totally tubeless percutaneous nephrolithotomy in selected patients: a prospective randomized study. <i>International Urology and Nephrology</i> , 2009, 41, 541-545.	0.6	66
8	Effect of continuous lumbar traction on the size of herniated disc material in lumbar disc herniation. <i>Rheumatology International</i> , 2006, 26, 622-626.	1.5	58
9	Percutaneous Nephrolithotomy Is Highly Efficient and Safe in Infants and Children under 3 Years of Age. <i>Urologia Internationalis</i> , 2010, 85, 455-460.	0.6	47
10	Hybrid effect in the mechanical properties of jute/rockwool hybrid fibres reinforced phenol formaldehyde composites. <i>Fibers and Polymers</i> , 2010, 11, 464-473.	1.1	42
11	Balloon Dilatation versus Amplatz Dilatation for Nephrostomy Tract Dilatation. <i>Journal of Endourology</i> , 2008, 22, 901-904.	1.1	40
12	Altered Relaxant Responses to Adenosine and Adenosine 5â€™-Triphosphate in the Corpus cavernosum from Men and Rats with Diabetes. <i>Pharmacology</i> , 2000, 60, 105-112.	0.9	35
13	Bladder Perforation Related to Intrauterine Device. <i>Journal of the Chinese Medical Association</i> , 2008, 71, 207-209.	0.6	35
14	Tissue reactions of suture materials (polyglactine 910, chromed catgut and polydioxanone) on rat bladder wall and their role in bladder stone formation. <i>Urological Research</i> , 2008, 36, 43-49.	1.5	33
15	Effect of periprostatic nerve blockade before transrectal ultrasound-guided prostate biopsy on patient comfort: A randomized placebo controlled study. <i>International Journal of Urology</i> , 2004, 11, 148-151.	0.5	31
16	Effects of Zinc Borate and Fly Ash on the Mechanical and Tribological Characteristics of Brake Friction Materials. <i>Tribology Transactions</i> , 2016, 59, 622-631.	1.1	31
17	Double-J Stenting Compared with One Night Externalized Ureteral Catheter Placement in Tubeless Percutaneous Nephrolithotomy. <i>Journal of Endourology</i> , 2009, 23, 27-32.	1.1	29
18	Spinal Anesthesia Is an Efficient and Safe Anesthetic Method for Percutaneous Nephrolithotomy. <i>Urology</i> , 2014, 83, 50-55.	0.5	25

#	ARTICLE	IF	CITATIONS
19	Oxidation, electrical and mechanical properties of Crofer Å® 22 solid oxide fuel cell metallic interconnects manufactured through powder metallurgy. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 10822-10833.	3.8	22
20	Outcome of Percutaneous Nephrolithotomy in Children Having Complex Stones. <i>Urologia Internationalis</i> , 2009, 83, 416-419.	0.6	21
21	Erosive wear characteristics of Eâ€glass fiber reinforced silica fume and zinc oxideâ€filled epoxy resin composites. <i>Polymer Composites</i> , 2020, 41, 326-337.	2.3	17
22	Case Report: Bilateral Simultaneous Tubeless and Stentless Percutaneous Nephrolithotomy. <i>Journal of Endourology</i> , 2008, 22, 25-28.	1.1	15
23	Detection of Prostate Cancer and Changes in Prostate-Specific Antigen (PSA) Six Months after Surgery for Benign Prostatic Hyperplasia in Patients with Elevated PSA. <i>Urologia Internationalis</i> , 2003, 71, 150-153.	0.6	14
24	Bilateral Simultaneous Totally Tubeless Percutaneous Nephrolithotomy: Preliminary Report of Six Cases. <i>Journal of Endourology</i> , 2009, 23, 1255-1257.	1.1	14
25	A New Hemostatic Agent (Ankaferd Blood Stopper<sup>Å®</sup>) in Tubeless Percutaneous Nephrolithotomy: A Prospective Randomized Study. <i>Journal of Endourology</i> , 2013, 27, 1126-1130.	1.1	13
26	The early effects of partial outflow obstruction on contractile properties of diabetic and non-diabetic rat bladder. <i>Urological Research</i> , 2002, 30, 178-184.	1.5	12
27	Effect of urothelium on bladder contractility in diabetic rats. <i>International Journal of Urology</i> , 2005, 12, 677-682.	0.5	12
28	Effect of Simple Malrotation on Percutaneous Nephrolithotomy: A Matched Pair Multicenter Analysis. <i>Journal of Urology</i> , 2011, 185, 1737-1741.	0.2	12
29	Shock wave lithotripsy for distal ureteric stones: supin or prone. <i>Urological Research</i> , 2011, 39, 177-180.	1.5	12
30	Effect of postnecrotic and alcoholic hepatic cirrhosis on development of benign prostatic hyperplasia. , 1998, 36, 80-84.		11
31	Effect of ascorbic acid treatment on endothelium-dependent and neurogenic relaxation of corpus cavernosum from middle-aged non-insulin dependent diabetic rats. <i>International Journal of Urology</i> , 2005, 12, 821-828.	0.5	11
32	Persistent MÃ¼llerian Duct Syndrome. <i>Scandinavian Journal of Urology and Nephrology</i> , 1993, 27, 563-565.	1.4	10
33	Alteration in Contractile Responses in Human Detrusor Smooth Muscle from Obstructed Bladders with Overactivity. <i>Urologia Internationalis</i> , 2008, 80, 193-200.	0.6	8
34	Effects of Forced Diuresis Achieved by Oral Hydration and Oral Diuretic Administration on Uroflowmetric Parameters and Clinical Waiting Time of Patients with Lower Urinary Tract Symptoms. <i>Urologia Internationalis</i> , 2003, 71, 22-25.	0.6	7
35	Use of Cutting Balloon in the Treatment of Urethral Stricture: A Novel Technique. <i>CardioVascular and Interventional Radiology</i> , 2009, 32, 525-528.	0.9	7
36	Tubeless percutaneous nephrolithotomy is effective and safe in short- and long-term urinary drainage. <i>Urolithiasis</i> , 2013, 41, 341-346.	1.2	7

#	ARTICLE	IF	CITATIONS
37	An alternative treatment for high-burden ureteral stones: percutaneous antegrade ureteroscopy. <i>Urological Research</i> , 2011, 39, 389-392.	1.5	6
38	The Role of Wheel Surface Quality on Structural and Hard Magnetic Properties of Nd-Fe-B Permanent Magnet Powders. <i>Journal of Superconductivity and Novel Magnetism</i> , 2018, 31, 3025-3041.	0.8	6
39	Periprostatic Nerve Blockade before Transrectal Ultrasound-Guided Prostate Biopsy: The Ankara Numune Experience. <i>Urologia Internationalis</i> , 2003, 71, 165-167.	0.6	5
40	Investigation of milling characteristics of alumina powders milled with a newly designed vibratory horizontal attritor. <i>Powder Technology</i> , 2004, 146, 200-205.	2.1	5
41	The Effect of Diabetes Mellitus on $\alpha_1$ -Adrenergic Receptor Subtypes in the Bladder of Rats. <i>Urology</i> , 2012, 80, 951.e9-951.e16.	0.5	5
42	How Do Patients with Familial Benign Prostatic Hyperplasia Differ Clinically from Those with Sporadic Benign Prostatic Hyperplasia?. <i>Urologia Internationalis</i> , 2006, 76, 332-334.	0.6	4
43	Can pain during digital rectal examination help us to decide the necessity and the method of anesthesia for transrectal ultrasound guided prostate needle biopsy?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2007, 33, 470-476.	0.7	4
44	Increased Central Corneal Thickness in Children With Cerebral Palsy. <i>Cornea</i> , 2009, 28, 375-378.	0.9	4
45	Production of rapidly solidified Cu-Sn ribbons by water jet cooled rotating disc method. <i>Journal of Materials Processing Technology</i> , 2011, 211, 1817-1823.	3.1	4
46	Improvement of solid particle erosion resistance of helicopter rotor blade with hybrid composite shield. <i>Engineering Failure Analysis</i> , 2021, 121, 105175.	1.8	4
47	Enhanced Magnetic Properties of Nd <sub>15</sub> Fe <sub>77</sub> B <sub>8</sub> Alloy Powders Produced by Melt-Spinning Technique. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017, 48, 5017-5030.	1.1	3
48	A Case of Growing Teratoma Syndrome. <i>Scandinavian Journal of Urology and Nephrology</i> , 1997, 31, 217-219.	1.4	0
49	The effects of etiological factors on the results of augmentation enterocystoplasty: spinal cord injuries versus chronic tuberculosis cystitis. <i>Turk Uroloji Dergisi</i> , 2012, 38, 154-158.	0.4	0