

# Ki Hyun Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6624572/publications.pdf>

Version: 2024-02-01

32  
papers

1,254  
citations

394286

19  
h-index

454834

30  
g-index

32  
all docs

32  
docs citations

32  
times ranked

1273  
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermally cross-linked sulfonated poly(ether ether ketone) membranes containing a basic polymer-grafted graphene oxide for vanadium redox flow battery application. <i>Journal of Energy Storage</i> , 2022, 45, 103784.	3.9	11
2	Polybenzimidazole composite membranes containing imidazole functionalized graphene oxide showing high proton conductivity and improved physicochemical properties. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 12254-12262.	3.8	33
3	High-performance proton-exchange membrane water electrolysis using a sulfonated poly(arylene ether sulfone) membrane. <i>Journal of Membrane Science</i> , 2021, 614, 118431.	4.1	59
4	Study on Control of Polymeric Architecture of Sulfonated Hydrocarbon-Based Polymers for High-Performance Polymer Electrolyte Membranes in Fuel Cell Applications. <i>Polymers</i> , 2021, 13, 3520.	2.0	17
5	Self-Humidifying Membrane for High-Performance Fuel Cells Operating at Harsh Conditions: Heterojunction of Proton and Anion Exchange Membranes Composed of Acceptor-Doped SnP2O7 Composites. <i>Membranes</i> , 2021, 11, 776.	1.4	2
6	Organic Dye-Derived N, S Co-Doped Porous Carbon Hosts for Effective Lithium Polysulfide Confinement in Lithium-Sulfur Batteries. <i>Nanomaterials</i> , 2021, 11, 2954.	1.9	4
7	Enhanced cycle stability of rechargeable Li-O <sub>2</sub> batteries using immobilized redox mediator on air cathode. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 83, 14-19.	2.9	6
8	Cross-linked sulfonated poly(ether ether ketone) membranes formed by poly(2,5-benzimidazole)-grafted graphene oxide as a novel cross-linker for direct methanol fuel cell applications. <i>Journal of Power Sources</i> , 2020, 448, 227427.	4.0	41
9	Simple and Effective Cross-Linking Technology for the Preparation of Cross-Linked Membranes Composed of Highly Sulfonated Poly(ether ether ketone) and Poly(arylene ether sulfone) for Fuel Cell Applications. <i>ACS Applied Energy Materials</i> , 2020, 3, 10495-10505.	2.5	16
10	Suppressing vanadium crossover using sulfonated aromatic ion exchange membranes for high performance flow batteries. <i>Materials Advances</i> , 2020, 1, 2206-2218.	2.6	22
11	End-group cross-linked membranes based on highly sulfonated poly(arylene ether sulfone) with vinyl functionalized graphene oxide as a cross-linker and a filler for proton exchange membrane fuel cell application. <i>Journal of Polymer Science</i> , 2020, 58, 3456-3466.	2.0	8
12	Sulfonated poly(arylene ether sulfone) composite membrane having sulfonated polytriazole grafted graphene oxide for high-performance proton exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2020, 612, 118428.	4.1	39
13	Highly sulfonated polymer-grafted graphene oxide composite membranes for proton exchange membrane fuel cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 74, 223-232.	2.9	58
14	Cross-linked highly sulfonated poly(arylene ether sulfone) membranes prepared by in-situ casting and thiol-ene click reaction for fuel cell application. <i>Journal of Membrane Science</i> , 2019, 579, 70-78.	4.1	60
15	Electrochemical Characterization of Ion Exchange Composite Membrane with Various Ion Exchange Group Moieties. <i>ECS Meeting Abstracts</i> , 2019, , .	0.0	0
16	Anion Exchange Membrane Fuel Cell Application of Synthesized Poly(ether ether ketone) Containing Imidazolium. <i>ECS Meeting Abstracts</i> , 2019, , .	0.0	0
17	Comb-shaped polysulfones containing sulfonated polytriazole side chains for proton exchange membranes. <i>Journal of Membrane Science</i> , 2018, 554, 232-243.	4.1	41
18	End-group cross-linked sulfonated poly(arylene ether sulfone) via thiol-ene click reaction for high-performance proton exchange membrane. <i>Journal of Power Sources</i> , 2018, 401, 20-28.	4.0	39

#	ARTICLE	IF	CITATIONS
19	Cross-Linked Graphene Oxide Membrane Functionalized with Self-Cross-Linkable and Bactericidal Cardanol for Oil/Water Separation. <i>ACS Applied Nano Materials</i> , 2018, 1, 2600-2608.	2.4	32
20	Sulfonated Poly(Arylene Ether Sulfone) and Perfluorosulfonic Acid Composite Membranes Containing Perfluoropolyether Grafted Graphene Oxide for Polymer Electrolyte Membrane Fuel Cell Applications. <i>Polymers</i> , 2018, 10, 569.	2.0	15
21	Cross-Linked Sulfonated Poly(arylene ether sulfone) Containing a Flexible and Hydrophobic Bishydroxy Perfluoropolyether Cross-Linker for High-Performance Proton Exchange Membrane. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 21788-21793.	4.0	43
22	Proton conductive cross-linked benzoxazine-benzimidazole copolymers as novel porous substrates for reinforced pore-filling membranes in fuel cells operating at high temperatures. <i>Journal of Membrane Science</i> , 2017, 536, 76-85.	4.1	37
23	Highly reinforced pore-filling membranes based on sulfonated poly(arylene ether sulfone)s for high-temperature/low-humidity polymer electrolyte membrane fuel cells. <i>Journal of Membrane Science</i> , 2017, 537, 11-21.	4.1	47
24	Enhanced physical stability and chemical durability of sulfonated poly(arylene ether sulfone) composite membranes having antioxidant grafted graphene oxide for polymer electrolyte membrane fuel cell applications. <i>Journal of Membrane Science</i> , 2017, 525, 125-134.	4.1	98
25	Cross-linked graphene oxide membrane having high ion selectivity and antibacterial activity prepared using tannic acid-functionalized graphene oxide and polyethyleneimine. <i>Journal of Membrane Science</i> , 2017, 521, 1-9.	4.1	195
26	Cross-Linked Sulfonated Poly(arylene ether sulfone) Membranes Formed by <i>in Situ</i> Casting and Click Reaction for Applications in Fuel Cells. <i>Macromolecules</i> , 2015, 48, 1104-1114.	2.2	92
27	Poly(arylene ether sulfone) based semi-interpenetrating polymer network membranes containing cross-linked poly(vinyl phosphonic acid) chains for fuel cell applications at high temperature and low humidity conditions. <i>Journal of Power Sources</i> , 2015, 293, 539-547.	4.0	35
28	Organic/inorganic composite membranes comprising of sulfonated Poly(arylene ether sulfone) and core-shell silica particles having acidic and basic polymer shells. <i>Polymer</i> , 2015, 71, 70-81.	1.8	38
29	Liquid crystal alignment behavior on sulfonated poly(arylene ether sulfone) films. <i>RSC Advances</i> , 2015, 5, 64031-64036.	1.7	5
30	Sulfonated poly(arylene ether sulfone) composite membranes having poly(2,5-benzimidazole)-grafted graphene oxide for fuel cell applications. <i>Journal of Materials Chemistry A</i> , 2015, 3, 20595-20606.	5.2	100
31	Highly durable polymer electrolyte membranes at elevated temperature: Cross-linked copolymer structure consisting of poly(benzoxazine) and poly(benzimidazole). <i>Journal of Power Sources</i> , 2013, 226, 346-353.	4.0	43
32	Poly[2,2-(m-phenylene)-5,5-bibenzimidazole] and poly[6-fluoro-3-(pyridin-2-yl)-3,4-dihydro-2H-benzoxazine] based polymer electrolyte membranes for fuel cells at elevated temperature. <i>Macromolecular Research</i> , 2012, 20, 1181-1190.	1.0	18