
Julie Hibbert

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6625331/publications.pdf Version: 2024-02-01



LILLE HIRREDT

#	Article	IF	CITATIONS
1	Composition of early life leukocyte populations in preterm infants with and without late-onset sepsis. PLoS ONE, 2022, 17, e0264768.	1.1	2
2	Impaired Cytokine Responses to Live <i>Staphylococcus epidermidis</i> in Preterm Infants Precede Gram-positive, Late-onset Sepsis. Clinical Infectious Diseases, 2021, 72, 271-278.	2.9	13
3	Plasma secretory phospholipase A2 as an early marker for lateâ€onset sepsis in preterm infants—a pilot study. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 3011-3013.	0.7	1
4	The impact of cytokine levels in young South African children with and without HIVâ€associated acute lower respiratory infections. Journal of Medical Virology, 2021, 93, 3647-3655.	2.5	1
5	Cyclic AMP in human preterm infant blood is associated with increased TLR-mediated production of acute-phase and anti-inflammatory cytokines in vitro. Pediatric Research, 2020, 88, 717-725.	1.1	8
6	Plasma cytokine profiles in very preterm infants with late-onset sepsis. PLoS ONE, 2020, 15, e0232933.	1.1	13
7	Neonatal nurses' perceptions of topical coconut oil for very preterm infants. Journal of Neonatal Nursing, 2020, 26, 173-174.	0.3	3
8	Plasma cytokine profiles in very preterm infants with late-onset sepsis. , 2020, 15, e0232933.		0
9	Plasma cytokine profiles in very preterm infants with late-onset sepsis. , 2020, 15, e0232933.		0
10	Plasma cytokine profiles in very preterm infants with late-onset sepsis. , 2020, 15, e0232933.		0
11	Plasma cytokine profiles in very preterm infants with late-onset sepsis. , 2020, 15, e0232933.		0
12	Topical Coconut Oil Contributes to Systemic Monolaurin Levels in Very Preterm Infants. Neonatology, 2019, 116, 299-301.	0.9	3
13	High concentrations of middle ear antimicrobial peptides and proteins and proinflammatory cytokines are associated with detection of middle ear pathogens in children with recurrent acute otitis media. PLoS ONE, 2019, 14, e0227080.	1.1	8
14	Effects of maturation and size on population pharmacokinetics of pentoxifylline and its metabolites in very preterm infants with suspected lateâ€onset sepsis or necrotizing enterocolitis: a pilot study incorporating clinical outcomes. British Journal of Clinical Pharmacology, 2019, 85, 147-159.	1.1	17
15	Topical Coconut Oil in Very Preterm Infants: An Open-Label Randomised Controlled Trial. Neonatology, 2018, 113, 146-151.	0.9	26
16	Identification of generic and pathogen-specific cord blood monocyte transcriptomes reveals a largely conserved response in preterm and term newborn infants. Journal of Molecular Medicine, 2018, 96, 147-157.	1.7	9
17	Probiotics and antimicrobial protein and peptide levels in preterm infants. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 1747-1753.	0.7	12
18	Simultaneous determination of pentoxifylline, metabolites M1 (lisofylline), M4 and M5, and caffeine in plasma and dried blood spots for pharmacokinetic studies in preterm infants and neonates. Journal of Pharmaceutical and Biomedical Analysis, 2017, 146, 302-313.	1.4	13

Julie Hibbert

#	Article	IF	CITATIONS
19	Human alkaline phosphatase dephosphorylates microbial products and is elevated in preterm neonates with a history of late-onset sepsis. PLoS ONE, 2017, 12, e0175936.	1.1	26
20	Antimicrobial Protein and Peptide Concentrations and Activity in Human Breast Milk Consumed by Preterm Infants at Risk of Late-Onset Neonatal Sepsis. PLoS ONE, 2015, 10, e0117038.	1.1	62
21	NOD1 and NOD2 expression and function in very preterm infant mononuclear cells. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, e212-e218.	0.7	14
22	Phagocytosis of neonatal pathogens by peripheral blood neutrophils and monocytes from newborn preterm and term infants. Pediatric Research, 2013, 74, 503-510.	1.1	46