

Andreea M Bujor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6626043/publications.pdf>

Version: 2024-02-01

23
papers

720
citations

567281

15
h-index

677142

22
g-index

26
all docs

26
docs citations

26
times ranked

1313
citing authors

#	ARTICLE	IF	CITATIONS
1	CCN2 Is Required for the TGF- β 2 Induced Activation of Smad1 - Erk1/2 Signaling Network. PLoS ONE, 2011, 6, e21911.	2.5	75
2	Akt Blockade Downregulates Collagen and Upregulates MMP1 in Human Dermal Fibroblasts. Journal of Investigative Dermatology, 2008, 128, 1906-1914.	0.7	68
3	The impact of Fli1 deficiency on the pathogenesis of systemic sclerosis. Journal of Dermatological Science, 2010, 59, 153-162.	1.9	68
4	Endoglin promotes TGF- β 2/Smad1 signaling in scleroderma fibroblasts. Journal of Cellular Physiology, 2011, 226, 3340-3348.	4.1	67
5	Angiotensin II induces skin fibrosis: a novel mouse model of dermal fibrosis. Arthritis Research and Therapy, 2012, 14, R194.	3.5	65
6	The c-Abl tyrosine kinase controls protein kinase C δ -induced Fli-1 phosphorylation in human dermal fibroblasts. Arthritis and Rheumatism, 2011, 63, 1729-1737.	6.7	50
7	Thymic Stromal Lymphopoietin Is Upregulated in the Skin of Patients With Systemic Sclerosis and Induces Profibrotic Genes and Intracellular Signaling That Overlap With Those Induced by Interleukin-13 and Transforming Growth Factor β 2. Arthritis and Rheumatism, 2013, 65, 1335-1346.	6.7	50
8	Dihydrosphingosine 1-phosphate has a potent antifibrotic effect in scleroderma fibroblasts via normalization of phosphatase and tensin homolog levels. Arthritis and Rheumatism, 2010, 62, 2117-2126.	6.7	45
9	Adenosine A2A receptors promote collagen production by a Fli1- and CTGF-mediated mechanism. Arthritis Research and Therapy, 2013, 15, R58.	3.5	38
10	Ciprofloxacin has antifibrotic effects in scleroderma fibroblasts via downregulation of Dnmt1 and upregulation of Fli1. International Journal of Molecular Medicine, 2012, 30, 1473-1480.	4.0	35
11	Akt inhibition upregulates MMP1 through a CCN2-dependent pathway in human dermal fibroblasts. Experimental Dermatology, 2010, 19, 347-354.	2.9	27
12	Caveolin-1 is a negative regulator of MMP-1 gene expression in human dermal fibroblasts via inhibition of Erk1/2/Ets1 signaling pathway. Journal of Dermatological Science, 2011, 64, 210-216.	1.9	26
13	Comparison of oral versus parenteral methotrexate in the treatment of rheumatoid arthritis: A meta-analysis. PLoS ONE, 2019, 14, e0221823.	2.5	22
14	Autocrine transforming growth factor β 2 signaling regulates extracellular signal-regulated kinase 1/2 phosphorylation via modulation of protein phosphatase 2A expression in scleroderma fibroblasts. Fibrogenesis and Tissue Repair, 2010, 3, 25.	3.4	21
15	Acid sphingomyelinase deficiency contributes to resistance of scleroderma fibroblasts to Fas-mediated apoptosis. Journal of Dermatological Science, 2012, 67, 166-172.	1.9	16
16	Elevated expression of caveolin-1 in a subset of c fibroblasts contributes to constitutive Alk1/Smad1 activation. Journal of Cellular and Molecular Medicine, 2012, 16, 2238-2246.	3.6	10
17	Fli1 Downregulation in Scleroderma Myeloid Cells Has Profibrotic and Proinflammatory Effects. Frontiers in Immunology, 2020, 11, 800.	4.8	10
18	Endothelial-Mesenchymal Transition in Heart Failure With a Preserved Ejection Fraction. Circulation: Heart Failure, 2021, 14, e008372.	3.9	10

#	ARTICLE	IF	CITATIONS
19	FLI1 and ERG protein degradation is regulated via Cathepsin B lysosomal pathway in human dermal microvascular endothelial cells. <i>Microcirculation</i> , 2021, 28, e12660.	1.8	8
20	The Prognostic Value of Cardiac Axis Deviation in Systemic Sclerosis-related Pulmonary Hypertension. <i>Arthritis Care and Research</i> , 2021, , .	3.4	5
21	Clinical characteristics and outcomes in pulmonary manifestations of systemic sclerosis: Contribution from pulmonary hypertension and interstitial lung disease severity. <i>Pulmonary Circulation</i> , 2022, 12, .	1.7	3
22	Basic Calcium Phosphate Crystal Periarthritis Involving the Distal Interphalangeal Joints in a Patient with Systemic Lupus Erythematosus. <i>American Journal of Case Reports</i> , 2019, 20, 1132-1137.	0.8	1
23	CONVENTIONAL ECHOCARDIOGRAPHIC FINDINGS IN SYSTEMIC SCLEROSIS-RELATED PULMONARY HYPERTENSION. <i>Chest</i> , 2020, 158, A2181-A2182.	0.8	0