

# Andreea M Bujor

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6626043/publications.pdf>

Version: 2024-02-01

23  
papers

720  
citations

567281

15  
h-index

677142

22  
g-index

26  
all docs

26  
docs citations

26  
times ranked

1313  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical characteristics and outcomes in pulmonary manifestations of systemic sclerosis: Contribution from pulmonary hypertension and interstitial lung disease severity. <i>Pulmonary Circulation</i> , 2022, 12, .	1.7	3
2	FLI1 and ERG protein degradation is regulated via Cathepsin B lysosomal pathway in human dermal microvascular endothelial cells. <i>Microcirculation</i> , 2021, 28, e12660.	1.8	8
3	The Prognostic Value of Cardiac Axis Deviation in Systemic Sclerosis-related Pulmonary Hypertension. <i>Arthritis Care and Research</i> , 2021, , .	3.4	5
4	Endothelial-Mesenchymal Transition in Heart Failure With a Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2021, 14, e008372.	3.9	10
5	CONVENTIONAL ECHOCARDIOGRAPHIC FINDINGS IN SYSTEMIC SCLEROSIS-RELATED PULMONARY HYPERTENSION. <i>Chest</i> , 2020, 158, A2181-A2182.	0.8	0
6	Fli1 Downregulation in Scleroderma Myeloid Cells Has Profibrotic and Proinflammatory Effects. <i>Frontiers in Immunology</i> , 2020, 11, 800.	4.8	10
7	Comparison of oral versus parenteral methotrexate in the treatment of rheumatoid arthritis: A meta-analysis. <i>PLoS ONE</i> , 2019, 14, e0221823.	2.5	22
8	Basic Calcium Phosphate Crystal Periarthritis Involving the Distal Interphalangeal Joints in a Patient with Systemic Lupus Erythematosus. <i>American Journal of Case Reports</i> , 2019, 20, 1132-1137.	0.8	1
9	Adenosine A2A receptors promote collagen production by a Fli1- and CTGF-mediated mechanism. <i>Arthritis Research and Therapy</i> , 2013, 15, R58.	3.5	38
10	Thymic Stromal Lymphopoietin Is Up-regulated in the Skin of Patients With Systemic Sclerosis and Induces Profibrotic Genes and Intracellular Signaling That Overlap With Those Induced by Interleukin-13 and Transforming Growth Factor $\beta^2$ . <i>Arthritis and Rheumatism</i> , 2013, 65, 1335-1346.	6.7	50
11	Ciprofloxacin has antifibrotic effects in scleroderma fibroblasts via downregulation of Dnmt1 and upregulation of Fli1. <i>International Journal of Molecular Medicine</i> , 2012, 30, 1473-1480.	4.0	35
12	Elevated expression of caveolin-1 in a subset of <i>SSc</i> fibroblasts contributes to constitutive Alk1/Smad1 activation. <i>Journal of Cellular and Molecular Medicine</i> , 2012, 16, 2238-2246.	3.6	10
13	Acid sphingomyelinase deficiency contributes to resistance of scleroderma fibroblasts to Fas-mediated apoptosis. <i>Journal of Dermatological Science</i> , 2012, 67, 166-172.	1.9	16
14	Angiotensin II induces skin fibrosis: a novel mouse model of dermal fibrosis. <i>Arthritis Research and Therapy</i> , 2012, 14, R194.	3.5	65
15	Caveolin-1 is a negative regulator of MMP-1 gene expression in human dermal fibroblasts via inhibition of Erk1/2/Ets1 signaling pathway. <i>Journal of Dermatological Science</i> , 2011, 64, 210-216.	1.9	26
16	The c-Abl tyrosine kinase controls protein kinase C $\delta$ -induced Fli-1 phosphorylation in human dermal fibroblasts. <i>Arthritis and Rheumatism</i> , 2011, 63, 1729-1737.	6.7	50
17	Endoglin promotes TGF- $\beta^2$ /Smad1 signaling in scleroderma fibroblasts. <i>Journal of Cellular Physiology</i> , 2011, 226, 3340-3348.	4.1	67
18	CCN2 Is Required for the TGF- $\beta^2$ Induced Activation of Smad1 - Erk1/2 Signaling Network. <i>PLoS ONE</i> , 2011, 6, e21911.	2.5	75

#	ARTICLE	IF	CITATIONS
19	Dihydrosphingosine 1-phosphate has a potent antifibrotic effect in scleroderma fibroblasts via normalization of phosphatase and tensin homolog levels. <i>Arthritis and Rheumatism</i> , 2010, 62, 2117-2126.	6.7	45
20	Autocrine transforming growth factor $\beta$ signaling regulates extracellular signal-regulated kinase 1/2 phosphorylation via modulation of protein phosphatase 2A expression in scleroderma fibroblasts. <i>Fibrogenesis and Tissue Repair</i> , 2010, 3, 25.	3.4	21
21	Akt inhibition upregulates MMP1 through a CCN2-dependent pathway in human dermal fibroblasts. <i>Experimental Dermatology</i> , 2010, 19, 347-354.	2.9	27
22	The impact of Fli1 deficiency on the pathogenesis of systemic sclerosis. <i>Journal of Dermatological Science</i> , 2010, 59, 153-162.	1.9	68
23	Akt Blockade Downregulates Collagen and Upregulates MMP1 in Human Dermal Fibroblasts. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1906-1914.	0.7	68