

Dennis Velakoulis

Dipcrim, Mbbs, Dmedsci

List of Publications by Year in Descending Order

Source:

<https://exaly.com/author-pdf/6626941/dennis-velakoulis-dipcrim-mbbs-dmedsci-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

338
papers

13,281
citations

61
h-index

105
g-index

364
ext. papers

15,101
ext. citations

4
avg, IF

6.02
L-index

#	Paper	IF	Citations
338	Occam's razor trumped by Hickam's dictum: A case of a patient having as many diseases as they (darn) well please.. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022 , 48674211073041	2.6	
337	Cerebrospinal fluid neurofilament light chain differentiates primary psychiatric disorders from rapidly progressive, Alzheimer's disease and frontotemporal disorders in clinical settings.. <i>Alzheimer's and Dementia</i> , 2022 ,	1.2	2
336	Clinico-demographics of people with younger-onset dementia and neuropsychiatric symptoms referred to an Australian dementia support service: A comparison study with older-onset dementia.. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022 , 48674221080709	2.6	0
335	Cerebrospinal fluid Alzheimer disease biomarkers for assessing cognitive and neuropsychiatric symptoms: Expanding the toolkit in the psychiatrist's diagnostic armamentarium.. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022 , 48674221084245	2.6	0
334	Confirming Pathogenicity of the F386L Variant in a South Asian Family With Early-Onset Alzheimer Disease.. <i>Neurology: Genetics</i> , 2022 , 8, e647	3.8	
333	A phase 1b open-label study of sodium selenate as a disease-modifying treatment for possible behavioral variant frontotemporal dementia.. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2022 , 8, e12299	6	0
332	Pineal morphology of the clinical high-risk state for psychosis and different psychotic disorders.. <i>Schizophrenia Research</i> , 2022 , 244, 1-7	3.6	
331	Cortico-cognition Coupling in Treatment Resistant Schizophrenia. <i>NeuroImage: Clinical</i> , 2022 , 103064	5.3	
330	Sodium selenate as a disease-modifying treatment for progressive supranuclear palsy: protocol for a phase 2, randomised, double-blind, placebo-controlled trial.. <i>BMJ Open</i> , 2021 , 11, e055019	3	
329	Neurological, neuropsychiatric and neurodevelopmental complications of COVID-19. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 750-762	2.6	13
328	Brain hypometabolism in rare genetic neurodegenerative disease: Niemann-Pick disease type C, spinocerebellar ataxia and Huntington disease assessed by FDG PET. <i>Asia Oceania Journal of Nuclear Medicine and Biology</i> , 2021 , 9, 167-172	0.7	
327	Plasma neurofilament light chain protein is not increased in treatment-resistant schizophrenia and first-degree relatives.. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211058684	2.6	1
326	Psychiatric symptoms are the strongest predictors of quality of life in patients with drug-resistant epilepsy or psychogenic nonepileptic seizures: AuthorsResponse. <i>Epilepsy and Behavior</i> , 2021 , 108436	3.2	
325	Visiting and observing: reflections on clinical observer visits to Neuropsychiatry, Royal Melbourne Hospital. <i>Australasian Psychiatry</i> , 2021 , 29, 465-468	1.7	
324	Clinical predictors of discordance between screening tests and psychiatric assessment for depressive and anxiety disorders among patients being evaluated for seizure disorders. <i>Epilepsia</i> , 2021 , 62, 1170-1183	6.4	3
323	Genetic testing in dementia-A medical genetics perspective. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 1158-1170	3.9	2
322	Odor Identification Testing Can Assist in the Clinical Distinction Between Psychiatric Disorders and Neurological/Neurodegenerative Disorders. <i>Alzheimer Disease and Associated Disorders</i> , 2021 , 35, 244-249	2.5	0

321	Predictors of New-Onset Epilepsy in People With Younger-Onset Neurocognitive Disorders. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 637260	5.3	1
320	Bringing psychiatrists into the picture: Automated measurement of regional MRI brain volume in patients with suspected dementia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 799-808	2.6	1
319	Psychiatric symptoms are the strongest predictors of quality of life in patients with drug-resistant epilepsy or psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2021 , 117, 107861	3.2	6
318	Brain hypometabolic changes in 14 adolescent-adult patients with Niemann-Pick disease type C assessed by 18F-fluorodeoxyglucose positron emission tomography. <i>Journal of Neurology</i> , 2021 , 268, 3878-3885	5.5	0
317	The Three Glycotypes in the London Classification System of Sporadic Creutzfeldt-Jakob Disease Differ in Disease Duration. <i>Molecular Neurobiology</i> , 2021 , 58, 3983-3991	6.2	
316	Differential involvement of hippocampal subfields in Niemann-Pick type C disease: a case-control study. <i>Metabolic Brain Disease</i> , 2021 , 36, 2071-2078	3.9	
315	Deep brain stimulation for treatment-refractory obsessive-compulsive disorder should be an accepted therapy in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211031482	2.6	2
314	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis: An ENIGMA Working Group Mega-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 753-766	14.5	17
313	Association Between Psychiatric Comorbidities and Mortality in Epilepsy. <i>Neurology: Clinical Practice</i> , 2021 , 11, 429-437	1.7	1
312	Psychiatric and cognitive characteristics of older adults admitted to a Video-EEG monitoring (VEM) unit. <i>Epilepsy and Behavior</i> , 2021 , 120, 107987	3.2	1
311	Characterization of Dysphagia and Longitudinal Changes in Swallowing Function in Adults with Niemann-Pick Disease Type C Treated with Miglustat. <i>Dysphagia</i> , 2021 , 36, 362-373	3.7	0
310	A 10 year retrospective cohort study of inpatients with younger-onset dementia. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 294-301	3.9	8
309	Cognitive profiles in patients with epileptic and nonepileptic seizures evaluated using a brief cognitive assessment tool. <i>Epilepsy and Behavior</i> , 2021 , 115, 107643	3.2	1
308	The clinical utility of exome sequencing and extended bioinformatic analyses in adolescents and adults with a broad range of neurological phenotypes: an Australian perspective. <i>Journal of the Neurological Sciences</i> , 2021 , 420, 117260	3.2	4
307	A description of the components of a specialist younger-onset dementia service: a potential model for a dementia-specific service for younger people. <i>Australasian Psychiatry</i> , 2021 , 1039856221992643	1.7	1
306	Adverse events related to antiepileptic drugs. <i>Epilepsy and Behavior</i> , 2021 , 115, 107657	3.2	1
305	Systematic Review: Quantitative Susceptibility Mapping (QSM) of Brain Iron Profile in Neurodegenerative Diseases. <i>Frontiers in Neuroscience</i> , 2021 , 15, 618435	5.1	14
304	Assessment of the DTI-ALPS Parameter Along the Perivascular Space in Older Adults at Risk of Dementia. <i>Journal of Neuroimaging</i> , 2021 , 31, 569-578	2.8	16

303	Investigation of structural brain correlates of neurological soft signs in individuals at ultra-high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1475-1485	5.1	
302	Mortality in dementia is predicted by older age of onset and cognitive presentation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211041003	2.6	2
301	The Diagnostic Challenge of Young-Onset Dementia Syndromes and Primary Psychiatric Diseases: Results From a Retrospective 20-Year Cross-Sectional Study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2021 , appineuropsych20100266	2.7	3
300	The effect of improved dietary control on cognitive and psychiatric functioning in adults with phenylketonuria: the ReDAPT study. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 35	4.2	5
299	Sodium selenate as a disease-modifying treatment for mild-moderate Alzheimer's disease: an open-label extension study.. <i>BMJ Neurology Open</i> , 2021 , 3, e000223	1.5	1
298	A case of Cotard syndrome associated with central pontine myelinolysis as a result of normally corrected hyponatremia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211063141	2.6	
297	Factors associated with subjective cognitive function in epilepsy and psychogenic non-epileptic seizures. <i>Epilepsy Research</i> , 2020 , 163, 106342	3	4
296	Clinical Application of Findings From Longitudinal Studies of Younger-Onset Dementia: Rapid Review and Recommendations. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2020 , 32, 322-333	2.7	1
295	The ENIGMA-Epilepsy working group: Mapping disease from large data sets. <i>Human Brain Mapping</i> , 2020 ,	5.9	18
294	Brain compensation during response inhibition in premanifest Huntington's disease. <i>Brain and Cognition</i> , 2020 , 141, 105560	2.7	3
293	Morphometric in vivo evidence of thalamic atrophy correlated with cognitive and motor dysfunction in Huntington's disease: The IMAGE-HD study. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 298, 111048	2.9	1
292	Imaging of neuroinflammation in adult Niemann-Pick type C disease: A cross-sectional study. <i>Neurology</i> , 2020 , 94, e1716-e1725	6.5	6
291	Recommendations to distinguish behavioural variant frontotemporal dementia from psychiatric disorders. <i>Brain</i> , 2020 , 143, 1632-1650	11.2	68
290	Cardiorespiratory and autonomic function in epileptic seizures: A video-EEG monitoring study. <i>Epilepsy and Behavior</i> , 2020 , 111, 107271	3.2	10
289	Antiepileptic drugs are not independently associated with cognitive dysfunction. <i>Neurology</i> , 2020 , 94, e1051-e1061	6.5	16
288	Impaired olfactory ability associated with larger left hippocampus and rectus volumes at earliest stages of schizophrenia: A sign of neuroinflammation?. <i>Psychiatry Research</i> , 2020 , 289, 112909	9.9	2
287	Tractography-Guided Deep Brain Stimulation of the Anteromedial Globus Pallidus Internus for Refractory Obsessive-Compulsive Disorder: Case Report. <i>Neurosurgery</i> , 2020 , 86, E558-E563	3.2	6
286	Psychometric properties of the Hospital Anxiety and Depression Scale in an inpatient video-monitoring epilepsy cohort. <i>Epilepsy and Behavior</i> , 2020 , 103, 106631	3.2	4

285	Brain compensation during visuospatial working memory in premanifest Huntington's disease. <i>Neuropsychologia</i> , 2020 , 136, 107262	3.2	2
284	Cerebrospinal fluid neurofilament light chain is elevated in Niemann-Pick type C compared to psychiatric disorders and healthy controls and may be a marker of treatment response. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 648-649	2.6	10
283	Development and validation of a screening questionnaire for psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2020 , 112, 107482	3.2	5
282	A study protocol for a phase II randomised, double-blind, placebo-controlled trial of sodium selenate as a disease-modifying treatment for behavioural variant frontotemporal dementia. <i>BMJ Open</i> , 2020 , 10, e040100	3	3
281	Mortality in patients with psychogenic nonepileptic seizures. <i>Neurology</i> , 2020 , 95, e643-e652	6.5	36
280	Enlarged hippocampal fissure in psychosis of epilepsy. <i>Epilepsy and Behavior</i> , 2020 , 111, 107290	3.2	1
279	Time to diagnosis in younger-onset dementia and the impact of a specialist diagnostic service. <i>International Psychogeriatrics</i> , 2020 , 1-9	3.4	10
278	White matter abnormalities across different epilepsy syndromes in adults: an ENIGMA-Epilepsy study. <i>Brain</i> , 2020 , 143, 2454-2473	11.2	32
277	A pilot study of the utility of cerebrospinal fluid neurofilament light chain in differentiating neurodegenerative from psychiatric disorders: A α -reactive protein for psychiatrists and neurologists?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 57-67	2.6	18
276	Trainee experiences in a specialist neuropsychiatry training position. <i>Australasian Psychiatry</i> , 2020 , 28, 95-100	1.7	1
275	Increased functional connectivity of thalamic subdivisions in patients with Parkinson's disease. <i>PLoS ONE</i> , 2019 , 14, e0222002	3.7	9
274	Evidence for Network-Based Cortical Thickness Reductions in Schizophrenia. <i>American Journal of Psychiatry</i> , 2019 , 176, 552-563	11.9	42
273	The clinical utility of structural neuroimaging in first-episode psychosis: A systematic review. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 1093-1104	2.6	6
272	Ictal cerebral blood flow in psychogenic non-epileptic seizures: a preliminary SPECT study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019 , 90, 1378-1380	5.5	3
271	Understanding MRI in clinical psychiatry: perspectives from neuroimaging psychiatry registrars. <i>Australasian Psychiatry</i> , 2019 , 27, 396-403	1.7	1
270	Brain imaging in psychiatric disorders: target or screen?. <i>BJPsych Open</i> , 2019 , 5, e4	5	5
269	Bilateral volume reduction in posterior hippocampus in psychosis of epilepsy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019 , 90, 688-694	5.5	6
268	Olfactory sulcus morphology in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 292, 1-4	2.9	2

267	Striatal morphology and neurocognitive dysfunction in Huntington disease: The IMAGE-HD study. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 291, 1-8	2.9	4
266	MRI morphology of the hippocampus in drug-resistant temporal lobe epilepsy: Shape inflation of left hippocampus and correlation of right-sided hippocampal volume and shape with visuospatial function in patients with right-sided TLE. <i>Journal of Clinical Neuroscience</i> , 2019 , 67, 68-74	2.2	5
265	Personality profiles differ between patients with epileptic seizures and patients with psychogenic non-epileptic seizures. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019 , 73, 1-8	3.2	6
264	Abbreviated assessment of psychopathology in patients with suspected seizure disorders. <i>Epilepsy and Behavior</i> , 2019 , 100, 106530	3.2	2
263	Visual Search in Behavioral Variant Frontotemporal Dementia. <i>Journal of Alzheimer's Disease</i> , 2019 , 72, 1303-1312	4.3	0
262	Distinct psychopathology profiles in patients with epileptic seizures compared to non-epileptic psychogenic seizures. <i>Epilepsy Research</i> , 2019 , 158, 106234	3	8
261	The vacant chair: headless psychiatry departments in the Group of Eight universities of Australia. <i>Australasian Psychiatry</i> , 2019 , 27, 622-624	1.7	
260	Supranutritional Sodium Selenate Supplementation Delivers Selenium to the Central Nervous System: Results from a Randomized Controlled Pilot Trial in Alzheimer's Disease. <i>Neurotherapeutics</i> , 2019 , 16, 192-202	6.4	34
259	Sleep-disordered breathing among patients admitted for inpatient video-EEG monitoring. <i>Neurology</i> , 2019 , 92, e194-e204	6.5	18
258	Psychiatric and Cognitive Symptoms Associated with Niemann-Pick Type C Disease: Neurobiology and Management. <i>CNS Drugs</i> , 2019 , 33, 125-142	6.7	20
257	The capacity of the BATCH as a predictive tool for discharge planning for people with neuropsychiatric disorders. <i>Australian Occupational Therapy Journal</i> , 2019 , 66, 193-200	1.7	
256	Alzheimer disease: Non-pharmacological and pharmacological management of cognition and neuropsychiatric symptoms. <i>Australasian Psychiatry</i> , 2018 , 26, 358-365	1.7	10
255	Alzheimer's disease: clinical update on epidemiology, pathophysiology and diagnosis. <i>Australasian Psychiatry</i> , 2018 , 26, 347-357	1.7	48
254	Semantic language deficit developing following herpes simplex encephalitis: reorganization "cannibalising" language centers?. <i>Neurocase</i> , 2018 , 24, 72-75	0.8	
253	Sleep-disordered breathing in epilepsy: epidemiology, mechanisms, and treatment. <i>Sleep</i> , 2018 , 41,	1.1	17
252	Cerebrospinal Fluid Biomarkers are Differentially Related to Structural and Functional Changes in Dementia of the Alzheimer's Type. <i>Journal of Alzheimer's Disease</i> , 2018 , 62, 417-427	4.3	4
251	Huntington's disease: Managing neuropsychiatric symptoms in Huntington's disease. <i>Australasian Psychiatry</i> , 2018 , 26, 376-380	1.7	6
250	Striatal changes in Parkinson disease: An investigation of morphology, functional connectivity and their relationship to clinical symptoms. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 275, 5-13	2.9	22

249	Deep brain stimulation for severe treatment-resistant obsessive-compulsive disorder: An open-label case series. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 699-708	2.6	15
248	Behavioral Variant Frontotemporal Dementia Performance on a Range of Saccadic Tasks. <i>Journal of Alzheimer's Disease</i> , 2018 , 65, 231-242	4.3	7
247	Schizophrenia and epilepsy as a result of maternally inherited CNTN6 copy number variant. <i>Schizophrenia Research</i> , 2018 , 202, 111-112	3.6	7
246	Huntington's disease: Neuropsychiatric manifestations of Huntington's disease. <i>Australasian Psychiatry</i> , 2018 , 26, 366-375	1.7	13
245	Longitudinal Changes in White Matter Fractional Anisotropy in Adult-Onset Niemann-Pick Disease Type C Patients Treated with Miglustat. <i>JIMD Reports</i> , 2018 , 39, 39-43	1.9	7
244	A pilot study investigating the feasibility of symptom assessment manager (SAM), a Web-based real-time tool for monitoring challenging behaviors. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 576-582	3.9	2
243	A Review: Mealtime Difficulties following Frontotemporal Lobar Degeneration. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018 , 46, 285-297	2.6	4
242	Regional structural hypo- and hyperconnectivity of frontal-striatal and frontal-thalamic pathways in behavioral variant frontotemporal dementia. <i>Human Brain Mapping</i> , 2018 , 39, 4083-4093	5.9	13
241	Creutzfeldt-Jakob disease, cerebral amyloid angiopathy and A β -related angiitis with neuropsychiatric manifestations. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 740-741	2.6	3
240	A case of TREM2 mutation presenting with features of progressive non-fluent aphasia and without bone involvement. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 1157-1158	2.6	6
239	Morphometric analysis of thalamic volume in progressive supranuclear palsy: In vivo evidence of regionally specific bilateral thalamic atrophy. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 265, 65-71	2.9	1
238	A case of early-onset familial Alzheimer's disease with both APP and novel PSEN2 mutations presenting with non-amnesic features. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 1252-1253	2.6	15
237	Ventricular volumes across stages of schizophrenia and other psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 1041-1051	2.6	13
236	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , 2017 , 145, 246-253	7.9	29
235	Neuroanatomical Predictors of Functional Outcome in Individuals at Ultra-High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2017 , 43, 449-458	1.3	15
234	Beyond Dopamine: The Role of the Serotonergic System and Treatments in Understanding and Treating Visual Hallucinations in Parkinson Disease 2016 , 375-384		
233	Early childhood trauma and hippocampal volumes in patients with epileptic and psychogenic seizures. <i>Epilepsy and Behavior</i> , 2016 , 64, 180-185	3.2	15
232	Skin Picking heralding Parkinson's Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2016 , 28, e23-4	2.7	

231	Social Cognition in Multiple Sclerosis: a Meta-Analysis. <i>Neuropsychology Review</i> , 2016 , 26, 160-72	7.7	41
230	A guide to management of neuropsychiatric manifestations of Parkinson's disease. <i>Australasian Psychiatry</i> , 2016 , 24, 534-537	1.7	3
229	MRI correlates of general intelligence in neurotypical adults. <i>Journal of Clinical Neuroscience</i> , 2016 , 24, 128-34	2.2	23
228	Social cognition in Huntington's disease: A meta-analysis. <i>Behavioural Brain Research</i> , 2016 , 297, 131-40	3.4	72
227	Baseline grey matter volume of non-transitioned "ultra high risk" for psychosis individuals with and without attenuated psychotic symptoms at long-term follow-up. <i>Schizophrenia Research</i> , 2016 , 173, 152-158	3.6	31
226	A Case of Creutzfeldt-Jakob Disease Presenting as Catatonia. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e900-1	4.6	3
225	Short-term white matter alterations in Alzheimer's disease characterized by diffusion tensor imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 43, 627-34	5.6	7
224	Psychometric properties of Malay neuropsychiatry unit cognitive assessment tool among Alzheimer's disease patients in comparison to Malay Montreal Cognitive Assessment. <i>Asia-Pacific Psychiatry</i> , 2016 , 8, 238-40	3.2	
223	. <i>American Journal of Neuroradiology</i> , 2016 , 37, E79	4.4	
222	A Phase IIa Randomized Control Trial of VEL015 (Sodium Selenate) in Mild-Moderate Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016 , 54, 223-32	4.3	38
221	Striatal morphology correlates with frontostriatal electrophysiological motor processing in Huntington's disease: an IMAGE-HD study. <i>Brain and Behavior</i> , 2016 , 6, e00511	3.4	5
220	The relationship between specific cognitive defects and burden of care in Parkinson's disease. <i>International Psychogeriatrics</i> , 2016 , 28, 275-81	3.4	17
219	Meta-Analysis of Facial Emotion Recognition in Behavioral Variant Frontotemporal Dementia: Comparison With Alzheimer Disease and Healthy Controls. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2016 , 29, 205-11	3.8	56
218	Psychotic disorders induced by antiepileptic drugs in people with epilepsy. <i>Brain</i> , 2016 , 139, 2668-2678	11.2	48
217	Neuropsychiatric manifestations of Parkinson's disease. <i>Australasian Psychiatry</i> , 2016 , 24, 529-533	1.7	5
216	Theory of mind in behavioural-variant frontotemporal dementia and Alzheimer's disease: a meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015 , 86, 714-9	5.5	110
215	Validation of a protocol for manual segmentation of the thalamus on magnetic resonance imaging scans. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 232, 98-105	2.9	16
214	Theory of mind in Parkinson's disease: A meta-analysis. <i>Behavioural Brain Research</i> , 2015 , 292, 515-20	3.4	55

213	Delayed diagnosis of multiple sclerosis in a patient with schizoaffective disorder: a case of diagnostic overshadowing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 186-7	2.6	8
212	Discrete alterations of brain network structural covariance in individuals at ultra-high risk for psychosis. <i>Biological Psychiatry</i> , 2015 , 77, 989-96	7.9	38
211	Longitudinal changes in cerebellar and subcortical volumes in adult-onset Niemann-Pick disease type C patients treated with miglustat. <i>Journal of Neurology</i> , 2015 , 262, 2106-14	5.5	31
210	Investigation of orbitofrontal sulcogyral pattern in chronic schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 234, 280-3	2.9	10
209	Neurocognitive similarities between severe chronic schizophrenia and behavioural variant frontotemporal dementia. <i>Psychiatry Research</i> , 2015 , 225, 658-66	9.9	10
208	Shape abnormalities of the caudate nucleus correlate with poorer gait and balance: results from a subset of the LADIS study. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 59-71.e1	6.5	12
207	Tau and Amyloid- β Cerebrospinal Fluid Biomarkers have Differential Relationships with Cognition in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015 , 47, 965-75	4.3	16
206	Longitudinal assessment of reflexive and volitional saccades in Niemann-Pick Type C disease during treatment with miglustat. <i>Orphanet Journal of Rare Diseases</i> , 2015 , 10, 160	4.2	12
205	Epilepsy and Personality 2015 , 171-182		
204	Clinical update on frontotemporal dementia: diagnosis and treatment. <i>Australasian Psychiatry</i> , 2015 , 23, 481-7	1.7	11
203	Neuropsychiatric presentation following acute hypoxic-ischaemic encephalopathy. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 188-9	2.6	2
202	Striatal Atrophy in the Behavioural Variant of Frontotemporal Dementia: Correlation with Diagnosis, Negative Symptoms and Disease Severity. <i>PLoS ONE</i> , 2015 , 10, e0129692	3.7	16
201	Metachromatic leukodystrophy presenting as bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 1171-2	2.6	3
200	Comparing neurocognition in severe chronic schizophrenia and frontotemporal dementia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 828-37	2.6	8
199	Shape analysis of the corpus callosum in Alzheimer's disease and frontotemporal lobar degeneration subtypes. <i>Journal of Alzheimer's Disease</i> , 2014 , 40, 897-906	4.3	11
198	Major and minor neurocognitive disorders in DSM-5: the difference between the map and the terrain. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 284-6	2.6	9
197	Sulcogyral pattern and sulcal count of the orbitofrontal cortex in individuals at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2014 , 154, 93-9	3.6	34
196	Psychosis with obsessive-compulsive symptoms in tuberous sclerosis. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 867-9	2.2	4

195	Communicating hydrocephalus with reversible cognitive impairment. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 379-80	2.6	0
194	The subcortical connectome: hubs, spokes and the space between - a vision for further research in neurodegenerative disease. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 306-9	2.6	9
193	The Australian, US, Scandinavian Imaging Exchange (AUSSIE): an innovative, virtually-integrated health research network embedded in health care. <i>Australasian Psychiatry</i> , 2014 , 22, 260-265	1.7	3
192	Frontal meningioma mimicking relapse of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 486-7	2.6	4
191	Neuropsychiatric symptoms as the presenting feature of acquired hepatocerebral degeneration. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 959-60	2.6	2
190	Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2014 , 153, 18-24	3.6	19
189	Validation of the Chinese version of the NUCOG cognitive screening tool in patients with epilepsy, dementia and other neurological disorders. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 980-7	2.2	7
188	The anteromedial GPi as a new target for deep brain stimulation in obsessive compulsive disorder. <i>Journal of Clinical Neuroscience</i> , 2014 , 21, 815-21	2.2	46
187	Hyperphosphorylated tau is implicated in acquired epilepsy and neuropsychiatric comorbidities. <i>Molecular Neurobiology</i> , 2014 , 49, 1532-9	6.2	37
186	The relationship between regional brain volumes and the extent of coronary artery disease in mild cognitive impairment. <i>Journal of Research in Medical Sciences</i> , 2014 , 19, 739-45	1.6	12
185	Delusional misidentification syndromes in obsessive-compulsive disorder. <i>Psychiatric Quarterly</i> , 2013 , 84, 175-81	4.1	5
184	The neuropsychiatry of inborn errors of metabolism. <i>Journal of Inherited Metabolic Disease</i> , 2013 , 36, 687-702	5.4	64
183	Cerebellar volume correlates with saccadic gain and ataxia in adult Niemann-Pick type C. <i>Molecular Genetics and Metabolism</i> , 2013 , 108, 85-9	3.7	21
182	Alteration to hippocampal shape in cannabis users with and without schizophrenia. <i>Schizophrenia Research</i> , 2013 , 143, 179-84	3.6	45
181	Sulcogyral patterns and morphological abnormalities of the orbitofrontal cortex in psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 44, 168-77	5.5	35
180	Executive dysfunction correlates with caudate nucleus atrophy in patients with white matter changes on MRI: a subset of LADIS. <i>Psychiatry Research - Neuroimaging</i> , 2013 , 214, 16-23	2.9	20
179	A magnetic resonance imaging study of hippocampal, amygdala and subgenual prefrontal cortex volumes in major depression subtypes: melancholic versus psychotic depression. <i>Journal of Affective Disorders</i> , 2013 , 146, 197-204	6.6	32
178	Osmotic demyelination syndrome: An under-recognised cause of delirium?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 287-8	2.6	1

177	Validity and reliability of the PDCB: a tool for the assessment of caregiver burden in Parkinson's disease. <i>International Psychogeriatrics</i> , 2013 , 25, 1437-41	3.4	21
176	Topiramate for Abnormal Eating Behaviour in Frontotemporal Dementia. <i>Behavioural Neurology</i> , 2013 , 27, 285-286	3	17
175	The neuropsychiatry of hyperkinetic movement disorders: insights from neuroimaging into the neural circuit bases of dysfunction. <i>Tremor and Other Hyperkinetic Movements</i> , 2013 , 3,	2	4
174	Targeting hyperphosphorylated tau with sodium selenate suppresses seizures in rodent models. <i>Neurobiology of Disease</i> , 2012 , 45, 897-901	7.5	58
173	Amygdala and insula volumes prior to illness onset in bipolar disorder: a magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2012 , 201, 34-9	2.9	36
172	Psychiatric history does not predict seizure outcome following temporal lobectomy for mesial temporal sclerosis. <i>Epilepsia</i> , 2012 , 53, 1700-4	6.4	45
171	Peduncular hallucinosis secondary to central pontine myelinolysis. <i>Psychiatry and Clinical Neurosciences</i> , 2012 , 66, 618-21	6.2	7
170	Frontotemporal dementia as a frontostriatal disorder: neostriatal morphology as a biomarker and structural basis for an endophenotype. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 422-34	2.6	16
169	Structural abnormalities in the cuneus associated with Herpes Simplex Virus (type 1) infection in people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2012 , 135, 175-80	3.6	17
168	Hippocampal shape analysis in Alzheimer's disease and frontotemporal lobar degeneration subtypes. <i>Journal of Alzheimer's Disease</i> , 2012 , 30, 355-65	4.3	74
167	Substitution Monotherapy With Levetiracetam vs Older Antiepileptic Drugs: A Randomized Comparative Trial. <i>Archives of Neurology</i> , 2012 , 69, 1563-71		22
166	Volumetric abnormalities predating the onset of schizophrenia and affective psychoses: an MRI study in subjects at ultrahigh risk of psychosis. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1083-91	1.3	73
165	Neuroprotective effects of low-dose lithium in individuals at ultra-high risk for psychosis. A longitudinal MRI/MRS study. <i>Current Pharmaceutical Design</i> , 2012 , 18, 570-5	3.3	42
164	Size and shape of the caudate nucleus in individuals with bipolar affective disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 340-51	2.6	30
163	Differential putaminal morphology in Huntington's disease, frontotemporal dementia and Alzheimer's disease. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 1145-58	2.6	12
162	Saccadic eye movement characteristics in adult Niemann-Pick Type C disease: relationships with disease severity and brain structural measures. <i>PLoS ONE</i> , 2012 , 7, e50947	3.7	21
161	Neuroanatomical abnormalities in schizophrenia: a multimodal voxelwise meta-analysis and meta-regression analysis. <i>Schizophrenia Research</i> , 2011 , 127, 46-57	3.6	339
160	Understanding aberrant white matter development in schizophrenia: an avenue for therapy?. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 971-87	4.3	45

159	Utility and validity of a brief cognitive assessment tool in patients with epileptic and nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2011 , 21, 177-83	3.2	12
158	Ask the Experts: Is schizophrenia a frontotemporal dementia?. <i>Neuropsychiatry</i> , 2011 , 1, 17-20	1.8	
157	Shape analysis of the neostriatum in subtypes of frontotemporal lobar degeneration: neuroanatomically significant regional morphologic change. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 191, 98-111	2.9	18
156	Shape alterations in the striatum in chorea-acanthocytosis. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 192, 29-36	2.9	35
155	Morphometric analysis of subcortical structures in progressive supranuclear palsy: In vivo evidence of neostriatal and mesencephalic atrophy. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 194, 163-75	2.9	29
154	Thickness profile generation for the corpus callosum using Laplace's equation. <i>Human Brain Mapping</i> , 2011 , 32, 2131-40	5.9	22
153	The neuropsychiatry of neuroacanthocytosis syndromes. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 1275-83	9	39
152	Neuroanatomical abnormalities that predate the onset of psychosis: a multicenter study. <i>Archives of General Psychiatry</i> , 2011 , 68, 489-95		196
151	White matter microstructure in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2011 , 36, 42-6	4.5	59
150	Dementia developing in late-onset and treatment-refractory obsessive-compulsive disorder. <i>Cognitive and Behavioral Neurology</i> , 2010 , 23, 205-8	1.6	14
149	EVIDENCE FOR ALTERED ASYMMETRY OF FRONTAL CORTEX T2 RELAXATION TIME IN PATIENTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , 2010 , 117, 534	3.6	
148	The effect of atypical antipsychotics on pituitary gland volume in patients with first-episode psychosis: a longitudinal MRI study. <i>Schizophrenia Research</i> , 2010 , 116, 49-54	3.6	24
147	Lack of progressive gray matter reduction of the superior temporal subregions in chronic schizophrenia. <i>Schizophrenia Research</i> , 2010 , 117, 101-2	3.6	13
146	Shape analysis of the neostriatum in frontotemporal lobar degeneration, Alzheimer's disease, and controls. <i>NeuroImage</i> , 2010 , 51, 970-86	7.9	21
145	Hippocampal pathology in individuals at ultra-high risk for psychosis: a multi-modal magnetic resonance study. <i>NeuroImage</i> , 2010 , 52, 62-8	7.9	96
144	Pituitary gland volume among heroin users stabilised on substitution pharmacotherapy. <i>Drug and Alcohol Dependence</i> , 2010 , 110, 164-6	4.9	6
143	Post-ictal psychosis in adolescent Niemann-Pick disease type C. <i>Journal of Inherited Metabolic Disease</i> , 2010 , 33 Suppl 3, S63-5	5.4	12
142	Clinical characteristics and outcome in patients with psychogenic nonepileptic seizures. <i>Psychosomatic Medicine</i> , 2010 , 72, 487-97	3.7	68

141	Superior temporal gyrus volume in antipsychotic-naive people at risk of psychosis. <i>British Journal of Psychiatry</i> , 2010 , 196, 206-11	5.4	53
140	Superior temporal gyrus volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 182, 73-6	2.9	11
139	Caudate nucleus volume in individuals at ultra-high risk of psychosis: a cross-sectional magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 182, 223-30	2.9	35
138	Corpus callosum morphology and relationship to orbitofrontal and lateral ventricular volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 183, 30-7	2.9	12
137	Pituitary volume in patients with bipolar disorder and their first-degree relatives. <i>Journal of Affective Disorders</i> , 2010 , 124, 256-61	6.6	34
136	A retrospective study of the impact of lifestyle on age at onset of Huntington disease. <i>Movement Disorders</i> , 2010 , 25, 1444-50	7	55
135	Pseudoneurotic schizophrenia revisited. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 873-6	6.6	7
134	Seizures initially diagnosed as panic attacks: case series. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 878-82	2.6	4
133	Progressive gray matter reduction of the superior temporal gyrus during transition to psychosis. <i>Archives of General Psychiatry</i> , 2009 , 66, 366-76		266
132	Anterior cingulate cortex abnormalities associated with a first psychotic episode in bipolar disorder. <i>British Journal of Psychiatry</i> , 2009 , 194, 426-33	5.4	49
131	Abnormal hippocampal distribution of TDP-43 in patients with late onset psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 739-45	2.6	19
130	Corpus callosum size and shape in established bipolar affective disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 838-45	2.6	30
129	Corpus callosum size and shape in first-episode affective and schizophrenia-spectrum psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 173, 77-82	2.9	49
128	Corpus callosum size and shape in individuals with current and past depression. <i>Journal of Affective Disorders</i> , 2009 , 115, 411-20	6.6	37
127	Neurobiological markers of illness onset in psychosis and schizophrenia: The search for a moving target. <i>Neuropsychology Review</i> , 2009 , 19, 385-98	7.7	105
126	Brain surface contraction mapped in first-episode schizophrenia: a longitudinal magnetic resonance imaging study. <i>Molecular Psychiatry</i> , 2009 , 14, 976-86	15.1	99
125	Diagnostic specificity of the insular cortex abnormalities in first-episode psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 651-7	5.5	28
124	Midline brain structures in teenagers with first-presentation borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 842-6	5.5	20

123	Corpus callosum size and shape alterations in individuals with bipolar disorder and their first-degree relatives. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1050-7	5.5	57
122	Increased pituitary volume in patients with established bipolar affective disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1245-9	5.5	18
121	Insular cortex volume and impulsivity in teenagers with first-presentation borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1395-400	5.5	21
120	Progressive brain structural changes mapped as psychosis develops in at risk individuals. <i>Schizophrenia Research</i> , 2009 , 108, 85-92	3.6	231
119	Increased pituitary volume in schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2009 , 108, 114-21	3.6	35
118	Follow-up MRI study of the insular cortex in first-episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , 2009 , 108, 49-56	3.6	76
117	Insular cortex gray matter changes in individuals at ultra-high-risk of developing psychosis. <i>Schizophrenia Research</i> , 2009 , 111, 94-102	3.6	125
116	Attentional set-shifting ability in first-episode and established schizophrenia: Relationship to working memory. <i>Schizophrenia Research</i> , 2009 , 112, 104-13	3.6	55
115	An MRI study of the superior temporal subregions in first-episode patients with various psychotic disorders. <i>Schizophrenia Research</i> , 2009 , 113, 158-66	3.6	27
114	Grey and white matter abnormalities are associated with impaired spatial working memory ability in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2009 , 115, 163-72	3.6	25
113	Frontotemporal dementia presenting as schizophrenia-like psychosis in young people: clinicopathological series and review of cases. <i>British Journal of Psychiatry</i> , 2009 , 194, 298-305	5.4	133
112	Morphometric abnormalities and hyperanxiety in genetically epileptic rats: a model of psychiatric comorbidity?. <i>NeuroImage</i> , 2009 , 45, 267-74	7.9	47
111	Brain changes during the onset of schizophrenia: implications for neurodevelopmental theories. <i>Medical Journal of Australia</i> , 2009 , 190, S10-3	4	19
110	Orbitofrontal, amygdala and hippocampal volumes in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 163, 116-25	2.9	112
109	An MRI study of pituitary volume and parasuicidal behavior in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008 , 162, 273-7	2.9	44
108	Corpus callosum shape alterations in individuals prior to the onset of psychosis. <i>Schizophrenia Research</i> , 2008 , 103, 1-10	3.6	67
107	Prevalence of large cavum septi pellucidi in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2008 , 105, 236-44	3.6	44
106	Anatomic abnormalities of the anterior cingulate cortex before psychosis onset: an MRI study of ultra-high-risk individuals. <i>Biological Psychiatry</i> , 2008 , 64, 758-65	7.9	149

105	Adhesio interthalamica in individuals at high-risk for developing psychosis and patients with psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1708-14	5.5	28
104	Anterior cingulate glutamate-glutamine levels predict symptom severity in women with obsessive-compulsive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008 , 42, 467-77	2.6	94
103	A 1H-MRS investigation of the medial temporal lobe in antipsychotic-naïve and early-treated first episode psychosis. <i>Schizophrenia Research</i> , 2008 , 102, 163-70	3.6	46
102	First-episode non-affective schizophrenia presenting with alien hand syndrome and partial agenesis of the corpus callosum. <i>Neuropsychobiology</i> , 2008 , 58, 118-22	4	6
101	White matter volume changes in people who develop psychosis. <i>British Journal of Psychiatry</i> , 2008 , 193, 210-5	5.4	90
100	Ethyl-eicosapentaenoic acid in first-episode psychosis. A 1H-MRS study. <i>Neuropsychopharmacology</i> , 2008 , 33, 2467-73	8.7	100
99	Neuropsychiatric morbidity in focal epilepsy. <i>British Journal of Psychiatry</i> , 2008 , 192, 464-9	5.4	73
98	Morphology of the corpus callosum at different stages of schizophrenia: cross-sectional study in first-episode and chronic illness. <i>British Journal of Psychiatry</i> , 2008 , 192, 429-34	5.4	65
97	Adolescent obsessive compulsive disorder heralding chorea-acanthocytosis. <i>Movement Disorders</i> , 2008 , 23, 422-5	7	17
96	Variability of the paracingulate sulcus and morphometry of the medial frontal cortex: associations with cortical thickness, surface area, volume, and sulcal depth. <i>Human Brain Mapping</i> , 2008 , 29, 222-36	5.9	91
95	Surface-based morphometry of the anterior cingulate cortex in first episode schizophrenia. <i>Human Brain Mapping</i> , 2008 , 29, 478-89	5.9	94
94	Musical hallucinosis: case reports and possible neurobiological models. <i>Acta Neuropsychiatrica</i> , 2008 , 20, 91-5	3.9	3
93	Progressive changes in the development toward schizophrenia: studies in subjects at increased symptomatic risk. <i>Schizophrenia Bulletin</i> , 2008 , 34, 322-9	1.3	145
92	Evidence for neuronal dysfunction in the anterior cingulate of patients with schizophrenia: a proton magnetic resonance spectroscopy study at 3 T. <i>Schizophrenia Research</i> , 2007 , 94, 328-31	3.6	53
91	CLINICAL ASSESSMENT OF MENTAL STATUS 2007 , 2-21		3
90	Neurology of Fabry disease. <i>Internal Medicine Journal</i> , 2007 , 37, 436-47	1.6	42
89	Complex visual hallucinations and occipital seizures. <i>Acta Neuropsychiatrica</i> , 2007 , 19, 376-9	3.9	
88	Visual hallucinations in consultation-liaison neuropsychiatry. <i>Acta Neuropsychiatrica</i> , 2007 , 19, 330-7	3.9	5

87	Pituitary volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 156, 257-61	2.9	21
86	Stress and HPA-axis functioning in young people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2007 , 41, 561-9	5.2	106
85	Validity and reliability of the Behavioural Assessment Tool for Cognition and Higher Function (BATCH) in neuropsychiatric patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 697-704	2.6	9
84	A tale of two cities: a neuroimaging investigation of Melbourne-Sydney rivalry comparing cortical thickness in healthy adults. <i>Australasian Psychiatry</i> , 2007 , 15, 67-71	1.7	1
83	Increased prefrontal cerebral blood flow in first-episode schizophrenia following treatment: longitudinal positron emission tomography study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 129-35	2.6	18
82	Functional and biochemical alterations of the medial frontal cortex in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2007 , 64, 946-55		201
81	Fractionation of verbal memory impairment in schizophrenia and schizophreniform psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007 , 41, 732-9	2.6	12
80	Amygdala Volume Status Might Reflect Dominant Mode of Emotional Information Processing. <i>Archives of General Psychiatry</i> , 2007 , 64, 252		2
79	The neuropsychiatry of adrenomyeloneuropathy. <i>CNS Spectrums</i> , 2007 , 12, 696-701	1.8	4
78	The development and validation of a carer questionnaire to assess cognitive function in neuropsychiatric patients. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 93-8	4.1	7
77	Neuroimaging and emerging psychotic disorders: the Melbourne ultra-high risk studies. <i>International Review of Psychiatry</i> , 2007 , 19, 371-81	3.6	98
76	Hashimoto's encephalopathy : epidemiology, pathogenesis and management. <i>CNS Drugs</i> , 2007 , 21, 799-811	3.1	148
75	Dysfunction of dorsolateral prefrontal cortex in antipsychotic-naïve schizophreniform psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2006 , 148, 23-31	2.9	27
74	Evaluating brain activity in obsessive-compulsive disorder: preliminary insights from a multivariate analysis. <i>Psychiatry Research - Neuroimaging</i> , 2006 , 147, 227-31	2.9	11
73	The neuropsychiatry of Niemann-Pick type C disease in adulthood. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2006 , 18, 158-70	2.7	71
72	A case of schizophrenia with complete agenesis of the corpus callosum. <i>Australasian Psychiatry</i> , 2006 , 14, 327-30	1.7	14
71	Hippocampal and amygdala volumes according to psychosis stage and diagnosis: a magnetic resonance imaging study of chronic schizophrenia, first-episode psychosis, and ultra-high-risk individuals. <i>Archives of General Psychiatry</i> , 2006 , 63, 139-49		496
70	The NUCOG: validity and reliability of a brief cognitive screening tool in neuropsychiatric patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 995-1002	2.6	69

69	Neuropsychiatry of complex visual hallucinations. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 742-51	2.6	55
68	The influence of sulcal variability on morphometry of the human anterior cingulate and paracingulate cortex. <i>NeuroImage</i> , 2006 , 33, 843-54	7.9	88
67	Morphology of the paracingulate sulcus and executive cognition in schizophrenia. <i>Schizophrenia Research</i> , 2006 , 88, 192-7	3.6	48
66	Cryptococcal dementia in a patient with sarcoidosis. <i>Medical Journal of Australia</i> , 2006 , 184, 86-7	4	4
65	Prediction of functional outcome 18 months after a first psychotic episode: a proton magnetic resonance spectroscopy study. <i>Archives of General Psychiatry</i> , 2006 , 63, 969-76		48
64	Recovery of cognitive function in neuropsychiatric Langerhanß cell histiocytosis. <i>Psychiatry and Clinical Neurosciences</i> , 2006 , 60, 629-32	6.2	1
63	Reversible dementia with psychosis: Hashimotoß encephalopathy. <i>Psychiatry and Clinical Neurosciences</i> , 2006 , 60, 761-3	6.2	18
62	Structural brain correlates of alcohol and cannabis use in recreational users. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 226-9	3.9	9
61	Neuropathological, neurogenetic and neuroimaging evidence for white matter pathology in schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2006 , 30, 918-48	9	119
60	Schizophrenia-like psychosis and aceruloplasminemia. <i>Neuropsychiatric Disease and Treatment</i> , 2006 , 2, 577-81	3.1	6
59	Reduced volume of parietal and frontal association areas in patients with schizophrenia characterized by passivity delusions. <i>Psychological Medicine</i> , 2005 , 35, 783-9	6.9	45
58	Structural brain imaging evidence for multiple pathological processes at different stages of brain development in schizophrenia. <i>Schizophrenia Bulletin</i> , 2005 , 31, 672-96	1.3	409
57	Pituitary volume predicts future transition to psychosis in individuals at ultra-high risk of developing psychosis. <i>Biological Psychiatry</i> , 2005 , 58, 417-23	7.9	174
56	Hippocampal and anterior cingulate morphology in subjects at ultra-high-risk for psychosis: the role of family history of psychotic illness. <i>Schizophrenia Research</i> , 2005 , 75, 295-301	3.6	71
55	Is schizophrenia associated with narcolepsy?. <i>Cognitive and Behavioral Neurology</i> , 2005 , 18, 113-8	1.6	25
54	Early processing deficits in object working memory in first-episode schizophreniform psychosis and established schizophrenia. <i>Psychological Medicine</i> , 2005 , 35, 1053-62	6.9	54
53	Weight loss, falls, and neuropsychiatric symptoms in a 56 year-old man. <i>Lancet Neurology</i> , 2005 , 4, 381-8	24.1	5
52	A manual and automated MRI study of anterior cingulate and orbito-frontal cortices, and caudate nucleus in obsessive-compulsive disorder: comparison with healthy controls and patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005 , 138, 99-113	2.9	105

51	"LesionnaireB syndrome". <i>Medical Journal of Australia</i> , 2005 , 183, 679	4	
50	Cortical release signs in psychiatry. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 317-27	2.6	12
49	Bipolar disorder and Niemann-Pick disease type C. <i>American Journal of Psychiatry</i> , 2005 , 162, 1021-2	11.9	17
48	Increased pituitary volume in antipsychotic-free and antipsychotic-treated patients of the AESop first-onset psychosis study. <i>Neuropsychopharmacology</i> , 2005 , 30, 1923-31	8.7	129
47	Diseases of white matter and schizophrenia-like psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 746-56	2.6	57
46	ParkinsonB Disease, Depression and Serotonin, By ALBERT F.G. LEENTJENS, Maastricht University, 200X, 25 Paperback. ISBN 90-901607-3. <i>International Psychogeriatrics</i> , 2004 , 16, 247-248	3.4	
45	Individual differences in anterior cingulate/paracingulate morphology are related to executive functions in healthy males. <i>Cerebral Cortex</i> , 2004 , 14, 424-31	5.1	104
44	Pituitary volume in psychosis. <i>British Journal of Psychiatry</i> , 2004 , 185, 5-10	5.4	147
43	Proton magnetic resonance spectroscopy in first episode psychosis and ultra high-risk individuals. <i>Schizophrenia Bulletin</i> , 2003 , 29, 831-43	1.3	101
42	Impairment of olfactory identification ability in individuals at ultra-high risk for psychosis who later develop schizophrenia. <i>American Journal of Psychiatry</i> , 2003 , 160, 1790-4	11.9	157
41	Moyamoya disease in a patient with schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2003 , 9, 806-10	3.1	29
40	Medical comorbidity in schizophrenia. <i>Medical Journal of Australia</i> , 2003 , 178, S67-70	4	178
39	Morphology of the anterior cingulate cortex in young men at ultra-high risk of developing a psychotic illness. <i>British Journal of Psychiatry</i> , 2003 , 182, 518-24	5.4	108
38	Early and late neurodevelopmental disturbances in schizophrenia and their functional consequences. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 399-406	2.6	137
37	The NUCOG: Construction and Piloting of a Cognitive Screening Instrument in a Neuropsychiatric Unit. <i>Australasian Psychiatry</i> , 2003 , 11, 325-329	1.7	10
36	Neuroanatomical abnormalities before and after onset of psychosis: a cross-sectional and longitudinal MRI comparison. <i>Lancet, The</i> , 2003 , 361, 281-8	4.0	1044
35	Anterior cingulate dysfunction: implications for psychiatric disorders?. <i>Journal of Psychiatry and Neuroscience</i> , 2003 , 28, 350-4	4.5	61
34	ConnB dementia. <i>Lancet Neurology, The</i> , 2002 , 1, 131	24.1	

33	Incidental radiological findings on brain magnetic resonance imaging in first-episode psychosis and chronic schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 331-6	6.5	49
32	Implications of lipid biology for the pathogenesis of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002 , 36, 355-66	2.6	50
31	Thalamic and caudate volumes in monozygotic twins discordant for schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002 , 36, 347-54	2.6	22
30	Seeking asylum. <i>Australasian Psychiatry</i> , 2002 , 10, 242-245	1.7	1
29	Anterior cingulate activation during Stroop task performance: a PET to MRI coregistration study of individual patients with schizophrenia. <i>American Journal of Psychiatry</i> , 2002 , 159, 251-4	11.9	131
28	Visuospatial memory and learning in first-episode schizophreniform psychosis and established schizophrenia: a functional correlate of hippocampal pathology?. <i>Psychological Medicine</i> , 2002 , 32, 429-38	6.9	80
27	Paracingulate morphologic differences in males with established schizophrenia: a magnetic resonance imaging morphometric study. <i>Biological Psychiatry</i> , 2002 , 52, 15-23	7.9	132
26	Increased duration of illness is associated with reduced volume in right medial temporal/anterior cingulate grey matter in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , 2002 , 57, 43-9	3.6	78
25	Non-reduction in hippocampal volume is associated with higher risk of psychosis. <i>Schizophrenia Research</i> , 2002 , 58, 145-58	3.6	143
24	Stability of olfactory identification deficits in neuroleptic-naive patients with first-episode psychosis. <i>American Journal of Psychiatry</i> , 2001 , 158, 107-15	11.9	118
23	A longitudinal study of hippocampal volume in first episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , 2001 , 52, 37-46	3.6	121
22	Selective bilateral hippocampal volume loss in chronic schizophrenia. <i>Biological Psychiatry</i> , 2001 , 50, 531-9	7.9	63
21	Bimanual coordination in chronic schizophrenia. <i>Brain and Cognition</i> , 2001 , 45, 325-41	2.7	12
20	An optimized method for estimating intracranial volume from magnetic resonance images. <i>Magnetic Resonance in Medicine</i> , 2000 , 44, 973-7	4.4	168
19	Magnetic resonance spectroscopy and schizophrenia: what have we learnt?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 14-25	2.6	33
18	Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, S113-S126	2.6	28
17	The voluntary control of motor imagery. Imagined movements in individuals with feigned motor impairment and conversion disorder. <i>Neuropsychologia</i> , 2000 , 38, 1251-60	3.2	52
16	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, A113-A126	2.6	19

15	Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34 Suppl, S113-26	2.6	22
14	Neurobiological findings in early phase schizophrenia. <i>Brain Research Reviews</i> , 2000 , 31, 157-65		41
13	Hippocampal volume in first-episode psychoses and chronic schizophrenia: a high-resolution magnetic resonance imaging study. <i>Archives of General Psychiatry</i> , 1999 , 56, 133-41		292
12	Stimulus Relevance in Eliciting Utilisation Behaviour: Case Study in a Patient with a Caudate Lesion. <i>Cognitive Neuropsychiatry</i> , 1998 , 3, 287-298	2	12
11	The role of SPECT scanning in a neuropsychiatry unit. <i>Australian and New Zealand Journal of Psychiatry</i> , 1998 , 32, 511-22	2.6	12
10	What have we learned from functional imaging studies in schizophrenia? The role of frontal, striatal and temporal areas. <i>Australian and New Zealand Journal of Psychiatry</i> , 1996 , 30, 195-209	2.6	32
9	Neurobiological endophenotypes of psychosis and schizophrenia		61-80
8	Olfactory Hallucinations		322-333
7	Diseases of White Matter and Schizophrenia-Like Psychosis		
6	The NUCOG: Validity and Reliability of a Brief Cognitive Screening Tool in Neuropsychiatric Patients		12
5	A Case of Schizophrenia with Complete Agenesis of the Corpus Callosum		3
4	White matter abnormalities across different epilepsy syndromes in adults: an ENIGMA Epilepsy study		1
3	The Role of SPECT Scanning in a Neuropsychiatry Unit		1
2	Secondary hallucinations		21-44
1	Storage disorders and psychosis		214-228