

Alexander V Virovets

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6627420/publications.pdf>

Version: 2024-02-01

418
papers

7,709
citations

71004

43
h-index

116156

66
g-index

444
all docs

444
docs citations

444
times ranked

3714
citing authors

#	ARTICLE	IF	CITATIONS
1	Unusual molecular complexes of antimony fluoride dimers with acetonitrile and pyridine: structures and bonding. Dalton Transactions, 2021, 50, 13357-13367.	1.6	3
2	The Missing Parent Compound [(C ₅ H ₅)Fe(μ ⁵ -P ₅)]: Synthesis, Characterization, Coordination Behavior and Encapsulation. Chemistry - A European Journal, 2021, 27, 7542-7548.	1.7	13
3	Au-Containing Coordination Polymers Based on Polyphosphorus Ligand Complexes. Inorganic Chemistry, 2021, 60, 6027-6039.	1.9	7
4	Die Dreikomponenten-Selbstorganisation Ändert ihre Richtung: Ein Sprung von einfachen Polymeren zu 3D-Netzwerken sphärischer Wirt/Gast-Aggregate. Angewandte Chemie, 2021, 133, 12239-12250.	1.6	2
5	Three-Component Self-Assembly Changes its Course: A Leap from Simple Polymers to 3D...Networks of Spherical Host-Guest Assemblies. Angewandte Chemie - International Edition, 2021, 60, 12132-12142.	7.2	14
6	Versatile Coordination of Ag ^I and Cu ^I Ions towards <i>cyclo</i> -As ₅ Ligands. Chemistry - A European Journal, 2021, 27, 9742-9747.	1.7	5
7	Insertion of Phosphenium Ions into a Bicyclo[1.1.0]Tetraphosphabutane Iron Complex. Molecules, 2021, 26, 3920.	1.7	1
8	Organometallic polyphosphorus complexes as diversified building blocks in coordination chemistry. Coordination Chemistry Reviews, 2021, 446, 213995.	9.5	31
9	Structural Chemistry of Giant Metal Based Supramolecules. Chemical Reviews, 2021, 121, 14485-14554.	23.0	53
10	Crystal Structure of the Molecular Complex of Silicon Tetrafluoride with 4-Phenylpyridine. Russian Journal of General Chemistry, 2021, 91, 1964-1968.	0.3	1
11	Structures and Chemical Bonding in Antimony(III) Bromide Complexes with Pyridine. Chemistry - A European Journal, 2020, 26, 16338-16348.	1.7	10
12	Die Iodierung von <i>cyclo</i> -E ₅ -Komplexen (E=P, As). Angewandte Chemie, 2020, 132, 16377-16383.	1.6	4
13	Use of a <i>cyclo</i> -P ₄ building block – a way to networks of host-guest assemblies. Chemical Science, 2020, 11, 9067-9071.	3.7	13
14	Structural variety of aluminium and gallium coordination polymers based on bis-pyridylethylene: from molecular complexes to ionic networks. CrystEngComm, 2020, 22, 4531-4543.	1.3	6
15	Iodination of <i>cyclo</i> -E ₅ -Complexes (E=P, As). Angewandte Chemie - International Edition, 2020, 59, 16241-16246.	7.2	14
16	Ein Supermolekül mit minimaler Metallbesetzung basierend auf einem fünffach-symmetrischen Baustein. Angewandte Chemie, 2020, 132, 13750-13753.	1.6	1
17	Metal-Deficient Supramolecule Based on a Fivefold-Symmetric Building Block. Angewandte Chemie - International Edition, 2020, 59, 13647-13650.	7.2	16
18	From nano-balls to nano-bowls. Chemical Science, 2019, 10, 2940-2944.	3.7	23

#	ARTICLE	IF	CITATIONS
19	Crystal structures of antimony(III) chloride complexes with pyridine. <i>Polyhedron</i> , 2019, 158, 97-101.	1.0	9
20	Tetraglymes as Prochiral Host Reagents for Ammonia Borane. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2019, 645, 317-322.	0.6	0
21	Organometallic ^o rganic Hybrid Polymers Assembled from Pentaphosphaferrocene, Bipyridyl Linkers, and Cu ⁺ Ions. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 2689-2694.	1.0	9
22	Synthesis and Crystal Structure of Dinitratotetra(hexamethylphosphoric) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td (Triamide)-Lanthanum Chemistry, 2018, 63, 34-39.	0.3	1
23	Anionic Hosts for the Incorporation of Cationic Guests. <i>Chemistry - A European Journal</i> , 2018, 24, 2503-2508.	1.7	25
24	Tuning the dimensionality of organometallic ^o rganic hybrid polymers assembled from [Cp ₂ Mo ₂ (CO) ₄ (i-2-P ₂)], bipyridyl linkers and Ag ⁺ ions. <i>CrystEngComm</i> , 2018, 20, 7417-7422.	1.3	17
25	Crystal Structure of Ti ₂ [NbCl ₆] and Ti ₂ [NbBr ₆]. <i>Journal of Structural Chemistry</i> , 2018, 59, 126-130.	0.3	1
26	Structure and Luminescent Properties of Cluster Complexes with the {Mo ₆ ($\frac{1}{4}$ -SeCl ₇)} ³⁺ Core. <i>Journal of Structural Chemistry</i> , 2018, 59, 177-181.	0.3	0
27	The Lewis ^o Base ^o Stabilized Diphenyl ^o Substituted Arsanylborane: A Versatile Building Block for Arsanylborane Oligomers. <i>Chemistry - A European Journal</i> , 2018, 24, 16521-16525.	1.7	12
28	Tosylate cluster complexes (Bu ₄ N) ₂ [$\frac{1}{8}$ (O ₃ SC ₆ H ₄ CH ₃) ₆] (M = Mo, W). <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2017, 43, 172-180.	0.3	12
29	Arsenic ^o Rich Polyarsenides Stabilized by Cp*Fe Fragments. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 7307-7311.	7.2	35
30	Transformation of Chlorohydrocarbons and Amines in the Coordination Sphere of [($\frac{1}{4}$ -H) ₂ Os ₃ (CO) ₁₀]. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 3105-3114.	1.0	3
31	Durch Cp*Fe ^o Fragmente stabilisierte, Arsen ^o reiche Polyarsenide. <i>Angewandte Chemie</i> , 2017, 129, 7413-7417.	1.6	16
32	Dichloroacetonitrile hydrogenation by osmium cluster: Crystal structure of ($\frac{1}{4}$ -Cl)Os ₃ (CO) ₁₀ ($\frac{1}{4}$ -N=CHCHCl ₂). <i>Journal of Molecular Structure</i> , 2017, 1141, 115-118.	1.8	2
33	Tetra(hexamethylphosphoric triamide) solvate with ammonium tetrakis(isothiocyanato)diamminechromate(III): Synthesis and crystal structure. <i>Russian Journal of Inorganic Chemistry</i> , 2017, 62, 355-360.	0.3	1
34	Preorganized Ag ^I Bimetallic Precursor with Labile Diphosphorus Ligands for a Programmed Synthesis of Organometallic ^o rganic Hybrid Polymers. <i>Chemistry - A European Journal</i> , 2017, 23, 16199-16203.	1.7	19
35	Transfer Reagent for Bonding Isomers of Iron Complexes. <i>Journal of the American Chemical Society</i> , 2017, 139, 13981-13984.	6.6	31
36	An Icosidodecahedral Supramolecule Based on Pentaphosphaferrocene: From a Disordered Average Structure to Individual Isomers. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 13237-13243.	7.2	35

#	ARTICLE	IF	CITATIONS
37	Ein ikosidodekaedrisches Supramolekül auf Basis von Pentaphosphaferrocen: von einer fehlgeordneten gemittelten Struktur zu einzelnen Isomeren. <i>Angewandte Chemie</i> , 2017, 129, 13420-13426.	1.6	21
38	Cationic Chains of Parent Arsanylboranes and Substituted Phosphanylboranes. <i>Chemistry - A European Journal</i> , 2017, 23, 11423-11429.	1.7	25
39	Synthesis and crystal structure of hexakis(μ -caprolactam)lutetium(III) hexa(isothiocyanato)chromate(III) bis(μ -caprolactam) solvate. <i>Russian Journal of Inorganic Chemistry</i> , 2016, 61, 447-450.	0.3	3
40	A C_{60} Ligand Complex for the Formation of Planar 2D Layers. <i>Chemistry - A European Journal</i> , 2016, 22, 2599-2604.	1.7	28
41	Erbium(III) and lutetium(III) complexes $[\text{Ln}(\text{H}_2\text{O})_8][\text{Cr}(\text{NCS})_6] \cdot 5\text{H}_2\text{O}$: Synthesis and crystal structure. <i>Russian Journal of Inorganic Chemistry</i> , 2016, 61, 174-179.	0.3	1
42	The First Coordination Polymers Based on 1,3-Diphosphaferrocenes and 1,1,2,3,4-Pentaphosphaferrocenes. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 743-753.	1.0	11
43	Homoleptic Phosphaalkyne Complexes of Silver(I). <i>Angewandte Chemie - International Edition</i> , 2016, 55, 13301-13305.	7.2	7
44	Inorganic Superspheres. <i>Structure and Bonding</i> , 2016, , 321-373.	1.0	16
45	AlNbBr_8 Preparation, Crystal Structure, and Vapor Pressure Studies. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2016, 642, 823-827.	0.6	2
46	Homoleptic Phosphaalkyne Complexes of Silver(I). <i>Angewandte Chemie</i> , 2016, 128, 13495-13499.	1.6	3
47	Diminished electron density in the Vaska-type rhodium(I) complex $\text{trans-}[\text{Rh}(\text{NCBH}_3)(\text{CO})(\text{PPh}_3)_2]$. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2016, 72, 514-517.	0.2	1
48	Progress in Polyarsolyl Chemistry. <i>Chemistry - A European Journal</i> , 2016, 22, 1944-1948.	1.7	9
49	Supramolecular Synthons: Will Giant Rigid Superspheres Do?. <i>Crystal Growth and Design</i> , 2016, 16, 2335-2341.	1.4	16
50	Vapor pressure measurements in the homogeneity range of the $\text{Ti}_{1+x}\text{S}_2$ ($x = 0.015 \pm 0.090$) phase. <i>Inorganic Materials</i> , 2016, 52, 11-16.	0.2	1
51	Complexes of $\{\text{Mo}_6\text{I}_8\}$ with nitrophenolates: synthesis and luminescence. <i>New Journal of Chemistry</i> , 2016, 40, 1162-1168.	1.4	34
52	Metal-Free Addition/Head-to-Tail Polymerization of Transient Phosphinoboranes, RPH_2BH_2 : A Route to Poly(alkylphosphinoboranes). <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13782-13786.	7.2	90
53	Tunable Porosities and Shapes of Fullerene-Like Spheres. <i>Chemistry - A European Journal</i> , 2015, 21, 6208-6214.	1.7	46
54	Redox and Coordination Behavior of the Hexaphosphabenzene Ligand in $[(\text{Cp}^*\text{Mo})_2(\mu_4\text{I}_6)(\mu_6\text{P}_6)]$ Towards the "Naked" Cations, Cu^+ , Ag^+ , and Tl^+ . <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13110-13115.	7.2	32

#	ARTICLE	IF	CITATIONS
55	Isolation and Characterization of Lewis Base Stabilized Monomeric Parent Stibanylboranes. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13122-13125.	7.2	33
56	Highly Dynamic Coordination Behavior of P_n Ligand Complexes towards "Naked" Cu^{+} Cations. <i>Chemistry - A European Journal</i> , 2015, 21, 14332-14336.	1.7	34
57	Crystal structure of $K[Pd(P(CH_2OH)_3)Cl_3]$. <i>Journal of Structural Chemistry</i> , 2015, 56, 376-378.	0.3	1
58	Synthesis and Characterization of the Novel 1,2,4-Triphosphaferrocene $[Cp^*Fe(\eta^5-P_3C_2Mes_2)]$ Containing Sterically Demanding Mesityl Groups. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2015, 190, 397-403.	0.8	10
59	Structure of the framework complex $K_{0.4}Cs_{0.6}\{Cd(H_2O)_2Re_6S_8(CN)_4(OH)(H_2O)\} \cdot 8H_2O$. <i>Journal of Structural Chemistry</i> , 2015, 56, 1024-1027.	0.3	1
60	Synthesis and structure of $R_2[UO_2(NO_3)_2(NCS)_2]$ (R = Rb or Cs). <i>Crystallography Reports</i> , 2015, 60, 46-51.	0.1	0
61	Synthesis and X-ray diffraction study of $Li(NH_4)_2[UO_2(CH_3COO)_3]_3 \cdot 2H_2O$ and $(CN_3H_6)_4[UO_2(CH_3COO)_3](NO_3)_3$. <i>Russian Journal of Inorganic Chemistry</i> , 2015, 60, 38-45.	0.3	4
62	Fixation and Release of Intact E_4 Tetrahedra (E=P, As). <i>Angewandte Chemie - International Edition</i> , 2015, 54, 4392-4396.	7.2	68
63	Synthesis, physicochemical properties, and structural isomerism of cadmium chloride coordination compounds with ϵ -caprolactam. <i>Russian Journal of Inorganic Chemistry</i> , 2015, 60, 46-50.	0.3	2
64	Novel "anti-Prussian blue"™ structure based on Zn^{2+} nodes and $[Re_3Mo_3S_8(CN)_6]^{6-}$ heterometallic cluster spacers and its rearrangement to Prussian blue. <i>CrystEngComm</i> , 2015, 17, 1477-1482.	1.3	7
65	Hydrogen bonding induced polymorphism in the scandium(III) complex with μ -caprolactam. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 2015, 230, 551-558.	0.4	5
66	1,2,4-Triphospholyl anions " versatile building blocks for the formation of 1D, 2D and 3D assemblies. <i>Dalton Transactions</i> , 2015, 44, 10245-10252.	1.6	22
67	X-ray diffraction analysis of potassium (isothiocyanato)chromate(III) hydrates. <i>Russian Journal of Inorganic Chemistry</i> , 2015, 60, 493-499.	0.3	2
68	Spin crossover in heteroligand iron(II) complexes with iris(3,5-dimethylpyrazol-1-yl)methane. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2015, 41, 189-196.	0.3	3
69	Structure of a new binuclear complex of tungsten $[W_2S_4Cl_2(dppe)_2] \cdot 2CH_3CN$. <i>Journal of Structural Chemistry</i> , 2015, 56, 121-125.	0.3	0
70	Unexpected fragmentations of triphosphaferrocene " formation of supramolecular assemblies containing the $(1,2,4-P_3C_2Mes_2)^{+}$ ligand. <i>Dalton Transactions</i> , 2015, 44, 6502-6509.	1.6	20
71	Topological Motifs in Cyanometallates: From Building Units to Three-Periodic Frameworks. <i>Chemical Reviews</i> , 2015, 115, 12286-12319.	23.0	128
72	Giant Rugby Ball $[Cp^*BnFe(\eta^5-P_5)]_{24}Cu_{96}Br_{96}$ Derived from Pentaphosphaferrocene and $CuBr_2$. <i>Journal of the American Chemical Society</i> , 2015, 137, 10938-10941.	6.6	72

#	ARTICLE	IF	CITATIONS
73	Versatile structures of group 13 metal halide complexes with 4,4'-bipy: from 1D coordination polymers to 2D and 3D metal-organic frameworks. Dalton Transactions, 2015, 44, 20648-20658.	1.6	18
74	Grafting {Cp*Rh}²⁺ on the surface of Nb and Ta Lindqvist-type POM. Dalton Transactions, 2015, 44, 2234-2239.	1.6	51
75	Synthesis of Im ₃ [Mo ₃ (μ ₃ -S)(μ ₃ -S ₂) ₃ Br ₆]Br (Im=1-ethyl-3-methylimidazolium) in Ionic Liquid: A New Way of Breaking Up Chalcogenide Cluster Coordination Polymers. Journal of Cluster Science, 2015, 26, 33-40.	1.7	2
76	A Nano-sized Supramolecule Beyond the Fullerene Topology. Angewandte Chemie - International Edition, 2014, 53, 13605-13608.	7.2	66
77	Reductive selenidation of [Cp*MoO ₂ Cl]: Synthesis, structure and bonding in new binuclear and trinuclear clusters. Journal of Organometallic Chemistry, 2014, 770, 94-100.	0.8	4
78	Coordination-Induced Condensation of [Ta ₆ O ₁₉] ⁸⁻ : Synthesis and Structure of [(C ₆ H ₆)Ru] ₂ Ta ₆ O ₁₉ and [(C ₆ H ₆)RuTa ₆ O ₁₈] ₂ (μ ₄ -O) ¹⁰⁻ . Inorganic Chemistry, 2014, 53, 12791-12798.	1.9	44
79	Novel succinate-containing coordination polymers [UO ₂ (C ₄ H ₄ O ₄)·L] (L = C ₃ H ₆ N ₂ O or C ₄ H ₉ NO): Synthesis and structure. Russian Journal of Inorganic Chemistry, 2014, 59, 1437-1444.	0.3	9
80	Functionalization of a cyclopentadienyl Ligand by Main Group Element Nucleophiles. Angewandte Chemie - International Edition, 2014, 53, 7643-7646.	7.2	55
81	Crystal structure of [Cp* ₃ Ir ₃ S ₂]Cl{(H ₂ O)(HSO ₄)(H ₂ SO ₄)}·CHCl ₃ . Journal of Structural Chemistry, 2014, 55, 1433-1436.	0.3	0
82	Ribbed-monofunctionalized iron(II) clathrochelate with tert-butyl sulfide substituents: Synthesis, structure, and thermochemical transformations. Russian Journal of Inorganic Chemistry, 2014, 59, 1162-1167.	0.3	5
83	Coordination of SnCl ₃ ⁻ ligands to {Cp*M} ₂ ⁺ (M=Rh, Ir). Journal of Organometallic Chemistry, 2014, 754, 32-38.	0.8	7
84	Synthesis and crystal structure of [UO ₂ (L)(OH)], (CN ₃ H ₆) ₂ [(UO ₂) ₂ CrO ₄ (L) ₄ ·2H ₂ O and [UO ₂ (H ₂ O) ₅][(UO ₂) ₂ Cr ₂ O ₇ (L) ₄] (where L is picolinate ion). Russian Journal of Inorganic Chemistry, 2014, 59, 63-71.	0.3	7
85	Synthesis and structure of (NH ₄) ₃ [UO ₂ (C ₃ H ₂ O ₄) ₂ (NCS)]·2H ₂ O. Crystallography Reports, 2014, 59, 48-52.	0.1	4
86	Crystal structure of two salts derived from paratungstate in the [H ₂ W ₁₂ O ₄₂] ¹⁰⁻ anion. Journal of Structural Chemistry, 2014, 55, 295-298.	0.3	9
87	Synthesis and structures of the first triiodoarsenate(III) anion, EtAsI ₃ ⁻ , and zwitterions, (HPy) ₂ As ₂ I ₆ . Polyhedron, 2014, 67, 115-121.	1.0	2
88	Vanadium(III) dithiophosphate complex [V(S ₂ P(O-iso-Pr) ₂) ₃]: synthesis and structure. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2014, 40, 722-725.	0.3	2
89	New fluorochromatouranylates of alkali metals: Synthesis and structure. Russian Journal of Inorganic Chemistry, 2014, 59, 788-797.	0.3	5
90	Xanthate complexes of {Nb ₂ S ₄ } ₄ ⁺ . Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2014, 40, 460-467.	0.3	4

#	ARTICLE	IF	CITATIONS
91	Crystal structure of a giant supramolecule encapsulating o-carborane. Zeitschrift Fur Kristallographie - Crystalline Materials, 2014, 229, .	0.4	16
92	Homoleptic Molybdenum Cluster Sulfides Functionalized with Noninnocent Diimine Ligands: Synthesis, Structure, and Redox Behavior. European Journal of Inorganic Chemistry, 2014, 2014, 4093-4100.	1.0	26
93	Structural features of two polymorphs of ammonium uranyl crotonate. Journal of Molecular Structure, 2014, 1074, 583-588.	1.8	11
94	Synthesis and crystal structure of (CN ₃ H ₆) ₂ [UO ₂ (OH) ₂ (NCS)]NO ₃ and β -Cs ₃ [UO ₂ (NCS) ₅]. Crystallography Reports, 2014, 59, 196-201.	0.1	1
95	Homochiral Cu(II) and Ni(II) malates with tunable structural features. Journal of Solid State Chemistry, 2014, 210, 125-129.	1.4	29
96	Hexanuclear chloride and bromide tungsten clusters and their derivatives. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2014, 40, 259-267.	0.3	14
97	Hydrogen selenide in M ^{II} -Se and Ca ^{II} -Se bond formation. [Cp* ₃ Ir ₃ Se ₂] ²⁺ clusters: New synthesis, molecular and electronic structure and related studies. Journal of Organometallic Chemistry, 2014, 767, 65-71.	0.8	4
98	Synthesis, molecular and electronic structures of a paramagnetic trimetallic cluster containing an unusual Mo ₃ (μ_3 -Se) ₂ (μ_4 -Se) ₃ core. Polyhedron, 2014, 81, 6-10.	1.0	6
99	Crystal structure of [Pt ₃ S ₂ (P(CH ₂ OH) ₃) ₆](PF ₆)(OH)·H ₂ O. Journal of Structural Chemistry, 2013, 54, 638-641.	0.3	7
100	Crystal structure and magnetic properties of a Cs ₃ Nb ₂ I ₉ bioctahedral complex. Journal of Structural Chemistry, 2013, 54, 443-445.	0.3	5
101	Crystal structure of two polymorphic modifications of Nb ₂ Br ₂ niobium thiobromide. Journal of Structural Chemistry, 2013, 54, 451-453.	0.3	4
102	Crystal structure of [M(H ₂ O) ₆][UO ₂ (CH ₃ COO) ₃] ₂ (M=Mg ²⁺ , Co ²⁺ and Zn ²⁺). Polyhedron, 2013, 61, 137-142.	1.0	14
103	Synthesis and crystal structure of lanthanum(III) iodomercurate(II) complexes with ϵ -Caprolactam. Russian Journal of Inorganic Chemistry, 2013, 58, 534-542.	0.3	5
104	Reaction of [VO(OPr) ₃] with hexamethyldisylthiane in the presence of β -diketones. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2013, 39, 175-180.	0.3	1
105	Crystal structure and IR spectroscopic study of (CN ₃ H ₆) ₂ [(UO ₂) ₂ (C ₂ O ₄)(CH ₃ COO) ₄]. Crystallography Reports, 2013, 58, 275-279.	0.1	6
106	Complexes of M ₃ S ₄ ⁺ (M=Mo, W) with chiral alpha-hydroxy and aminoacids: Synthesis, structure and solution studies. Inorganica Chimica Acta, 2013, 395, 11-18.	1.2	15
107	Synthesis, structure, and luminescence of the octahedral molybdenum cluster [Mo ₆ I ₈ (SC ₆ F ₄ H) ₆] ²⁺ . Russian Chemical Bulletin, 2013, 62, 1764-1767.	0.4	22
108	Alkynyl Complexes of High-Valence Clusters. Synthesis and Luminescence Properties of [Mo ₆ I ₈ (C ₆ H ₅ CC(O)OMe) ₆] ²⁺ , the First Complex with Exclusively Organometallic Outer Ligands in the Family of Octahedral {M ₆ X ₈ } Clusters. Inorganic Chemistry, 2013, 52, 12477-12481.	1.9	57

#	ARTICLE	IF	CITATIONS
109	Interpenetrating frameworks in the structure of the $[(\text{SnMe}_3)_3\text{Re}_6\text{Se}_8(\text{CN})_6]$ cluster complex. <i>Journal of Structural Chemistry</i> , 2013, 54, 815-819.	0.3	5
110	Transformation of a Phosphorus-Bound Cp* Moiety in the Coordination Sphere of Manganese Carbonyl Complexes. <i>Organometallics</i> , 2013, 32, 770-779.	1.1	7
111	Binuclear cluster complexes of molybdenum containing 2,2'-bipyridine and 1,10-phenanthroline: Synthesis and structure. <i>Journal of Structural Chemistry</i> , 2013, 54, 752-758.	0.3	11
112	Synthesis and structure of chiral coordination polymers of CoII, CuII, and MgII saccharates. <i>Russian Chemical Bulletin</i> , 2013, 62, 716-721.	0.4	4
113	Synthesis and crystal structure of $\text{Cs}_2[(\text{UO}_2)_2(\text{C}_2\text{O}_4)_3]$ and $\text{Cs}_2[\text{UO}_2(\text{C}_3\text{H}_2\text{O}_4)_2] \cdot \text{H}_2\text{O}$. <i>Russian Journal of Inorganic Chemistry</i> , 2013, 58, 1465-1469.	0.3	5
114	The Lewis Base Stabilized Parent Arsenylborane $\text{H}_2\text{AsBH}_2 \cdot \text{NMe}_3$. <i>Chemistry - A European Journal</i> , 2013, 19, 11887-11891.	1.7	57
115	Stabilization of Tetrahedral P_4 and As_4 Molecules as Guests in Polymeric and Spherical Environments. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 10896-10899.	7.2	91
116	Synthesis, crystal structure, and structural features of hexa(isothiocyanate)chromates(III) of lanthanum(III) and neodymium(III) complexes with nicotinic acid. <i>Russian Journal of Inorganic Chemistry</i> , 2013, 58, 1040-1046.	0.3	8
117	Syntheses and structures of the cobalt, nickel, and zinc complexes with 1,4-diaza-1,3-butadiene ligands. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2013, 39, 11-22.	0.3	5
118	Synthesis and crystal structure of $\text{Mo}_6\text{Nb}_x\text{I}_{11}$ ($x = 1-1.5$). <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2013, 39, 1-5.	0.3	2
119	Synthesis and structure of $(\text{CN}_3\text{H}_6)_2[\text{UO}_2\text{CrO}_4(\text{C}_5\text{H}_3\text{N}(\text{COO})_2)]$. <i>Russian Journal of Inorganic Chemistry</i> , 2013, 58, 19-25.	0.3	0
120	Synthesis and X-ray diffraction study of $\text{Cs}_3[\text{UO}_2(\text{CH}_3\text{COO})_3]_2[\text{UO}_2(\text{CH}_3\text{COO})(\text{NCS})_2(\text{H}_2\text{O})]$ and $\text{Cs}_5[\text{UO}_2(\text{CH}_3\text{COO})_3]_3[\text{UO}_2(\text{NCS})_4(\text{H}_2\text{O})] \cdot 2\text{H}_2\text{O}$. <i>Russian Journal of Inorganic Chemistry</i> , 2013, 58, 160-165.	0.3	1
121	Telluride clusters of molybdenum: Synthesis, structures, and NMR spectra. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2013, 39, 181-186.	0.3	3
122	Ferrocene and Pentaphosphaferrocene: A Comparative Study Regarding Redox Chemistry. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 2972-2976.	7.2	75
123	Synthesis and molecular structure of mixed-metal stannylene derivatives of cyclopentadienyl(nitrosyl)(carbonyl) manganese. <i>Journal of Organometallic Chemistry</i> , 2013, 724, 75-81.	0.8	4
124	High-precision X-ray diffraction data, experimental and theoretical study of 2H-MoS_2 . <i>Russian Chemical Bulletin</i> , 2013, 62, 1852-1857.	0.4	9
125	$[\text{N}(\text{C}_6\text{H}_4)_2\text{N}(\text{C}_6\text{H}_4)_2]_2[\text{N}(\text{C}_6\text{H}_4)_2\text{N}(\text{C}_6\text{H}_4)_2]_2$ heptacarbonyl- 1^{st} transition metal complex. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2012, 68, m320-m322.	0.4	5
126	Chalcogen arsenide clusters of iron with a functional carboxyl group: Synthesis, structures, and thermolysis. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2012, 38, 662-670.	0.3	7

#	ARTICLE	IF	CITATIONS
127	First water-soluble Co ₆ S ₈ cluster: Synthesis and functionalization. <i>Inorganic Chemistry Communication</i> , 2012, 24, 225-226.	1.8	14
128	Synthesis, molecular and electronic structure of an incomplete cuboidal Re ₃ S ₄ cluster with an unusual quadruplet ground state. <i>Chemical Communications</i> , 2012, 48, 2713.	2.2	11
129	Discrete and Extended Supersandwich Structures Based on Weak Interactions between Phosphorus and Mercury. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 9918-9921.	7.2	42
130	Synthesis and structure of [Cr ₃ O(CH ₃ COO) ₆ (H ₂ O) ₃][UO ₂ (CH ₃ COO) ₃] · 3H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2012, 57, 1341-1347.	0.3	1
131	Synthesis and crystal structure of complexes of manganese(II), cobalt(II), and nickel(II) isothiocyanates with ϵ -caprolactam. <i>Russian Journal of Inorganic Chemistry</i> , 2012, 57, 1067-1072.	0.3	7
132	X-ray crystallographic study of crystalline products of interaction of lanthanum(III) nitrate, ammonium tetra(isothiocyanato)diamminechromate(III) and dimethyl sulfoxide in an aqueous solution. <i>Russian Journal of Inorganic Chemistry</i> , 2012, 57, 1221-1226.	0.3	2
133	Synthesis and crystal structure of [UO ₂ CrO ₄ (C ₅ NH ₅ COO)] · 0.25H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2012, 57, 1449-1454.	0.3	3
134	Synthesis and crystal structure of [UO ₂ CrO ₄ (C ₅ NH ₅ COO)] · H ₂ O. <i>Russian Journal of Inorganic Chemistry</i> , 2012, 57, 41-45.	0.3	3
135	Carboxylate anion [(η^4 -H)Os ₃ (CO) ₁₀ L] ⁻ as a precursor in the synthesis of heterometallic Os ₃ M clusters. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2012, 38, 273-278.	0.3	1
136	Spin crossover in the coordination compounds of iron(II) with tris(3,5-dimethylpyrazol-1-yl)methane. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2012, 38, 507-514.	0.3	8
137	Spin-crossover in the complex of iron(II) nitrate with tris(3,5-dimethylpyrazol-1-yl)methane. <i>Inorganica Chimica Acta</i> , 2012, 382, 1-5.	1.2	12
138	Crystal structures of trans-[Re ₆ S ₈ (CN) ₂ L ₄] complexes, L = pyridine or 4-methylpyridine. <i>Journal of Structural Chemistry</i> , 2012, 53, 132-137.	0.3	15
139	Synthesis and study of (CN ₃ H ₆) ₂ [(UO ₂) ₂ (C ₂ O ₄)(SeO ₃) ₂] by IR spectroscopy and X-ray diffraction. <i>Russian Journal of Inorganic Chemistry</i> , 2012, 57, 175-180.	0.3	1
140	Syntheses and crystal structures of [Bi(DMSO) ₈][Fe(NCS) ₆] and [Al(DMSO) ₆][Al(NCS) ₆]. <i>Russian Journal of Inorganic Chemistry</i> , 2012, 57, 337-342.	0.3	10
141	The reaction of ammonium tetra(isothiocyanato)diamminechromate(III) with ϵ -caprolactam in aqueous solution. Revised refinement of the structure of (HCpl ₂) ₃ [Cr(NCS) ₆]. <i>Russian Journal of Inorganic Chemistry</i> , 2012, 57, 684-691.	0.3	6
142	Synthesis and physicochemical properties of [{Cd(ϵ -C ₆ H ₁₁ NO) ₅] ₂ Cr(NCS) ₆][Cd(ϵ -C ₆ H ₁₁ NO) ₄ Cr(NCS) ₆]. <i>Russian Journal of Inorganic Chemistry</i> , 2012, 57, 811-814.	0.3	4
143	Heterometallic clusters with the {MoNb ₁₈ } core: The synthesis and crystal structures of (Ph ₄ P) ₂ [Mo ₅ Nb ₁₈ Cl ₆] and (4-MePyH) ₅ [Mo ₅ Nb ₁₈ Cl ₆]Cl ₂ . <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2012, 38, 257-263.	0.3	4
144	Synthesis, crystal structure, and photophysical properties of acid (H ₃ O) ₂ {W ₆ Br ₈ }Br ₆ · 4H ₂ O. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2012, 38, 402-408.	0.3	5

#	ARTICLE	IF	CITATIONS
145	Coordination Polymers Based on $[\text{Cp}^*\text{Fe}(\mu_5\text{P}_5)]$: Solid-State Structure and MAS NMR Studies. <i>Chemistry - A European Journal</i> , 2012, 18, 1168-1179.	1.7	61
146	Size-Determining Dependencies in Supramolecular Organometallic Host-Guest Chemistry. <i>Chemistry - A European Journal</i> , 2012, 18, 829-835.	1.7	58
147	Water-soluble Pt_3S_2 cluster with phosphine ligands. <i>Inorganic Chemistry Communication</i> , 2011, 14, 1659-1660.	1.8	14
148	Structure and some properties of $[\text{UO}_2(\text{SeO}_4)(\text{C}_5\text{H}_{12}\text{N}_2\text{O})_2(\text{H}_2\text{O})]$. <i>Russian Journal of Inorganic Chemistry</i> , 2011, 56, 1739-1746.	0.3	0
149	Synthesis and X-ray structural investigation of $\text{K}_2(\text{H}_5\text{O}_2)[\text{UO}_2(\text{C}_2\text{O}_4)_2(\text{HSeO}_3)]$. <i>Crystallography Reports</i> , 2011, 56, 451-455.	0.1	2
150	Synthesis, structure and magnetic behavior of new 1D metal-organic coordination polymer with Fe_3O core. <i>Inorganica Chimica Acta</i> , 2011, 365, 513-516.	1.2	10
151	Cuboidal Mo_3S_4 and Mo_3NiS_4 Complexes Bearing Dithiophosphates and Chiral Carboxylate Ligands: Synthesis, Crystal Structure and Fluxionality. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 683-693.	1.0	12
152	Novel Metal-Organic Frameworks Incorporating $[\text{Cp}^*\text{Mo}_2\text{P}_4\text{S}]$ ($\text{Cp}^* = 1\text{-}t\text{Bu-}3,4\text{-Me}_2\text{C}_5\text{H}_2$), P_4S_3 and Cu_2I_2 Building Blocks. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 785-793.	1.0	4
153	P_4S_3 and P_2N_2 or N_2N_2 Donors as Competitive Building Blocks in Copper(I) Coordination Polymers. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 4248-4255.	1.0	7
154	Synthesis of copper(II) complexes with 3,5-bis(4,6-dimethylpyrimidin-2-yl)-4H-1,2,4-triazol-4-amine (L). Molecular and crystal structures of L and $[\text{Cu}_2\text{L}_2\text{Cl}_4] \cdot 2\text{MeCN}$. <i>Inorganica Chimica Acta</i> , 2011, 365, 384-390.	1.2	3
155	Synthesis and X-ray diffraction study of $\text{R}[\text{UO}_2(\text{CH}_3\text{COO})_3]$ ($\text{R} = \text{H}_3\text{O}^+$ or $\text{NH}(\text{C}_2\text{H}_5)_3^+$). <i>Russian Journal of Inorganic Chemistry</i> , 2010, 55, 1020-1025.	0.3	10
156	Synthesis and crystal structure of $(\text{NH}_4)_3[\text{UO}_2(\text{CH}_3\text{COO})_3]_2[\text{UO}_2(\text{CH}_3\text{COO})(\text{NCS})_2(\text{H}_2\text{O})]$. <i>Crystallography Reports</i> , 2010, 55, 19-23.	0.1	1
157	Synthesis and structure of $(\text{Rb}_0.50\text{Ba}_0.25)[\text{UO}_2(\text{CH}_3\text{COO})_3]$. <i>Crystallography Reports</i> , 2010, 55, 221-223.	0.1	8
158	Synthesis and structure of $\text{Cs}[\text{UO}_2(\text{SeO}_4)(\text{OH})] \cdot n\text{H}_2\text{O}$ ($n = 1.5$ or 1). <i>Crystallography Reports</i> , 2010, 55, 381-385.	0.1	5
159	Synthesis and an X-ray diffraction study of $\text{Rb}_2[(\text{UO}_2)_2(\text{C}_2\text{O}_4)_3]$. <i>Crystallography Reports</i> , 2010, 55, 769-772.	0.1	4
160	Synthesis and crystal structure of $[\text{Mo}_3\text{S}_4(\text{Dppen})_3\text{Cl}_3]\text{PF}_6 \cdot 1.5\text{CH}_2\text{Cl}_2$ and $[\text{W}_3\text{S}_4(\text{Dppe})_3\text{Br}_3]_2\text{ZnBr}_4 \cdot 5.5\text{CH}_3\text{CN}$. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2010, 36, 637-643.	0.3	2
161	Synthesis and crystal structure of $[\text{W}_3\text{S}_4(\text{Acac})_3(\text{PPh}_3)_3]\text{PF}_6 \cdot 0.5\text{CHCl}_3$ and $[\text{W}_3\text{S}_4(\text{Hfac})_3(\text{PPh}_3)_2\text{Br}] \cdot 2\text{CHCl}_3$. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2010, 36, 734-738.	0.3	0
162	Ligand substitution in the cluster complex $[\text{Mo}_3\text{S}_7\text{Cl}_6]^{2-}$: Synthesis and crystal structure of $(\text{Et}_4\text{N})[\text{Mo}_3\text{S}_7\text{Cl}_5(\text{CH}_3\text{CN})]$. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2010, 36, 871-875.	0.3	3

#	ARTICLE	IF	CITATIONS
163	Specific non-valent iodine...chlorine interactions in the structures of copper(II) chloride complexes with bis(3,5-dimethyl-4-iodopyrazol-1-yl)methane. Journal of Structural Chemistry, 2010, 51, 92-98.	0.3	11
164	Structure and luminescent properties of the cadmium(II) chloride complex with bis(benzotriazole-1-yl)methane. Journal of Structural Chemistry, 2010, 51, 514-518.	0.3	6
165	New Cluster-Polyoxometalate Hybrids Derived from the Incorporation of {Mo ₃ S ₄ } and {Mo ₃ CuS ₄ } Units into {EW ₁₅ } Cores (E = As ^{III} , Sb ^{III} , Te ^{IV}). European Journal of Inorganic Chemistry, 2010, 2010, 5446-5454.	1.0	9
166	Structures and Properties of Spherical 90°-Vertex Fullerene-Like Nanoballs. Chemistry - A European Journal, 2010, 16, 2092-2107.	1.7	87
167	Access to Extended Polyphosphorus Frameworks. Angewandte Chemie - International Edition, 2010, 49, 6860-6864.	7.2	44
168	Chelating ionic versus bridged molecular structures of group 13 metal complexes with bidentate ligands. Polyhedron, 2010, 29, 414-424.	1.0	14
169	Selective synthesis of triangular cluster oxido-sulfidocomplexes of Mo and W: High yield preparations of [Mo ₃ O ₂ S ₂ (H ₂ O) ₉] ⁴⁺ , [W ₃ O ₂ S ₂ (H ₂ O) ₉] ⁴⁺ , [W ₂ MoO ₂ S ₂ (H ₂ O) ₉] ⁴⁺ and their derivatization. Inorganica Chimica Acta, 2010, 363, 3330-3337.	1.2	11
170	Simplified Synthesis and Structural Study of {Ta ₆ Br ₁₂ } Clusters. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2010, 636, 1543-1548.	0.6	12
171	Unexpected transformation of a diamagnetic Mo ₃ (μ_3 -S)(μ_2 -S) ₃ to a paramagnetic Mo ₃ (μ_3 -S) ₂ (μ_2 -S) ₃ cluster core by reaction of [Mo ₃ S ₄ (dppe) ₃ Br ₃]PF ₆ with tBuSNa. Dalton Transactions, 2010, 39, 8875.	1.6	15
172	A Spherical Molecule with a Carbon-Free h - C_{80} Topological Framework. Angewandte Chemie - International Edition, 2009, 48, 5046-5049.	7.2	102
173	Synthesis and structures of dinuclear Zr ^{IV} and Hf ^{IV} hydroxo complexes with the monolacunar Keggin and Dawson anions. Russian Chemical Bulletin, 2009, 58, 507-512.	0.4	14
174	Ruthenium carbonyl complexes with μ -substituted oxime derivatives of terpenes as ligands. Russian Chemical Bulletin, 2009, 58, 1371-1382.	0.4	3
175	Interaction of [Mo ₆ Cl ₁₄] ²⁺ with H ₂ Se: Selective Preparation of [Mo ₆ SeCl ₁₃] ³⁺ . Journal of Cluster Science, 2009, 20, 83-92.	1.7	8
176	Novel Three-Dimensional Coordination Polymers Based on [Mo ₆ Se ₈ (CN) ₆] ⁷⁻ Anions and Mn ²⁺ Cations. Journal of Cluster Science, 2009, 20, 165-176.	1.7	20
177	Structural types of octa(ϵ -caprolactam)-lanthanide(III) hexa(isothiocyanato)chromates(III). Phase transition with reversible twinning. Journal of Structural Chemistry, 2009, 50, 137-148.	0.3	13
178	Crystal structure of [(C ₅ Me ₄ Et) ₃ Rh(μ_3 -Se) ₂](PF ₆) ₂ CH ₃ CN and [(C ₅ Me ₄ Et) ₂ Rh(μ_2 -Cl) ₃]PF ₆ . Journal of Structural Chemistry, 2009, 50, 162-165.	0.3	8
179	Reactions of M ₃ Te ₇ ⁴⁺ (M=Mo, W) clusters with electrophilic reagents: Chalcogen exchange in the Te ₂ ligand and the first complexes of (TeS) ₂ ²⁺ . Polyhedron, 2009, 28, 3479-3484.	1.0	8
180	One-Dimensional Polymers Based on Silver(I) Cations and Organometallic cyclo-P_3 Ligand Complexes. Chemistry - an Asian Journal, 2009, 4, 1578-1587.	1.7	26

#	ARTICLE	IF	CITATIONS
181	Synthesis and crystal structure of (NH ₄)(CN ₃ H ₆)[UO ₂ (SeO ₃) ₂]. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2009, 35, 42-46.	0.3	4
182	Cubane pyridine-acetylacetonate cluster complexes with the M ₃ Cu ₄ 5+ core (M = Mo, W). Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2009, 35, 395-400.	0.3	2
183	Complexes of copper(II) and cobalt(II) halides with 4-(3,5-dimethyl-1H-pyrazol-1-yl)-6-methyl-2-phenylpyrimidine: Synthesis, structures, and properties. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2009, 35, 597-608.	0.3	7
184	Tetraquatetrakis(É-caprolactam)lutetium(III) hexaisothiocyanatochromate(III) sesquihydrate. Russian Journal of Inorganic Chemistry, 2009, 54, 272-276.	0.3	8
185	[Co ₂ (NH ₂ CH ₂ CH ₂ O) ₃ (NH ₂ CH ₂ CH ₂ OH) ₃][CoCl ₄]Cl · H ₂ O: Synthesis and crystal structure. Russian Journal of Inorganic Chemistry, 2009, 54, 568-571.	0.3	2
186	Mixed-ligand complexes [Cd(DMSO) ₅ (NCS)][Cr(NH ₃) ₂ (NCS) ₄] · 3DMSO and [Mn(DMSO) ₄ (H ₂ O) ₂][Cr(NH ₃) ₂ (NCS) ₄] ₂ · 6DMSO · 2H ₂ O: Syntheses and crystal structures. Russian Journal of Inorganic Chemistry, 2009, 54, 692-697.	0.3	4
187	Crystal structure of Cs[(UO ₂) ₂ (C ₂ O ₄) ₂ (OH)] · H ₂ O. Russian Journal of Inorganic Chemistry, 2009, 54, 1577-1580.	0.3	1
188	Synthesis and X-ray structural investigation of K ₈ [(UO ₂) ₂ (C ₂ O ₄) ₂ (SeO ₄) ₄] · 2H ₂ O. Crystallography Reports, 2009, 54, 63-67.	0.1	2
189	Synthesis and X-ray structural investigation of (C ₃ N ₆ H ₇) ₄ (CN ₃ H ₆) ₂ [UO ₂ (CrO ₄) ₄] · 4H ₂ O and (H ₃ O) ₆ [UO ₂ (CrO ₄) ₄]. Crystallography Reports, 2009, 54, 259-266.	0.1	5
190	Crystal structure of N-(2-hydroxyethyl)-Î ² -alanine and racemic mixture of the coordination stereoisomers of N-(2-hydroxyethyl)-Î ² -alaninatonicel(II). Journal of Structural Chemistry, 2008, 49, 102-108.	0.3	2
191	New crystal modification of the di(nitrato)di(aqua)palladium(II) complex Î ² -trans-[Pd(NO ₃) ₂ (H ₂ O) ₂]. Journal of Structural Chemistry, 2008, 49, 160-164.	0.3	7
192	Crystal structure of ammonium pentachloroaurathenate(III) (NH ₄) ₂ [Ru(H ₂ O)Cl ₅]. Journal of Structural Chemistry, 2008, 49, 566-569.	0.3	3
193	Soft activation of the C-S bond: X-ray diffraction and spectroscopic study of the cluster Ru ₄ (Î ^{1/4} -4-S)(Î ^{1/4} -3-C ₃ H ₅) ₂ (CO) ₁₂ . Journal of Structural Chemistry, 2008, 49, 719-723.	0.3	5
194	Crystal structure of Cs[Gd(H ₂ O) ₄ Re ₆ Te ₈ (CN) ₆] · 4H ₂ O. Journal of Structural Chemistry, 2008, 49, 1128-1131.	0.3	6
195	Crystal Structure, Electronic Structure, and Solid-State Electrochemistry of Cluster Complexes of M ₃ Se ₇₄ ⁺ (M = Mo, W) with Noninnocent-Phenanthroline and Se ₂₂ -Ligands. European Journal of Inorganic Chemistry, 2008, 2008, 3964-3969.	1.0	20
196	In situ generation of H ₂ Se and hydrothermal synthesis of new polynuclear rhenium carbonyl polyselenides. Polyhedron, 2008, 27, 3259-3262.	1.0	9
197	The first cubane-like complex of copper based on N-carboxyethyl-tris(hydroxymethyl)aminomethane: Synthesis and crystal structure. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2008, 34, 1-7.	0.3	13
198	Novel carbonyl complexes of ruthenium with Î [±] -substituted oxime derivatives of terpenes. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2008, 34, 286-294.	0.3	5

#	ARTICLE	IF	CITATIONS
199	Synthesis and crystal structure of $\text{Rb}_2[(\text{UO}_2)_2(\text{C}_2\text{O}_4)_2(\text{SeO}_4)] \cdot 1.33\text{H}_2\text{O}$. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2008, 34, 629-634.	0.3	5
200	Isolobal replacement of the metal fragments in $[\text{Fe}_3(\frac{1}{4}\text{Q})(\frac{1}{4}\text{AsCH}_3)(\text{CO})_9]$ (Q = Se and Te): Synthesis and structures of a number of Fe-Ir and Fe-Rh clusters simultaneously containing a chalcogen and arsenic. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2008, 34, 871-883.	0.3	4
201	Octa(É-caprolactam)erbium(III) hex(isothiocyanato)chromate(III): Synthesis and crystal structure. Russian Journal of Inorganic Chemistry, 2008, 53, 772-775.	0.3	4
202	Synthesis and structure of $\text{Na}[\text{UO}_2(\text{SeO}_3)(\text{HSeO}_3)] \cdot 4\text{H}_2\text{O}$. Russian Journal of Inorganic Chemistry, 2008, 53, 831-836.	0.3	1
203	Synthesis and X-ray diffraction study of $\text{K}_4[(\text{UO}_2)_2(\text{C}_2\text{O}_4)_3(\text{NCS})_2] \cdot 4\text{H}_2\text{O}$. Russian Journal of Inorganic Chemistry, 2008, 53, 837-841.	0.3	4
204	Synthesis and structures of $\text{Cs}_4[(\text{UO}_2)_2(\text{C}_2\text{O}_4)(\text{SO}_4)_2(\text{NCS})_2] \cdot 4\text{H}_2\text{O}$ and $(\text{NH}_4)_4[(\text{UO}_2)_2(\text{C}_2\text{O}_4)(\text{SO}_4)_2(\text{NCS})_2] \cdot 6\text{H}_2\text{O}$. Russian Journal of Inorganic Chemistry, 2008, 53, 1034-1039.	0.3	5
205	Synthesis and structure of $\text{M}[\text{UO}_2(\text{C}_2\text{O}_4)(\text{NCS})] \cdot 0.5\text{H}_2\text{O}$ (M = Rb or Cs). Russian Journal of Inorganic Chemistry, 2008, 53, 1040-1045.	0.3	2
206	Solid products of the reaction of lanthanum(III) nitrate with potassium hexa(isothiocyanato)chromate(III) in an aqueous solution: X-ray diffraction analysis. Russian Journal of Inorganic Chemistry, 2008, 53, 1115-1120.	0.3	2
207	Crystal structure of $\text{Ba}_3[\text{UO}_2(\text{C}_2\text{O}_4)_2(\text{NCS})_2] \cdot 9\text{H}_2\text{O}$. Russian Journal of Inorganic Chemistry, 2008, 53, 1396-1400.	0.3	2
208	Crystal structure of $\text{M}_4[(\text{UO}_2)_2\text{C}_2\text{O}_4(\text{SO}_4)_2(\text{NCS})_2]$ (M = K ⁺ , Rh ⁺) and $\text{K}_4[(\text{UO}_2)_2\text{C}_2\text{O}_4(\text{SeO}_4)_2(\text{NCS})_2]$. Crystallography Reports, 2008, 53, 462-465.	0.1	2
209	Crystal structure of $\{\text{NH}_2\text{C}(\text{NHC}_6\text{H}_5)_2\}_3[\text{UO}_2(\text{C}_2\text{O}_4)_2(\text{NCS})] \cdot 1.25\text{H}_2\text{O}$. Crystallography Reports, 2008, 53, 651-654.	0.1	5
210	Heterometallic Cuboidal Clusters $\text{M}_3\text{M}^{\sim}\text{Q}_4$ (M = Mo, W; M^{\sim} = Sn, Pb, As, Sb; Q = S, Se): From Coordination Compounds to Supramolecular Adducts. Inorganic Chemistry, 2008, 47, 306-314.	1.9	22
211	Fullerene C_{60} as an Endohedral Molecule within an Inorganic Supramolecule. Journal of the American Chemical Society, 2007, 129, 13386-13387.	6.6	124
212	Synthesis and Structures of $\text{Mo}_3\text{Se}_7\text{Te}_2\text{Br}_{10}$, $\text{Mo}_3\text{Se}_7\text{Te}_6$, and $\text{Mo}_6\text{Te}_{21}\text{I}_{22}$ Containing TeX_3 (X = Br, I) Ligands Coordinated to a Triangular Cluster Core. Inorganic Chemistry, 2007, 46, 4677-4682.	1.9	14
213	Triangular Oxalate Clusters $[\text{W}_3(\frac{1}{4}\text{S})(\frac{1}{4}\text{S}_2)_3(\text{C}_2\text{O}_4)_3]_2$ as Building Blocks for Coordination Polymers and Nanosized Complexes. Inorganic Chemistry, 2007, 46, 2115-2123.	1.9	23
214	Isorecticular Homochiral Porous Metal-Organic Structures with Tunable Pore Sizes. Inorganic Chemistry, 2007, 46, 6843-6845.	1.9	151
215	Unusual Coordination Behavior of $\text{P}(\text{C}_6\text{H}_5)_3$ Ligand Complexes with $\text{Ti}(\text{O}i\text{Pr})_4$. Angewandte Chemie - International Edition, 2007, 46, 9323-9326.	7.2	52
216	Synthesis and structure of heterometallic compounds of $[\text{RuNO}(\text{NO}_2)_4\text{OH}]_2$ with triphenyl phosphine oxide complexes of Co(II), Ni(II), and Zn(II). Journal of Molecular Structure, 2007, 837, 63-71.	1.8	21

#	ARTICLE	IF	CITATIONS
217	Unusual coordination of a chloride ion to six copper ions: Synthesis and crystal structure of copper(II) complexes with 4-(4-hydroxyphenyl)-1,2,4-triazole. <i>Polyhedron</i> , 2007, 26, 1612-1618.	1.0	33
218	Octakis($\hat{\alpha}$ -caprolactam- $\hat{\mu}$ O)erbium(III) hexaisothiocyanatochromate(III). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, m195-m198.	0.4	16
219	Crystal Structure and Properties of $(H_{9}O_{4})_{2}[Mo_{2}(S_{2})_{2}X_{8}] \cdot 6H_{2}O$ (X = Cl, Br). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 2288-2291.		3
220	Two Routes of Electrophilic Addition and Unexpected Cluster Core Transformation in the Reactions of the $K_{2}[Fe_{3}(\hat{\mu}_{3}Q)(CO)_{9}]$ (Q = Se, Te) Clusters with $Pr_{2}PCL$. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 2408-2413.	0.6	7
221	Synthesis and study of Iron(II) perrhenate complexes with 4-propyl-1,2,4-triazole exhibiting 1 A 1 $\hat{\mu}_{2}$, 5 T 2 spin transition. <i>Russian Journal of Inorganic Chemistry</i> , 2007, 52, 46-51.	0.3	11
222	Synthesis and crystal structure of $(C_{3}N_{5}H_{6}S)_{2}[UO_{2}(C_{2}O_{4})_{2}(H_{2}O)] \cdot \hat{A} \cdot C_{2}N_{4}H_{4}$. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2007, 33, 371-376.	0.3	0
223	Synthesis and crystal structures of $[UO_{2}(C_{6}H_{4}NO_{2})_{2}(C_{6}H_{5}NO_{2})]$ and $[UO_{2}SO_{4}(C_{6}H_{5}NO_{2})(H_{2}O)] \cdot \hat{A} \cdot H_{2}O$. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2007, 33, 458-465.	0.3	13
224	Triosmium cluster with the bridging aminooxime derivative of pinane: Synthesis, crystal structure and conformational analysis. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2007, 33, 594-600.	0.3	6
225	Electroneutral coordination frameworks based on octahedral $[Re_{6}(\hat{\mu}_{3}Q)_{8}(CN)_{6}]_{4}^{+}$ complexes (Q = S,) $Tj ETQq_{1} 1 0.784314 rgBT$. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2007, 33, 867-875.	0.3	9
226	Interrelation between the structure and cyclization direction of o-alkynylbenzenediazonium salts. <i>Russian Journal of Organic Chemistry</i> , 2007, 43, 790-792.	0.3	5
227	Complexes of ZrIV and HfIV with monolacunary Keggin-and Dawson-type anions. <i>Russian Chemical Bulletin</i> , 2007, 56, 220-224.	0.4	29
228	Synthesis and structure of the framework coordination polymer based on the cluster anion $[Nb_{4}OTe_{4}(CN)_{12}]_{6}^{+}$ and MnII aqua complexes. <i>Russian Chemical Bulletin</i> , 2007, 56, 231-235.	0.4	1
229	Reactivity of triangular oxalate cluster complexes $[M_{3}Q_{7}(C_{2}O_{4})_{3}]_{2}^{+}$ (M = Mo or W; Q = S or Se). <i>Russian Chemical Bulletin</i> , 2007, 56, 1707-1711.	0.4	4
230	Synthesis, structure, and magnetic properties of the cobalt(II) 1,3,5-benzenetricarboxylate layered coordination polymer. <i>Russian Chemical Bulletin</i> , 2007, 56, 1782-1786.	0.4	8
231	Synthesis and Crystal Structure of Cucurbit[6]uril Adduct of Hydrogen-bonded Cluster Complex $[Mo_{3}(\hat{\mu}_{3}Se)(\hat{\mu}_{2}O)_{3}(H_{2}O)_{6}Cl_{3}]^{+}$. <i>Journal of Cluster Science</i> , 2007, 18, 597-605.	1.7	24
232	Hexaaquadodeca- $\hat{\mu}_{4}$ -chloro-hexaniobium(II,III) dichloride 2,2- $\hat{\mu}^{2}$ -bipyridine trisolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m175-m178.	0.2	2
233	Cycloaddition of thiocyanate ions to cyanoguanidine in the presence of uranyl ions: The synthesis and structure of $(C_{3}N_{5}H_{6}S)_{2}[(UO_{2})(C_{2}O_{4})_{2}(H_{2}O)] \cdot \hat{A} \cdot C_{2}N_{4}H_{4}$. <i>Doklady Chemistry</i> , 2006, 406, 18-20.	0.2	1
234	Synthesis and crystal structure of octa($\hat{\mu}$ -caprolactam)neodymium(III) hexa(isothiocyanate)chromate(III). <i>Inorganic Chemistry Communication</i> , 2006, 9, 4-6.	1.8	18

#	ARTICLE	IF	CITATIONS
235	Cu(II) and Cu(I) complexes with 2-(3,5-diphenyl-1H-pyrazole-1-yl)-4,6-diphenylpyrimidine: Synthesis and structure. Catalytic activity of Cu(II) compounds in reaction of ethylene polymerization. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2006, 32, 199-207.	0.3	18
236	Chemistry/Koordinatsionnaya Khimiya, 2006, 32, 221-225.	0.3	2
237	Synthesis and crystal structure of Ba ₂ [(UO ₂)(C ₂ O ₄) ₂ (NCS)]NCS·7H ₂ O. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2006, 32, 297-303.	0.3	1
238	Synthesis and structure of new homo-and heteroligand carbonyl cluster complexes with [Fe ₃ (μ ₃ -Q)(μ ₃ -X)] core (Q = Se, Te; X = S, As). Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2006, 32, 416-426.	0.3	13
239	Synthesis and structure of [UO ₂ (SeO ₄)(C ₂ H ₄ N ₄) ₂]·0.5H ₂ O. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2006, 32, 586-589.	0.3	4
240	Crystal structure of (C ₂ H ₇ N ₄ O) ₂ [UO ₂ (C ₂ O ₄) ₂ (H ₂ O)]. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2006, 32, 910-914.	0.3	3
241	Crystal structure of Na ₂ [(UO ₂) ₂ (SeO ₄) ₃ (H ₂ O) ₂]·6.5H ₂ O. Russian Journal of Inorganic Chemistry, 2006, 51, 210-219.	0.3	5
242	Crystal structure of Na ₆ [(UO ₂) ₃ O(OH) ₃ (SeO ₄) ₂] ₂ ·10H ₂ O. Russian Journal of Inorganic Chemistry, 2006, 51, 220-228.	0.3	4
243	(NH ₄)(CN ₃ H ₆) ₂ [UO ₂ (C ₂ O ₄) ₂ (NCS)]·2H ₂ O: Synthesis and crystal structure. Russian Journal of Inorganic Chemistry, 2006, 51, 229-234.	0.3	5
244	Synthesis and crystal structure of tris(ε-caprolactamium) hexa(isothiocyanato)chromate(III) tricaprolactam (C ₆ H ₁₄ NO) ₃ [Cr(NCS) ₆]·3(C ₆ H ₁₃ NO). Russian Journal of Inorganic Chemistry, 2006, 51, 557-562.	0.3	6
245	Rhenium(IV) and rhenium(V) complexes with 3,5-dimethylpyrazole. Russian Chemical Bulletin, 2006, 55, 53-61.	0.4	8
246	Synthesis and crystal structure of mixed-cation salt of trans-hydroxotetranitrosoruthenium(II) complex, KNa[Ru(NO)(NO ₂) ₄ (OH)]·H ₂ O. Journal of Structural Chemistry, 2006, 47, 63-70.	0.3	6
247	Triangular telluride complexes containing a cluster fragment [M ₃ (μ ₃ -Te)(μ ₂ -Te ₂) ₃] ⁴⁺ (M = Mo, W): Study of specific non-valence interactions. Journal of Structural Chemistry, 2006, 47, 326-338.	0.3	20
248	Synthesis and structure of [Re ₃ S ₃ Br ₄ .3(PPh ₃) ₃]·0.5CH ₂ Cl ₂ . Journal of Structural Chemistry, 2006, 47, 985-988.	0.3	2
249	Synthesis and Reactivity of W ₃ Te ₄ +7 Clusters and Chalcogen Exchange in the M ₃ Q ₇ (M: Mo, W; Q: S, Se, Tl) ETQq _{1,1} 0.784314 rgBT	0.1	0
250	The Potential of acyclo-As ₃ -Ligand Complex in Supramolecular Chemistry. Angewandte Chemie - International Edition, 2006, 45, 4189-4192.	7.2	39
251	Reversible Formation of Polymeric Chains by Coordination of Pentaphosphaferrocene with Silver(I) Cations. Angewandte Chemie - International Edition, 2006, 45, 5689-5693.	7.2	104
252	Glycerol as Ligand: The Synthesis, Crystal Structure, and Properties of Compounds [Ln ₂ (H ₂ L) ₂ (H ₃ L) ₄][Re ₆ Q ₈ (CN) ₆], Ln = La, Nd, Gd, Q = S, Se. European Journal of Inorganic Chemistry, 2006, 2006, 298-303.	1.0	26

#	ARTICLE	IF	CITATIONS
253	Preparation, X-ray structure, copolymerization with styrene of $[(1/4-H)Os_3(1/4-OCNMe_2)(CO)_9\{P(CH_2CH_2)Ph_2\}]$ and catalytic properties of the cluster/styrene copolymer. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 4258-4264.	0.8	10
254	3D-Coordination Cluster Polymers $[Ln(H_2O)_3Re_6Te_8(CN)_6] \cdot nH_2O$ ($Ln = La^{3+}, Nd^{3+}$): Direct Structural Analogy with the Mononuclear $LnM(CN)_6 \cdot nH_2O$ Family. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 142-146.	1.0	39
255	Fullerene-Like Nanoballs Formed by Pentaphosphaferrocene and CuBr. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 4023-4026.	1.0	102
256	Crystal structure of KPb_2Cl_5 and KPb_2Br_5 . <i>Journal of Structural Chemistry</i> , 2005, 46, 103-108.	0.3	36
257	Synthesis and crystal structure of $KNa_3[Fe_3O(CH_3COO)_6(H_2O)_2]_3 [1 \pm P_2W_{17}Fe(H_2O)_6] \cdot 32.5H_2O$. <i>Journal of Structural Chemistry</i> , 2005, 46, 147-153.	0.3	4
258	Crystal structure and quantum chemical investigation of 4-(3,4-dichlorophenyl)-1,2,4-triazole. <i>Journal of Structural Chemistry</i> , 2005, 46, 358-362.	0.3	0
259	New coordination polymers based on paramagnetic cluster anions $[Re_6Se_8(CN)_6]^{3-}$ and rare earth Chemistry, 2005, 46, S137-S144.	0.3	17
260	Synthesis and structure of (bis(3,5-dimethyl-1H-pyrazol-1-yl)methane)diiodocobalt(II). <i>Journal of Structural Chemistry</i> , 2005, 46, 1099-1103.	0.3	2
261	Stabilization of tautomeric forms $P(OH)_3$ and $HP(OH)_2$ and their derivatives by coordination to palladium and nickel atoms in heterometallic clusters with the $Mo_3MQ_4^{4+}$ core ($M = Ni, Pd; Q = S, Se$). <i>Russian Chemical Bulletin</i> , 2005, 54, 615-622.	0.4	12
262	Synthesis and crystal structure of a supramolecular adduct of trinuclear molybdenum oxocluster with macrocyclic cavitand cucurbit[5]uril containing the included ionic associate $Na^+ \dots Cl^- \dots Na^+$. <i>Russian Chemical Bulletin</i> , 2005, 54, 1557-1562.	0.4	27
263	Copper(II) complexes with N-(2-carboxyethyl)anthranilic acid H_2CEAnt . Synthesis and crystal structure of $[Cu(CEAnt)(H_2O)] \cdot nH_2O$. <i>Russian Chemical Bulletin</i> , 2005, 54, 1563-1568.	0.4	2
264	Bis[N-(2-hydroxyethyl)- β -alaninato]copper(II). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2005, 61, m510-m512.	0.4	10
265	Three differently coloured concomitant polymorphs: synthesis, structure and packing analysis of (4-(3,5-dimethyl-1H-pyrazol-1-yl)-6-methyl-2-phenylpyrimidine)dichlorocopper(II). <i>Acta Crystallographica Section B: Structural Science</i> , 2005, 61, 164-173.	1.8	13
266	A previously unrecognised hydronium di-cation in the crystal structure of a cucurbituril derivative. <i>Chemical Communications</i> , 2005, , 3791.	2.2	20
267	Synthesis and Structure of $Ta_4S_9Br_8$. An Emergent Family of Early Transition Metal Chalcogenide Clusters. <i>Inorganic Chemistry</i> , 2005, 44, 8756-8761.	1.9	19
268	Synthesis and Reactivity of W_3Te_7 Clusters and Chalcogen Exchange in the M_3Q_7 ($M = Mo, W; Q = S, Se$) Family. <i>Inorganic Chemistry</i> , 2005, 44, 8762-8768.	1.9	34
269	New Layered Polymer $[Mn(H_2O)_3]_2[Re_6Se_8(CN)_6] \cdot 3.3H_2O$: Synthesis and Properties. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2004, 30, 792-799.	0.3	5
270	Synthesis and comparative study of the physicochemical properties of the related optically active complexes $[(1/4-H)Os_3\{1/4-OCNH-(R)-CHMePh\}(CO)_9L]\{L=CO, NMe_3, (S)-(\alpha^*)-, \text{ or } (R)-(+)-NH_2CHMePh\}$, toward the cluster and amino ligand configuration determination. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 109-118.	0.3	1

#	ARTICLE	IF	CITATIONS
271	Triosmium clusters with bridging terpenic thioureato-like ligands. <i>Journal of Organometallic Chemistry</i> , 2004, 689, 2535-2542.	0.8	2
272	Isomerism of $[FeMM'(i\frac{1}{2}3-Q)(CO)7CpCp']$ heterometallic clusters (Q = Se, Te; M, M' = Mo, W; Cp = $\eta^5-C_5H_5$); $Tj_{\frac{1}{2}3}Tj_{\frac{1}{2}3}Q_0O_0QrgBT/Ove$	0.3	0
273	Unusual Disordering of Potassium Ions in the Structures of Cluster Rhenium Thiohalides $K_3[Re_6S_7Br_7]$ and $K_4[Re_6S_8Cl_6]$. <i>Journal of Structural Chemistry</i> , 2004, 45, 865-873.	0.3	8
274	$\{[Ba_2(C_2O_4)(H_2O)_6](NCS)_2\}_n$: a layered mixed-anion barium oxalate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, m355-m356.	0.4	3
275	Supramolecular Chemistry Based on $[W_3S_4(H_2O)_6Cl_3]^+$ - A Versatile Building Block. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 63-68.	1.0	16
276	Syntheses and crystal structures of cyano-bridged cluster-metal layered coordination polymers $[Cu(dien)]_3[W_4Te_4(CN)_{12}] \cdot 9H_2O$ and $[Ni(en)(NH_3)]_3[W_4Se_4(CN)_{12}] \cdot 7.5H_2O$. <i>Inorganica Chimica Acta</i> , 2004, 357, 3390-3396.	1.2	9
277	Synthesis and structures of new octahedral water-soluble heterometal rhenium-molybdenum clusters. <i>Polyhedron</i> , 2004, 23, 599-603.	1.0	18
278	A family of three-dimensional porous coordination polymers with general formula $(Kat)_2\{[M(H_2O)_n]_3\{Re_6Q_8(CN)_6\}_2\} \cdot xH_2O$ (Q=S, Se; n=1.5, 2). <i>Journal of Solid State Chemistry</i> , 2004, 177, 1896-1904.	1.4	31
279	Synthesis and Characterization of a Novel Tantalum Chalcogen-Rich Molecular Cluster with Square Planar Metal Core. <i>Inorganic Chemistry</i> , 2004, 43, 7966-7968.	1.9	18
280	Title is missing!. <i>Russian Chemical Bulletin</i> , 2003, 52, 585-593.	0.4	35
281	Magnetic properties and crystal structure of the dichlorobis(1-allyltetrazole)cobalt(ii) complex. <i>Russian Chemical Bulletin</i> , 2003, 52, 1353-1357.	0.4	7
282	Reactivity of Mo_3PdS_4+4Cl Cluster: Evidence for New Ligands $PhP(OH)_2$ and $Ph_2P(OH)$ and Structural Characterization of $[Mo_3(Pd(PPh_3))S_4(H_2O)_5Cl_4] \cdot 0.5CH_3OH \cdot 3H_2O$. <i>Journal of Cluster Science</i> , 2003, 14, 227-235.	1.7	16
283	Syntheses and crystal structures of Sm(III) and Th(IV) complexes with macrocyclic cavitand cucurbituril. <i>Russian Chemical Bulletin</i> , 2003, 52, 2132-2139.	0.4	35
284	Title is missing!. <i>Russian Chemical Bulletin</i> , 2003, 52, 126-131.	0.4	10
285	Title is missing!. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , 2003, 29, 166-174.	0.3	14
286	Synthesis of Inorganic Fullerene-Like Molecules.. <i>ChemInform</i> , 2003, 34, no.	0.1	0
287	Elemental Gallium as a Source of Subvalent Gallium Units in Gallium-Rhodium Clusters. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 5083-5086.	7.2	14
288	Coordination of Bimuth(III) to Cucurbit[8]uril. Preparation and X-ray Structure of $\{[Bi(NO_3)(H_2O)_5]_2(Q_8)[Bi(NO_3)_3(H_2O)_4]_2[Bi(NO_3)_5]_2 \cdot Q_8 \cdot 19H_2O\}$. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 2440-2442.	0.6	26

#	ARTICLE	IF	CITATIONS
289	Synthesis of Inorganic Fullerene-Like Molecules. <i>Science</i> , 2003, 300, 781-783.	6.0	343
290	Reactions of $[\text{Fe}_3(\mu_3\text{-Q})(\text{CO})_9]_2$ (Q = Se, Te) with organic and organometallic dihalides of group 15 elements – an approach to functionalised clusters. <i>Dalton Transactions</i> , 2003, , 581-585.	1.6	25
291	Preparation and structure of $[\text{Sn}_8\text{W}_{18}\text{O}_{66}]^{8-}$ a 26-nuclear stannotungstate with a hexagonal belt of six Sn(II) ions with outward-looking lone pairs. <i>Dalton Transactions</i> , 2003, , 4389.	1.6	11
292	Preparation and Properties of the Aqua Ions $[\text{W}_4\text{S}_4(\text{H}_2\text{O})_{12}]^{n+}$ (n= 5, 6) and Crystal Structure of $(\text{Me}_2\text{NH}_2)_6[\text{W}_4\text{S}_4(\text{NCS})_{12}] \cdot 0.5\text{H}_2\text{O}$. <i>Inorganic Chemistry</i> , 2002, 41, 1136-1139.	1.9	13
293	Pentaphosphaferrocene as a Linking Unit for the Formation of One- and Two-Dimensional Polymers. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 1737-1740.	7.2	141
294	Cucurbituril as a New Macrocyclic Ligand for Complexation of Lanthanide Cations in Aqueous Solutions. <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 2380-2388.	1.0	87
295	Optically active complexes $(\eta^4\text{-H})\text{Os}_3(\eta^4\text{-OCNH(R)-CHMePh})(\text{CO})_{10}$: the absolute configuration of the (+)-rotating stereoisomer. <i>Inorganic Chemistry Communication</i> , 2002, 5, 963-965.	1.8	3
296	Mononuclear coordination compounds based on a novel chelating triazole ligand: 1-vinyl-3-acetyl-amino-1,2,4-triazole. <i>Polyhedron</i> , 2002, 21, 797-804.	1.0	9
297	Optically active trismium cluster with bridging terpenic thioureato-like ligand – synthesis, structure, and absolute configuration. <i>Inorganic Chemistry Communication</i> , 2002, 5, 32-34.	1.8	2
298	Synthesis and crystal structure of Cu(II) complex with 4-(pyridyl-2)-1,2,4-triazole. <i>Inorganic Chemistry Communication</i> , 2002, 5, 690-693.	1.8	32
299	Syntheses and X-ray structures of a series of $\text{V}_2\text{S}_4(\text{RCS}_2)_4$ (R=alkoxy, dialkylamino) complexes. <i>Inorganica Chimica Acta</i> , 2002, 331, 25-30.	1.2	17
300	Supramolecular assemblies of $[\text{Mo}_3\text{Se}_4\text{Cl}_x(\text{H}_2\text{O})_9]^{4-x+}$ with cucurbituril; complementarity control through the variation of x. <i>Inorganica Chimica Acta</i> , 2002, 331, 31-38.	1.2	25
301	Cyano-bridged cluster-metal coordination compound: synthesis and crystal structure of $[\text{Cu}(\text{NH}_3)_3][\text{Cu}(\text{NH}_3)_4][\text{Cu}(\text{NH}_3)_5][\text{W}_4\text{Te}_4(\text{CN})_{12}] \cdot 5\text{H}_2\text{O}$. <i>Inorganica Chimica Acta</i> , 2002, 331, 48-51.	1.2	18
302	Title is missing!. <i>Russian Chemical Bulletin</i> , 2002, 51, 346-349.	0.4	22
303	Title is missing!. <i>Russian Chemical Bulletin</i> , 2002, 51, 872-875.	0.4	4
304	Title is missing!. <i>Journal of Structural Chemistry</i> , 2002, 43, 147-152.	0.3	4
305	Title is missing!. <i>Russian Chemical Bulletin</i> , 2002, 51, 866-871.	0.4	36
306	Title is missing!. <i>Journal of Structural Chemistry</i> , 2002, 43, 304-311.	0.3	6

#	ARTICLE	IF	CITATIONS
307	Crystal Structure of the Tetragonal Form of LuBa ₂ Cu ₃ O _{6+x} (x = 0). Journal of Structural Chemistry, 2002, 43, 523-526.	0.3	0
308	Cucurbituril Associates with Trigonal and Cubane Transition Metal Cluster Aqua Complexes. Journal of Structural Chemistry, 2002, 43, 478-487.	0.3	1
309	Title is missing!. Russian Chemical Bulletin, 2002, 51, 1915-1918.	0.4	34
310	Title is missing!. Russian Chemical Bulletin, 2002, 51, 1800-1805.	0.4	2
311	Distortion of the Cucurbituril Molecule by an Included 4-Methylpyridinium Cation. Journal of Structural Chemistry, 2002, 43, 664-668.	0.3	33
312	Synthesis and Crystal Structure of [Fe ₃ ($\frac{1}{4}$ Se)($\frac{1}{4}$ CO)(CO) ₉]. Journal of Structural Chemistry, 2002, 43, 694-696.	0.3	4
313	Inorganic Coordination Polymers Based on Chalcocyanide Cluster Complexes. Journal of Structural Chemistry, 2002, 43, 669-684.	0.3	63
314	Title is missing!. Journal of Structural Chemistry, 2002, 43, 689-693.	0.3	5
315	Preparation, Structure, and Properties of the Corner-Shared Double Cubes [Mo ₆ HgQ ₈ (H ₂ O) ₁₈] ₈₊ (Q = Tj ETQq ₁ 1,0,784314 ₁₉ rgBT /C	1.9	51
316	Phosphorous Acid and Arsenious Acid as Ligands. Inorganic Chemistry, 2001, 40, 4816-4817.	1.9	51
317	Novel inorganic polymeric compounds based on the Re ₄ chalcocyanide cluster complexes: synthesis and crystal structures of Mn ₂ [Re ₄ Se ₄ (CN) ₁₂] \cdot 6H ₂ O, Cd ₂ [Re ₄ Te ₄ (CN) ₁₂] \cdot 4H ₂ O and K ₄ Re ₄ Se ₄ (CN) ₁₂ \cdot 6H ₂ O. Polyhedron, 2001, 20, 969-974.	1.0	44
318	Supramolecular adduct of tetrachlorogallate with cucurbituril: (H ₇ O ₃) ₄ [GaCl ₄] ₂ Cl ₂ \cdot C ₃₆ H ₃₆ N ₂₄ O ₁₂ \cdot 2H ₂ O. Acta Crystallographica Section E: Structure Reports Online, 2001, 57, m33-m34.	0.2	4
319	Synthesis and crystal structure of trans-nitrosoaquatetraammineruthenium(II) sulphate hydrosulphate, [Ru(NO)(NH ₃) ₄ (H ₂ O)](SO ₄)(HSO ₄). Inorganic Chemistry Communication, 2001, 4, 33-35.	1.8	15
320	New polymeric structure of rhenium octahedral chalcocyanide complex: Ln ³⁺ -derived network with one-dimensional channels. Inorganic Chemistry Communication, 2001, 4, 423-426.	1.8	35
321	Coordination Chemistry of [Nb ₂ (S ₂) ₂] ⁴⁺ Clusters: Preparation and Crystal Structures of K ₄ [Nb ₂ (S ₂) ₂ (C ₂ O ₄) ₄] \cdot 6H ₂ O and (NH ₄) ₆ [Nb ₂ (S ₂) ₂ (C ₂ O ₄) ₄](C ₂ O ₄). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2001, 627, 119-123.		8
322	Synthesis and structure of a new octahedral molybdenum thiocyanide cluster complex K ₇ [Mo ₆ ($\frac{1}{4}$ -S) ₈ (CN) ₆] \cdot 8H ₂ O. Russian Chemical Bulletin, 2001, 50, 1140-1143.	0.4	15
323	Title is missing!. Russian Chemical Bulletin, 2001, 50, 1144-1147.	0.4	7
324	Crystal Structure of Hexa($\frac{1}{4}$ -bromo)- β -4-oxo-tetrakis-(1-ethyltetrazole)-tetracopper(II). Journal of Structural Chemistry, 2001, 42, 989-994.	0.3	2

#	ARTICLE	IF	CITATIONS
325	Synthesis and Crystal Structure of Cs ₄ [Nb ₂ ($\frac{1}{4}$ -S ₂) ₂ (C ₂ O ₄) ₄] \cdot ...5H ₂ O. Journal of Structural Chemistry, 2001, 42, 864-867.	0.3	1
326	Title is missing!. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2001, 27, 10-15.	0.3	24
327	Title is missing!. Journal of Structural Chemistry, 2001, 42, 319-321.	0.3	6
328	Title is missing!. Russian Chemical Bulletin, 2001, 50, 494-496.	0.4	7
329	Title is missing!. Russian Chemical Bulletin, 2001, 50, 930-934.	0.4	5
330	Title is missing!. Russian Chemical Bulletin, 2001, 50, 1525-1528.	0.4	2
331	Excision of the {Mo ₆ Se ₈ } Cluster Core from a Chevrel Phase: Synthesis and Properties of the First Molybdenum Octahedral Cluster Selenocyanide Anions [Mo ₆ Se ₈ (CN) ₆] ⁷⁻ and [Mo ₆ Se ₈ (CN) ₆] ⁶⁻ . Chemistry - A European Journal, 2000, 6, 1361-1365.	1.7	58
332	Metal Incorporation into and Dimerization of M ₃ E ₄ Clusters (M=Mo, W; E=S, Se) in Supramolecular Assemblies with Cucurbituril: A Molecular Model of Intercalation. Angewandte Chemie - International Edition, 2000, 39, 1659-1661.	7.2	53
333	Facile Transformation of Isolated Fragments to Infinite Chains in Rhenium Chalcocyanide Clusters: Synthesis and Structure of (Pr ₄ N) ₂ M(H ₂ O) ₅ [Re ₆ X ₈ (CN) ₆] \cdot H ₂ O and (Pr ₄ N) ₂ M(H ₂ O) ₄ [Re ₆ S ₈ (CN) ₆] (X=S, Tl) ETOP 1 1 0.784314 r	0.4	0
334	A supramolecular approach to the crystallization of chalcogenido bridged cluster aqua ions: synthesis and structure of a cucurbituril adduct of the di- $\frac{1}{4}$ -disulfido Nb(IV) ₂ aqua ion [Nb ₂ ($\frac{1}{4}$ -S ₂) ₂ (H ₂ O) ₈] ⁴⁺ . Inorganica Chimica Acta, 2000, 304, 301-304.	1.2	16
335	Redetermination of hexacarbonyl($\frac{1}{5}$ -cyclopentadienyl)bis($\frac{1}{3}$ -selenido)diiron(II)cobalt(II). Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, e383-e384.	0.4	0
336	Tetragonal polymorphic modification of tetrakis(N,N-diethylthiocarbamato-S, $\frac{1}{2}$)tellurium(IV). Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, e589-e590.	0.4	2
337	Formation of diastereomeric clusters ($\frac{1}{4}$ -H)Os ₃ (CO) ₁₀ { $\frac{1}{4}$, $\frac{1}{2}$ (S,C)-S(Allyl)CHCH ₂ CH ₃ } in the reaction of diallylsulfide with ($\frac{1}{4}$ -H) ₂ Os ₃ (CO) ₁₀ . Inorganic Chemistry Communication, 2000, 3, 224-226.	1.8	3
338	Unexpected guest-controlled formation of two-layered structure in supramolecular adduct of [W ₃ S ₄ (H ₂ O) ₉] ⁴⁺ and cucurbituril. Inorganic Chemistry Communication, 2000, 3, 345-349.	1.8	24
339	Synthesis and crystal structure of scandium(III) and cadmium(II) thiocyanato complexes with dimethylsulfoxide. Inorganic Chemistry Communication, 2000, 3, 482-485.	1.8	12
340	Crystal Structure of Tl ₄ [Re ₆ Se ₈ (CN) ₆] \cdot 1.5H ₂ O. Journal of Structural Chemistry, 2000, 41, 895-900.	0.3	3
341	Crystal Structure of the K ₆ [W ₄ S ₄ (CN) ₁₂] \cdot 2H ₂ O \cdot 2CH ₃ OH Cluster Complex. Journal of Structural Chemistry, 2000, 41, 1073-1075.	0.3	1
342	Synthesis and crystal structure of a supramolecular adduct of the cubane cluster [CIPdMo ₃ Se ₄ (H ₂ O) ₇ Cl ₂] ⁺ with macrocyclic cavitand cucurbituril. Russian Chemical Bulletin, 2000, 49, 1877-1881.	0.4	15

#	ARTICLE	IF	CITATIONS
343	Synthesis of optically active hydridocarbonyl triosmium clusters with terpene derivatives as ligands. Molecular structure and absolute configuration of a cluster with a bridging dihydroimidazole ligand. Russian Chemical Bulletin, 2000, 49, 1440-1447.	0.4	3

344 Specific nonbonding contacts in the crystal structure of a solid solution

#	ARTICLE	IF	CITATIONS
361	Synthesis and crystal structure of a new octahedral rhenium cluster compound Cs ₃ Re ₆ Se ₇ Br ₇ ·H ₂ O. <i>Materials Research Bulletin</i> , 1999, 34, 1345-1351.	2.7	14
362	Adjustment of dimensionality in covalent frameworks formed by Co ²⁺ and rhenium cluster chalcocyanide [Re ₆ S ₈ (CN) ₆] ⁴⁻ . <i>Solid State Sciences</i> , 1999, 1, 473-481.	1.5	35
363	Synthesis, Structure, and Properties of Molybdenum and Tungsten Cyano Complexes with Cuboidal M ₄ ($\frac{1}{4}$ -E) ₄ (M = Mo, W; E = S, Se, Te) Cores. <i>Inorganic Chemistry</i> , 1999, 38, 1956-1965.	1.9	51
364	Statistical disordering of chalcogen atoms in the cluster fragments of K ₄ [Re ₆ (μ -S) ₈ -y (μ -Te) _y] ₂ (CN) ₆ . <i>Journal of Structural Chemistry</i> , 1999, 40, 436-440.	0.3	4
365	New efficient synthesis of the triangular cluster [W ₃ Se ₄ (H ₂ O) ₉] ⁴⁺ and X-ray structure of the first mixed-metal seleno-bridged cubane-type tungsten-tin cluster (Me ₂ NH ₂) ₆ [(SCN) ₉ W ₃ Se ₄ SnCl ₃] ⁺ ·0.5H ₂ O. <i>Inorganica Chimica Acta</i> , 1998, 269, 292-296.	1.2	31
366	Synthesis of a new series of Nb(IV) μ -diketonates with the Nb ₂ S ₄ ⁴⁺ core: crystal structure of Nb ₂ S ₄ (CF ₃ COCHCOCH ₃) ₄ . <i>Inorganica Chimica Acta</i> , 1998, 271, 222-227.	1.2	14
367	Synthesis of the first sulfido-bridged octahedral rhenium(III) aqua ion [Re ₆ S ₈ (H ₂ O) ₆] ²⁺ . <i>Inorganica Chimica Acta</i> , 1998, 271, 228-230.	1.2	31
368	A Novel Framework Type for Inorganic Clusters with Cyanide Ligands: Crystal Structures of Cs ₂ Mn ₃ [Re ₆ Se ₈ (CN) ₆] ₂ ·15 H ₂ O and (H ₃ O) ₂ Co ₃ [Re ₆ Se ₈ (CN) ₆] ₂ ·14.5 H ₂ O. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 1943-1945.	7.2	175
369	An Unexpected Layered Structure in Inorganic Cyanide Clusters: [Cu ₄ ($\frac{1}{4}$ -OH) ₄][Re ₄ ($\frac{1}{4}$ -Te) ₄ (CN) ₁₂]. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 2507-2509.	7.2	46
370	Primitive cubic packing of anions in Cs ₄ [Re ₆ Te ₈ (CN) ₆] ⁺ ·2H ₂ O and Ba ₂ [Re ₆ Te ₈ (CN) ₆] ⁺ ·12H ₂ O crystals. <i>Journal of Structural Chemistry</i> , 1998, 39, 720-727.	0.3	41
371	Iron chalcogenide carbonyl clusters and their heterometallic derivatives. <i>Journal of Structural Chemistry</i> , 1998, 39, 728-733.	0.3	3
372	Preparation, structure and properties of three [M _x W ₄ ·xS ₄ (H ₂ O) ₁₂] ⁵⁺ (x = 1, 2, 3) and [Mo _x W ₃ Se ₄ (H ₂ O) ₁₂] ⁵⁺ cuboidal complexes alongside [Mo ₄ S ₄ (H ₂ O) ₁₂] ⁵⁺ and [Mo ₄ Se ₄ (H ₂ O) ₁₂] ⁵⁺ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 2557-2562.	1.1	15
373	Synthesis and structure of a tetranuclear niobium telluride cuboidal cluster with a central $\frac{1}{4}$ -O ligand. <i>Chemical Communications</i> , 1998, , 2579-2580.	2.2	17
374	First complexes with cuboidal-type M ₄ Te ₄ (M = Mo, W) cluster cores: synthesis and structure of K ₇ [Mo ₄ ($\frac{1}{4}$ -Te) ₄ (CN) ₁₂] ⁺ ·11H ₂ O and K ₆ [W ₄ ($\frac{1}{4}$ -Te) ₄ (CN) ₁₂] ⁺ ·5H ₂ O. <i>Chemical Communications</i> , 1998, , 237-238.	2.2	10
375	Synthesis of octahedral rhenium cluster chalcobromides Re ₆ X ₄ Br ₁₀ and Re ₆ X ₈ Br ₂ (X = S, Se, Te) by condensation from triangular rhenium bromide Re ₃ Br ₉ . <i>Materials Research Bulletin</i> , 1997, 32, 1271-1277.	2.7	29
376	Crystal structure of the copper(II) chloride complex with 3,5-Dimethyl-4-Amino-1,2,4-Triazole and water. <i>Journal of Structural Chemistry</i> , 1997, 38, 440-445.	0.3	5
377	Redetermination of the crystal structure of potassium peroxodisulfate (K ₂ S ₂ O ₈). <i>Journal of Structural Chemistry</i> , 1997, 38, 772-778.	0.3	11
378	Synthesis and crystal structure of K ₄ [Re ₆ Se ₈ (CN) ₆] ⁺ ·3.5H ₂ O. <i>Journal of Structural Chemistry</i> , 1997, 38, 857-862.	0.3	72

#	ARTICLE	IF	CITATIONS
379	Crystal structure of $\text{Cu}(\text{C}_3\text{H}_6\text{N}_4)_2(\text{NO}_3)_2 = [\text{Cu}(\text{C}_3\text{H}_6\text{N}_4)_2(\text{NO}_3)(\text{NO}_3)_2]_2$. Journal of Structural Chemistry, 1997, 38, 103-109.	0.3	3
380	Synthesis of platinum-mercury clusters and the molecular structure of $\text{Pt}_4(\text{HgBr})_2(\text{CO})_4(\text{PPh}_3)_4$. Russian Chemical Bulletin, 1997, 46, 164-167.	0.4	0
381	Metal substitution in the cluster $(\text{H})_2\text{Fe}_3(\text{Te})(\text{CO})_9$. Crystal and molecular structure of $[\text{FeMo}_2(\text{Te})(\text{CO})_7(\text{C}_5\text{H}_5)_2]$. Polyhedron, 1997, 16, 1549-1554.	1.0	11
382	Metal substitution reaction in the cluster $(\text{H})_2\text{Fe}_3(\text{Se})(\text{CO})_9$. Crystal and molecular structure of $[\text{Fe}_2\text{W}_2(\text{Se})_2(\text{CO})_7(\text{C}_5\text{H}_5)_2]$. Polyhedron, 1997, 16, 1689-1691.	1.0	12
383	Synthesis of trinuclear mixed-metal clusters $\text{Os}_2\text{Fe}(\text{CO})_{10}\text{L}_2$ (L = OH, I, CO). The crystal structures of $\text{Os}_2\text{Fe}(\text{CO})_{10}(\text{OH})_2$ and $\text{Os}_2\text{Fe}(\text{CO})_{12}$. Journal of Organometallic Chemistry, 1997, 543, 57-62.	0.8	6
384	Syntheses and characterization of $\text{OsPt}_2(\text{CO})_6(\text{PPh}_3)_3$ and $\text{Os}_2(\text{CO})_6(\text{PPh}_3)_n$ (n = 1, 2) in the solid-state and solution. Journal of Organometallic Chemistry, 1997, 539, 27-35.	0.8	6
385	Metal substitution reaction in the cluster $(\text{H})_2\text{Fe}_3(\text{Se})(\text{CO})_9$. Crystal and molecular structure of $[\text{FeW}_2(\text{Se})(\text{CO})_7\text{Cp}_2]$ and $[\text{FeMoW}(\text{Se})(\text{CO})_7\text{Cp}_2]$ (Cp = C_5H_5). Polyhedron, 1997, 16, 707-712.	1.0	21
386	Nonvalent interactions in the crystal structures of $(\text{Et}_4\text{N})_2[\text{Mo}_3\text{S}_7\text{Br}_6]$ and $(\text{Et}_4\text{N})(\text{H}_9\text{O}_4)[\text{Mo}_3\text{S}_7\text{Cl}_6]$ clusters. Journal of Structural Chemistry, 1996, 37, 666-673.	0.3	4
387	Synthesis and crystal structure of $[\text{Nb}_2(\text{S}_{1.72}\text{Se}_{2.28})(\text{S}_2\text{CNEt}_2)_4]$ A solid solution based on $[\text{Nb}_2(\text{S}_{1.72}\text{Se}_{2.28})(\text{S}_2\text{CNEt}_2)_4]$, where $\text{X}_2 = \text{S}_2, \text{SSe}, \text{and Se}_2$. New model of structure refinement of $[\text{Nb}_2(\text{S}_2)_2(\text{S}_2\text{CNEt}_2)_4]$. Journal of Structural Chemistry, 1996, 37, 458-463.	0.3	0
388	Crystal-chemical analysis of the structures of oxalic acid and its salts $\text{M}_x(\text{C}_2\text{O}_4)_y \cdot n\text{H}_2\text{O}$ (n = 0-3). Journal of Structural Chemistry, 1996, 37, 480-503.	0.3	13
389	Crystal structure of the dichlorobis(1-allyltetrazole-N4)copper(II) complex $[\text{Cu}(\text{1-CH}_2=\text{CHCH}_2\text{N}_4\text{CH})_2\text{Cl}_2]$. Journal of Structural Chemistry, 1996, 37, 288-294.	0.3	13
390	Synthesis and structure of trinuclear clusters $(\text{Et}_4\text{N})_2[(\text{Se})\text{Fe}_3(\text{CO})_9]$, $[(\text{H})_2\text{Fe}_3(\text{Se})(\text{CO})_9]$, and $[(\text{Se})\text{FeMo}_2(\text{C}_5\text{H}_5)_2(\text{CO})_7]$. Journal of Structural Chemistry, 1996, 37, 295-304.	0.3	5
391	Metal substitution reaction in the cluster $[(\text{H})_2\text{Fe}_3(\text{Se})(\text{CO})_9]$. Crystal and molecular structure of $[(\text{H})_2\text{Fe}_2\text{W}(\text{Se})(\text{CO})_8(\text{C}_5\text{H}_5)]$. Polyhedron, 1996, 15, 1221-1224.	1.0	20
392	Silver Oxalate, $2\text{Ag}^+ \cdot \text{C}_2\text{O}_4^{2-}$. Acta Crystallographica Section C: Crystal Structure Communications, 1995, 51, 60-62.	0.4	9
393	trans-Dichlorobis(1-ethyltetrazole-N4)copper(II). Acta Crystallographica Section C: Crystal Structure Communications, 1995, 51, 1084-1087.	0.4	9
394	Synthesis and crystal structure of $(\text{Et}_4\text{N})[(\text{Sb})\text{Fe}_3(\text{C}_5\text{H}_5)(\text{CO})_{10}]$. Journal of Structural Chemistry, 1995, 36, 837-842.	0.3	2
395	Synthesis and crystal structure of a hexanuclear rhenium cluster complex $\text{Cs}_3\text{K}[\text{Re}_6(\text{S})_6(\text{Te}_{0.66}\text{S}_{0.34})_2(\text{CN})_6]$. Cationic control over orientation of the cluster anion. Polyhedron, 1995, 14, 3171-3173.	1.0	73
396	Crystal structure analysis of silver oxalate, $\text{Ag}_2\text{C}_2\text{O}_4$ and X-ray diffraction study of its single crystal at the initial stage of photolysis. Journal of Structural Chemistry, 1994, 35, 890-898.	0.3	9

#	ARTICLE	IF	CITATIONS
397	Crystal structure of di (1-n-dodecylpyridine) decahydro-closo-decaborate(2-) (C ₅ H ₅ N-C ₁₂ H ₂₅) ₂ [B ₁₀ H ₁₀]. Journal of Structural Chemistry, 1994, 35, 339-344.	0.3	15
398	Comparative study of crystal structures of [M(NH ₃) ₅ NO ₂] ₂ XY and [M(NH ₃) ₅ ONO] ₂ XY. Crystal structure of [Co(NH ₃) ₅ NO ₂](NO ₃) ₂ ·0.25H ₂ O. Journal of Structural Chemistry, 1994, 35, 236-241.	0.3	0
399	Synthesis and x-ray crystal structure of new complex trans-dinitrodiaqua-bis (1-phenyltetrazole) copper(II). Polyhedron, 1994, 13, 2929-2932.	1.0	23
400	Nb ₂ S ₄ ⁴⁺ Complexes with 1,1-Dithioacid Ligands. Inorganic Chemistry, 1994, 33, 3503-3509.	1.9	39
401	Synthesis and crystal structure of Nb ₂ S ₄ (S ₂ NCEt ₂) ₄ , the first molecular complex containing an [Nb ₂ (S ₂) ₂] ⁴⁺ fragment. Journal of Structural Chemistry, 1993, 34, 292-295.	0.3	5
402	Specific nonbonded interactions in the structures of M ₃ X ₇ ⁴⁺ and M ₃ X ₄ ⁴⁺ (M=Mo, W; X=O, S, Se) clusters. Journal of Structural Chemistry, 1993, 34, 306-322.	0.3	24
403	Structure of lead(II) oxalate dihydrate. Acta Crystallographica Section C: Crystal Structure Communications, 1993, 49, 1882-1884.	0.4	14
404	Preparation and reactivity of metal-containing monomers. Russian Chemical Bulletin, 1993, 42, 1236-1241.	0.4	7
405	Dialkyldithiocarbamate complexes of tungsten(VI). Synthesis, properties and structure of thiodichlorobis(dimethyldithiocarbamato)tungsten(VI). Polyhedron, 1992, 11, 279-284.	1.0	3
406	Synthesis and crystal structure of [Mo ₃ (¹ / ₄ -S)(¹ / ₄ -SSe) ₃ (dte) ₃]SeCN. An example of formation of unusual polymeric chains by cation and anion chalcogen atoms. Polyhedron, 1992, 11, 2395-2398.	1.0	22
407	The first x-ray study of a W ₃ Se ₄ ⁴⁺ complex: An unexpected dimerization of high-charged anionic clusters, W ₃ Se ₄ (NCS) ₅ ⁹⁻ , in the crystal of its trimethylammonium salt. Polyhedron, 1992, 11, 2973-2974.	1.0	23
408	Synthesis and structure of a new selenium-bridged tungsten cluster, [W ₃ Se ₇ (S ₂ P(OEt) ₂) ₃]Br. Polyhedron, 1992, 11, 3159-3164.	1.0	17
409	Preparation and structure of (Î ³ ,Î ³ -dipyH ₂)[W ₃ S ₄ (C ₂ O ₄) ₃ (H ₂ O) ₃]·5H ₂ O. Polyhedron, 1992, 11, 853-855.	1.0	4
410	Synthesis and x-ray structure of the triangular Cluster (Et ₄ N){[Mo ₃ (¹ / ₄ -S)(¹ / ₄ -S ₂) ₃ (NH ₂ Ph) ₃ Br ₃]br}br. Polyhedron, 1992, 11, 2083-2088.	1.0	28
411	Interaction of chromium and tungsten carbonyls with diethyldithiocarbamate complexes of selenium(II) and tellurium(II). Synthesis and molecular and crystal structures of WSe ₂ (S ₂ CNEt ₂) ₃ ·0.5H ₂ O and [W(S ₂ CNEt ₂) ₄]2W ₆ O ₁₉ . Polyhedron, 1992, 11, 1959-1963.	1.0	8
412	Diethyldithiocarbamate triangular thio complexes of molybdenum: synthesis and an X-ray structural study of [Mo ₃ S ₇ (S ₂ CNEt ₂) ₃]Cl. Inorganica Chimica Acta, 1992, 192, 153-156.	1.2	25
413	Synthesis and crystal structure of [Mo ₃ S ₇ (S ₂ CNEt ₂) ₃] ₂ (TCNQ) ₂ ; salt of a radical anion and a cluster cation. Inorganica Chimica Acta, 1992, 194, 195-200.	1.2	19
414	Triangular M ₃ Se ₇ ⁴⁺ and M ₃ Se ₄ ⁴⁺ complexes (M = Mo, W). An X-ray study of Mo ₃ Se ₇ (Et ₂ NCS ₂) ₄ and W ₃ Se ₇ (Et ₂ NCS ₂) ₄ . Inorganica Chimica Acta, 1991, 187, 81-90.	1.2	58

#	ARTICLE	IF	CITATIONS
415	Triangular complexes of molybdenum and tungsten containing a μ_2 -Se ₂ ligand: X-ray examination of W ₂ (μ_3 -Se)(μ_2 -Se ₂) ₃ (dtc) ₄ , the first M ₃ Se ₇ metal cluster complex. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1991, 40, 1110-1110.	0.0	0
416	Synthesis and crystal structure of W ₂ S ₄ Br ₂ (PPh ₃) ₂ ·C ₆ H ₆ . Inorganica Chimica Acta, 1990, 171, 199-203.	1.2	8
417	Preparation of the [Bu ₄ N][ReCl ₆] salt. Bulletin of the Academy of Sciences of the USSR Division of Chemical Science, 1985, 34, 2236-2236.	0.0	0
418	Try Another Crystal: Crystal-Dependent Disorder of Pentaphosphaferrocene within the Same Crystallization. Crystal Growth and Design, 0, , .	1.4	2