

Maksim V Plikus

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6628076/maksim-v-plikus-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

5,338
citations

38
h-index

72
g-index

107
ext. papers

7,556
ext. citations

10.9
avg, IF

5.8
L-index

#	Paper	IF	Citations
95	Altered Epithelial-mesenchymal Plasticity as a Result of <i>Ovol2</i> Deletion Minimally Impacts the Self-renewal of Adult Mammary Basal Epithelial Cells.. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2022 , 1	2.4	
94	Dormant reporter-marked basal stem/progenitor cells contribute to mammary lobuloalveoli formation.. <i>IScience</i> , 2022 , 25, 103982	6.1	0
93	Epithelial-Mesenchymal Interactions Between Hair Follicles and Dermal Adipose Tissue. <i>Pancreatic Islet Biology</i> , 2022 , 107-133	0.4	
92	Fibroblasts feel evolutionary pressure to regenerate. <i>Developmental Cell</i> , 2021 , 56, 2685-2687	10.2	1
91	Genomic and anatomical comparisons of skin support independent adaptation to life in water by cetaceans and hippos. <i>Current Biology</i> , 2021 , 31, 2124-2139.e3	6.3	10
90	Msi1 promotes breast cancer metastasis by regulating invadopodia-mediated extracellular matrix degradation via the Timp3-Mmp9 pathway. <i>Oncogene</i> , 2021 , 40, 4832-4845	9.2	2
89	Activating an adaptive immune response from a hydrogel scaffold imparts regenerative wound healing. <i>Nature Materials</i> , 2021 , 20, 560-569	27	84
88	Diet-induced obesity promotes infection by impairment of the innate antimicrobial defense function of dermal adipocyte progenitors. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	10
87	MiR-22 modulates brown adipocyte thermogenesis by synergistically activating the glycolytic and mTORC1 signaling pathways. <i>Theranostics</i> , 2021 , 11, 3607-3623	12.1	3
86	Inference and analysis of cell-cell communication using CellChat. <i>Nature Communications</i> , 2021 , 12, 108817.4	17.4	229
85	Fibroblasts: Origins, definitions, and functions in health and disease. <i>Cell</i> , 2021 , 184, 3852-3872	56.2	48
84	Dermal Adipose Tissue Secretes HGF to Promote Human Hair Growth and Pigmentation. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1633-1645.e13	4.3	9
83	At the crossroads of 2 alopecias: Androgenetic alopecia pattern of hair regrowth in patients with alopecia areata treated with oral Janus kinase inhibitors. <i>JAAD Case Reports</i> , 2020 , 6, 444-446	1.4	3
82	Mucoadhesive-to-penetrating controllable peptosomes-in-microspheres co-loaded with anti-miR-31 oligonucleotide and Curcumin for targeted colorectal cancer therapy. <i>Theranostics</i> , 2020 , 10, 3594-3611	12.1	14
81	Secreted stromal protein ISLR promotes intestinal regeneration by suppressing epithelial Hippo signaling. <i>EMBO Journal</i> , 2020 , 39, e103255	13	16
80	Epithelial Migration and Non-adhesive Periderm Are Required for Digit Separation during Mammalian Development. <i>Developmental Cell</i> , 2020 , 52, 764-778.e4	10.2	9
79	Cutaneous epithelial stem cells 2020 , 1289-1307		

78	Phagocytosis of Wnt inhibitor SFRP4 by late wound macrophages drives chronic Wnt activity for fibrotic skin healing. <i>Science Advances</i> , 2020 , 6, eaay3704	14.3	21
77	The Msi1-mTOR pathway drives the pathogenesis of mammary and extramammary Paget disease. <i>Cell Research</i> , 2020 , 30, 854-872	24.7	6
76	YAP-mediated mechanotransduction tunes the macrophage inflammatory response. <i>Science Advances</i> , 2020 , 6,	14.3	37
75	Cycling Stem Cells Are Radioresistant and Regenerate the Intestine. <i>Cell Reports</i> , 2020 , 32, 107952	10.6	11
74	Moving On after Trauma: Fibroblasts Thrive in the Right Environment. <i>Cell Stem Cell</i> , 2020 , 27, 349-351	18	0
73	MicroRNA-31 Reduces Inflammatory Signaling and Promotes Regeneration in Colon Epithelium, and Delivery of Mimics in Microspheres Reduces Colitis in Mice. <i>Gastroenterology</i> , 2019 , 156, 2281-2296.e6	12.3	73
72	Single-cell analysis reveals fibroblast heterogeneity and myeloid-derived adipocyte progenitors in murine skin wounds. <i>Nature Communications</i> , 2019 , 10, 650	17.4	171
71	Equal opportunities in stemness. <i>Nature Cell Biology</i> , 2019 , 21, 921-923	23.4	0
70	A multiscale hybrid mathematical model of epidermal-dermal interactions during skin wound healing. <i>Experimental Dermatology</i> , 2019 , 28, 493-502	4	8
69	Age-Related Loss of Innate Immune Antimicrobial Function of Dermal Fat Is Mediated by Transforming Growth Factor Beta. <i>Immunity</i> , 2019 , 50, 121-136.e5	32.3	49
68	An Ovol2-Zeb1 transcriptional circuit regulates epithelial directional migration and proliferation. <i>EMBO Reports</i> , 2019 , 20,	6.5	20
67	Msx2 Supports Epidermal Competency during Wound-Induced Hair Follicle Neogenesis. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 2041-2050	4.3	14
66	Wound Regeneration Deficit in Rats Correlates with Low Morphogenetic Potential and Distinct Transcriptome Profile of Epidermis. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1409-1419	4.3	15
65	Emerging nonmetabolic functions of skin fat. <i>Nature Reviews Endocrinology</i> , 2018 , 14, 163-173	15.2	41
64	Anatomical, Physiological, and Functional Diversity of Adipose Tissue. <i>Cell Metabolism</i> , 2018 , 27, 68-83	24.6	147
63	Pharmacological activation of REV-ERBs is lethal in cancer and oncogene-induced senescence. <i>Nature</i> , 2018 , 553, 351-355	50.4	163
62	MiR-31 Mediates Inflammatory Signaling to Promote Re-Epithelialization during Skin Wound Healing. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 2253-2263	4.3	53
61	Inducing hair follicle neogenesis with secreted proteins enriched in embryonic skin. <i>Biomaterials</i> , 2018 , 167, 121-131	15.6	21

60	Anatomical and functional landscapes of hair regeneration across the body. <i>FASEB Journal</i> , 2018 , 32, 232.1	0.9	
59	Hedgehog stimulates hair follicle neogenesis by creating inductive dermis during murine skin wound healing. <i>Nature Communications</i> , 2018 , 9, 4903	17.4	94
58	Skin as a window to body-clock time. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 12095-12097	11.5	3
57	High-resolution infrared imaging of biological samples with third-order sum-frequency generation microscopy. <i>Biomedical Optics Express</i> , 2018 , 9, 4807-4817	3.5	14
56	External light activates hair follicle stem cells through eyes via an ipRGC-SCN-sympathetic neural pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E6880-E6889	11.5	43
55	Regeneration of fat cells from myofibroblasts during wound healing. <i>Science</i> , 2017 , 355, 748-752	33.3	277
54	Msi2 Maintains Quiescent State of Hair Follicle Stem Cells by Directly Repressing the Hh Signaling Pathway. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1015-1024	4.3	23
53	Estrogen modulates mesenchyme-epidermis interactions in the adult nipple. <i>Development (Cambridge)</i> , 2017 , 144, 1498-1509	6.6	3
52	Gli-fully Halting the Progression of Fibrosis. <i>Cell Stem Cell</i> , 2017 , 20, 735-736	18	5
51	MiR-31 promotes mammary stem cell expansion and breast tumorigenesis by suppressing Wnt signaling antagonists. <i>Nature Communications</i> , 2017 , 8, 1036	17.4	103
50	Stress responsive miR-31 is a major modulator of mouse intestinal stem cells during regeneration and tumorigenesis. <i>ELife</i> , 2017 , 6,	8.9	41
49	Mobilizing Transit-Amplifying Cell-Derived Ectopic Progenitors Prevents Hair Loss from Chemotherapy or Radiation Therapy. <i>Cancer Research</i> , 2017 , 77, 6083-6096	10.1	22
48	A multi-scale model for hair follicles reveals heterogeneous domains driving rapid spatiotemporal hair growth patterning. <i>ELife</i> , 2017 , 6,	8.9	32
47	Author response: A multi-scale model for hair follicles reveals heterogeneous domains driving rapid spatiotemporal hair growth patterning 2017 ,		2
46	Author response: Stress responsive miR-31 is a major modulator of mouse intestinal stem cells during regeneration and tumorigenesis 2017 ,		2
45	A Guide to Studying Human Hair Follicle Cycling In Vivo. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 34-44	4.3	159
44	The Modulatable Stem Cell Niche: Tissue Interactions during Hair and Feather Follicle Regeneration. <i>Journal of Molecular Biology</i> , 2016 , 428, 1423-40	6.5	51
43	Near Equilibrium Calculus of Stem Cells in Application to the Airway Epithelium Lineage. <i>PLoS Computational Biology</i> , 2016 , 12, e1004990	5	6

42	Epigenetic control of skin and hair regeneration after wounding. <i>Experimental Dermatology</i> , 2015 , 24, 167-70	4	29
41	Principles and mechanisms of regeneration in the mouse model for wound-induced hair follicle neogenesis. <i>Regeneration (Oxford, England)</i> , 2015 , 2, 169-181		37
40	Organ-level quorum sensing directs regeneration in hair stem cell populations. <i>Cell</i> , 2015 , 161, 277-90	56.2	140
39	Evidence for the involvement of fibroblast growth factor 10 in lipofibroblast formation during embryonic lung development. <i>Development (Cambridge)</i> , 2015 , 142, 4139-50	6.6	62
38	Resting no more: re-defining telogen, the maintenance stage of the hair growth cycle. <i>Biological Reviews</i> , 2015 , 90, 1179-96	13.5	87
37	CD133 expression correlates with membrane beta-catenin and E-cadherin loss from human hair follicle placodes during morphogenesis. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 45-55	4.3	16
36	Gene loss in keratinization programs accompanies adaptation of cetacean skin to aquatic lifestyle. <i>Experimental Dermatology</i> , 2015 , 24, 572-3	4	13
35	The Role of Symmetric Stem Cell Divisions in Tissue Homeostasis. <i>PLoS Computational Biology</i> , 2015 , 11, e1004629	5	29
34	The emerging functions of regulatory RNA species in skin biology. <i>Experimental Dermatology</i> , 2015 , 24, 827-8	4	1
33	Innate immunity. Dermal adipocytes protect against invasive <i>Staphylococcus aureus</i> skin infection. <i>Science</i> , 2015 , 347, 67-71	33.3	248
32	The circadian clock in skin: implications for adult stem cells, tissue regeneration, cancer, aging, and immunity. <i>Journal of Biological Rhythms</i> , 2015 , 30, 163-82	3.2	94
31	Macroenvironmental regulation of hair cycling and collective regenerative behavior. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2014 , 4, a015198	5.4	36
30	At the dawn of hair research - testing the limits of hair follicle regeneration. <i>Experimental Dermatology</i> , 2014 , 23, 314-5	4	5
29	Regenerative hair waves in aging mice and extra-follicular modulators follistatin, dkk1, and sfrp4. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2086-2096	4.3	55
28	Light-emitting hair follicles: studying skin regeneration with in vivo imaging. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 1496-1498	4.3	
27	Cutaneous Epithelial Stem Cells 2014 , 1581-1594		
26	Deadly hairs, lethal feathers--convergent evolution of poisonous integument in mammals and birds. <i>Experimental Dermatology</i> , 2014 , 23, 466-8	4	6
25	Local circadian clock gates cell cycle progression of transient amplifying cells during regenerative hair cycling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, E2106-15	11.5	99

24	Hair follicle signaling networks: a dermal papilla-centric approach. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2306-2308	4.3	22
23	Fgf9 from dermal Γ cells induces hair follicle neogenesis after wounding. <i>Nature Medicine</i> , 2013 , 19, 916-23	50.5	194
22	Organotypic skin culture. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 1-4	4.3	36
21	Epithelial stem cells and implications for wound repair. <i>Seminars in Cell and Developmental Biology</i> , 2012 , 23, 946-53	7.5	133
20	New activators and inhibitors in the hair cycle clock: targeting stem cells w state of competence. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 1321-4	4.3	57
19	Modelling hair follicle growth dynamics as an excitable medium. <i>PLoS Computational Biology</i> , 2012 , 8, e1002804	5	17
18	Self-organizing and stochastic behaviors during the regeneration of hair stem cells. <i>Science</i> , 2011 , 332, 586-9	33.3	154
17	Analyses of regenerative wave patterns in adult hair follicle populations reveal macro-environmental regulation of stem cell activity. <i>International Journal of Developmental Biology</i> , 2009 , 53, 857-68	1.9	49
16	Accelerated closure of skin wounds in mice deficient in the homeobox gene Msx2. <i>Wound Repair and Regeneration</i> , 2009 , 17, 639-48	3.6	25
15	026 Altered Skin Wound Healing in Homeobox Gene Msx-2 Knockout Mice. <i>Wound Repair and Regeneration</i> , 2008 , 13, A4-A27	3.6	
14	Cyclic dermal BMP signalling regulates stem cell activation during hair regeneration. <i>Nature</i> , 2008 , 451, 340-4	50.4	507
13	Complex hair cycle domain patterns and regenerative hair waves in living rodents. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 1071-80	4.3	107
12	An integrated gene regulatory network controls stem cell proliferation in teeth. <i>PLoS Biology</i> , 2007 , 5, e159	9.7	175
11	PubFocus: semantic MEDLINE/PubMed citations analytics through integration of controlled biomedical dictionaries and ranking algorithm. <i>BMC Bioinformatics</i> , 2006 , 7, 424	3.6	42
10	Distinct mechanisms underlie pattern formation in the skin and skin appendages. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , 2006 , 78, 280-91		19
9	Engineering stem cells into organs: topobiological transformations demonstrated by beak, feather, and other ectodermal organ morphogenesis. <i>Current Topics in Developmental Biology</i> , 2006 , 72, 237-74	5.3	30
8	Morphoregulation of teeth: modulating the number, size, shape and differentiation by tuning Bmp activity. <i>Evolution & Development</i> , 2005 , 7, 440-57	2.6	139
7	Evo-Devo of amniote integuments and appendages.. <i>International Journal of Developmental Biology</i> , 2004 , 48, 249-270	1.9	151

6	Making waves with hairs. <i>Journal of Investigative Dermatology</i> , 2004 , 122, vii-ix	4.3	15
5	Morpho-regulation of ectodermal organs: integument pathology and phenotypic variations in K14-Noggin engineered mice through modulation of bone morphogenic protein pathway. <i>American Journal of Pathology</i> , 2004 , 164, 1099-114	5.8	109
4	Evo-Devo of amniote integuments and appendages. <i>International Journal of Developmental Biology</i> , 2004 , 48, 249-70	1.9	73
3	Cyclic alopecia in Msx2 mutants: defects in hair cycling and hair shaft differentiation. <i>Development (Cambridge)</i> , 2003 , 130, 379-89	6.6	133
2	Inference and analysis of cell-cell communication using CellChat		16
1	Genomic and anatomical comparisons of skin support independent adaptation to life in water by cetaceans and hippos		1