## Shoushan Fan

## List of Publications by Citations

Source: https://exaly.com/author-pdf/6630275/shoushan-fan-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8,749 169 45 91 h-index g-index citations papers 180 6.14 9,916 10.2 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
169	Nanotechnology: spinning continuous carbon nanotube yarns. <i>Nature</i> , <b>2002</b> , 419, 801	50.4	926
168	Experimental observation of topological Fermi arcs in type-II Weyl semimetal MoTe2. <i>Nature Physics</i> , <b>2016</b> , 12, 1105-1110	16.2	506
167	Grain-boundary-dependent CO2 electroreduction activity. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 4606-9	16.4	456
166	Flexible, stretchable, transparent carbon nanotube thin film loudspeakers. <i>Nano Letters</i> , <b>2008</b> , 8, 4539-	<b>45</b> 1.5	408
165	Superaligned carbon nanotube arrays, films, and yarns: a road to applications. <i>Advanced Materials</i> , <b>2011</b> , 23, 1154-61	24	349
164	Efficient solar-driven water splitting by nanocone BiVO4-perovskite tandem cells. <i>Science Advances</i> , <b>2016</b> , 2, e1501764	14.3	281
163	A Direct Grain-Boundary-Activity Correlation for CO Electroreduction on Cu Nanoparticles. <i>ACS Central Science</i> , <b>2016</b> , 2, 169-74	16.8	272
162	Sulfur nanocrystals confined in carbon nanotube network as a binder-free electrode for high-performance lithium sulfur batteries. <i>Nano Letters</i> , <b>2014</b> , 14, 4044-9	11.5	244
161	Binder-free LiCoO2/carbon nanotube cathodes for high-performance lithium ion batteries. <i>Advanced Materials</i> , <b>2012</b> , 24, 2294-8	24	243
160	Lorentz-violating type-II Dirac fermions in transition metal dichalcogenide PtTe. <i>Nature Communications</i> , <b>2017</b> , 8, 257	17.4	239
159	Ultrathin MnO2/Graphene Oxide/Carbon Nanotube Interlayer as Efficient Polysulfide-Trapping Shield for High-Performance Liß Batteries. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1606663	15.6	228
158	Super-Aligned Carbon Nanotube Films as Current Collectors for Lightweight and Flexible Lithium Ion Batteries. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 846-853	15.6	223
157	Scratch-resistant, highly conductive, and high-strength carbon nanotube-based composite yarns. <i>ACS Nano</i> , <b>2010</b> , 4, 5827-34	16.7	217
156	Fast Adaptive Thermal Camouflage Based on Flexible VO//Graphene/CNT Thin Films. <i>Nano Letters</i> , <b>2015</b> , 15, 8365-70	11.5	180
155	Sulfur Embedded in a Mesoporous Carbon Nanotube Network as a Binder-Free Electrode for High-Performance Lithium-Sulfur Batteries. <i>ACS Nano</i> , <b>2016</b> , 10, 1300-8	16.7	176
154	Cross-Stacked Superaligned Carbon Nanotube Films for Transparent and Stretchable Conductors. <i>Advanced Functional Materials</i> , <b>2011</b> , 21, 2721-2728	15.6	142
153	Reversibility of Noble Metal-Catalyzed Aprotic Li-OBatteries. <i>Nano Letters</i> , <b>2015</b> , 15, 8084-90	11.5	139

## (2012-2016)

152	Multiresponsive Bidirectional Bending Actuators Fabricated by a Pencil-on-Paper Method. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 7244-7253	15.6	124
151	Multifunctional Interlayer Based on Molybdenum Diphosphide Catalyst and Carbon Nanotube Film for Lithium-Sulfur Batteries. <i>Small</i> , <b>2018</b> , 14, 1702853	11	108
150	Super-aligned carbon nanotube/graphene hybrid materials as a framework for sulfur cathodes in high performance lithium sulfur batteries. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 5305-5312	13	106
149	Large-Deformation Curling Actuators Based on Carbon Nanotube Composite: Advanced-Structure Design and Biomimetic Application. <i>ACS Nano</i> , <b>2015</b> , 9, 12189-96	16.7	104
148	In situ prepared nano-crystalline TiO2poly(methyl methacrylate) hybrid enhanced composite polymer electrolyte for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 5955	13	101
147	Thermionic emission and work function of multiwalled carbon nanotube yarns. <i>Physical Review B</i> , <b>2006</b> , 73,	3.3	95
146	Highly Nitridated Graphenelli2S Cathodes with Stable Modulated Cycles. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1501369	21.8	87
145	In Situ TEM observation of the gasification and growth of carbon nanotubes using iron catalysts. <i>Nano Research</i> , <b>2011</b> , 4, 767-779	10	86
144	Cross-stacked superaligned carbon nanotube electrodes for efficient hole conductor-free perovskite solar cells. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 5569-5577	13	82
143	Fabrication and properties of aligned multiwalled carbon nanotube-reinforced epoxy composites. Journal of Materials Research, <b>2008</b> , 23, 2975-2983	2.5	74
142	Polarized incandescent light emission from carbon nanotubes. <i>Applied Physics Letters</i> , <b>2003</b> , 82, 1763-17	7654	72
141	Development of an ultra-thin film comprised of a graphene membrane and carbon nanotube vein support. <i>Nature Communications</i> , <b>2013</b> , 4, 2920	17.4	64
140	Transparent actuators and robots based on single-layer superaligned carbon nanotube sheet and polymer composites. <i>Nanoscale</i> , <b>2016</b> , 8, 6877-83	7.7	60
139	Binder-free polymer encapsulated sulfurdarbon nanotube composite cathodes for high performance lithium batteries. <i>Carbon</i> , <b>2016</b> , 96, 1053-1059	10.4	59
138	Mn3O4 nanoparticles anchored on continuous carbon nanotube network as superior anodes for lithium ion batteries. <i>Journal of Power Sources</i> , <b>2014</b> , 249, 463-469	8.9	59
137	Self-assembly of 3D Carbon Nanotube Sponges: A Simple and Controllable Way to Build Macroscopic and Ultralight Porous Architectures. <i>Advanced Materials</i> , <b>2017</b> , 29, 1603549	24	58
136	Thermoacoustic chips with carbon nanotube thin yarn arrays. Nano Letters, 2013, 13, 4795-801	11.5	57
135	Well-Constructed CNT Mesh/PANI Nanoporous Electrode and Its Thickness Effect on the Supercapacitor Properties. <i>Journal of Physical Chemistry C</i> , <b>2012</b> , 116, 26185-26189	3.8	57

134	High frequency response of carbon nanotube thin film speaker in gases. <i>Journal of Applied Physics</i> , <b>2011</b> , 110, 084311	2.5	56
133	Auxetic materials with large negative Poisson ratios based on highly oriented carbon nanotube structures. <i>Applied Physics Letters</i> , <b>2009</b> , 94, 253111	3.4	54
132	High quality light guide plates that can control the illumination angle based on microprism structures. <i>Applied Physics Letters</i> , <b>2004</b> , 85, 6016-6018	3.4	53
131	Graphene-Based Actuator with Integrated-Sensing Function. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1806057	15.6	52
130	Ultra-stretchable conductors based on buckled super-aligned carbon nanotube films. <i>Nanoscale</i> , <b>2015</b> , 7, 10178-85	7.7	48
129	A photocapacitor based on organometal halide perovskite and PANI/CNT composites integrated using a CNT bridge. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 23078-23084	13	47
128	Three-Dimensional Flexible Complementary Metal-Oxide-Semiconductor Logic Circuits Based On Two-Layer Stacks of Single-Walled Carbon Nanotube Networks. <i>ACS Nano</i> , <b>2016</b> , 10, 2193-202	16.7	47
127	Progress and challenges of flexible lithium ion batteries. <i>Journal of Power Sources</i> , <b>2020</b> , 454, 227932	8.9	46
126	Enhanced rate capabilities of Co3O4/carbon nanotube anodes for lithium ion battery applications. Journal of Materials Chemistry A, <b>2013</b> , 1, 11121	13	46
125	Fano resonance boosted cascaded optical field enhancement in a plasmonic nanoparticle-in-cavity nanoantenna array and its SERS application. <i>Light: Science and Applications</i> , <b>2015</b> , 4, e296-e296	16.7	45
124	Heating graphene to incandescence and the measurement of its work function by the thermionic emission method. <i>Nano Research</i> , <b>2014</b> , 7, 553-560	10	45
123	Linearly polarized light emission from quantum dots with plasmonic nanoantenna arrays. <i>Nano Letters</i> , <b>2015</b> , 15, 2951-7	11.5	42
122	Growing highly pure semiconducting carbon nanotubes by electrotwisting the helicity. <i>Nature Catalysis</i> , <b>2018</b> , 1, 326-331	36.5	42
121	Amorphous MoS2 Photodetector with Ultra-Broadband Response. <i>ACS Applied Electronic Materials</i> , <b>2019</b> , 1, 1314-1321	4	39
120	Applications of carbon nanotubes in high performance lithium ion batteries. <i>Frontiers of Physics</i> , <b>2014</b> , 9, 351-369	3.7	39
119	Mesoporous Li4Ti5O12 nanoclusters anchored on super-aligned carbon nanotubes as high performance electrodes for lithium ion batteries. <i>Nanoscale</i> , <b>2016</b> , 8, 617-25	7.7	37
118	Entrapping electrode materials within ultrathin carbon nanotube network for flexible thin film lithium ion batteries. <i>RSC Advances</i> , <b>2014</b> , 4, 20010-20016	3.7	37
117	Ultrastretchable carbon nanotube composite electrodes for flexible lithium-ion batteries.  Nanoscale, <b>2018</b> , 10, 19972-19978	7.7	37

116	Silicon nanowires grown on iron-patterned silicon substrates. <i>Applied Physics Letters</i> , <b>2000</b> , 76, 3020-30	123.4	35	
115	A lightly Fe-doped (NiS2/MoS2)/carbon nanotube hybrid electrocatalyst film with laser-drilled micropores for stabilized overall water splitting and pH-universal hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 17527-17536	13	33	
114	High-strength composite yarns derived from oxygen plasma modified super-aligned carbon nanotube arrays. <i>Nano Research</i> , <b>2013</b> , 6, 208-215	10	32	
113	True-color real-time imaging and spectroscopy of carbon nanotubes on substrates using enhanced Rayleigh scattering. <i>Nano Research</i> , <b>2015</b> , 8, 2721-2732	10	31	
112	Periodically striped films produced from super-aligned carbon nanotube arrays. <i>Nanotechnology</i> , <b>2009</b> , 20, 335705	3.4	31	
111	Load characteristics of a suspended carbon nanotube film heater and the fabrication of a fast-response thermochromic display prototype. <i>ACS Nano</i> , <b>2015</b> , 9, 3753-9	16.7	30	
110	A Polymer Supercapacitor Capable of Self-Charging under Light Illumination. <i>Journal of Physical Chemistry C</i> , <b>2015</b> , 119, 8488-8491	3.8	30	
109	Thermal Analysis Study of the Growth Kinetics of Carbon Nanotubes and Epitaxial Graphene Layers on Them. <i>Journal of Physical Chemistry C</i> , <b>2009</b> , 113, 9623-9631	3.8	30	
108	Organic polymer material with a multi-electron process redox reaction: towards ultra-high reversible lithium storage capacity. <i>RSC Advances</i> , <b>2013</b> , 3, 3227	3.7	29	
107	Phase-transition modulated, high-performance dual-mode photodetectors based on WSe2/VO2 heterojunctions. <i>Applied Physics Reviews</i> , <b>2019</b> , 6, 041407	17.3	27	
106	SWCNT-MoS -SWCNT Vertical Point Heterostructures. <i>Advanced Materials</i> , <b>2017</b> , 29, 1604469	24	26	
105	Broadband asymmetric transmission of optical waves from spiral plasmonic metamaterials. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 121112	3.4	26	
104	Highly catalytic cross-stacked superaligned carbon nanotube sheets for iodine-free dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 22756		26	
103	High areal capacity flexible sulfur cathode based on multi-functionalized super-aligned carbon nanotubes. <i>Nano Research</i> , <b>2019</b> , 12, 1105-1113	10	25	
102	Barium-functionalized multiwalled carbon nanotube yarns as low-work-function thermionic cathodes. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 153108	3.4	25	
101	Fabrication of air-stable n-type carbon nanotube thin-film transistors on flexible substrates using bilayer dielectrics. <i>Nanoscale</i> , <b>2015</b> , 7, 17693-701	7.7	24	
100	Observation of Charge Generation and Transfer during CVD Growth of Carbon Nanotubes. <i>Nano Letters</i> , <b>2016</b> , 16, 4102-9	11.5	23	
99	Effect of an Auxiliary Plate on Passive Heat Dissipation of Carbon Nanotube-Based Materials. <i>Nano Letters</i> , <b>2018</b> , 18, 1770-1776	11.5	22	

98	Free-Standing, Binder-Free Titania/Super-Aligned Carbon Nanotube Anodes for Flexible and Fast-Charging Li-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 3426-3433	8.3	22
97	Highly Sensitive, Uniform, and Reproducible Surface-Enhanced Raman Spectroscopy Substrate with Nanometer-Scale Quasi-periodic Nanostructures. <i>ACS Applied Materials &amp; District Ramp; Interfaces</i> , <b>2017</b> , 9, 32369	9-3237	6 <sup>21</sup>
96	Interfacial thermal resistance and thermal rectification in carbon nanotube film-copper systems. <i>Nanoscale</i> , <b>2017</b> , 9, 3133-3139	7.7	19
95	Sharp-Tip Silver Nanowires Mounted on Cantilevers for High-Aspect-Ratio High-Resolution Imaging. <i>Nano Letters</i> , <b>2016</b> , 16, 6896-6902	11.5	19
94	Hybrid energy storage devices combining carbon-nanotube/polyaniline supercapacitor with lead-acid battery assembled through a directly-inserted method. <i>RSC Advances</i> , <b>2014</b> , 4, 26378-26382	3.7	19
93	Low-energy transmission electron diffraction and imaging of large-area graphene. <i>Science Advances</i> , <b>2017</b> , 3, e1603231	14.3	18
92	Epitaxial Growth of Aligned and Continuous Carbon Nanofibers from Carbon Nanotubes. <i>ACS Nano</i> , <b>2017</b> , 11, 1257-1263	16.7	17
91	A low-vacuum ionization gauge with HfC-modified carbon nanotube field emitters. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 153105	3.4	17
90	Watching Dynamic Self-Assembly of Web Buckles in Strained MoS Thin Films. ACS Nano, 2019, 13, 3106-	3161\$	17
89	Influence of Asymmetric Contact Form on Contact Resistance and Schottky Barrier, and Corresponding Applications of Diode. <i>ACS Applied Materials &amp; Diodes amp; Interfaces</i> , <b>2017</b> , 9, 18945-18955	9.5	16
88	A super compact self-powered device based on paper-like supercapacitors. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 3642-3647	13	16
87	Ultrasensitive, Low-Voltage Operational, and Asymmetric Ionic Sensing Hydrogel for Multipurpose Applications. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 1909616	15.6	16
86	High quality GaN epilayers grown on carbon nanotube patterned sapphire substrate by metalBrganic vapor phase epitaxy. <i>CrystEngComm</i> , <b>2012</b> , 14, 4728	3.3	16
85	Hydrocapacitor for Harvesting and Storing Energy from Water Movement. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2018</b> , 10, 35273-35280	9.5	16
84	Sub-10 nm Monolayer MoS Transistors Using Single-Walled Carbon Nanotubes as an Evaporating Mask. <i>ACS Applied Materials &amp; Discrete Samp; Interfaces</i> , <b>2019</b> , 11, 11612-11617	9.5	15
83	Metal-film-assisted ultra-clean transfer of single-walled carbon nanotubes. <i>Nano Research</i> , <b>2014</b> , 7, 981	-989	15
82	Hard Carbon Nanotube Sponges for Highly Efficient Cooling Moisture Absorption-Desorption Process. <i>ACS Nano</i> , <b>2020</b> , 14, 14091-14099	16.7	15
81	Electrical control of spatial resolution in mixed-dimensional heterostructured photodetectors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 6586-6593	11.5	14

80	Carbon-Nanotube-Confined Vertical Heterostructures with Asymmetric Contacts. <i>Advanced Materials</i> , <b>2017</b> , 29, 1702942	24	14
79	Macroscopic Carbon Nanotube Structures for Lithium Batteries. Small, <b>2020</b> , 16, e1902719	11	14
78	Flexible and free-standing hetero-electrocatalyst of high-valence-cation doped MoS2/MoO2/CNT foam with synergistically enhanced hydrogen evolution reaction catalytic activity. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 14944-14954	13	13
77	Modulating lateral strain in GaN-based epitaxial layers by patterning sapphire substrates with aligned carbon nanotube films. <i>Nano Research</i> , <b>2012</b> , 5, 646-653	10	13
76	Unraveling Shuttle Effect and Suppression Strategy in Lithium/Sulfur Cells by In Situ/Operando X-ray Absorption Spectroscopic Characterization. <i>Energy and Environmental Materials</i> , <b>2021</b> , 4, 222-228	13	13
75	Flash-evaporation printing methodology for perovskite thin films. NPG Asia Materials, 2017, 9, e395-e39	9 <b>5</b> 0.3	12
74	Photodetection and Photoswitch Based On Polarized Optical Response of Macroscopically Aligned Carbon Nanotubes. <i>Nano Letters</i> , <b>2016</b> , 16, 6378-6382	11.5	12
73	Interface dipole enhancement effect and enhanced Rayleigh scattering. Nano Research, 2015, 8, 303-31	<b>9</b> 10	11
72	Cross-stacked carbon nanotubes assisted self-separation of free-standing GaN substrates by hydride vapor phase epitaxy. <i>Scientific Reports</i> , <b>2016</b> , 6, 28620	4.9	11
71	Field emission behavior study of multiwalled carbon nanotube yarn under the influence of adsorbents. <i>Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics</i> , <b>2010</b> , 28, 736-739	1.3	11
70	Boosting the Oxidative Potential of Polyethylene Glycol-Based Polymer Electrolyte to 4.36  by Spatially Restricting Hydroxyl Groups for High-Voltage Flexible Lithium-Ion Battery Applications. <i>Advanced Science</i> , <b>2021</b> , 8, e2100736	13.6	11
69	Scanning electron microscopy imaging of single-walled carbon nanotubes on substrates. <i>Nano Research</i> , <b>2017</b> , 10, 1804-1818	10	10
68	Direct discrimination between semiconducting and metallic single-walled carbon nanotubes with high spatial resolution by SEM. <i>Nano Research</i> , <b>2017</b> , 10, 1896-1902	10	10
67	A universal in situ strategy for charging supercapacitors. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 1513	1 <u>r</u> 3513	<b>6</b> 10
66	Mixed-Dimensional Vertical Point pn Junctions. ACS Nano, 2020, 14, 3181-3189	16.7	10
65	Grouped and Multistep Nanoheteroepitaxy: Toward High-Quality GaN on Quasi-Periodic Nano-Mask. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 18208-14	9.5	10
64	Gravity-Induced Self-Charging in Carbon Nanotube/Polymer Supercapacitors. <i>Journal of Physical Chemistry C</i> , <b>2019</b> , 123, 5249-5254	3.8	10
63	Sandwich-structured cathodes with cross-stacked carbon nanotube films as conductive layers for high-performance lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 4047-4057	13	9

62	Self-Expansion Construction of Ultralight Carbon Nanotube Aerogels with a 3D and Hierarchical Cellular Structure. <i>Small</i> , <b>2017</b> , 13, 1700966	11	9
61	Continuous, Ultra-lightweight, and Multipurpose Super-aligned Carbon Nanotube Tapes Viable over a Wide Range of Temperatures. <i>Nano Letters</i> , <b>2019</b> , 19, 6756-6764	11.5	9
60	A flexible, multifunctional, active terahertz modulator with an ultra-low triggering threshold. Journal of Materials Chemistry C, <b>2020</b> , 8, 10213-10220	7.1	9
59	Ice-assisted transfer of carbon nanotube arrays. <i>Nano Letters</i> , <b>2015</b> , 15, 1843-8	11.5	9
58	Direct laser patterning of two-dimensional lateral transition metal disulfide-oxide-disulfide heterostructures for ultrasensitive sensors. <i>Nano Research</i> , <b>2020</b> , 13, 2035-2043	10	8
57	Study of Carbon Nanotubes as Etching Masks and Related Applications in the Surface Modification of GaAs-based Light-Emitting Diodes. <i>Small</i> , <b>2015</b> , 11, 4111-6	11	8
56	Nanoscale field emission in inert gas under atmospheric pressure. <i>Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics</i> , <b>2010</b> , 28, 562-566	1.3	8
55	Advances of CNT-based systems in thermal management. <i>Nano Research</i> , <b>2021</b> , 14, 2471-2490	10	8
54	Tailorable Capacitive Tactile Sensor Based on Stretchable and Dissolvable Porous Silver Nanowire/Polyvinyl Alcohol Nanocomposite Hydrogel for Wearable Human Motion Detection. <i>Advanced Materials Interfaces</i> ,2100998	4.6	8
53	Inverse Hysteresis and Ultrasmall Hysteresis Thin-Film Transistors Fabricated Using Sputtered Dielectrics. <i>Advanced Electronic Materials</i> , <b>2017</b> , 3, 1600483	6.4	7
52	Perovskite photodetectors prepared by flash evaporation printing. RSC Advances, 2017, 7, 34795-34800	3.7	7
51	Formation of free-standing carbon nanotube array on super-aligned carbon nanotube film and its field emission properties. <i>Nano Research</i> , <b>2012</b> , 5, 421-426	10	7
50	Spherical field emission cathode based on carbon nanotube paste and its application in luminescent bulbs. <i>Journal of Vacuum Science &amp; Technology B</i> , <b>2008</b> , 26, 1404		7
49	Conventional triode ionization gauge with carbon nanotube cold electron emitter. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , <b>2008</b> , 26, 1-4	2.9	7
48	High temperature performance of coaxial h-BN/CNT wires above 1,000 °C: Thermionic electron emission and thermally activated conductivity. <i>Nano Research</i> , <b>2019</b> , 12, 1855-1861	10	6
47	Emission Enhancement from CdSe/ZnS Quantum Dots Induced by Strong Localized Surface Plasmonic Resonances without Damping. <i>Journal of Physical Chemistry Letters</i> , <b>2019</b> , 10, 2113-2120	6.4	6
46	High Water-Absorbent and Phase-Change Heat Dissipation Materials Based on Super-Aligned Cross-Stack CNT Films. <i>Advanced Engineering Materials</i> , <b>2019</b> , 21, 1801216	3.5	6
45	Schottky contact of an artificial polymer semiconductor composed of poly(dimethylsiloxane) and multiwall carbon nanotubes. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 19539-19544	13	6

44	Few-Layer MoS2 Nanosheet/Carbon Nanotube Composite Films for Long-Lifetime Lithium Storage and Hydrogen Generation. <i>ACS Applied Nano Materials</i> , <b>2021</b> , 4, 4754-4762	5.6	6
43	Carbon Nanotube Film Gate in Vacuum Electronic Devices. <i>Nano Letters</i> , <b>2018</b> , 18, 4691-4696	11.5	6
42	Laser-Graving-Assisted Fabrication of Foldable Supercapacitors for On-Chip Energy Storage. <i>ACS Applied Materials &amp; Discourse (Materials &amp; Discours)</i> 11, 42172-42178	9.5	5
41	Graphene as discharge layer for electron beam lithography on insulating substrate. <i>Applied Physics Letters</i> , <b>2013</b> , 103, 113107	3.4	5
40	UV-based nanoimprinting lithography with a fluorinated flexible stamp. <i>Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics</i> , <b>2011</b> , 29, 021015	1.3	5
39	Stressed carbon nanotube devices for high tunability, high quality factor, single mode GHz resonators. <i>Nano Research</i> , <b>2018</b> , 11, 5812-5822	10	5
38	Freestanding macroscopic metal-oxide nanotube films derived from carbon nanotube film templates. <i>Nano Research</i> , <b>2015</b> , 8, 2024-2032	10	4
37	Interfacial Gated Graphene Photodetector with Broadband Response. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2021</b> , 13, 22796-22805	9.5	4
36	Reconfigurable Tunneling Transistors Heterostructured by an Individual Carbon Nanotube and MoS. <i>Nano Letters</i> , <b>2021</b> , 21, 6843-6850	11.5	4
35	Free-standing hybrid films comprising of ultra-dispersed titania nanocrystals and hierarchical conductive network for excellent high rate performance of lithium storage. <i>Nano Research</i> , <b>2020</b> , 14, 2301	10	3
34	Actuators: Multiresponsive Bidirectional Bending Actuators Fabricated by a Pencil-on-Paper Method (Adv. Funct. Mater. 40/2016). <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 7368-7368	15.6	3
33	Raman spectra of SiC nanorods with different excitation wavelengths. <i>Science Bulletin</i> , <b>2001</b> , 46, 1865-1	866	3
32	Superaligned arrays, films, and yarns of carbon nanotubes: a road toward applications. <i>Scientia Sinica: Physica, Mechanica Et Astronomica</i> , <b>2011</b> , 41, 390-403	1.5	3
31	The adsorption state and the evolution of field emission properties of graphene edges at different temperatures <i>RSC Advances</i> , <b>2018</b> , 8, 31830-31834	3.7	3
30	The influence of charging and discharging on the thermal properties of a carbon nanotube/polyaniline nanocomposite electrode <i>RSC Advances</i> , <b>2019</b> , 9, 7629-7634	3.7	2
29	Ultra-stretchable supercapacitors based on biaxially pre-strained super-aligned carbon nanotube films. <i>Nanoscale</i> , <b>2020</b> , 12, 24259-24265	7.7	2
28	A process study of electron beam nano-lithography and deep etching with an ICP system. <i>Science in China Series D: Earth Sciences</i> , <b>2009</b> , 52, 1665-1671		2
27	Epitaxial growth and electrical transport properties of La0.5Sr0.5Co03 thin films prepared by pulsed laser deposition. <i>Science in China Series A: Mathematics</i> , <b>1999</b> , 42, 865-872		2

26	Energy Harvesting and Storage by Water Infiltration of Eggshell Membrane. <i>Energy Technology</i> , <b>2020</b> , 8, 1901192	3.5	2
25	Structural Effects on a Sandwich-Like Hydrocapacitor and Its Mechanism Research. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 9468-9476	6.1	2
24	Nanostructured Co3O4 Asymmetrically Deposited on a Single Carbon Cloth for an All-Solid-State Integrated Hybrid Device with Reversible Zinc-Air High-Energy Conversion and Asymmetric Supercapacitive High-Power Delivery. <i>Energy &amp; Delivery</i> , 12706-12717	4.1	2
23	Glassy magnetic ground state in layered compound MnSb2Te4. Science China Materials,1	7.1	2
22	Lithium Storage Mechanism and Application of Micron-Sized Lattice-Reversible Binary Intermetallic Compounds as High-Performance Flexible Lithium-Ion Battery Anodes. <i>Small</i> , <b>2021</b> , e2105172	11	2
21	Li-S Batteries: Ultrathin MnO2/Graphene Oxide/Carbon Nanotube Interlayer as Efficient Polysulfide-Trapping Shield for High-Performance Liß Batteries (Adv. Funct. Mater. 18/2017). <i>Advanced Functional Materials</i> , <b>2017</b> , 27,	15.6	1
20	Ionic Sensing Hydrogels: Ultrasensitive, Low-Voltage Operational, and Asymmetric Ionic Sensing Hydrogel for Multipurpose Applications (Adv. Funct. Mater. 12/2020). <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2070080	15.6	1
19	Bidirectional micro-actuators based on eccentric coaxial composite oxide nanofiber. <i>Nano Research</i> , <b>2020</b> , 13, 2451-2459	10	1
18	Modeling and optimization of ambipolar graphene transistors in the diffusive limit. <i>Journal of Applied Physics</i> , <b>2013</b> , 114, 164508	2.5	1
17	Toward an Intelligent Synthesis: Monitoring and Intervening in the Catalytic Growth of Carbon Nanotubes. <i>Journal of the American Chemical Society</i> , <b>2021</b> , 143, 17607-17614	16.4	1
16	Enhanced Visible-Light Absorption and Photocurrent Generation of Three-Dimensional Metal Dielectric Hybrid-Structured Films. <i>ACS Applied Energy Materials</i> , <b>2021</b> , 4, 10542-10552	6.1	1
15	On-chip torsion balances with femtonewton force resolution at room temperature enabled by carbon nanotube and graphene. <i>Science Advances</i> , <b>2021</b> , 7,	14.3	1
14	Dielectric-Like Behavior of Graphene in Au Plasmon Resonator. <i>Nanoscale Research Letters</i> , <b>2016</b> , 11, 541	5	1
13	A new type of flexible energy harvesting device working with micro water droplets achieving high output. <i>Journal of Materials Chemistry A</i> ,	13	1
12	Gate-tunable contact-induced Fermi-level shift in semimetal <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2022</b> , 119, e2119016119	11.5	1
11	Seeded growth of high-quality transition metal dichalcogenide single crystals via chemical vapor transport. <i>CrystEngComm</i> , <b>2020</b> , 22, 8017-8022	3.3	O
10	Enhanced light transmission of carbon nanotube film by ultrathin oxide coatings. <i>AIP Advances</i> , <b>2020</b> , 10, 075304	1.5	0
9	SEM imaging of insulating specimen through a transparent conducting veil of carbon nanotube.  Nano Research,1	10	О

## LIST OF PUBLICATIONS

8	Substrate Engineering-Tailored Fabrication of Aligned Graphene Nanoribbon Arrays: Implications for Graphene Electronic Devices. <i>ACS Applied Nano Materials</i> , <b>2021</b> , 4, 13838-13847	5.6	O
7	Nanocarbon/Metal Oxide Hybrids for Lithium Ion Batteries <b>2015</b> , 87-118		
6	The Influence of Carbon Nanotube's Conductivity and Diameter on Its Thermionic Electron Emission. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2020</b> , 217, 2000069	1.6	
5	Optical Phonon Scattering Dominated Transport in Individual Suspended Carbon Nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , <b>2020</b> , 257, 2000103	1.3	
4	Iodide-substitution-induced phase transition of chemical-vapor-deposited MoS2. <i>Journal of Materials Chemistry C</i> , <b>2022</b> , 10, 1638-1644	7.1	
3	Tailorable Capacitive Tactile Sensor Based on Stretchable and Dissolvable Porous Silver Nanowire/Polyvinyl Alcohol Nanocomposite Hydrogel for Wearable Human Motion Detection (Adv. Mater. Interfaces 20/2021). <i>Advanced Materials Interfaces</i> , <b>2021</b> , 8, 2170110	4.6	
2	The Influence of Carbon Nanotube's Conductivity and Diameter on Its Thermionic Electron Emission. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2020</b> , 217, 2070048	1.6	
1	Deformation Effect on the Electrical Properties of a Flexible Organic Semiconductor composed of Poly(dimethylsiloxane) and Multiwalled Carbon Nanotubes. <i>Advanced Electronic Materials</i> , <b>2016</b> , 2, 1500	04 <del>2</del> 4	