Jon Deeks

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6630477/jon-deeks-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126,162 377 97 355 h-index g-index citations papers 8.48 419 152,442 7.5 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
377	Rapid intrapartum test for maternal group B streptococcal colonisation and its effect on antibiotic use in labouring women with risk factors for early-onset neonatal infection (GBS2): cluster randomised trial with nested test accuracy study <i>BMC Medicine</i> , 2022 , 20, 9	11.4	1
376	A rapid intrapartum test for group B Streptococcus to reduce antibiotic usage in mothers with risk factors: the GBS2 cluster RCT <i>Health Technology Assessment</i> , 2022 , 26, 1-82	4.4	
375	SARS-CoV-2 antigen lateral flow tests for detecting infectious people: linked data analysis <i>BMJ, The,</i> 2022 , 376, e066871	5.9	1
374	Point-of-care viral load tests to detect high HIV viral load in people living with HIV/AIDS attending health facilities <i>The Cochrane Library</i> , 2022 , 3, CD013208	5.2	1
373	Combining Results Using Meta-Analysis 2022 , 159-184		
372	Systematic Reviews of Diagnostic Accuracy 2022 , 296-323		
371	Effect Measures 2022 , 129-158		
370	Thoracic imaging tests for the diagnosis of COVID-19 <i>The Cochrane Library</i> , 2022 , 5, CD013639	5.2	0
369	Signs and symptoms to determine if a patient presenting in primary care or hospital outpatient settings has COVID-19 <i>Cochrane Database of Systematic Reviews</i> , 2022 , 5, CD013665		2
368	Long term impact of prophylactic antibiotic use before incision versus after cord clamping on children born by caesarean section: longitudinal study of UK electronic health records <i>BMJ, The</i> , 2022 , 377, e069704	5.9	О
367	Broadening symptom criteria improves early case identification in SARS-CoV-2 contacts. <i>European Respiratory Journal</i> , 2021 ,	13.6	1
366	Systematic review of imaging tests to predict the development of rheumatoid arthritis in people with unclassified arthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 52, 151919-151919	5.3	
365	A quality assessment tool for artificial intelligence-centered diagnostic test accuracy studies: QUADAS-AI. <i>Nature Medicine</i> , 2021 , 27, 1663-1665	50.5	5
364	QUADAS-C: A Tool for Assessing Risk of Bias in Comparative Diagnostic Accuracy Studies. <i>Annals of Internal Medicine</i> , 2021 , 174, 1592-1599	8	12
363	Guidance for the design and reporting of studies evaluating the clinical performance of tests for present or past SARS-CoV-2 infection. <i>BMJ, The</i> , 2021 , 372, n568	5.9	10
362	Preferred reporting items for journal and conference abstracts of systematic reviews and meta-analyses of diagnostic test accuracy studies (PRISMA-DTA for Abstracts): checklist, explanation, and elaboration. <i>BMJ</i> , <i>The</i> , 2021 , 372, n265	5.9	6
361	Rapid, point-of-care antigen and molecular-based tests for diagnosis of SARS-CoV-2 infection. <i>The Cochrane Library</i> , 2021 , 3, CD013705	5.2	208

360	Thoracic imaging tests for the diagnosis of COVID-19. <i>The Cochrane Library</i> , 2021 , 3, CD013639	5.2	35
359	New technologies for diagnosing active TB: the VANTDET diagnostic accuracy study. <i>Efficacy and Mechanism Evaluation</i> , 2021 , 8, 1-160	1.7	Ο
358	Validation testing to determine the sensitivity of lateral flow testing for asymptomatic SARS-CoV-2 detection in low prevalence settings: Testing frequency and public health messaging is key. <i>PLoS Biology</i> , 2021 , 19, e3001216	9.7	26
357	Electronic and animal noses for detecting SARS-CoV-2 infection. <i>The Cochrane Library</i> , 2021 , 2021,	5.2	2
356	Signs and symptoms to determine if a patient presenting in primary care or hospital outpatient settings has COVID-19. <i>The Cochrane Library</i> , 2021 , 2, CD013665	5.2	45
355	Comparative effect of physical exercise versus statins on improving arterial stiffness in patients with high cardiometabolic risk: A network meta-analysis. <i>PLoS Medicine</i> , 2021 , 18, e1003543	11.6	2
354	Comment on "A Modern Assessment of Cancer Risk in Adrenal Incidentalomas: Analysis of 2219 Patients" by Kahramangil B et al. <i>Annals of Surgery</i> , 2021 , 274, e887-e888	7.8	
353	Transcriptomic signatures for diagnosing tuberculosis in clinical practice: a prospective, multicentre cohort study. <i>Lancet Infectious Diseases, The</i> , 2021 , 21, 366-375	25.5	8
352	Defining the Role of Cellular Immune Signatures in Diagnostic Evaluation of Suspected Tuberculosis. <i>Journal of Infectious Diseases</i> , 2021 ,	7	1
351	Letter to the Editor regarding Peto T; UK COVID-19 Lateral Flow Oversight Team: COVID-19: Rapid antigen detection for SARS-CoV-2 by lateral flow assay. <i>EClinicalMedicine</i> , 2021 , 38, 101037	11.3	3
350	Point-of-care tests detecting HIV nucleic acids for diagnosis of HIV-1 or HIV-2 infection in infants and children aged 18 months or less. <i>The Cochrane Library</i> , 2021 , 8, CD013207	5.2	1
349	Accuracy of routine laboratory tests to predict mortality and deterioration to severe or critical COVID-19 in people with SARS-CoV-2. <i>The Cochrane Library</i> , 2021 , 2021,	5.2	78
348	The IDENTIFY study: the investigation and detection of urological neoplasia in patients referred with suspected urinary tract cancer - a multicentre observational study. <i>BJU International</i> , 2021 , 128, 440-450	5.6	4
347	Letter to the Editor regarding Leber W, Lammel O, Siebenhofer A, Redlberger-Fritz M, Panovska-Griffiths J, Czypionka T. Comparing the diagnostic accuracy of point-of-care lateral flow antigen testing for SARS-CoV-2 with RT-PCR in primary care (REAP-2). <i>EClinicalMedicine</i> , 2021 , 40, 1011	11.3 06	2
346	Enhanced neoplasia detection in chronic ulcerative colitis: the ENDCaP-C diagnostic accuracy study. <i>Efficacy and Mechanism Evaluation</i> , 2021 , 8, 1-88	1.7	
345	Test evaluation trials present different challenges for trial managers compared to intervention trials. <i>Trials</i> , 2020 , 21, 987	2.8	
344	Sensitivity and specificity of SkinVision are likely to have been overestimated. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, e582-e583	4.6	5
343	Imaging tests for the diagnosis of COVID-19. <i>The Cochrane Library</i> , 2020 ,	5.2	14

342	IDENTIFY: The investigation and detection of urological neoplasia in patients referred with suspected urinary tract cancer: A multicentre cohort study. <i>International Journal of Surgery Protocols</i> , 2020 , 21, 8-12	1.1	2
341	mary care anagement of lower rinary tract ymptoms in men: protocol for development and validation of a diagnostic and clinical decision support tool (the PriMUS study). <i>BMJ Open</i> , 2020 , 10, e03	7634	3
340	Antibody tests for identification of current and past infection with SARS-CoV-2. <i>The Cochrane Library</i> , 2020 , 6, CD013652	5.2	433
339	Signs and symptoms to determine if a patient presenting in primary care or hospital outpatient settings has COVID-19 disease. <i>The Cochrane Library</i> , 2020 , 7, CD013665	5.2	193
338	Biological variation of cardiac troponins in chronic kidney disease. <i>Annals of Clinical Biochemistry</i> , 2020 , 57, 162-169	2.2	1
337	Pressure-garment therapy for preventing hypertrophic scarring after burn injury. <i>The Cochrane Library</i> , 2020 ,	5.2	78
336	The authors reply. <i>Kidney International</i> , 2020 , 97, 214-215	9.9	
335	FibroScan-AST (FAST) score for the non-invasive identification of patients with non-alcoholic steatohepatitis with significant activity and fibrosis: a prospective derivation and global validation study. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 362-373	18.8	151
334	Diagnosis of SARS-CoV-2 infection and COVID-19: accuracy of signs and symptoms; molecular, antigen, and antibody tests; and routine laboratory markers. <i>The Cochrane Library</i> , 2020 ,	5.2	15
333	Predicting recurrent atrial fibrillation after catheter ablation: a systematic review of prognostic models. <i>Europace</i> , 2020 , 22, 748-760	3.9	20
332	Spironolactone to improve exercise tolerance in people with permanent atrial fibrillation and preserved ejection fraction: the IMPRESS-AF RCT. <i>Efficacy and Mechanism Evaluation</i> , 2020 , 7, 1-42	1.7	0
331	Urine Steroid Metabolomics as a Novel Tool for Detection of Recurrent Adrenocortical Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	27
330	Adaptive trial designs in diagnostic accuracy research. Statistics in Medicine, 2020, 39, 591-601	2.3	4
329	Methods and reporting of systematic reviews of comparative accuracy were deficient: a methodological survey and proposed guidance. <i>Journal of Clinical Epidemiology</i> , 2020 , 121, 1-14	5.7	8
328	Quantitative IFN-IRelease Assay and Tuberculin Skin Test Results to Predict Incident Tuberculosis. A Prospective Cohort Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, 984-9	∮P.2	13
327	Comparison of Outcomes Following Infrapopliteal Plain Balloon Angioplasty in the BASIL Trial (1999-2004) and in a Contemporary Series (2009-2013). <i>Vascular and Endovascular Surgery</i> , 2020 , 54, 141-146	1.4	4
326	Thoracic imaging tests for the diagnosis of COVID-19. <i>The Cochrane Library</i> , 2020 , 9, CD013639	5.2	34
325	Urine metabolomic phenotyping for detection of adrenocortical carcinoma: still a long way to go - AuthorsOreply. <i>Lancet Diabetes and Endocrinology,the</i> , 2020 , 8, 877-878	18.1	

Routine laboratory testing to determine if a patient has COVID-19. The Cochrane Library, 2020, 11, CD013,787 29 324 Thoracic imaging tests for the diagnosis of COVID-19. The Cochrane Library, 2020, 11, CD013639 323 5.2 34 Urine steroid metabolomics for the differential diagnosis of adrenal incidentalomas in the EURINE-ACT study: a prospective test validation study. Lancet Diabetes and Endocrinology, the, 2020, 18.1 56 322 8,773-781 Rapid, point-of-care antigen and molecular-based tests for diagnosis of SARS-CoV-2 infection. The 321 5.2 311 Cochrane Library, **2020**, 8, CD013705 Reporting guidelines for clinical trial reports for interventions involving artificial intelligence: the 320 5.9 73 CONSORT-AI Extension. BMJ, The, 2020, 370, m3164 Testing for SARS-CoV-2 antibodies. BMJ, The, 2020, 370, m3325 58 319 5.9 Guidelines for clinical trial protocols for interventions involving artificial intelligence: the SPIRIT-AI 318 5.9 53 Extension. BMJ, The, 2020, 370, m3210 Spironolactone in Atrial Fibrillation With Preserved Cardiac Fraction: The IMPRESS-AF Trial. Journal 6 317 7 of the American Heart Association, 2020, 9, e016239 Preferred reporting items for systematic review and meta-analysis of diagnostic test accuracy 316 78 5.9 studies (PRISMA-DTA): explanation, elaboration, and checklist. BMJ, The, 2020, 370, m2632 Information given by websites selling home self-sampling COVID-19 tests: an analysis of accuracy 315 and completeness. BMJ Open, 2020, 10, e042453 Serum HE4 and diagnosis of ovarian cancer in postmenopausal women with adnexal masses. 314 6.4 11 American Journal of Obstetrics and Gynecology, 2020, 222, 56.e1-56.e17 Algorithm based smartphone apps to assess risk of skin cancer in adults: systematic review of 58 313 5.9 diagnostic accuracy studies. BMJ, The, 2020, 368, m127 Effect of Digoxin vs Bisoprolol for Heart Rate Control in Atrial Fibrillation on Patient-Reported Quality of Life: The RATE-AF Randomized Clinical Trial. JAMA - Journal of the American Medical 312 27.4 35 Association, 2020, 324, 2497-2508 Prognostic models for predicting incident or recurrent atrial fibrillation: protocol for a systematic 311 review. Systematic Reviews, 2019, 8, 221 Reporting guidelines for clinical trials evaluating artificial intelligence interventions are needed. 58 310 50.5 Nature Medicine, **2019**, 25, 1467-1468 Development and external validation of predictive models for prevalent and recurrent atrial fibrillation: a protocol for the analysis of the CATCH ME combined dataset. BMC Cardiovascular 6 309 2.3 Disorders, 2019, 19, 120 Magnetic Resonance Imaging-targeted Biopsy Versus Systematic Biopsy in the Detection of 308 10.2 90 Prostate Cancer: A Systematic Review and Meta-analysis. European Urology, 2019, 76, 284-303 Development and Validation of a Combined Hypoxia and Immune Prognostic Classifier for Head 307 12.9 54 and Neck Cancer. Clinical Cancer Research, 2019, 25, 5315-5328

306	Long term tapering versus standard prednisolone treatment for first episode of childhood nephrotic syndrome: phase III randomised controlled trial and economic evaluation. <i>BMJ, The</i> , 2019 , 365, l1800	5.9	29
305	Empirical comparison of univariate and multivariate meta-analyses in Cochrane Pregnancy and Childbirth reviews with multiple binary outcomes. <i>Research Synthesis Methods</i> , 2019 , 10, 440-451	7.2	5
304	Comparative reviews of diagnostic test accuracy in imaging research: evaluation of current practices. <i>European Radiology</i> , 2019 , 29, 5386-5394	8	15
303	GRADE guidelines: 22. The GRADE approach for tests and strategies-from test accuracy to patient-important outcomes and recommendations. <i>Journal of Clinical Epidemiology</i> , 2019 , 111, 69-82	5.7	46
302	Model-based economic evaluations of diagnostic point of care tests were rarely fit for purpose. Journal of Clinical Epidemiology, 2019 , 109, 1-11	5.7	1
301	Biological variation of measured and estimated glomerular filtration rate in patients with chronic kidney disease. <i>Kidney International</i> , 2019 , 96, 429-435	9.9	33
300	Accuracy of FibroScan Controlled Attenuation Parameter and Liver Stiffness Measurement in Assessing Steatosis and Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2019 , 156, 1717-1730	13.3	356
299	Diabetes mellitus and latent tuberculosis infection: baseline analysis of a large UK cohort. <i>Thorax</i> , 2019 , 74, 91-94	7.3	7
298	Development of practical recommendations for diagnostic accuracy studies in low-prevalence situations. <i>Journal of Clinical Epidemiology</i> , 2019 , 114, 38-48	5.7	7
297	Economic evaluation of a childhood obesity prevention programme for children: Results from the WAVES cluster randomised controlled trial conducted in schools. <i>PLoS ONE</i> , 2019 , 14, e0219500	3.7	10
296	Including non-randomized studies on intervention effects 2019 , 595-620		44
295	Analysing data and undertaking meta-analyses 2019 , 241-284		428
294	Choosing effect measures and computing estimates of effect 2019 , 143-176		130
293	Ultrasound, CT, MRI, or PET-CT for staging and re-staging of adults with cutaneous melanoma. <i>The Cochrane Library</i> , 2019 , 7, CD012806	5.2	8
292	Variation in the observed effect of Xpert MTB/RIF testing for tuberculosis on mortality: A systematic review and analysis of trial design considerations. <i>Wellcome Open Research</i> , 2019 , 4, 173	4.8	2
291	Uterotonic drugs to prevent postpartum haemorrhage: a network meta-analysis. <i>Health Technology Assessment</i> , 2019 , 23, 1-356	4.4	19
290	Interferon gamma release assays for Diagnostic Evaluation of Active tuberculosis (IDEA): test accuracy study and economic evaluation. <i>Health Technology Assessment</i> , 2019 , 23, 1-152	4.4	8
289	Improving the design of studies evaluating the impact of diagnostic tests for tuberculosis on health outcomes: a qualitative study of perspectives of diverse stakeholders. <i>Wellcome Open Research</i> , 2019 , 4, 183	4.8	2

288	Variation in the observed effect of Xpert MTB/RIF testing for tuberculosis on mortality: A systematic review and analysis of trial design considerations. <i>Wellcome Open Research</i> , 2019 , 4, 173	4.8	2
287	Long-term impact of giving antibiotics before skin incision versus after cord clamping on children born by caesarean section: protocol for a longitudinal study based on UK electronic health records. <i>BMJ Open</i> , 2019 , 9, e033013	3	2
286	PROBAST: A Tool to Assess the Risk of Bias and Applicability of Prediction Model Studies. <i>Annals of Internal Medicine</i> , 2019 , 170, 51-58	8	453
285	Clinical utility of existing and second-generation interferon-Irelease assays for diagnostic evaluation of tuberculosis: an observational cohort study. <i>Lancet Infectious Diseases, The</i> , 2019 , 19, 193-	·2025	28
284	Validation of epigenetic markers to identify colitis associated cancer: Results of module 1 of the ENDCAP-C study. <i>EBioMedicine</i> , 2019 , 39, 265-271	8.8	5
283	Preferred Reporting Items for a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies: The PRISMA-DTA Statement. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 388-396	27.4	1006
282	Effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6 and 7 year olds: cluster randomised controlled trial (WAVES study). <i>BMJ, The</i> , 2018 , 360, k211	5.9	71
281	Uterotonic agents for preventing postpartum haemorrhage: a network meta-analysis. <i>The Cochrane Library</i> , 2018 , 4, CD011689	5.2	29
280	Authors Oreply re: Ultrasound bladder wall thickness and detrusor overactivity: a multicentre test accuracy study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 395-396	3.7	1
279	MRI-Targeted or Standard Biopsy for Prostate-Cancer Diagnosis. <i>New England Journal of Medicine</i> , 2018 , 378, 1767-1777	59.2	1250
278	Meta-analysis of test accuracy studies using imputation for partial reporting of multiple thresholds. <i>Research Synthesis Methods</i> , 2018 , 9, 100-115	7.2	9
277	Below the surface: Parents Oviews on the factors that influence treatment adherence in paediatric burn scar management - A qualitative study. <i>Burns</i> , 2018 , 44, 626-635	2.3	4
276	The impact of urodynamics on treatment and outcomes in women with an overactive bladder: a longitudinal prospective follow-up study. <i>International Urogynecology Journal</i> , 2018 , 29, 513-519	2	6
275	Association between use of systematic reviews and national policy recommendations on screening newborn babies for rare diseases: systematic review and meta-analysis. <i>BMJ, The</i> , 2018 , 361, k1612	5.9	8
274	PET-PANC: multicentre prospective diagnostic accuracy and health economic analysis study of the impact of combined modality 18fluorine-2-fluoro-2-deoxy-d-glucose positron emission tomography with computed tomography scanning in the diagnosis and management of pancreatic cancer.	4.4	50
273	The West Midlands Active lifestyle and healthy Eating in School children (WAVES) study: a cluster randomised controlled trial testing the clinical effectiveness and cost-effectiveness of a multifaceted obesity prevention intervention programme targeted at children aged 6-7 years.	4.4	10
272	Pressure garment to prevent abnormal scarring after burn injury in adults and children: the PEGASUS feasibility RCT and mixed-methods study. <i>Health Technology Assessment</i> , 2018 , 22, 1-162	4.4	12
271	MRI versus laparoscopy to diagnose the main causes of chronic pelvic pain in women: a test-accuracy study and economic evaluation. <i>Health Technology Assessment</i> , 2018 , 22, 1-92	4.4	11

270	Two interferon gamma release assays for predicting active tuberculosis: the UK PREDICT TB prognostic test study. <i>Health Technology Assessment</i> , 2018 , 22, 1-96	4.4	12
269	Methods for the evaluation of biomarkers in patients with kidney and liver diseases: multicentre research programme including ELUCIDATE RCT. <i>Programme Grants for Applied Research</i> , 2018 , 6, 1-528	1.5	3
268	Doug Altman@legacy to Cochrane and evidence synthesis. <i>The Cochrane Library</i> , 2018 , 8, ED000127	5.2	2
267	Reproducibility of the transvaginal sonographic assessment of bladder wall thickness. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 220, 88-95	2.4	2
266	Exfoliative cytology for diagnosing basal cell carcinoma and other skin cancers in adults. <i>The Cochrane Library</i> , 2018 , 12, CD013187	5.2	7
265	Optical coherence tomography for diagnosing skin cancer in adults. <i>The Cochrane Library</i> , 2018 , 12, CD0	1532189	30
264	Smartphone applications for triaging adults with skin lesions that are suspicious for melanoma. <i>The Cochrane Library</i> , 2018 , 12, CD013192	5.2	45
263	Visual inspection for diagnosing cutaneous melanoma in adults. <i>The Cochrane Library</i> , 2018 , 12, CD0131	942	22
262	Point-of-care tests detecting HIV nucleic acids for diagnosis of HIV infection in infants and children aged 18 months or less. <i>The Cochrane Library</i> , 2018 ,	5.2	1
261	Point-of-care viral load tests to detect high HIV viral load levels in HIV-positive people on antiretroviral therapy. <i>The Cochrane Library</i> , 2018 ,	5.2	1
260	High-frequency ultrasound for diagnosing skin cancer in adults. <i>The Cochrane Library</i> , 2018 , 12, CD01318	3 8 .2	29
259	Reflectance confocal microscopy for diagnosing cutaneous melanoma in adults. <i>The Cochrane Library</i> , 2018 , 12, CD013190	5.2	24
258	Teledermatology for diagnosing skin cancer in adults. <i>The Cochrane Library</i> , 2018 , 12, CD013193	5.2	38
257	Eustachian tube dysfunction: A diagnostic accuracy study and proposed diagnostic pathway. <i>PLoS ONE</i> , 2018 , 13, e0206946	3.7	31
256	Visual inspection and dermoscopy, alone or in combination, for diagnosing keratinocyte skin cancers in adults. <i>The Cochrane Library</i> , 2018 , 12, CD011901	5.2	21
255	Dermoscopy, with and without visual inspection, for diagnosing melanoma in adults. <i>The Cochrane Library</i> , 2018 , 12, CD011902	5.2	45
254	An exploration of the longitudinal relation between parental feeding practices and child anthropometric adiposity measures from the West Midlands Active Lifestyle and Healthy Eating in Schoolchildren (WAVES) Study. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1316-1323	7	1
253	Prognostic value of interferon-Irelease assays and tuberculin skin test in predicting the development of active tuberculosis (UK PREDICT TB): a prospective cohort study. Lancet Infectious Diseases The 2018 18 1077-1087	25.5	88

252	Computer-assisted diagnosis techniques (dermoscopy and spectroscopy-based) for diagnosing skin cancer in adults. <i>The Cochrane Library</i> , 2018 , 12, CD013186	5.2	32
251	Reflectance confocal microscopy for diagnosing keratinocyte skin cancers in adults. <i>The Cochrane Library</i> , 2018 , 12, CD013191	5.2	20
250	Performance of methods for meta-analysis of diagnostic test accuracy with few studies or sparse data. <i>Statistical Methods in Medical Research</i> , 2017 , 26, 1896-1911	2.3	123
249	Ultrasound bladder wall thickness and detrusor overactivity: a multicentre test accuracy study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 1422-1429	3.7	14
248	A Comparison of Outcomes in Patients with Infrapopliteal Disease Randomised to Vein Bypass or Plain Balloon Angioplasty in the Bypass vs. Angioplasty in Severe Ischaemia of the Leg (BASIL) Trial. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017 , 54, 195-201	2.3	34
247	MICE or NICE? An economic evaluation of clinical decision rules in the diagnosis of heart failure in primary care. <i>International Journal of Cardiology</i> , 2017 , 241, 255-261	3.2	5
246	Controlled ovarian stimulation protocols for assisted reproduction: a network meta-analysis. <i>The Cochrane Library</i> , 2017 ,	5.2	4
245	First and second trimester serum tests with and without first trimester ultrasound tests for Down@syndrome screening. <i>The Cochrane Library</i> , 2017 , 3, CD012599	5.2	10
244	First trimester ultrasound tests alone or in combination with first trimester serum tests for Down@syndrome screening. <i>The Cochrane Library</i> , 2017 , 3, CD012600	5.2	19
243	Primary care REFerral for EchocaRdiogram (REFER) in heart failure: a diagnostic accuracy study. <i>British Journal of General Practice</i> , 2017 , 67, e94-e102	1.6	21
242	Tests to assist in the staging of cutaneous squamous cell carcinoma: a generic protocol. <i>The Cochrane Library</i> , 2017 ,	5.2	2
241	Tests to assist in the staging of cutaneous melanoma: a generic protocol. <i>The Cochrane Library</i> , 2017 ,	5.2	1
240	Outcomes important to burns patients during scar management and how they compare to the concepts captured in burn-specific patient reported outcome measures. <i>Burns</i> , 2017 , 43, 1682-1692	2.3	19
239	Process evaluation results of a cluster randomised controlled childhood obesity prevention trial: the WAVES study. <i>BMC Public Health</i> , 2017 , 17, 681	4.1	10
238	Core competencies for scientific editors of biomedical journals: consensus statement. <i>BMC Medicine</i> , 2017 , 15, 167	11.4	26
237	A review of rate control in atrial fibrillation, and the rationale and protocol for the RATE-AF trial. <i>BMJ Open</i> , 2017 , 7, e015099	3	29
236	Research waste in diagnostic trials: a methods review evaluating the reporting of test-treatment interventions. <i>BMC Medical Research Methodology</i> , 2017 , 17, 32	4.7	17
235	Test-treatment RCTs are susceptible to bias: a review of the methodological quality of randomized trials that evaluate diagnostic tests. <i>BMC Medical Research Methodology</i> , 2017 , 17, 35	4.7	18

234	BAlloon versus Stenting in severe Ischaemia of the Leg-3 (BASIL-3): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 224	2.8	45
233	Dexamethasone versus standard treatment for postoperative nausea and vomiting in gastrointestinal surgery: randomised controlled trial (DREAMS Trial). <i>BMJ, The</i> , 2017 , 357, j1455	5.9	49
232	STARD for Abstracts: essential items for reporting diagnostic accuracy studies in journal or conference abstracts. <i>BMJ, The</i> , 2017 , 358, j3751	5.9	29
231	Steroid metabolome analysis reveals prevalent glucocorticoid excess in primary aldosteronism. <i>JCI Insight</i> , 2017 , 2,	9.9	127
230	An international survey and modified Delphi process revealed editors perceptions, training needs, and ratings of competency-related statements for the development of core competencies for scientific editors of biomedical journals. <i>F1000Research</i> , 2017 , 6, 1634	3.6	16
229	Development and validation of Prediction models for Risks of complications in Early-onset Pre-eclampsia (PREP): a prospective cohort study. <i>Health Technology Assessment</i> , 2017 , 21, 1-100	4.4	18
228	ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions. <i>BMJ, The</i> , 2016 , 355, i4919	5.9	4396
227	A scoping review of competencies for scientific editors of biomedical journals. <i>BMC Medicine</i> , 2016 , 14, 16	11.4	20
226	Bypass versus angio plasty in severe ischaemia of the leg - 2 (BASIL-2) trial: study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 11	2.8	101
225	Problems of variable biomarker evaluation in stratified medicine researchA case study of ERCC1 in non-small-cell lung cancer. <i>Lung Cancer</i> , 2016 , 92, 1-7	5.9	10
224	Expert consensus document: Defining the major health modifiers causing atrial fibrillation: a roadmap to underpin personalized prevention and treatment. <i>Nature Reviews Cardiology</i> , 2016 , 13, 230	- 1 4.8	97
223	Test-treatment RCTs are sheep in wolves@lothing (Letter commenting on: J Clin Epidemiol. 2014;67:612-21). <i>Journal of Clinical Epidemiology</i> , 2016 , 69, 266-7	5.7	4
222	Predicting the chance of live birth for women undergoing IVF: a novel pretreatment counselling tool. <i>Human Reproduction</i> , 2016 , 31, 84-92	5.7	51
221	Monitoring ocular hypertension, how much and how often? A cost-effectiveness perspective. <i>British Journal of Ophthalmology</i> , 2016 , 100, 1263-8	5.5	12
220	Bladder ultrasonography for diagnosing detrusor overactivity: test accuracy study and economic evaluation. <i>Health Technology Assessment</i> , 2016 , 20, 1-150	4.4	23
219	Testing and Treating Women after Unsuccessful Conservative Treatments for Overactive Bladder or Mixed Urinary Incontinence: A Model-Based Economic Evaluation Based on the BUS Study. <i>PLoS ONE</i> , 2016 , 11, e0160351	3.7	5
218	Refining Ovarian Cancer Test accuracy Scores (ROCkeTS): protocol for a prospective longitudinal test accuracy study to validate new risk scores in women with symptoms of suspected ovarian cancer. <i>BMJ Open</i> , 2016 , 6, e010333	3	7
217	Reply: Models for predicting live birth before a first IVF cycle. Human Reproduction, 2016, 31, 1375-6	5.7	

(2015-2016)

216	MANAGEMENT OF ENDOCRINE DISEASE: Imaging for the diagnosis of malignancy in incidentally discovered adrenal masses: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2016 , 175, R51-64	6.5	106
215	The Moses-Littenberg meta-analytical method generates systematic differences in test accuracy compared to hierarchical meta-analytical models. <i>Journal of Clinical Epidemiology</i> , 2016 , 80, 77-87	5.7	15
214	Impact of analysing continuous outcomes using final values, change scores and analysis of covariance on the performance of meta-analytic methods: a simulation study. <i>Research Synthesis Methods</i> , 2016 , 7, 371-386	7.2	17
213	The science of clinical practice: disease diagnosis or patient prognosis? Evidence about "what is likely to happen" should shape clinical practice. <i>BMC Medicine</i> , 2015 , 13, 20	11.4	113
212	Investigating the effect of ethnicity on IVF outcome. <i>Reproductive BioMedicine Online</i> , 2015 , 31, 356-63	4	13
211	STARD 2015: An Updated List of Essential Items for Reporting Diagnostic Accuracy Studies. <i>Clinical Chemistry</i> , 2015 , 61, 1446-52	5.5	271
210	Meta-analysis of diagnostic accuracy studies in mental health. <i>Evidence-Based Mental Health</i> , 2015 , 18, 103-9	11.1	51
209	A cluster-randomised controlled trial to assess the effectiveness and cost-effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6-7 year old children: the WAVES study protocol. <i>BMC Public Health</i> , 2015 , 15, 488	4.1	26
208	Tests to assist in the diagnosis of cutaneous melanoma in adults: a generic protocol. <i>The Cochrane Library</i> , 2015 ,	5.2	17
207	Symptoms, ultrasound imaging and biochemical markers alone or in combination for the diagnosis of ovarian cancer in women with symptoms suspicious of ovarian cancer. <i>The Cochrane Library</i> , 2015 ,	5.2	2
206	Can we implement findings from RCTs of diagnostic tests? A review of reporting of test-treat interventions. <i>Trials</i> , 2015 , 16,	2.8	78
205	Urine tests for Down@syndrome screening. <i>The Cochrane Library</i> , 2015 , CD011984	5.2	5
204	Outcome in fetal lower urinary tract obstruction: a prospective registry study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 424-31	5.8	29
203	First trimester serum tests for Down@syndrome screening. <i>The Cochrane Library</i> , 2015 , CD011975	5.2	17
202	Uterotonic agents for preventing postpartum haemorrhage: a network meta-analysis. <i>The Cochrane Library</i> , 2015 ,	5.2	3
201	Methods Used in Economic Evaluations of Chronic Kidney Disease Testing - A Systematic Review. <i>PLoS ONE</i> , 2015 , 10, e0140063	3.7	11
200	Tests to assist in the diagnosis of keratinocyte skin cancers in adults: a generic protocol. <i>The Cochrane Library</i> , 2015 ,	5.2	13
199	Meta-analysis of test accuracy studies: an exploratory method for investigating the impact of missing thresholds. <i>Systematic Reviews</i> , 2015 , 4, 12	3	17

198	Summarising and validating test accuracy results across multiple studies for use in clinical practice. <i>Statistics in Medicine</i> , 2015 , 34, 2081-103	2.3	31
197	Applicability and feasibility of systematic review for performing evidence-based risk assessment in food and feed safety. <i>Critical Reviews in Food Science and Nutrition</i> , 2015 , 55, 1026-34	11.5	32
196	What is the best glomerular filtration marker to identify people with chronic kidney disease most likely to have poor outcomes?. <i>BMJ, The</i> , 2015 , 350, g7667	5.9	8
195	Principais itens para relatar Revisās sistemācas e Meta-anlīses: A recomendab PRISMA. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2015 , 24, 335-342	1.2	142
194	The eGFR-C study: accuracy of glomerular filtration rate (GFR) estimation using creatinine and cystatin C and albuminuria for monitoring disease progression in patients with stage 3 chronic kidney diseaseprospective longitudinal study in a multiethnic population. <i>BMC Nephrology</i> , 2014 ,	2.7	28
193	The challenges of interventional trials in fetal therapy. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2014 , 99, F448-50	4.7	3
192	External validation of the OHTS-EGPS model for predicting the 5-year risk of open-angle glaucoma in ocular hypertensives. <i>British Journal of Ophthalmology</i> , 2014 , 98, 309-14	5.5	8
191	Preventing childhood obesity, phase II feasibility study focusing on South Asians: BEACHeS. <i>BMJ Open</i> , 2014 , 4, e004579	3	21
190	Increased risk of Mycobacterium tuberculosis infection in household child contacts exposed to passive tobacco smoke. <i>Pediatric Infectious Disease Journal</i> , 2014 , 33, 1303-6	3.4	8
189	Rapid diagnostic tests for diagnosing uncomplicated non-falciparum or Plasmodium vivax malaria in endemic countries. <i>The Cochrane Library</i> , 2014 , CD011431	5.2	46
188	Stratified medicine in European Medicines Agency licensing: a systematic review of predictive biomarkers. <i>BMJ Open</i> , 2014 , 4, e004188	3	12
187	Process evaluation design in a cluster randomised controlled childhood obesity prevention trial: the WAVES study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 112	8.4	34
186	Elems de referencia para publicar Revisiones SistemElicas y MetaanIlsis: La DeclaraciEl PRISMA. <i>Revista Espanola De Nutricion Humana Y Dietetica</i> , 2014 , 18, 172	1.2	47
185	Empirical evidence of the importance of comparative studies of diagnostic test accuracy. <i>Annals of Internal Medicine</i> , 2013 , 158, 544-54	8	114
184	Individual participant data meta-analyses should not ignore clustering. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 865-873.e4	5.7	60
183	Percutaneous vesicoamniotic shunting versus conservative management for fetal lower urinary tract obstruction (PLUTO): a randomised trial. <i>Lancet, The,</i> 2013 , 382, 1496-506	40	226
182	Cochrane diagnostic test accuracy reviews. <i>Systematic Reviews</i> , 2013 , 2, 82	3	158
181	Cellular immune correlates of protection against symptomatic pandemic influenza. <i>Nature Medicine</i> , 2013 , 19, 1305-12	50.5	572

180	Issues relating to study design and risk of bias when including non-randomized studies in systematic reviews on the effects of interventions. <i>Research Synthesis Methods</i> , 2013 , 4, 12-25	7.2	114
179	S57 Diabetes and latent tuberculosis infection: nested case-control study within the PREDICT cohort. <i>Thorax</i> , 2013 , 68, A31.2-A32	7.3	2
178	Meta-analysis of randomised trials with a continuous outcome according to baseline imbalance and availability of individual participant data. <i>Statistics in Medicine</i> , 2013 , 32, 2747-66	2.3	65
177	The Percutaneous shunting in Lower Urinary Tract Obstruction (PLUTO) study and randomised controlled trial: evaluation of the effectiveness, cost-effectiveness and acceptability of percutaneous vesicoamniotic shunting for lower urinary tract obstruction. <i>Health Technology</i>	4.4	26
176	Screening for congenital heart disease with newborn pulse oximetry [AuthorsOeply. <i>Lancet, The</i> , 2012 , 379, 311	40	
175	Second trimester serum tests for Down@Syndrome screening. <i>The Cochrane Library</i> , 2012 , CD009925	5.2	27
174	Systematic review of peer support for breastfeeding continuation: metaregression analysis of the effect of setting, intensity, and timing. <i>BMJ, The</i> , 2012 , 344, d8287	5.9	107
173	A capture-recapture analysis demonstrated that randomized controlled trials evaluating the impact of diagnostic tests on patient outcomes are rare. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 282-7	5.7	41
172	The REFER (REFer for EchocaRdiogram) protocol: a prospective validation of a clinical decision rule, NT-proBNP, or their combination, in the diagnosis of heart failure in primary care. Rationale and design. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 97	2.3	13
171	Bivariate meta-analysis of predictive values of diagnostic tests can be an alternative to bivariate meta-analysis of sensitivity and specificity. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 1088-97	5.7	60
170	Hypoglycemia in non-diabetic in-patients: clinical or criminal?. PLoS ONE, 2012, 7, e40384	3.7	36
169	Heritability of body mass index in pre-adolescence, young adulthood and late adulthood. <i>European Journal of Epidemiology</i> , 2012 , 27, 247-53	12.1	58
168	Accuracy of single progesterone test to predict early pregnancy outcome in women with pain or bleeding: meta-analysis of cohort studies. <i>BMJ, The</i> , 2012 , 345, e6077	5.9	82
167	Health promotion in older Chinese: a 12-month cluster randomized controlled trial of pedometry and "peer support". <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 1157-66	1.2	31
166	Cochrane Column * Rapid diagnostic tests can extend access of diagnostic services for uncomplicated Plasmodium falciparum malaria * Commentary: Rapid diagnostic tests for diagnosing uncomplicated Plasmodium falciparum malaria in endemic countries (Review) *	7.8	2
165	Approach to conducting Cochrane Diagnostic Test Accuracy Reviews. <i>International Journal of</i> Maternal exercise and growth in breastfed infants: a meta-analysis of randomized controlled trials. Pediatrics, 2012, 130, 108-14	7.4	16
164	Assessing the value of diagnostic tests: a framework for designing and evaluating trials. <i>BMJ, The</i> , 2012 , 344, e686	5.9	204
163	Diagnostic accuracy of spot urinary protein and albumin to creatinine ratios for detection of significant proteinuria or adverse pregnancy outcome in patients with suspected pre-eclampsia:	5.9	97

162	Development and initial validation of a simple clinical decision tool to predict the presence of heart failure in primary care: the MICE (Male, Infarction, Crepitations, Edema) rule. <i>European Journal of Heart Failure</i> , 2012 , 14, 1000-8	12.3	23
161	The basis for monitoring strategies in clinical guidelines: a case study of prostate-specific antigen for monitoring in prostate cancer. <i>Cmaj</i> , 2012 , 184, 169-77	3.5	11
160	Influence of reported study design characteristics on intervention effect estimates from randomized, controlled trials. <i>Annals of Internal Medicine</i> , 2012 , 157, 429-38	8	708
159	Pulse oximetry as a screening test for congenital heart defects in newborn infants: a test accuracy study with evaluation of acceptability and cost-effectiveness. <i>Health Technology Assessment</i> , 2012 , 16, v-xiii, 1-184	4.4	89
158	Surveillance for ocular hypertension: an evidence synthesis and economic evaluation. <i>Health Technology Assessment</i> , 2012 , 16, 1-271, iii-iv	4.4	32
157	Influence of reported study design characteristics on intervention effect estimates from randomised controlled trials: combined analysis of meta-epidemiological studies. <i>Health Technology Assessment</i> , 2012 , 16, 1-82	4.4	448
156	Rapid diagnostic tests for diagnosing uncomplicated P. falciparum malaria in endemic countries. <i>The Cochrane Library</i> , 2011 , CD008122	5.2	142
155	Recommendations for examining and interpreting funnel plot asymmetry in meta-analyses of randomised controlled trials. <i>BMJ, The</i> , 2011 , 343, d4002	5.9	3206
154	Pulse oximetry screening for congenital heart defects in newborn infants (PulseOx): a test accuracy study. <i>Lancet, The</i> , 2011 , 378, 785-94	40	209
153	Novel M tuberculosis antigen-specific T-cells are early markers of infection and disease progression. <i>PLoS ONE</i> , 2011 , 6, e28754	3.7	20
152	QUADAS-2: a revised tool for the quality assessment of diagnostic accuracy studies. <i>Annals of Internal Medicine</i> , 2011 , 155, 529-36	8	6288
151	Relative effectiveness of clinic and home blood pressure monitoring compared with ambulatory blood pressure monitoring in diagnosis of hypertension: systematic review. <i>BMJ, The</i> , 2011 , 342, d3621	5.9	237
150	Interpretation of random effects meta-analyses. <i>BMJ, The</i> , 2011 , 342, d549	5.9	1353
149	Comparison of range of commercial or primary care led weight reduction programmes with minimal intervention control for weight loss in obesity: lighten Up randomised controlled trial. <i>BMJ, The</i> , 2011 , 343, d6500	5.9	261
148	Inconsistency between direct and indirect comparisons of competing interventions: meta-epidemiological study. <i>BMJ, The</i> , 2011 , 343, d4909	5.9	126
147	Effect of antenatal peer support on breastfeeding initiation: a systematic review. <i>Cmaj</i> , 2010 , 182, 1739)- <u>4</u> 6	23
146	Commentary: male circumcision for prevention of heterosexual acquisition of HIV in men: perspective from a trial team. <i>International Journal of Epidemiology</i> , 2010 , 39, 970-1	7.8	4
145	Vaccines for preventing cholera: killed whole cell or other subunit vaccines (injected). <i>The Cochrane Library</i> , 2010 , CD000974	5.2	17

(2008-2010)

144	MRI Versus CT for Detection of Acute Vascular Lesions in Patients Presenting With Stroke Symptoms. <i>Stroke</i> , 2010 , 41,	6.7	8
143	Antenatal screening for Down@syndrome: generic protocol. <i>The Cochrane Library</i> , 2010 ,	5.2	7
142	Band slippage and erosion after laparoscopic gastric banding: a meta-analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 2980-6	5.2	75
141	Development of a combined database for meta-epidemiological research. <i>Research Synthesis Methods</i> , 2010 , 1, 212-25	7.2	10
140	Reporting on covariate adjustment in randomised controlled trials before and after revision of the 2001 CONSORT statement: a literature review. <i>Trials</i> , 2010 , 11, 59	2.8	39
139	A systematic review of positron emission tomography (PET) and positron emission tomography/computed tomography (PET/CT) for the diagnosis of breast cancer recurrence. <i>Health Technology Assessment</i> , 2010 , 14, 1-103	4.4	75
138	Magnetic resonance imaging versus computed tomography for detection of acute vascular lesions in patients presenting with stroke symptoms. <i>The Cochrane Library</i> , 2009 , CD007424	5.2	62
137	Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. <i>PLoS Medicine</i> , 2009 , 6, e1000097	11.6	37941
136	Use of T cell-based diagnosis of tuberculosis infection to optimize interpretation of tuberculin skin testing for child tuberculosis contacts. <i>Clinical Infectious Diseases</i> , 2009 , 48, 302-12	11.6	20
135	Systematic review of effect of community-level interventions to reduce maternal mortality. <i>BMC Pregnancy and Childbirth</i> , 2009 , 9, 2	3.2	59
134	No evidence of bias in the process of publication of diagnostic accuracy studies in stroke submitted as abstracts. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 425-30	5.7	27
133	Evidence of methodological bias in hospital standardised mortality ratios: retrospective database study of English hospitals. <i>BMJ, The</i> , 2009 , 338, b780	5.9	117
132	Evaluation and stages of surgical innovations. <i>Lancet, The</i> , 2009 , 374, 1089-96	40	374
131	No surgical innovation without evaluation: the IDEAL recommendations. <i>Lancet, The</i> , 2009 , 374, 1105-1	2 40	1053
130	Male circumcision for prevention of heterosexual acquisition of HIV in men. <i>The Cochrane Library</i> , 2009 , CD003362	5.2	188
129	Systematic review and individual patient data meta-analysis of diagnosis of heart failure, with modelling of implications of different diagnostic strategies in primary care. <i>Health Technology Assessment</i> , 2009 , 13, 1-207, iii	4.4	207
128	Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement (Chinese edition). <i>Zhong Xi Yi Jie He Xue Bao</i> , 2009 , 7, 889-896		262
127	Graphical presentation of diagnostic information. <i>BMC Medical Research Methodology</i> , 2008 , 8, 20	4.7	29

126	Three methods to construct predictive models using logistic regression and likelihood ratios to facilitate adjustment for pretest probability give similar results. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 52-63	5.7	18
125	An empirical comparison of methods for meta-analysis of diagnostic accuracy showed hierarchical models are necessary. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 1095-103	5.7	148
124	Response to commentary: dealing with heterogeneity in meta-analyses of diagnostic test accuracy. Journal of Clinical Epidemiology, 2008 , 61, 1083-1084	5.7	
123	In the context of performance monitoring, the caterpillar plot should be mothballed in favor of the funnel plot. <i>Annals of Thoracic Surgery</i> , 2008 , 86, 348; author reply 349	2.7	8
122	Magnetic resonance imaging versus computed tomography for detection of acute vascular lesions in patients presenting with stroke symptoms 2008 ,		8
121	Improved diagnostic evaluation of suspected tuberculosis. <i>Annals of Internal Medicine</i> , 2008 , 148, 325-3	368	105
120	Prognostic value of a T-cell-based, interferon-gamma biomarker in children with tuberculosis contact. <i>Annals of Internal Medicine</i> , 2008 , 149, 777-87	8	103
119	Systematic reviews of diagnostic test accuracy. <i>Annals of Internal Medicine</i> , 2008 , 149, 889-97	8	771
118	When should a new test become the current reference standard?. <i>Annals of Internal Medicine</i> , 2008 , 149, 816-22	8	63
117	Metan: Fixed- and Random-Effects Meta-Analysis. <i>The Stata Journal</i> , 2008 , 8, 3-28	3.5	682
117	Metan: Fixed- and Random-Effects Meta-Analysis. <i>The Stata Journal</i> , 2008 , 8, 3-28 Screening tests for detecting open-angle glaucoma: systematic review and meta-analysis 2008 , 49, 537		682 72
116	Screening tests for detecting open-angle glaucoma: systematic review and meta-analysis 2008 , 49, 537		72
116	Screening tests for detecting open-angle glaucoma: systematic review and meta-analysis 2008, 49, 537 Antenatal screening for Down@syndrome 2008, A simplified 4-site economical intradermal post-exposure rabies vaccine regimen: a randomised	'3-85	72
116 115 114	Screening tests for detecting open-angle glaucoma: systematic review and meta-analysis 2008, 49, 537 Antenatal screening for Down@syndrome 2008, A simplified 4-site economical intradermal post-exposure rabies vaccine regimen: a randomised controlled comparison with standard methods. PLoS Neglected Tropical Diseases, 2008, 2, e224 Heavier molecular weight ocular viscoelastic devices and timing of post-operative review following	4.8	7 ² 2 5 ²
116 115 114	Screening tests for detecting open-angle glaucoma: systematic review and meta-analysis 2008, 49, 537 Antenatal screening for Down@syndrome 2008, A simplified 4-site economical intradermal post-exposure rabies vaccine regimen: a randomised controlled comparison with standard methods. <i>PLoS Neglected Tropical Diseases</i> , 2008, 2, e224 Heavier molecular weight ocular viscoelastic devices and timing of post-operative review following cataract surgery. <i>BMC Ophthalmology</i> , 2007, 7, 2 Re sodium cromoglicate: an ineffective drug or meta-analysis misused?. <i>Pharmaceutical Statistics</i> ,	4.8	7 ² 2 5 ²
116 115 114 113	Screening tests for detecting open-angle glaucoma: systematic review and meta-analysis 2008, 49, 537 Antenatal screening for Down® syndrome 2008, A simplified 4-site economical intradermal post-exposure rabies vaccine regimen: a randomised controlled comparison with standard methods. <i>PLoS Neglected Tropical Diseases</i> , 2008, 2, e224 Heavier molecular weight ocular viscoelastic devices and timing of post-operative review following cataract surgery. <i>BMC Ophthalmology</i> , 2007, 7, 2 Re sodium cromoglicate: an ineffective drug or meta-analysis misused?. <i>Pharmaceutical Statistics</i> , 2007, 6, 139-40 Much ado about nothing: a comparison of the performance of meta-analytical methods with rare	4.8 2.3	72 2 52 12

(2005-2007)

108	Impact of adjustment for quality on results of metaanalyses of diagnostic accuracy. <i>Clinical Chemistry</i> , 2007 , 53, 164-72	5.5	29
107	Adjusted indirect comparison for estimating relative effects of competing healthcare interventions 2007 ,		2
106	A one-item question with a Likert or Visual Analog Scale adequately measured current anxiety. Journal of Clinical Epidemiology, 2007 , 60, 356-60	5.7	215
105	A systematic review of rapid diagnostic tests for the detection of tuberculosis infection. <i>Health Technology Assessment</i> , 2007 , 11, 1-196	4.4	359
104	The clinical effectiveness and cost-effectiveness of screening for open angle glaucoma: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2007 , 11, iii-iv, ix-x, 1-190	4.4	193
103	Word limits best explain failings of industry supported meta-analyses. <i>BMJ, The</i> , 2006 , 333, 1021	5.9	7
102	Dynamic antigen-specific T-cell responses after point-source exposure to Mycobacterium tuberculosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 174, 831-9	10.2	175
101	Effect of needle size on immunogenicity and reactogenicity of vaccines in infants: randomised controlled trial. <i>BMJ, The</i> , 2006 , 333, 571	5.9	54
100	Accuracy of magnetic resonance imaging for the diagnosis of multiple sclerosis: systematic review. <i>BMJ, The</i> , 2006 , 332, 875-84	5.9	43
99	Eradication of Helicobacter pylori for non-ulcer dyspepsia. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD002096		91
98	Systematic reviews of diagnostic tests in cancer: review of methods and reporting. <i>BMJ, The</i> , 2006 , 333, 413	5.9	56
97	Pharmacological interventions for non-ulcer dyspepsia. <i>Cochrane Database of Systematic Reviews</i> , 2006 , CD001960		104
96	An assessment of the publicly disseminated evidence of safety used in decisions to withdraw medicinal products from the UK and US markets. <i>Drug Safety</i> , 2006 , 29, 175-81	5.1	45
95	A critical appraisal of the Australian comparative trial of methadone and buprenorphine maintenance. <i>Drug and Alcohol Review</i> , 2006 , 25, 157-60	3.2	5
94	Effect of BCG vaccination on risk of Mycobacterium tuberculosis infection in children with household tuberculosis contact: a prospective community-based study. <i>Lancet, The</i> , 2005 , 366, 1443-51	40	205
93	Schizophrenia and suicide: systematic review of risk factors. <i>British Journal of Psychiatry</i> , 2005 , 187, 9-20	05.4	558
92	The performance of tests of publication bias and other sample size effects in systematic reviews of diagnostic test accuracy was assessed. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 882-93	5.7	1797
91	The prevalence of suicidal phenomena in adolescents: a systematic review of population-based studies. <i>Suicide and Life-Threatening Behavior</i> , 2005 , 35, 239-50	3.9	351

90	Acquisition of Streptococcus pneumoniae and nonspecific morbidity in infants and their families: a cohort study. <i>Pediatric Infectious Disease Journal</i> , 2005 , 24, 121-7	3.4	47
89	Psychological interventions for non-ulcer dyspepsia. <i>Cochrane Database of Systematic Reviews</i> , 2005 , CD002301		34
88	Schizophrenia and deliberate self-harm: a systematic review of risk factors. <i>Suicide and Life-Threatening Behavior</i> , 2005 , 35, 50-62	3.9	77
87	Systematic review and modeling of the investigation of acute and chronic chest pain presenting in primary care. <i>International Journal of Technology Assessment in Health Care</i> , 2005 , 21, 148-149	1.8	
86	CT colonography in the detection of colorectal polyps and cancer: systematic review, meta-analysis, and proposed minimum data set for study level reporting. <i>Radiology</i> , 2005 , 237, 893-904	20.5	305
85	A methodological review of how heterogeneity has been examined in systematic reviews of diagnostic test accuracy. <i>Health Technology Assessment</i> , 2005 , 9, 1-113, iii	4.4	240
84	HIV and male circumcisiona systematic review with assessment of the quality of studies. <i>Lancet Infectious Diseases, The</i> , 2005 , 5, 165-73	25.5	74
83	HIV and male circumcision?a systematic review with assessment of the quality of studies. <i>Lancet Infectious Diseases, The</i> , 2005 , 5, 165-173	25.5	102
82	T cell-based tracking of multidrug resistant tuberculosis infection after brief exposure. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004 , 170, 288-95	10.2	104
81	Diagnostic tests 4: likelihood ratios. <i>BMJ, The</i> , 2004 , 329, 168-9	5.9	964
80	Effects of angiotensin converting enzyme inhibitors and angiotensin II receptor antagonists on mortality and renal outcomes in diabetic nephropathy: systematic review. <i>BMJ, The</i> , 2004 , 329, 828	5.9	243
79	Gamma-aminobutyric acid agonists for neuroleptic-induced tardive dyskinesia. <i>Cochrane Database of Systematic Reviews</i> , 2004 , CD000203		9
78	UK legislation on analgesic packs: before and after study of long term effect on poisonings. <i>BMJ, The,</i> 2004 , 329, 1076	5.9	166
77	Diagnosis of tuberculosis in South African children with a T-cell-based assay: a prospective cohort study. <i>Lancet, The</i> , 2004 , 364, 2196-203	40	308
76	Systematic review and modelling of the investigation of acute and chronic chest pain presenting in primary care. <i>Health Technology Assessment</i> , 2004 , 8, iii, 1-158	4.4	41
75	Co-proxamol and suicide: a study of national mortality statistics and local non-fatal self poisonings. <i>BMJ, The</i> , 2003 , 326, 1006-8	5.9	56
74	Systematic review of celecoxib for osteoarthritis and rheumatoid arthritis 2003, 326, 334-334		18
73	Systematic review: Antacids, H2-receptor antagonists, prokinetics, bismuth and sucralfate therapy for non-ulcer dyspepsia. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 17, 1215-27	6.1	50

(2001-2003)

72	Measuring inconsistency in meta-analyses. <i>BMJ, The</i> , 2003 , 327, 557-60	5.9	35876
71	Comparison of T-cell-based assay with tuberculin skin test for diagnosis of Mycobacterium tuberculosis infection in a school tuberculosis outbreak. <i>Lancet, The</i> , 2003 , 361, 1168-73	40	481
70	Validity of indirect comparison for estimating efficacy of competing interventions: empirical evidence from published meta-analyses. <i>BMJ, The</i> , 2003 , 326, 472	5.9	680
69	An update of the Cochrane systematic review of Helicobacter pylori eradication therapy in nonulcer dyspepsia: resolving the discrepancy between systematic reviews. <i>American Journal of Gastroenterology</i> , 2003 , 98, 2621-6	0.7	122
68	Simpson@paradox and calculation of number needed to treat from meta-analysis. <i>BMC Medical Research Methodology</i> , 2002 , 2, 1	4.7	130
67	Meta-analysis, Simpson@paradox, and the number needed to treat. <i>BMC Medical Research Methodology</i> , 2002 , 2, 3	4.7	111
66	Accuracy of history, wheezing, and forced expiratory time in the diagnosis of chronic obstructive pulmonary disease. <i>Journal of General Internal Medicine</i> , 2002 , 17, 684-8	4	58
65	Issues in the selection of a summary statistic for meta-analysis of clinical trials with binary outcomes. <i>Statistics in Medicine</i> , 2002 , 21, 1575-600	2.3	467
64	Efficacy, tolerability, and upper gastrointestinal safety of celecoxib for treatment of osteoarthritis and rheumatoid arthritis: systematic review of randomised controlled trials. <i>BMJ, The</i> , 2002 , 325, 619	5.9	232
63	The position statement on injection technique. Archives of Disease in Childhood, 2002, 87, 452-3	2.2	
62	Suicide in female nurses in England and Wales. <i>Psychological Medicine</i> , 2002 , 32, 239-50	6.9	76
61	Statistical heterogeneity in systematic reviews of clinical trials: a critical appraisal of guidelines and practice. <i>Journal of Health Services Research and Policy</i> , 2002 , 7, 51-61	2.4	435
60	Helicobacter pylori eradication therapy for nonulcer dyspepsia. <i>Annals of Internal Medicine</i> , 2002 , 136, 555-6; author reply 555-6	8	4
59	Teaching critical appraisal skills in health care settings. <i>Cochrane Database of Systematic Reviews</i> , 2001 , CD001270		86
58	Systematic reviews in health care: Systematic reviews of evaluations of diagnostic and screening tests. <i>BMJ: British Medical Journal</i> , 2001 , 323, 157-62		816
57	Effects of legislation restricting pack sizes of paracetamol and salicylate on self poisoning in the United Kingdom: before and after study. <i>BMJ: British Medical Journal</i> , 2001 , 322, 1203-7		242
56	Suicide in doctors: a study of risk according to gender, seniority and specialty in medical practitioners in England and Wales, 1979-1995. <i>Journal of Epidemiology and Community Health</i> , 2001 , 55, 296-300	5.1	179
55	Second-trimester ultrasound to detect fetuses with Down syndrome: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 285, 1044-55	27.4	229

54	Immunologic memory 5 years after meningococcal A/C conjugate vaccination in infancy. <i>Journal of Infectious Diseases</i> , 2001 , 183, 97-104	7	86
53	Enhanced contact tracing and spatial tracking of Mycobacterium tuberculosis infection by enumeration of antigen-specific T cells. <i>Lancet, The</i> , 2001 , 357, 2017-21	40	313
52	Amantadine and rimantadine for preventing and treating influenza A in adults. <i>The Cochrane Library</i> , 2000 , CD001169	5.2	15
51	The quality of systematic reviews 2000 , 321, 297-297		5
50	Suicide in psychiatric hospital in-patients. Risk factors and their predictive power. <i>British Journal of Psychiatry</i> , 2000 , 176, 266-72	5.4	226
49	Safety, immunogenicity, and induction of immunologic memory by a serogroup C meningococcal conjugate vaccine in infants: A randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 283, 2795-801	27.4	144
48	Effect of needle length on incidence of local reactions to routine immunisation in infants aged 4 months: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2000 , 321, 931-3		44
47	The accuracy of patient history, wheezing, and laryngeal measurements in diagnosing obstructive airway disease. CARE-COAD1 Group. Clinical Assessment of the Reliability of the Examination-Chronic Obstructive Airways Disease. JAMA - Journal of the American Medical	27.4	65
46	Systematic review and economic evaluation of Helicobacter pylori eradication treatment for non-ulcer dyspepsia. Dyspepsia Review Group. <i>BMJ: British Medical Journal</i> , 2000 , 321, 659-64		228
45	Antibody concentration and clinical protection after Hib conjugate vaccination in the United Kingdom. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 284, 2334-40	27.4	92
44	A randomised, double-blind, controlled trial of the immunogenicity and tolerability of a meningococcal group C conjugate vaccine in young British infants. <i>Vaccine</i> , 2000 , 19, 1232-8	4.1	41
43	Prevention and early treatment of influenza in healthy adults. <i>Vaccine</i> , 2000 , 18, 957-1030	4.1	147
42	A systematic review of pharmacological therapies in non-ulcer dyspepsia. <i>Gastroenterology</i> , 2000 , 118, A440	13.3	2
41	Vaccines for preventing cholera. Cochrane Database of Systematic Reviews, 2000, CD000974		11
40	Effects of a drug overdose in a television drama on presentations to hospital for self poisoning: time series and questionnaire study. <i>BMJ: British Medical Journal</i> , 1999 , 318, 972-7		110
39	Beds, mattresses and cushions for pressure sore prevention and treatment. <i>Journal of Tissue Viability</i> , 1999 , 9, 138	3.2	3
38	Immune response to revaccination with meningococcal A and C polysaccharides in Gambian children following repeated immunisation during early childhood. <i>Vaccine</i> , 1999 , 17, 3086-93	4.1	90
37	Effects of a drug overdose in a television drama on knowledge of specific dangers of self poisoning: population based surveys. <i>BMJ: British Medical Journal</i> , 1999 , 318, 978-9		9

36	Using evaluations of diagnostic tests: understanding their limitations and making the most of available evidence. <i>Annals of Oncology</i> , 1999 , 10, 761-8	10.3	27
35	Sensitivity and specificity and their confidence intervals cannot exceed 100%. <i>BMJ: British Medical Journal</i> , 1999 , 318, 193-4		26
34	Numbers needed to treat derived from meta-analysis 1999 , 319, 1199-1199		2
33	Inadequate reporting of controlled trials as short reports. <i>Lancet, The</i> , 1998 , 352, 1908	40	15
32	The effectiveness and safety of vaccines against human anthrax: a systematic review. <i>Vaccine</i> , 1998 , 16, 880-4	4.1	30
31	Systematic reviews of published evidence: miracles or minefields?. <i>Annals of Oncology</i> , 1998 , 9, 703-9	10.3	25
30	Prospective evaluation of criteria for microbiological diagnosis of prosthetic-joint infection at revision arthroplasty. The OSIRIS Collaborative Study Group. <i>Journal of Clinical Microbiology</i> , 1998 , 36, 2932-9	9.7	560
29	When can odds ratios mislead? Odds ratios should be used only in case-control studies and logistic regression analyses. <i>BMJ: British Medical Journal</i> , 1998 , 317, 1155-6; author reply 1156-7		94
28	Odds ratios should be avoided when events are common. <i>BMJ: British Medical Journal</i> , 1998 , 317, 1318		115
27	Vaccines for preventing hepatitis B in health-care workers 1997,		2
27 26	Vaccines for preventing hepatitis B in health-care workers 1997 , Immunosuppression and risk of non-melanoma skin cancer in renal transplant recipients. <i>Lancet, The</i> , 1997 , 349, 398	40	114
	Immunosuppression and risk of non-melanoma skin cancer in renal transplant recipients. <i>Lancet</i> ,	40	
26	Immunosuppression and risk of non-melanoma skin cancer in renal transplant recipients. <i>Lancet, The,</i> 1997 , 349, 398 Pressure sore prevention: using and evaluating risk assessment tools. <i>British Journal of Nursing</i> ,		114
26 25	Immunosuppression and risk of non-melanoma skin cancer in renal transplant recipients. <i>Lancet, The,</i> 1997 , 349, 398 Pressure sore prevention: using and evaluating risk assessment tools. <i>British Journal of Nursing,</i> 1996 , 5, 313-4, 316-20		114
26 25 24	Immunosuppression and risk of non-melanoma skin cancer in renal transplant recipients. <i>Lancet, The</i> , 1997 , 349, 398 Pressure sore prevention: using and evaluating risk assessment tools. <i>British Journal of Nursing</i> , 1996 , 5, 313-4, 316-20 6 Evaluating diagnostic tests. <i>Baillierefs Clinical Obstetrics and Gynaecology</i> , 1996 , 10, 613-630 Multi-laboratory comparison of eight commercially available Helicobacter pylori serology kits. Helicobacter pylori Serology Study Group. <i>European Journal of Clinical Microbiology and Infectious</i>	0.7	114 29 24
26 25 24 23	Immunosuppression and risk of non-melanoma skin cancer in renal transplant recipients. <i>Lancet, The,</i> 1997, 349, 398 Pressure sore prevention: using and evaluating risk assessment tools. <i>British Journal of Nursing,</i> 1996, 5, 313-4, 316-20 6 Evaluating diagnostic tests. <i>Baillierefs Clinical Obstetrics and Gynaecology,</i> 1996, 10, 613-630 Multi-laboratory comparison of eight commercially available Helicobacter pylori serology kits. Helicobacter pylori Serology Study Group. <i>European Journal of Clinical Microbiology and Infectious Diseases,</i> 1995, 14, 428-33 Effect of cisapride on distal colonic motility in the early postoperative period following left colonic	o.7 5·3	114 29 24 100
26 25 24 23 22	Immunosuppression and risk of non-melanoma skin cancer in renal transplant recipients. <i>Lancet, The,</i> 1997 , 349, 398 Pressure sore prevention: using and evaluating risk assessment tools. <i>British Journal of Nursing,</i> 1996 , 5, 313-4, 316-20 6 Evaluating diagnostic tests. <i>Baillierefs Clinical Obstetrics and Gynaecology,</i> 1996 , 10, 613-630 Multi-laboratory comparison of eight commercially available Helicobacter pylori serology kits. Helicobacter pylori Serology Study Group. <i>European Journal of Clinical Microbiology and Infectious Diseases,</i> 1995 , 14, 428-33 Effect of cisapride on distal colonic motility in the early postoperative period following left colonic anastomosis. <i>Diseases of the Colon and Rectum,</i> 1995 , 38, 139-45 Volume and outcome in coronary artery bypass graft surgery: true association or artefact?. <i>BMJ:</i>	o.7 5·3	114 29 24 100

18	Does research make better doctors?. Lancet, The, 1994, 343, 58-59	40	11
17	Small bowel motility following major intra-abdominal surgery: the effects of opiates and rectal cisapride. <i>Gastroenterology</i> , 1994 , 106, 924-36	13.3	59
16	The cohort effect and Helicobacter pylori. <i>Journal of Infectious Diseases</i> , 1993 , 168, 219-21	7	414
15	In-vitro synthesis of total protein and placental protein PP14 by the fallopian tube mucosa: variation in relation to anatomical site, the ovarian cycle and the menopause. <i>Human Reproduction</i> , 1993 , 8, 678-83	5.7	7
14	Oral [111In]DTPA scintigraphic assessment of colonic transit in constipated subjects. <i>Digestive Diseases and Sciences</i> , 1993 , 38, 1032-9	4	45
13	Studies on the immediate and delayed leucocytosis elicited by brief (30-min) strenuous exercise. European Journal of Applied Physiology and Occupational Physiology, 1992 , 64, 513-7		40
12	Changes in the leucocyte count during and after brief intense exercise. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1992 , 64, 518-22		3
11	Assessment by prolonged ambulatory manometry of the effect of oral cisapride on proximal small bowel inter-digestive motility. <i>Digestive Diseases and Sciences</i> , 1992 , 37, 1569-75	4	24
10	Risks of delivery during the 20th to the 36th week of gestation. <i>International Journal of Epidemiology</i> , 1991 , 20, 456-66	7.8	33
9	Analysing Data and Undertaking Meta-Analyses243-296		526
8	Including Non-Randomized Studies389-432		66
7	Interpreting Results and Drawing Conclusions359-387		232
6	Selecting Studies and Collecting Data151-185		114
5	Statistical Methods for Examining Heterogeneity and Combining Results from Several Studies in Meta-	-Analys	is 285 ❸12
4	Effect Measures for Meta-Analysis of Trials with Binary Outcomes313-335		77
3	Methods for managing miscarriage: a network meta-analysis. The Cochrane Library,	5.2	3
2	Systematic Reviews of Evaluations of Diagnostic and Screening Tests248-282		84
1	Special Topics in Statistics481-529		166