Bronislaw Xl;law Janczuk

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6631583/bronislaw-xllaw-janczuk-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 144
 2,701
 29
 44

 papers
 h-index
 g-index

 146
 2,995
 5.1
 5.48

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
144	Adsorption Properties and Composition of Binary Kolliphor Mixtures at the Water-Air Interface at Different Temperatures <i>Molecules</i> , 2022 , 27,	4.8	4
143	Effect of fluorocarbon surfactants on the adsorption of hydrocarbon surfactants mixture at the water-air interface. <i>Journal of Molecular Liquids</i> , 2022 , 345, 117832	6	1
142	Mutual Influence of Some Flavonoids and Classical Nonionic Surfactants on Their Adsorption and Volumetric Properties at Different Temperatures <i>Molecules</i> , 2022 , 27,	4.8	1
141	Thermodynamic Analysis of the Adsorption and Micellization Activity of the Mixtures of Rhamnolipid and Surfactin with Triton X-165. <i>Molecules</i> , 2022 , 27, 3600	4.8	1
140	Prediction of Aqueous Solution Surface Tension of Some Surfactant Mixtures and Composition of Their Monolayers at the SolutionAir Interface. <i>Colloids and Interfaces</i> , 2021 , 5, 53	3	2
139	Properties of some nonionic fluorocarbon surfactants and their mixtures with hydrocarbon ones. <i>Advances in Colloid and Interface Science</i> , 2021 , 292, 102421	14.3	10
138	Modification of Canola Oil Physicochemical Properties by Hexane and Ethanol with Regards of Its Application in Diesel Engine. <i>Energies</i> , 2021 , 14, 4469	3.1	1
137	Adsorption Properties of Hydrocarbon and Fluorocarbon Surfactants Ternary Mixture at the Water-Air Interface. <i>Molecules</i> , 2021 , 26,	4.8	3
136	Effect of ethanol on wetting and adhesion properties of rhamnolipid. <i>International Journal of Adhesion and Adhesives</i> , 2021 , 110, 102955	3.4	
135	Mutual influence of ethanol and surfactin on their wetting and adhesion properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 627, 127161	5.1	1
134	Combustion Process of Canola Oil and n-Hexane Mixtures in Dynamic Diesel Engine Operating Conditions. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 80	2.6	3
133	Adsorption of surfactin at water with ethanol mixture-air interface. <i>Journal of Molecular Liquids</i> , 2020 , 300, 112240	6	6
132	Modification of adsorption, aggregation and wetting properties of surfactants by short chain alcohols. <i>Advances in Colloid and Interface Science</i> , 2020 , 284, 102249	14.3	14
131	Wetting properties of Saponaria officinalis saponins. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 584, 123980	5.1	7
130	Adsorption properties of rhamnolipid and ethanol at water/ethanol solution-air interface. <i>Journal of Molecular Liquids</i> , 2020 , 308, 113080	6	9
129	Critical micelle concentration, composition and thermodynamic properties of n-octyl-Ed-glucopyranoside and sodium dodecylsulfate mixed micelles. <i>Journal of Molecular Liquids</i> , 2019, 286, 110748	6	6
128	Surface, Volumetric, and Wetting Properties of Oleic, Linoleic, and Linolenic Acids with Regards to Application of Canola Oil in Diesel Engines. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3445	2.6	11

127	Properties of n-octyl-Ed-glucopyranoside and sodium dodecylsulfate mixed monolayer at the water-air interface. <i>Journal of Molecular Liquids</i> , 2019 , 280, 259-267	6	5
126	Wetting and adhesion properties of rhamnolipid and surfactin. <i>International Journal of Adhesion and Adhesives</i> , 2018 , 84, 275-282	3.4	14
125	Volumetric properties of rhamnolipid and surfactin at different temperatures. <i>Journal of Molecular Liquids</i> , 2018 , 255, 562-571	6	18
124	Wettability and Adhesion Work Prediction in the Polymer Aqueous Solution of Surface Active Agent Systems. <i>Colloids and Interfaces</i> , 2018 , 2, 21	3	7
123	Macroscopic and Microscopic Properties of Some Surfactants and Biosurfactants. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	17
122	Adsorption and Aggregation Properties of Some Polysorbates at Different Temperatures. <i>Journal of Solution Chemistry</i> , 2018 , 47, 1824-1840	1.8	18
121	Effect of Polysorbates on Solids Wettability and Their Adsorption Properties. <i>Colloids and Interfaces</i> , 2018 , 2, 26	3	10
120	Some remarks on the solid surface tension determination from contact angle measurements. <i>Applied Surface Science</i> , 2017 , 405, 88-101	6.7	44
119	Composition of Surface Layer at the Water-Air Interface and Micelles of Triton X-100 Rhamnolipid Mixtures. <i>Journal of Solution Chemistry</i> , 2017 , 46, 1251-1271	1.8	2
118	Components and parameters of solid/surfactant layer surface tension. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017 , 522, 461-469	5.1	13
117	Adsorption and Aggregation Activity of Sodium Dodecyl Sulfate and Rhamnolipid Mixture. <i>Journal of Surfactants and Detergents</i> , 2017 , 20, 411-423	1.9	7
116	Components and parameters of liquids and some polymers surface tension at different temperature. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017 , 529, 864-875	5.1	25
115	Thermodynamic parameters of some biosurfactants and surfactants adsorption at water-air interface. <i>Journal of Molecular Liquids</i> , 2017 , 243, 236-244	6	29
114	Correlation between adhesion of aqueous solutions of nonionic and anionic surfactant mixture with short-chain alcohols to polymer surface and their adsorption at interfaces. I. Adhesion tension and adsorption. <i>International Journal of Adhesion and Adhesives</i> , 2017 , 74, 200-206	3.4	2
113	Correlation between adhesion of aqueous solutions of nonionic and anionic surfactant mixture with short-chain alcohols to polymer surface and their adsorption at interfaces. II. Critical surface tension of polymer wetting and work of adhesion. <i>International Journal of Adhesion and Adhesives</i> ,	3.4	6
112	2017 , 74, 194-199 Surface tension of polytetrafluoroethylene and its wetting by aqueous solution of some surfactants and their mixtures. <i>Applied Surface Science</i> , 2017 , 392, 117-125	6.7	30
111	Synthesis, spectroscopic studies, aggregation and surface behavior of hexamethylene-1,6-bis(N,N-dimethyl-N-dodecylammonium bromide). <i>Journal of Molecular Liquids</i> , 2016 , 221, 1086-1096	6	14
110	Surface and volumetric properties of n-octyl-Ed-glucopyranoside and rhamnolipid mixture. <i>Journal of Molecular Liquids</i> , 2016 , 219, 801-809	6	4

109	Wetting and adsorption properties of cetyltrimethylammonium bromide and Triton X-100 mixture with short-chain alcohol in polymerBolutionBir system. <i>Journal of Adhesion Science and Technology</i> , 2016 , 30, 729-746	2	1
108	Wettability of polytetrafluoroethylene and polymethyl methacrylate by aqueous solutions of TX-100 and TX-165 mixture with propanol. <i>Journal of Adhesion Science and Technology</i> , 2015 , 29, 1081-	1095	3
107	Adhesion of canola and diesel oils to some parts of diesel engine in the light of surface tension components and parameters of these substrates. <i>International Journal of Adhesion and Adhesives</i> , 2015 , 60, 23-30	3.4	16
106	Behavior of hexadecyltrimethylammonium bromide and Triton X-100 mixture in the bulk phase of aqueous solution in the presence of methanol and propanol. <i>Journal of Molecular Liquids</i> , 2015 , 211, 324-331	6	5
105	Adsorption and wetting properties of cationic, anionic and nonionic surfactants in the glass-aqueous solution of surfactant-air system. <i>Materials Chemistry and Physics</i> , 2015 , 162, 166-176	4.4	18
104	Wetting and adsorption properties of n-octyl-Ed-glucopyranoside and monorhamnolipid in the system polytetrafluoroethyleneBolutionBir. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 486, 114-123	5.1	8
103	Influence of short chain alcohols on adsorption of sodium dodecylsulfate and Triton X-100 mixture at solutionBir interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 464, 57-64	5.1	9
102	Volumetric properties of sodium dodecylsulfate and Triton X-100 mixture with short-chain alcohol in aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 480, 270-27	'8 ^{5.1}	8
101	Thermodynamic properties of rhamnolipid micellization and adsorption. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 119, 22-9	6	43
100	Behavior of cetyltrimethylammonium bromide and Triton X-100 mixture at solution interface in presence of short-chain alcohols. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 454, 65-73	5.1	9
99	Behaviour of cetyltrimethylammonium bromide, Triton X-100 and Triton X-114 in mixed monolayer at the (waterBir) interface. <i>Journal of Chemical Thermodynamics</i> , 2014 , 69, 85-92	2.9	12
98	Correlation between wetting, adhesion and adsorption in the polymerEqueous solutions of ternary surfactant mixturesEir systems. <i>Applied Surface Science</i> , 2014 , 288, 488-496	6.7	25
97	Mutual influence of two nonionic surfactants mixture and propanol on their volumetric properties in aqueous solution. <i>Journal of Molecular Liquids</i> , 2014 , 200, 305-310	6	1
96	Influence of the propanol on the behaviour of binary mixture of nonionic surfactants at the water interface. <i>Journal of Molecular Liquids</i> , 2014 , 199, 196-201	6	4
95	Importance of surface layers in solid surface free energy determination. <i>Surface Innovations</i> , 2014 , 2, 173-183	1.9	4
94	Thermodynamic properties of adsorption and micellization of n-oktyl-ED-glucopiranoside. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 114, 170-6	6	21
93	Effect of two hydrocarbon and one fluorocarbon surfactant mixtures on the surface tension and wettability of polymers. <i>Journal of Colloid and Interface Science</i> , 2014 , 417, 180-7	9.3	17
92	Behavior of Cetyltrimethylammonium Bromide, tert-Octylphenol (9.5 EO) Ethoxylate and Ethanol Mixtures at the Water Air Interface. <i>Journal of Surfactants and Detergents</i> , 2013 , 16, 203-212	1.9	8

(2010-2013)

91	Wettability of polymers by aqueous solution of binary surfactants mixture with regard to adhesion in polymerBolution system II. Critical surface tension of polymers wetting and work of adhesion. <i>International Journal of Adhesion and Adhesives</i> , 2013 , 45, 106-111	3.4	18
90	Adsorption of Triton X-100 and cetyltrimethylammonium bromide mixture with ethanol at nylon-6Bolution interface with regard to nylon-6 wettability: I. The effect of adsorption on critical surface tension of nylon-6 wetting. <i>Adsorption</i> , 2013 , 19, 435-444	2.6	8
89	Adsorption of Triton X-100 and cetyltrimethylammonium bromide mixture with ethanol at nylon-6\(\bar{B}\)olution interface with regard to nylon-6 wettability: II. Work of adhesion and activity of surfactants at interfaces. Adsorption, 2013 , 19, 445-453	2.6	3
88	Mutual influence of cetyltrimethylammonium bromide and Triton X-100 on their adsorption at the water interface. <i>Journal of Chemical Thermodynamics</i> , 2013 , 59, 35-42	2.9	14
87	Aggregation properties of the cetyltrimethylammonium bromide and Triton X-100 mixture with ethanol in aqueous media. <i>Fluid Phase Equilibria</i> , 2013 , 356, 168-175	2.5	6
86	Adhesion work and wettability of polytetrafluorethylene and poly(methyl methacrylate) by aqueous solutions of cetyltrimethylammonium bromide and Triton X-100 mixture with ethanol. <i>Journal of Colloid and Interface Science</i> , 2013 , 404, 201-6	9.3	15
85	Wettability of polymers by aqueous solution of binary surfactants mixture with regard to adhesion in polymersolution system Icorrelation between the adsorption of surfactants mixture and contact angle. <i>International Journal of Adhesion and Adhesives</i> , 2013 , 45, 98-105	3.4	9
84	Determination of CTAB CMC in mixed water + short-chain alcohol solvent by surface tension, conductivity, density and viscosity measurements. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013 , 424, 81-88	5.1	58
83	Volumetric and Surface Properties of Short Chain Alcohols in Aqueous Solution-Air Systems at 293 [K. <i>Journal of Solution Chemistry</i> , 2012 , 41, 2226-2245	1.8	50
82	Surface Tension of Polytetrafluoroethylene and Polymethyl Methacrylate under the Influence of the Fluorocarbon Surfactant Film. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 14076-140	83 ⁹	16
81	Activity and thermodynamic parameters of some surfactants adsorption at the waterlir interface. <i>Fluid Phase Equilibria</i> , 2012 , 318, 25-33	2.5	67
80	Critical micelle concentration of some surfactants and thermodynamic parameters of their micellization. <i>Fluid Phase Equilibria</i> , 2012 , 322-323, 126-134	2.5	89
79	Wettability, adhesion, adsorption and interface tension in the polymer/surfactant aqueous solution system. I. Critical surface tension of polymer wetting and its surface tension. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012 , 402, 132-138	5.1	35
78	Wettability, adhesion, adsorption and interface tension in the polymer/surfactant aqueous solution system: II. Work of adhesion and adsorption of surfactant at polymerBolution and solutionBir interfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012 , 402, 139-145	5.1	28
77	Behavior of Anionic Surfactants and Short Chain Alcohols Mixtures in the Monolayer at the Water Air Interface. <i>Journal of Surfactants and Detergents</i> , 2011 , 14, 257-267	1.9	12
76	Effect of anionic surfactant and short-chain alcohol mixtures on adsorption at quartz/water and water/air interfaces and the wettability of quartz. <i>Journal of Colloid and Interface Science</i> , 2011 , 354, 396-404	9.3	20
75	Wettability of Polymeric Solids by Aqueous Solutions of Anionic and Nonionic Surfactant Mixtures. Journal of Adhesion Science and Technology, 2011 , 25, 2641-2657	2	9
74	Adsorption of Binary Mixtures of Anionic Surfactants at WaterAir and Poly(Tetrafluoroethylene). Water Interfaces. <i>Journal of Surfactants and Detergents</i> , 2010 , 13, 207-215	1.9	10

73	Wettability of quartz by aqueous solution of cationic surfactants and short chain alcohols mixtures. <i>Materials Chemistry and Physics</i> , 2010 , 124, 569-574	4.4	16
72	The relationship between the adhesion work, the wettability and composition of the surface layer in the systems polymer/aqueous solution of anionic surfactants and alcohol mixtures. <i>Applied Surface Science</i> , 2010 , 257, 1034-1042	6.7	34
71	Wettability of quartz in presence of nonionic surfactants and short chain alcohols mixtures. <i>Journal of Colloid and Interface Science</i> , 2010 , 343, 594-601	9.3	12
70	Behavior of cationic surfactants and short chain alcohols in mixed surface layers at water-air and polymer-water interfaces with regard to polymer wettability. I. Adsorption at water-air interface. <i>Journal of Colloid and Interface Science</i> , 2010 , 349, 374-83	9.3	21
69	Behavior of cationic surfactants and short-chain alcohols in mixed surface layers at water-air and polymer-water interfaces with regard to polymer wettability II. Wettability of polymers. <i>Journal of Colloid and Interface Science</i> , 2010 , 350, 568-76	9.3	21
68	The wettability of poly(tetrafluoroethylene) by aqueous solutions of ternary surfactant mixtures. <i>Applied Surface Science</i> , 2010 , 256, 7478-7483	6.7	11
67	Surface and volume properties of dodecylethyldimethylammonium bromide and benzyldimethyldodecylammonium bromide: II. Volumetric properties of dodecylethyldimethylammonium bromide and benzyldimethyldodecylammonium bromide. <i>Journal</i>	9.3	6
66	Surface and volume properties of dodecylethyldimethylammonium bromide and benzyldimethyldodecylammonium bromide I. Surface properties of dodecylethyldimethylammonium bromide benzyldimethyldodecylammonium bromide. <i>Journal</i>	9.3	8
65	Correlation between surface free energy of quartz and its wettability by aqueous solutions of nonionic, anionic and cationic surfactants. <i>Journal of Colloid and Interface Science</i> , 2009 , 340, 243-8	9.3	68
64	The role of adsorption of dodecylethyldimethylammonium bromide and benzyldimethyldodecylammonium bromide surfactants in wetting of polytetrafluoroethylene and poly(methyl methacrylate) surfaces. <i>Applied Surface Science</i> , 2009 , 255, 3623-3628	6.7	21
63	Thermodynamics of micellization of aqueous solutions of binary mixtures of two anionic surfactants. <i>Langmuir</i> , 2009 , 25, 4377-83	4	16
62	Wettability of a glass surface in the presence of two nonionic surfactant mixtures. <i>Langmuir</i> , 2008 , 24, 7755-60	4	33
61	Interaction of Silica Particles Through a Liquid. <i>Journal of Adhesion Science and Technology</i> , 2008 , 22, 111-120	2	
60	Wetting Behavior of Aqueous Solutions of Binary Surfactant Mixtures to Poly(tetrafluoroethylene). <i>Journal of Adhesion Science and Technology</i> , 2008 , 22, 1145-1157	2	17
59	Adsorption of cetyltrimethylammonium bromide and propanol mixtures with regard to wettability of polytetrafluoroethylene. I. Adsorption at aqueous solution-air interface. <i>Journal of Colloid and Interface Science</i> , 2008 , 317, 44-53	9.3	15
58	The adsorption of cetyltrimethylammonium bromide and propanol mixtures with regard to wettability of polytetrafluoroethylene II. Adsorption at polytetrafluoroethylene-aqueous solution interface and wettability. <i>Journal of Colloid and Interface Science</i> , 2008 , 318, 15-22	9.3	20
57	The role of adsorption of sodium bis(2-ethylhexyl) sulfosuccinate in wetting of glass and poly(methyl methacrylate) surface. <i>Applied Surface Science</i> , 2008 , 254, 2825-2830	6.7	7
56	Wettability of a polytetrafluoroethylene surface by an aqueous solution of two nonionic surfactant mixtures. <i>Langmuir</i> , 2007 , 23, 8740-6	4	46

(2001-2007)

55	The properties of a binary mixture of nonionic surfactants in water at the water/air interface. <i>Langmuir</i> , 2007 , 23, 4972-81	4	65
54	Adsorption of sodium bis(2-ethylhexyl) sulfosuccinate and wettability in polytetrafluoroethyleneBolutionBir system. <i>Applied Surface Science</i> , 2007 , 253, 7166-7171	6.7	15
53	The adsorption at solutionBir interface and volumetric properties of mixtures of cationic and nonionic surfactants. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007 , 293, 39-50	5.1	96
52	Hyaluronan Lecithin foils and their properties. Materials Chemistry and Physics, 2006, 95, 99-104	4.4	9
51	The wettability of polytetrafluoroethylene and polymethyl methacrylate by aqueous solution of two cationic surfactants mixture. <i>Journal of Colloid and Interface Science</i> , 2006 , 293, 172-80	9.3	74
50	The wettability of polytetrafluoroethylene by aqueous solution of cetyltrimethylammonium bromide and Triton X-100 mixtures. <i>Journal of Colloid and Interface Science</i> , 2006 , 303, 319-25	9.3	30
49	The wettability of polytetrafluoroethylene by aqueous solutions of sodium dodecyl sulfate and propanol mixtures. <i>Journal of Colloid and Interface Science</i> , 2005 , 281, 465-72	9.3	18
48	The properties of mixtures of two cationic surfactants in water at water/air interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2005 , 264, 147-156	5.1	31
47	Adsorption of sodium dodecyl sulphate and propanol mixtures at aqueous solution interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004 , 244, 1-7	5.1	13
46	Adsorption of mixtures of sodium dodecyl sulphate and propanol at water ir and polytetrafluoroethylene water interfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004 , 249, 73-77	5.1	5
45	The effect of long chain alkanes on adhesion between silica particles. <i>Journal of Adhesion Science and Technology</i> , 2003 , 17, 277-289	2	1
44	Wettability of polytetrafluoroethylene by aqueous solutions of two anionic surfactant mixtures. <i>Journal of Colloid and Interface Science</i> , 2003 , 268, 200-7	9.3	60
43	The properties of mixtures of two anionic surfactants in water at the water air interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2003 , 220, 61-68	5.1	33
42	The wettability of a cellulose acetate membrane in the presence of bovine serum albumin. <i>Applied Surface Science</i> , 2002 , 201, 146-153	6.7	26
41	Surface Properties of Gelatin Films. <i>Langmuir</i> , 2002 , 18, 9462-9468	4	40
40	Wettability and surface free energy of bovine serum albumin films. <i>Journal of Surfactants and Detergents</i> , 2001 , 4, 287-292	1.9	22
39	The changes of the surface free energy of the adsorptive gelatin films. <i>European Polymer Journal</i> , 2001 , 37, 1047-1051	5.2	26
38	Determination of the attachment and detachment forces in a coal grain/liquid/coal grain system by detachment experiments. <i>Journal of Adhesion Science and Technology</i> , 2001 , 15, 1393-1401	2	2

37	The destruction time of the sediment column structure as a method for studying the dispersion system. <i>Powder Technology</i> , 2000 , 113, 1-8	5.2	5
36	Adhesion of a coal grain to a coal grain in an alcohol. <i>Journal of Adhesion Science and Technology</i> , 2000 , 14, 1665-1676	2	1
35	Wettability and surface free energy of glass in the presence of cetyltrimethylammonium bromide. <i>Materials Chemistry and Physics</i> , 1999 , 58, 166-171	4.4	11
34	Some Remarks on the Components of the Liquid Surface Free Energy. <i>Journal of Colloid and Interface Science</i> , 1999 , 211, 96-103	9.3	146
33	Influence of ethyl xanthate on the wettability and surface free energy of synthetic chalcocite. <i>Powder Technology</i> , 1998 , 95, 234-239	5.2	3
32	RELATIONSHIP BETWEEN WETTING OF TEFLON BY CETYLTRIMETHYLAMMONIUM BROMIDE SOLUTION AND ADSORPTION. <i>European Polymer Journal</i> , 1997 , 33, 1093-1098	5.2	64
31	Influence of ethyl xanthate on the wettability and surface free energy of galena. <i>Applied Surface Science</i> , 1997 , 120, 35-42	6.7	4
3 0	Components of the surface free energy of low rank coals in the presence of n-alkanes. <i>Powder Technology</i> , 1996 , 86, 229-238	5.2	28
29	The mechanism of adsorption of sodium dodecylsulfonate on fluorite and its surface free energy. <i>Applied Surface Science</i> , 1996 , 103, 395-402	6.7	11
28	Surface free energy of some lead compounds compared to galena. <i>Materials Chemistry and Physics</i> , 1994 , 37, 64-67	4.4	12
27	Wettability of Cholesterol by Bile Salt Solutions. <i>Langmuir</i> , 1994 , 10, 1012-1017	4	7
26	On the Consistency of Surface Free Energy Components as Calculated from Contact Angles of Different Liquids: An Application to the Cholesterol Surface. <i>Journal of Colloid and Interface Science</i> , 1993 , 159, 421-428	9.3	103
25	The influence of oxidation degree of galena surface and of ethyl xanthate on the stability of galena-air aggregates. <i>Powder Technology</i> , 1993 , 75, 43-48	5.2	3
24	Surface free energy of cholesterol and bile salts from contact angles. <i>Journal of Colloid and Interface Science</i> , 1992 , 151, 333-342	9.3	37
23	Determination of the galena surface free energy components from contact angle measurements. <i>Materials Chemistry and Physics</i> , 1992 , 31, 235-241	4.4	13
22	Components of surface free energy of cholesterol in the presence of bile salts. <i>Colloids and Surfaces</i> , 1992 , 62, 263-272		5
21	The surface free energy of low rank coals precovered with diacetone alcohol. <i>Fuel</i> , 1992 , 71, 708-711	7.1	1
20	ENRICHMENT OF GAS-FLAMING COAL BY THE AGGREGATIVE FLOTATION METHOD. <i>Petroleum Science and Technology</i> , 1991 , 9, 117-135		2

19	Influence of polyacrylamide on the surface free energy and wettability of a chernozem soil. <i>Geoderma</i> , 1991 , 50, 173-184	6.7	12
18	The stability of coal/n-alkane filmlir bubble water systems and froth flotation of coal. <i>Powder Technology</i> , 1991 , 67, 223-228	5.2	
17	HYDROPHOBIZATION OF THE SOIL BY DODECYLAMMONIUM HYDROCHLORIDE AND CHANGES OF THE COMPONENTS OF ITS SURFACE FREE ENERGY. <i>Soil Science</i> , 1990 , 150, 753-762	0.9	6
16	The influence of aqueous methanol film on the wettability of polytetrafluoroethylene. <i>European Polymer Journal</i> , 1990 , 26, 599-602	5.2	1
15	Determination of porous glass surface free energy components from contact angles. <i>Journal of Materials Science</i> , 1990 , 25, 1682-1685	4.3	9
14	Influence of N-alkanes on contact angle and flotability of quartz. <i>Journal of Materials Science</i> , 1990 , 25, 1353-1356	4.3	
13	The influence of an apolar collector on the contact angle, detachment force and work of adhesion to the coal surface in agglomeration flotation of a low rank coal. <i>Fuel</i> , 1990 , 69, 207-210	7.1	15
12	Influence of Dodecylamine Chloride on the Surface Free Energy of Kaolinite. <i>Clays and Clay Minerals</i> , 1990 , 38, 53-56	2.1	6
11	Influence of n-alkanes on wetting of coal and adhesion of water and air bubbles to coal surface. <i>The Chemical Engineering Journal</i> , 1989 , 42, 57-62		3
10	Correlation between floatation activity of coal, the contact angle and stability of the coal/n-alkane film ir bubble-water system. <i>The Chemical Engineering Journal</i> , 1989 , 42, 63-67		3
9	The surface tension components of aqueous alcohol solutions. <i>Colloids and Surfaces</i> , 1989 , 36, 391-403		34
8	Surface free energy of celestite and its flotation activity. <i>Colloids and Surfaces</i> , 1989 , 35, 41-48		12
7	Influence of Exchangeable Cations on the Surface Free Energy of Kaolinite as Determined from Contact Angles. <i>Clays and Clay Minerals</i> , 1989 , 37, 269-272	2.1	15
6	Components of Surface Free Energy of Some Clay Minerals. <i>Clays and Clay Minerals</i> , 1988 , 36, 243-248	2.1	48
5	Influence of n-alkanes on wettability and zeta potential of quartz. <i>Materials Chemistry and Physics</i> , 1985 , 12, 367-375	4.4	7
4	The effect of n-alkanes on the force of air bubble detachment from the surface of graphite in water. <i>Journal of Colloid and Interface Science</i> , 1985 , 108, 541-548	9.3	17
3	Interpretation of contact angle in solid-hydrocarbon-water system. <i>Journal of Colloid and Interface Science</i> , 1983 , 95, 268-270	9.3	47
2	Changes of n-heptane film pressure, contact angle and detachment force in sulfur/n-heptanelirwater system. <i>Journal of Colloid and Interface Science</i> , 1983 , 94, 570-572	9.3	17

Detachment force of air bubble from the solid surface (sulfur or graphite) in water. *Journal of Colloid and Interface Science*, **1983**, 93, 411-418

9.3 30