

Kent W Nilsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6631996/publications.pdf>

Version: 2024-02-01

78
papers

3,029
citations

196777

29
h-index

198040

52
g-index

81
all docs

81
docs citations

81
times ranked

3947
citing authors

#	ARTICLE	IF	CITATIONS
1	Autonomic responses during Gambling: the Effect of Outcome Type and Sex in a large community sample of young adults. <i>Journal of Gambling Studies</i> , 2023, 39, 159-182.	1.1	4
2	Body mass index and bullying victimization as antecedents for depressive symptoms in a Swedish youth cohort. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2022, 30, 2513-2524.	0.8	5
3	Psychometric validation of two versions of the adolescent Depression Self-Rating Scale (DSRS-A and Tj ETQq1 1 0.784314 rgBT /Over 0.7	0.7	7
4	Breastfeeding moderates the relationship between fat mass and obesity-associated gene rs9939609 and body mass index among adolescents. <i>Obesity Science and Practice</i> , 2022, 8, 66-76.	1.0	0
5	DNA methylation of Vesicular Glutamate Transporters in the mesocorticolimbic brain following early-life stress and adult ethanol exposure—an explorative study. <i>Scientific Reports</i> , 2021, 11, 15322.	1.6	2
6	Three-way interaction effects of early life stress, positive parenting and FKBP5 in the development of depressive symptoms in a general population. <i>Journal of Neural Transmission</i> , 2021, 128, 1409-1424.	1.4	4
7	Associations of age, sex, sexual abuse, and genotype with monoamine oxidase a gene methylation. <i>Journal of Neural Transmission</i> , 2021, 128, 1721-1739.	1.4	9
8	Gene-environment interaction: Oxytocin receptor (OXTR) polymorphisms and parenting style as potential predictors for depressive symptoms. <i>Psychiatry Research</i> , 2021, 303, 114057.	1.7	6
9	Psychometric evaluation of the Swedish Child Sheehan Disability Scale in adolescent psychiatric patients. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , 2021, 9, 137-146.	0.3	6
10	Handling ties in continuous outcomes for confounder adjustment with rank-ordered logit and its application to ordinal outcomes. <i>Statistical Methods in Medical Research</i> , 2020, 29, 437-454.	0.7	3
11	Psychotic-like experiences during early adolescence predict symptoms of depression, anxiety, and conduct problems three years later: A community-based study. <i>Schizophrenia Research</i> , 2020, 215, 190-196.	1.1	27
12	Monoamine oxidase A genotype and methylation moderate the association of maltreatment and aggressive behaviour. <i>Behavioural Brain Research</i> , 2020, 382, 112476.	1.2	15
13	Physical activity in early adolescence predicts depressive symptoms 3 years later: A community-based study. <i>Journal of Affective Disorders</i> , 2020, 277, 825-830.	2.0	10
14	Measuring parental dimensions: A psychometric evaluation of the parents as social context questionnaire, Swedish version. <i>Cogent Psychology</i> , 2020, 7, 1757856.	0.6	4
15	The influence of parenting styles and parental depression on adolescent depressive symptoms: A cross-sectional and longitudinal approach. <i>Mental Health and Prevention</i> , 2020, 20, 200193.	0.7	13
16	Own-gender bias in school staff's recognition of children with ADHD. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 1165-1166.	0.7	0
17	VGLUT2 rs2290045 genotype moderates environmental sensitivity to alcohol-related problems in three samples of youths. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 1329-1340.	2.8	8
18	The increased trend of non-drinking alcohol among adolescents: what role do internet activities have?. <i>European Journal of Public Health</i> , 2019, 29, 27-32.	0.1	30

#	ARTICLE	IF	CITATIONS
19	Diagnosing ADHD in Adults: An Examination of the Discriminative Validity of Neuropsychological Tests and Diagnostic Assessment Instruments. <i>Journal of Attention Disorders</i> , 2018, 22, 1019-1031.	1.5	76
20	Individual biological sensitivity to environmental influences: testing the differential susceptibility properties of the 5HTTLPR polymorphism in relation to depressive symptoms and delinquency in two adolescent general samples. <i>Journal of Neural Transmission</i> , 2018, 125, 977-993.	1.4	8
21	A longitudinal study of the individual and group level problematic gaming and associations with problem gambling among Swedish adolescents. <i>Brain and Behavior</i> , 2018, 8, e00949.	1.0	27
22	Associations of monoamine oxidase A gene first exon methylation with sexual abuse and current depression in women. <i>Journal of Neural Transmission</i> , 2018, 125, 1053-1064.	1.4	32
23	Personality as an intermediate phenotype for genetic dissection of alcohol use disorder. <i>Journal of Neural Transmission</i> , 2018, 125, 107-130.	1.4	30
24	Differential susceptibility effects of oxytocin gene (<i>OXT</i>) polymorphisms and perceived parenting on social anxiety among adolescents. <i>Development and Psychopathology</i> , 2018, 30, 449-459.	1.4	16
25	Associations Between <i>MAOA</i> and <i>uVNTR</i> Genotype, Maltreatment, <i>MAOA</i> Methylation, and Alcohol Consumption in Young Adult Males. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 508-519.	1.4	15
26	Adolescent non-drinkers: Who are they? Social relations, school performance, lifestyle factors and health behaviours. <i>Drug and Alcohol Review</i> , 2018, 37, S67-S75.	1.1	17
27	Pornography consumption and psychosomatic and depressive symptoms among Swedish adolescents: a longitudinal study. <i>Uppsala Journal of Medical Sciences</i> , 2018, 123, 237-246.	0.4	13
28	Maltreatment, the Oxytocin Receptor Gene, and Conduct Problems Among Male and Female Teenagers. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 112.	1.0	21
29	Gene-environment interaction of monoamine oxidase A in relation to antisocial behaviour: current and future directions. <i>Journal of Neural Transmission</i> , 2018, 125, 1601-1626.	1.4	41
30	The role of online social network chatting for alcohol use in adolescence: Testing three peer-related pathways in a Swedish population-based sample. <i>Computers in Human Behavior</i> , 2017, 71, 284-290.	5.1	9
31	The expression of opioid genes in non-classical reward areas depends on early life conditions and ethanol intake. <i>Brain Research</i> , 2017, 1668, 36-45.	1.1	24
32	Gambling frequency and symptoms of attention-deficit hyperactivity disorder in relation to problem gambling among Swedish adolescents: a population-based study. <i>Uppsala Journal of Medical Sciences</i> , 2017, 122, 119-126.	0.4	3
33	Evidence for a Link Between <i>Fkbp5/FKBP5</i> , Early Life Social Relations and Alcohol Drinking in Young Adult Rats and Humans. <i>Molecular Neurobiology</i> , 2017, 54, 6225-6234.	1.9	26
34	Associations between problematic gaming and psychiatric symptoms among adolescents in two samples. <i>Addictive Behaviors</i> , 2016, 61, 8-15.	1.7	81
35	Physical and verbal aggressive behavior and <i>COMT</i> genotype: Sensitivity to the environment. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 708-718.	1.1	21
36	Associations between the <i>FKBP5</i> haplotype, exposure to violence and anxiety in females. <i>Psychoneuroendocrinology</i> , 2016, 72, 196-204.	1.3	21

#	ARTICLE	IF	CITATIONS
37	Pornography consumption among adolescent girls in Sweden. <i>European Journal of Contraception and Reproductive Health Care</i> , 2016, 21, 295-302.	0.6	29
38	Polymorphisms in the FK506 binding protein 5 gene are associated with attention deficit hyperactivity disorder and diurnal cortisol levels. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015, 104, 910-915.	0.7	15
39	Antisocial behavior reduces the association between subdimensions of ADHD symptoms and alcohol use in a large population-based sample of adolescents. <i>Scandinavian Journal of Psychology</i> , 2015, 56, 489-497.	0.8	1
40	Psychometric evaluation of the adolescent and parent versions of the Gaming Addiction Identification Test (GAIT). <i>Scandinavian Journal of Psychology</i> , 2015, 56, 726-735.	0.8	33
41	Î±2a-Adrenoceptor Gene Expression and Early Life Stress-Mediated Propensity to Alcohol Drinking in Outbred Rats. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 7154-7171.	1.2	13
42	Genotypes Do Not Confer Risk For Delinquency ut Rather Alter Susceptibility to Positive and Negative Environmental Factors: Gene-Environment Interactions of BDNF Val66Met, 5-HTTLPR, and MAOA-uVNTR. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, .	1.0	34
43	Effects of adolescent online gaming time and motives on depressive, musculoskeletal, and psychosomatic symptoms. <i>Uppsala Journal of Medical Sciences</i> , 2015, 120, 263-275.	0.4	69
44	HPA Axis Gene Expression and DNA Methylation Profiles in Rats Exposed to Early Life Stress, Adult Voluntary Ethanol Drinking and Single Housing. <i>Frontiers in Molecular Neuroscience</i> , 2015, 8, 90.	1.4	37
45	The buffering effect of tangible social support on financial stress: influence on psychological well-being and psychosomatic symptoms in a large sample of the adult general population. <i>International Journal for Equity in Health</i> , 2014, 13, 85.	1.5	67
46	Transcription Factor Activating Protein-2 (TFAP-2) genotype and symptoms of attention deficit hyperactivity disorder in relation to symptoms of depression in two independent samples. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 207-217.	2.8	20
47	A118G polymorphism in the Î¼-opioid receptor gene and levels of Î²-endorphin are associated with provoked vestibulodynia and pressure pain sensitivity. <i>Scandinavian Journal of Pain</i> , 2014, 5, 10-16.	0.5	12
48	A 5-year follow-up study of adolescents who sought treatment for substance misuse in Sweden. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 347-360.	2.8	15
49	Serotonin transporter genotype by environment: Studies on alcohol use and misuse in non-human and human primates. <i>Translational Neuroscience</i> , 2013, 4, 241-250.	0.7	6
50	Social capital in relation to alcohol consumption, smoking, and illicit drug use among adolescents: a cross-sectional study in Sweden. <i>International Journal for Equity in Health</i> , 2013, 12, 33.	1.5	57
51	Early psychosocial adversity and cortisol levels in children with attention-deficit/hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , 2013, 22, 425-432.	2.8	25
52	Three-way interaction effect of 5-HTTLPR, BDNF Val66Met, and childhood adversity on depression: A replication study. <i>European Neuropsychopharmacology</i> , 2013, 23, 1300-1306.	0.3	55
53	Effects of stimulants and atomoxetine on cortisol levels in children with ADHD. <i>Psychiatry Research</i> , 2013, 209, 740-741.	1.7	7
54	Self-Reported Family Socioeconomic Status, the 5-HTTLPR Genotype, and Delinquent Behavior in a Community-Based Adolescent Population. <i>Aggressive Behavior</i> , 2013, 39, 52-63.	1.5	35

#	ARTICLE	IF	CITATIONS
55	Pornography Consumption, Sexual Experiences, Lifestyles, and Self-rated Health Among Male Adolescents in Sweden. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2013, 34, 460-468.	0.6	55
56	Cortisol levels in children with Attention-Deficit/Hyperactivity Disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 1398-1405.	1.5	80
57	Influences of motives to play and time spent gaming on the negative consequences of adolescent online computer gaming. <i>Computers in Human Behavior</i> , 2012, 28, 1379-1387.	5.1	97
58	MAOA genotype, family relations and sexual abuse in relation to adolescent alcohol consumption. <i>Addiction Biology</i> , 2011, 16, 347-355.	1.4	59
59	Symptoms of ADHD and depression in a large adolescent population: Co-occurring symptoms and associations to experiences of sexual abuse. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 315-322.	0.7	29
60	Social capital in relation to depression, musculoskeletal pain, and psychosomatic symptoms: a cross-sectional study of a large population-based cohort of Swedish adolescents. <i>BMC Public Health</i> , 2010, 10, 715.	1.2	76
61	Why Do Adolescents Drink? Motivational Patterns Related to Alcohol Consumption and Alcohol-Related Problems. <i>Substance Use and Misuse</i> , 2010, 45, 1589-1604.	0.7	34
62	Development and Tests of Short Versions of the Youth Psychopathic Traits Inventory and the Youth Psychopathic Traits Inventory-Child Version. <i>European Journal of Psychological Assessment</i> , 2010, 26, 122-128.	1.7	126
63	Smoking as a product of gene-environment interaction. <i>Uppsala Journal of Medical Sciences</i> , 2009, 114, 100-107.	0.4	17
64	Transcription factor AP-2 β genotype and psychosocial adversity in relation to adolescent depressive symptomatology. <i>Journal of Neural Transmission</i> , 2009, 116, 363-370.	1.4	12
65	Impact of the Interaction Between the 5HTTLPR Polymorphism and Maltreatment on Adolescent Depression. A Population-Based Study. <i>Behavior Genetics</i> , 2009, 39, 524-531.	1.4	71
66	Financial Stress, Shaming Experiences and Psychosocial Ill-Health: Studies into the Finances-Shame Model. <i>Social Indicators Research</i> , 2009, 91, 283-298.	1.4	45
67	Serotonin transporter (5-HTTLPR) and monoamine oxidase (MAOA) promoter polymorphisms in women with severe alcoholism. <i>Archives of Women's Mental Health</i> , 2008, 11, 347-355.	1.2	50
68	Psychosomatic complaints and sense of coherence among adolescents in a county in Sweden: a cross-sectional school survey. <i>BioPsychoSocial Medicine</i> , 2008, 2, 4.	0.9	43
69	The MAO-A gene, platelet MAO-B activity and psychosocial environment in adolescent female alcohol-related problem behaviour. <i>Drug and Alcohol Dependence</i> , 2008, 93, 51-62.	1.6	66
70	Genes encoding for AP-2 β and the Serotonin Transporter are associated with the Personality Character Spiritual Acceptance. <i>Neuroscience Letters</i> , 2007, 411, 233-237.	1.0	44
71	Adolescent girls and criminal activity: Role of MAOA-LPR genotype and psychosocial factors. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 159-164.	1.1	117
72	The monoamine oxidase A (MAO-A) gene, family function and maltreatment as predictors of destructive behaviour during male adolescent alcohol consumption. <i>Addiction</i> , 2007, 102, 389-398.	1.7	74

#	ARTICLE	IF	CITATIONS
73	Alcohol-related problems among adolescents and the role of a sense of coherence. <i>International Journal of Social Welfare</i> , 2007, 16, 159-167.	1.0	27
74	Shaming experiences and the association between adolescent depression and psychosocial risk factors. <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 298-304.	2.8	25
75	Role of Monoamine Oxidase A Genotype and Psychosocial Factors in Male Adolescent Criminal Activity. <i>Biological Psychiatry</i> , 2006, 59, 121-127.	0.7	192
76	Development of depression: sex and the interaction between environment and a promoter polymorphism of the serotonin transporter gene. <i>International Journal of Neuropsychopharmacology</i> , 2006, 9, 443.	1.0	211
77	Role of the Serotonin Transporter Gene and Family Function in Adolescent Alcohol Consumption. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 564-570.	1.4	99
78	Obesity, Shame, and Depression in School-Aged Children: A Population-Based Study. <i>Pediatrics</i> , 2005, 116, e389-e392.	1.0	214