
## Damiano Rotondo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6633107/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Observer-based quadratic boundedness leader-following control for multi-agent systems. International Journal of Control, 2023, 96, 1314-1323.	1.2	1
2	LMI-based design of state-feedback controllers for pole clustering of LPV systems in a union of ? <sub><i>R</i></sub> -regions. International Journal of Systems Science, 2022, 53, 291-312.	3.7	2
3	Design of shifting state-feedback controllers for LPV systems subject to time-varying saturations via parameter-dependent Lyapunov functions. ISA Transactions, 2022, 126, 213-225.	3.1	2
4	A recursive LMI-based algorithm for efficient vertex reduction in LPV systems. International Journal of Control, 2022, 95, 3379-3391.	1.2	1
5	Gain-scheduled observer-based consensus for linear parameter varying multi-agent systems. Automatica, 2022, 135, 109979.	3.0	5
6	Weighted Linearization of Nonlinear Systems. IEEE Transactions on Circuits and Systems II: Express Briefs, 2022, 69, 3239-3243.	2.2	0
7	Towards a Taylor-Carleman bilinearization approach for the design of nonlinear state-feedback controllers. European Journal of Control, 2022, 68, 100670.	1.6	3
8	Observerâ€based model reference control of Takagi–Sugeno–Lipschitz systems affected by disturbances using quadratic boundedness. Asian Journal of Control, 2021, 23, 42-56.	1.9	5
9	Simultaneous state and process fault estimation in linear parameter varying systems using robust quadratic parameter varying observers. International Journal of Robust and Nonlinear Control, 2021, 31, 8390-8407.	2.1	4
10	Detection of replay attacks in autonomous vehicles using a bank of QPV observers. , 2021, , .		2
11	Emerging approaches for nonlinear parameter varying systems. International Journal of Robust and Nonlinear Control, 2021, 31, 8121-8123.	2.1	2
12	Guaranteed cost estimation and control for a class of nonlinear systems subject to actuator saturation. European Journal of Control, 2021, 61, 119-132.	1.6	5
13	Actuator and sensor fault estimation based on a proportional multipleâ€integral sliding mode observer for linear parameter varying systems with inexact scheduling parameters. International Journal of Robust and Nonlinear Control, 2021, 31, 8420-8441.	2.1	13
14	A zonotopic set-invariance analysis of replay attacks affecting the supervisory layer. Systems and Control Letters, 2021, 157, 105056.	1.3	10
15	Observer-based fault-tolerant leader-following control for multi-agent systems. , 2021, , .		1
16	Observer-based Event-triggered Model Reference Control for Multi-agent Systems. , 2020, , .		5
17	Fault-Tolerant Control Based on Virtual Actuator and Sensor for Discrete-Time Descriptor Systems. IEEE Transactions on Circuits and Systems I: Regular Papers, 2020, 67, 5316-5325.	3.5	29
18	Recent Advances on Optimization for Control, Observation, and Safety. Processes, 2020, 8, 201.	1.3	1

**ΔΑΜΙΑΝΟ ROTONDO** 

#	Article	IF	CITATIONS
19	Shifting H Linear Parameter Varying State-Feedback Controllers Subject to Time-Varying Input Saturations. IFAC-PapersOnLine, 2020, 53, 7338-7343.	0.5	2
20	Estimation in uncertain switched systems using a bank of interval observers: local vs glocal approach. IFAC-PapersOnLine, 2020, 53, 4701-4706.	0.5	0
21	On the optimization of actuator saturation limits for LTI systems: an LMI-based invariant ellipsoid approach. IFAC-PapersOnLine, 2020, 53, 5567-5572.	0.5	1
22	A virtual actuator approach for the secure control of networked LPV systems under pulse-width modulated DoS attacks. Neurocomputing, 2019, 365, 21-30.	3.5	24
23	Fault-tolerant Control of Discrete-time Descriptor Systems using Virtual Actuators. , 2019, , .		3
24	A Review of Convex Approaches for Control, Observation and Safety of Linear Parameter Varying and Takagi-Sugeno Systems. Processes, 2019, 7, 814.	1.3	40
25	Design of State-Feedback Controllers for Linear Parameter Varying Systems Subject to Time-Varying Input Saturation. Applied Sciences (Switzerland), 2019, 9, 3606.	1.3	10
26	Bibliographical review on cyber attacks from a control oriented perspective. Annual Reviews in Control, 2019, 48, 103-128.	4.4	79
27	Reachability and stabilization of scheduled steady-states for LPV single-input systems. Journal of the Franklin Institute, 2019, 356, 4478-4495.	1.9	1
28	Detection of replay attacks in cyber-physical systems using a frequency-based signature. Journal of the Franklin Institute, 2019, 356, 2798-2824.	1.9	38
29	Frequency-based detection of replay attacks: application to a quadrotor UAV. , 2019, , .		4
30	Observer Design for Takagi-Sugeno Lipschitz Systems Affected by Disturbances using Quadratic Boundedness. , 2019, , .		1
31	Time Evolution Pattern Analysis for Cyber Attack Detection in a Two-tank Benchmark. , 2019, , .		0
32	An Lmi–Based Heuristic Algorithm for Vertex Reduction in LPV Systems. International Journal of Applied Mathematics and Computer Science, 2019, 29, 725-737.	1.5	4
33	Analysis and design of quadratically bounded QPV control systems. IFAC-PapersOnLine, 2019, 52, 76-81.	0.5	3
34	State observer design for quadratic parameter varying (QPV) systems. , 2019, , .		2
35	D-stable Controller Design for Lipschitz NLPV System. IFAC-PapersOnLine, 2019, 52, 88-93.	0.5	7
36	Robust fault and icing diagnosis in unmanned aerial vehicles using LPV interval observers. International Journal of Robust and Nonlinear Control, 2019, 29, 5456-5480.	2.1	21

DAMIANO ROTONDO

#	Article	IF	CITATIONS
37	Actuator and sensor fault estimation based on a proportional-integral quasi-LPV observer with inexact scheduling parameters. IFAC-PapersOnLine, 2019, 52, 100-105.	0.5	6
38	Optimal state observation using quadratic boundedness: Application to UAV disturbance estimation. International Journal of Applied Mathematics and Computer Science, 2019, 29, 99-109.	1.5	9
39	Analysis and design of quadratic parameter varying (QPV) control systems with polytopic attractive region. Journal of the Franklin Institute, 2018, 355, 3488-3507.	1.9	13
40	State estimation and decoupling of unknown inputs in uncertain LPV systems using interval observers. International Journal of Control, 2018, 91, 1944-1961.	1.2	22
41	Fault estimation of wind turbines using combined adaptive and parameter estimation schemes. International Journal of Adaptive Control and Signal Processing, 2018, 32, 549-567.	2.3	28
42	Fault Tolerant Control of LPV Systems Using Reconfigured Reference Model and Virtual Actuators. Springer Theses, 2018, , 175-214.	0.0	0
43	Automated Generation and Comparison of Takagi-Sugeno and Polytopic Quasi-LPV Models. Springer Theses, 2018, , 51-73.	0.0	Ο
44	Robust State-Feedback Control of Uncertain LPV Systems. Springer Theses, 2018, , 75-99.	0.0	0
45	Shifting State-Feedback Control of LPV Systems. Springer Theses, 2018, , 101-125.	0.0	0
46	Fault Tolerant Control of LPV Systems Using Robust State-Feedback Control. Springer Theses, 2018, , 147-174.	0.0	0
47	Fault Tolerant Control of Unstable LPV Systems Subject to Actuator Saturations and Fault Isolation Delay. Springer Theses, 2018, , 215-240.	0.0	1
48	Diagnosis of Icing and Actuator Faults in UAVs Using LPV Unknown Input Observers. Journal of Intelligent and Robotic Systems: Theory and Applications, 2018, 91, 651-665.	2.0	19
49	Fault tolerant control of uncertain dynamical systems using interval virtual actuators. International Journal of Robust and Nonlinear Control, 2018, 28, 611-624. A shifting pole placement approach for the design of performance-varying multivariable PID	2.1	17
50	controllers via BMIs âž âžThis work has been partly funded by MINECÓ and FEDER through the project CICYT HARCRICS (ref.DPI2014-58104-R) and SCAV (ref.DPI2017-88403-R). This work has been also supported by the Spanish State Research Agency through the MarÃa de Maeztu Seal of Excellence to IRI (MDM-2016-0656) and the grant Juan de la Cierva-FormaciÃ <sup>3</sup> n (FJCI-2016-2901) IFAC-PapersOnLine, 2018, 51,	0.5	0
51	256-261. A two-tank benchmark for detection and isolation of cyber attacks. IFAC-PapersOnLine, 2018, 51, 770-775.	0.5	4
52	Advances in Gain-Scheduling and Fault Tolerant Control Techniques. Springer Theses, 2018, , .	0.0	14
53	Análisis y diseño de sistemas lineales con parámetros variamtes utilizando LMIs. RIAI - Revista Iberoamericana De Automatica E Informatica Industrial, 2018, 16, 1.	0.6	4
54	A bounded-error approach to simultaneous state and actuator fault estimation for a class of nonlinear systems. Journal of Process Control, 2017, 52, 14-25.	1.7	53

## # ARTICLE IF CITATIONS LPV model reference control for fixed-wing UAVs <sup>44</sup> <sup>10</sup>D. Rotondo acknowledges that this work was carried out during the tenure of an ERCIM Alain Bensoussan Fellowship Programme. This work was supported by the Research Council of Norway through the Centers of Excellence funding scheme, Project number 223254 - Centre for Autonomous Marine Operations and Systems (NTNU-AMOS), and Optimizing output regulation for a class of underactuated LPV systems., 2017,,. 56 1 A multiple model adaptive architecture for the state estimation in discrete-time uncertain LPV systems. A necessary and sufficient condition for total observability of discrete-time linear time-varying 58 0.5 10 systems. IFAC-PapersOnLine, 2017, 50, 729-734. icing diagnosis in unmanned aerial vehicles using an LPV multiple model estimator \* \*D. Rotondo acknowledges that this work was carried out during the tenure of an ERCIM Alain Bensoussan Fellowship Programme. This work was also supported by the Research Council of Norway through the Centers of Excellence funding scheme, Project number 223254 - Centre for Autonomous Marine An LMI approach to robust fault estimation for a class of nonlinear systems. International Journal of 60 2.1 78 Robust and Nonlinear Control, 2016, 26, 1530-1548. Robust adaptive simultaneous state and fault estimation for nonlinear systems: Application to an aerodynamical system., 2016, , . Virtual actuator-based FTC for LPV systems with saturating actuators and FDI delays., 2016,,. 62 4 Robust unknown input observer for state and fault estimation in discrete-time Takagi–Sugeno 3.7 68 systems. International Journal of Systems Science, 2016, 47, 3409-3424. 64 Towards a practical reachability test for dynamic systems under process faults., 2016,,. 1 Detection of icing and actuators faults in the longitudinal dynamics of small UAVs using an LPV proportional integral unknown input observer., 2016,,. On the analogies in control design of non-linear systems using LPV and Takagi-Sugeno models., 2016, , . 7 66 Actuator multiplicative fault estimation in discrete-time LPV systems using switched observers. 1.9 Journal of the Franklin Institute, 2016, 353, 3176-3191. Fault tolerant control of a proton exchange membrane fuel cell using Takagi–Sugeno virtual 68 1.7 23 actuators. Journal of Process Control, 2016, 45, 12-29. Robust fault diagnosis of proton exchange membrane fuel cells using a Takagi-Sugeno interval 3.8 observer approach. International Journal of Hydrogen Energy, 2016, 41, 2875-2886. Dilated LMI characterization for the robust finite time control of discrete-time uncertain linear 70 3.0 12 systems. Automatica, 2016, 63, 16-20. Shifting linear quadratic control of constrained continuous-time descriptor LPV systems...This wor has been funded by the Spanish Ministry of Science and Technology through the projects CICYT ECOCIS (ref. DPI2013-48243-C2-1-R) and CICYT HARCRICS (ref. DPI2014-58104-R), by AGAUR through the contract 71 FI-DGR 2014 (ref. 2014FI BI 00172) and by the DGR of Generalitat de Catalunya (SAC group Ref.) Tj ETQq1 1 0.784314 rgBT /Overloo Predictive Fault Tolerant Control for LPV systems using model reference. IFAC-PapersOnLine, 2015, 48, 72 0.5 3

DAMIANO ROTONDO

30-35.

**DAMIANO ROTONDO** 

#	Article	IF	CITATIONS
73	Linear quadratic control of LPV systems using static and shifting specifications. , 2015, , .		12
74	Model reference FTC for LPV systems using virtual actuators and setâ€membership fault estimation. International Journal of Robust and Nonlinear Control, 2015, 25, 735-760.	2.1	43
75	Robust Quasi–LPV Model Reference FTC of a Quadrotor Uav Subject to Actuator Faults. International Journal of Applied Mathematics and Computer Science, 2015, 25, 7-22.	1.5	71
76	Icing detection in unmanned aerial vehicles with longitudinal motion using an LPV unknown input observer. , 2015, , .		12
77	Shifting finite time stability and boundedness design for continuous-time LPV systems. , 2015, , .		3
78	Fault tolerant control of unstable LPV systems subject to actuator saturations using virtual actuators â~ â~This work has been funded by the Spanish Ministry of Science and Technology through the projects CICYT ECOCIS (Ref. DPI2013-48243-C2-1-R) and HARCRICS (Ref. DPI2014-58104-R), by AGAUR through the contract FIDGR 2014 (ref. 2014FI B1 00172) and by the DGR of Generalitat de Catalunya (SAC group) Tj ETQc		6  Overlock
79	A practical test for assessing the reachability of discrete-time Takagi–Sugeno fuzzy systems. Journal of the Franklin Institute, 2015, 352, 5936-5951.	1.9	13
80	Fault Tolerant Control of a PEM Fuel Cell using qLPV Virtual Actuators. IFAC-PapersOnLine, 2015, 48, 271-276.	0.5	6
81	Automated generation and comparison of Takagi–Sugeno and polytopic quasi-LPV models. Fuzzy Sets and Systems, 2015, 277, 44-64.	1.6	57
82	A virtual actuator approach for the fault tolerant control of unstable linear systems subject to actuator saturation and fault isolation delay. Annual Reviews in Control, 2015, 39, 68-80.	4.4	31
83	A robust ℋ <inf>∞</inf> observer design for unknown input nonlinear systems: Application to fault diagnosis of a wind turbine. , 2015, , .		1
84	Design of parameter-scheduled state-feedback controllers using shifting specifications. Journal of the Franklin Institute, 2015, 352, 93-116.	1.9	17
85	Fault tolerant control of an omnidirectional robot using a switched Takagi-Sugeno approach. , 2014, ,		0
86	A bank of virtual sensors for active Fault Tolerant Control of LPV systems. , 2014, , .		1
87	A Fault-Hiding Approach for the Switching Quasi-LPV Fault Tolerant Control of a Four-Wheeled Omnidirectional Mobile Robot. IEEE Transactions on Industrial Electronics, 2014, , 1-1.	5.2	37
88	Identification and switching quasi-LPV control of a four wheeled omnidirectional robot. , 2014, , .		3
89	An Interval NLPV Parity Equations Approach for Fault Detection and Isolation of a Wind Farm. IEEE Transactions on Industrial Electronics, 2014, , 1-1.	5.2	26

90 Model reference quasi-LPV control of a quadrotor UAV. , 2014, , .

**DAMIANO ROTONDO** 

#	Article	IF	CITATIONS
91	A virtual actuator and sensor approach for fault tolerant control of LPV systems. Journal of Process Control, 2014, 24, 203-222.	1.7	107
92	Robust state-feedback control of uncertain LPV systems: An LMI-based approach. Journal of the Franklin Institute, 2014, 351, 2781-2803.	1.9	53
93	FDI and FTC of wind turbines using the interval observer approach and virtual actuators/sensors. Control Engineering Practice, 2014, 24, 138-155.	3.2	111
94	Adaptive Observer for Switching Linear Parameter-Varying (LPV) Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 1471-1476.	0.4	11
95	A Virtual Actuator Approach for Fault Tolerant Control of Switching LPV Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 11667-11672.	0.4	5
96	Fault Diagnosis of a Wind Farm using Interval Parity Equations. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2014, 47, 4322-4327.	0.4	5
97	Model Reference Gain Scheduling Control of a PEM Fuel Cell Using Takagi-Sugeno Modelling. Communications in Computer and Information Science, 2014, , 518-527.	0.4	0
98	Fault tolerant control design for polytopic uncertain LPV systems. , 2013, , .		5
99	Fault Tolerant Control design for polytopic uncertain LPV systems: Application to a quadrotor. , 2013, , .		19
100	Quasi-LPV modeling, identification and control of a twin rotor MIMO system. Control Engineering Practice, 2013, 21, 829-846.	3.2	99
101	Robust fault detection and isolation of wind turbines using interval observers. , 2013, , .		5
102	FTC of LPV systems using a bank of virtual sensors:Aapplication to wind turbines. , 2013, , .		2
103	A shifting pole placement approach for the design of parameter-scheduled state-feedback controllers. , 2013, , .		9
104	FTC design for polytopic LPV systems subject to actuator saturations. , 2012, , .		1
105	Fault Tolerant Control of the Wind Turbine Benchmark using Virtual Sensors/Actuators. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 114-119.	0.4	20
106	Fault Estimation and Virtual Actuator FTC Approach for LPV Systems*. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 824-829.	0.4	7
107	Quasi-LPV modelling and non-linear identification of a Twin Rotor System. , 2012, , .		15

108 LPV modelling and control of a Twin Rotor MIMO System. , 2011, , .

#	Article	IF	CITATIONS
109	Fault estimation and virtual sensor FTC approach for LPV systems. , 2011, , .		9