

Basil D Brooke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6633815/publications.pdf>

Version: 2024-02-01

79
papers

3,512
citations

126907

33
h-index

144013

57
g-index

79
all docs

79
docs citations

79
times ranked

2432
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterisation of the epigenetic architecture of the major malaria vector <i>Anopheles arabiensis</i> (Diptera: Culicidae) after treatment with epigenetic modulators and heavy metals. <i>Acta Tropica</i> , 2022, 226, 106259.	2.0	1
2	The effect of blood feeding on insecticide resistance intensity and adult longevity in the major malaria vector <i>Anopheles funestus</i> (Diptera: Culicidae). <i>Scientific Reports</i> , 2022, 12, 3877.	3.3	10
3	Malaria risk and receptivity: Continuing development of insecticide resistance in the major malaria vector <i>Anopheles arabiensis</i> in northern KwaZulu-Natal, South Africa. <i>South African Journal of Science</i> , 2022, 118, .	0.7	2
4	Estimates of the population size and dispersal range of <i>Anopheles arabiensis</i> in Northern KwaZulu-Natal, South Africa: implications for a planned pilot programme to release sterile male mosquitoes. <i>Parasites and Vectors</i> , 2021, 14, 205.	2.5	5
5	Detection of Insect-Specific Flaviviruses in Mosquitoes (Diptera: Culicidae) in Northeastern Regions of South Africa. <i>Viruses</i> , 2021, 13, 2148.	3.3	6
6	Potential Mosquito Vectors for Shuni Virus, South Africa, 2014–2018. <i>Emerging Infectious Diseases</i> , 2021, 27, 3142-3146.	4.3	2
7	Effects of inorganic fertilizer on larval development, adult longevity and insecticide susceptibility in the malaria vector <i>Anopheles arabiensis</i> (Diptera: Culicidae). <i>Pest Management Science</i> , 2020, 76, 1560-1568.	3.4	7
8	Second generation effects of larval metal pollutant exposure on reproduction, longevity and insecticide tolerance in the major malaria vector <i>Anopheles arabiensis</i> (Diptera: Culicidae). <i>Parasites and Vectors</i> , 2020, 13, 4.	2.5	15
9	Malaria Vectors and Vector Surveillance in Limpopo Province (South Africa): 1927 to 2018. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4125.	2.6	13
10	Member species of the <i>Anopheles gambiae</i> complex can be misidentified as <i>Anopheles leesonii</i> . <i>Malaria Journal</i> , 2020, 19, 89.	2.3	16
11	High levels of imported asymptomatic malaria but limited local transmission in KwaZulu-Natal, a South African malaria-endemic province nearing malaria elimination. <i>Malaria Journal</i> , 2020, 19, 152.	2.3	22
12	Use of alternative bioassays to explore the impact of pyrethroid resistance on LLIN efficacy. <i>Parasites and Vectors</i> , 2020, 13, 179.	2.5	11
13	<i>Anopheles parensis</i> contributes to residual malaria transmission in South Africa. <i>Malaria Journal</i> , 2019, 18, 257.	2.3	32
14	The contribution of gut bacteria to insecticide resistance and the life histories of the major malaria vector <i>Anopheles arabiensis</i> (Diptera: Culicidae). <i>Scientific Reports</i> , 2019, 9, 9117.	3.3	36
15	Metabolic rate does not vary with seasonal change in <i>Anopheles arabiensis</i> adults in South Africa. <i>Journal of Insect Physiology</i> , 2019, 118, 103942.	2.0	1
16	The effects of larval organic fertiliser exposure on the larval development, adult longevity and insecticide tolerance of zoophilic members of the <i>Anopheles gambiae</i> complex (Diptera: Culicidae). <i>PLoS ONE</i> , 2019, 14, e0215552.	2.5	18
17	Frans Mbokazi, 1962–2017. <i>Public Health Action</i> , 2018, 8, S55-S55.	1.2	0
18	The effect of commercial herbicide exposure on the life history and insecticide resistance phenotypes of the major malaria vector <i>Anopheles arabiensis</i> (Diptera: culicidae). <i>Acta Tropica</i> , 2018, 188, 152-160.	2.0	16

#	ARTICLE	IF	CITATIONS
19	The effect of metal pollution on the life history and insecticide resistance phenotype of the major malaria vector <i>Anopheles arabiensis</i> (Diptera: Culicidae). PLoS ONE, 2018, 13, e0192551.	2.5	30
20	A new malaria vector mosquito in South Africa. Scientific Reports, 2017, 7, 43779.	3.3	53
21	The effect of elevated temperatures on the life history and insecticide resistance phenotype of the major malaria vector <i>Anopheles arabiensis</i> (Diptera: Culicidae). Malaria Journal, 2017, 16, 73.	2.3	45
22	Benchmarking insecticide resistance intensity bioassays for <i>Anopheles</i> malaria vector species against resistance phenotypes of known epidemiological significance. Parasites and Vectors, 2017, 10, 198.	2.5	28
23	Population Dynamics and <i>Plasmodium falciparum</i> (Haemosporida: Plasmodiidae) Infectivity Rates for the Malaria Vector <i>Anopheles arabiensis</i> (Diptera: Culicidae) at Mamfene, KwaZulu-Natal, South Africa. Journal of Medical Entomology, 2017, 54, 1758-1766.	1.8	31
24	The effects of ingestion of hormonal host factors on the longevity and insecticide resistance phenotype of the major malaria vector <i>Anopheles arabiensis</i> (Diptera: Culicidae). PLoS ONE, 2017, 12, e0180909.	2.5	3
25	The Role of Oxidative Stress in the Longevity and Insecticide Resistance Phenotype of the Major Malaria Vectors <i>Anopheles arabiensis</i> and <i>Anopheles funestus</i> . PLoS ONE, 2016, 11, e0151049.	2.5	49
26	Insecticide Resistance and Its Impact on Vector Control. , 2016, , 287-312.		5
27	Reviewing South Africa's malaria elimination strategy (2012-2018): progress, challenges and priorities. Malaria Journal, 2016, 15, 438.	2.3	45
28	Mating competitiveness of sterile genetic sexing strain males (GAMA) under laboratory and semi-field conditions: Steps towards the use of the Sterile Insect Technique to control the major malaria vector <i>Anopheles arabiensis</i> in South Africa. Parasites and Vectors, 2016, 9, 122.	2.5	34
29	The larvicidal effects of black pepper (<i>Piper nigrum</i> L.) and piperine against insecticide resistant and susceptible strains of <i>Anopheles</i> malaria vector mosquitoes. Parasites and Vectors, 2016, 9, 238.	2.5	43
30	Evaluation of the toxicity and repellence of an organic fatty acids mixture (C8910) against insecticide susceptible and resistant strains of the major malaria vector <i>Anopheles funestus</i> Giles (Diptera: Tj ETQq0 0 0 rgBT Lock 10 Tf 50 29		
31	The neonicotinoid imidacloprid, and the pyrethroid deltamethrin, are antagonists of the insect Rdl <sc>GABA</sc> receptor. Journal of Neurochemistry, 2015, 135, 705-713.	3.9	47
32	Insecticide resistance in the malaria vector <i>Anopheles arabiensis</i> in Mamfene, KwaZulu-Natal. South African Journal of Science, 2015, 111, 3.	0.7	11
33	Electrostatic coating enhances bioavailability of insecticides and breaks pyrethroid resistance in mosquitoes. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 12081-12086.	7.1	71
34	Embryonic Development and Rates of Metabolic Activity in Early and Late Hatching Eggs of the Major Malaria Vector <i>Anopheles gambiae</i> . PLoS ONE, 2014, 9, e114381.	2.5	6
35	Odyssean malaria outbreaks in Gauteng Province, South Africa, 2007 - 2013. South African Medical Journal, 2014, 104, 335.	0.6	8
36	The effect of multiple blood-feeding on the longevity and insecticide resistant phenotype in the major malaria vector <i>Anopheles arabiensis</i> (Diptera: Culicidae). Parasites and Vectors, 2014, 7, 390.	2.5	61

#	ARTICLE	IF	CITATIONS
37	Larval salinity tolerance of two members of the <i>Anopheles funestus</i> group. Medical and Veterinary Entomology, 2014, 28, 187-192.	1.5	6
38	Insecticide resistance and role in malaria transmission of <i>Anopheles funestus</i> populations from Zambia and Zimbabwe. Parasites and Vectors, 2014, 7, 464.	2.5	61
39	Field study site selection, species abundance and monthly distribution of anopheline mosquitoes in the northern Kruger National Park, South Africa. Malaria Journal, 2014, 13, 27.	2.3	24
40	Sub-Lethal Pyrethroid Exposure at the Larval or Adult Life Stage and Selection for Resistance in the Major African Malaria Vector <i>Anopheles funestus</i> (Diptera: Culicidae). African Entomology, 2014, 22, 636-642.	0.6	2
41	The effect of larval nutritional deprivation on the life history and DDT resistance phenotype in laboratory strains of the malaria vector <i>Anopheles arabiensis</i> . Malaria Journal, 2013, 12, 44.	2.3	48
42	Pyrethroid, DDT and malathion resistance in the malaria vector <i>Anopheles gambiae</i> from the Democratic Republic of Congo. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2013, 107, 8-14.	1.8	33
43	Malaria vector control in South Africa. South African Medical Journal, 2013, 103, 784.	0.6	33
44	Evaluating the potential of the sterile insect technique for malaria control: relative fitness and mating compatibility between laboratory colonized and a wild population of <i>Anopheles arabiensis</i> from the Kruger National Park, South Africa. Parasites and Vectors, 2011, 4, 208.	2.5	37
45	Multiple Insecticide Resistance in <i>Anopheles gambiae</i> (Diptera: Culicidae) from Pointe Noire, Republic of the Congo. Vector-Borne and Zoonotic Diseases, 2011, 11, 1193-1200.	1.5	31
46	The Effect of Entomopathogenic Fungus Infection on Female Fecundity of the Major Malaria Vector, <i>Anopheles funestus</i> . African Entomology, 2011, 19, 725-729.	0.6	6
47	Lethal and Pre-Lethal Effects of a Fungal Biopesticide Contribute to Substantial and Rapid Control of Malaria Vectors. PLoS ONE, 2011, 6, e23591.	2.5	77
48	Age-related pyrethroid resistance is not a function of P450 gene expression in the major African malaria vector, <i>Anopheles funestus</i> (Diptera: Culicidae). Genetics and Molecular Research, 2011, 10, 3220-3229.	0.2	18
49	Insecticide resistance in <i>Anopheles arabiensis</i> (Diptera: Culicidae) from villages in central, northern and south west Ethiopia and detection of <i>kdr</i> mutation. Parasites and Vectors, 2010, 3, 40.	2.5	98
50	Cuticle thickening associated with pyrethroid resistance in the major malaria vector <i>Anopheles funestus</i> . Parasites and Vectors, 2010, 3, 67.	2.5	188
51	Major effect genes or loose confederations? The development of insecticide resistance in the malaria vector <i>Anopheles gambiae</i> . Parasites and Vectors, 2010, 3, 74.	2.5	23
52	Staggered larval time-to-hatch and insecticide resistance in the major malaria vector <i>Anopheles gambiae</i> S form. Malaria Journal, 2010, 9, 360.	2.3	12
53	The infectivity of the entomopathogenic fungus <i>Beauveria bassiana</i> to insecticide-resistant and susceptible <i>Anopheles arabiensis</i> mosquitoes at two different temperatures. Malaria Journal, 2010, 9, 71.	2.3	50
54	Fungal infection counters insecticide resistance in African malaria mosquitoes. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 17443-17447.	7.1	126

#	ARTICLE	IF	CITATIONS
55	Evaluation of the pyrrole insecticide chlorfenapyr against pyrethroid resistant and susceptible <i>Anopheles funestus</i> (Diptera: Culicidae). <i>Tropical Medicine and International Health</i> , 2009, 15, 127-31.	2.3	20
56	Malaria vector composition and insecticide susceptibility status in Guinea Conakry, West Africa. <i>Medical and Veterinary Entomology</i> , 2009, 23, 326-334.	1.5	30
57	A New Species Concealed by <i>Anopheles funestus</i> Giles, a Major Malaria Vector in Africa. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 81, 510-515.	1.4	42
58	A new species concealed by <i>Anopheles funestus</i> Giles, a major malaria vector in Africa. <i>American Journal of Tropical Medicine and Hygiene</i> , 2009, 81, 510-5.	1.4	30
59	kdr: can a single mutation produce an entire insecticide resistance phenotype?. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, 524-525.	1.8	61
60	Characterisation of DDT, pyrethroid and carbamate resistance in <i>Anopheles funestus</i> from Obuasi, Ghana. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, 591-598.	1.8	66
61	Over expression of a Cytochrome P450 (CYP6P9) in a Major African Malaria Vector, <i>Anopheles Funestus</i> , Resistant to Pyrethroids. <i>Insect Molecular Biology</i> , 2008, 17, 19-25.	2.0	113
62	Pyrethroid resistance in the major malaria vector <i>Anopheles arabiensis</i> from Gwave, a malaria-endemic area in Zimbabwe. <i>Malaria Journal</i> , 2008, 7, 247.	2.3	63
63	The effect of a single blood meal on the phenotypic expression of insecticide resistance in the major malaria vector <i>Anopheles funestus</i> . <i>Malaria Journal</i> , 2008, 7, 226.	2.3	38
64	Inheritance of pyrethroid resistance in the major malaria vector in southern Africa, <i>Anopheles funestus</i> . <i>Annals of Tropical Medicine and Parasitology</i> , 2008, 102, 275-281.	1.6	2
65	Relative developmental and reproductive fitness associated with pyrethroid resistance in the major southern African malaria vector, <i>Anopheles funestus</i> . <i>Bulletin of Entomological Research</i> , 2007, 97, 599-605.	1.0	42
66	Indoor collections of the <i>Anopheles funestus</i> group (Diptera: Culicidae) in sprayed houses in northern KwaZulu-Natal, South Africa. <i>Malaria Journal</i> , 2007, 6, 30.	2.3	32
67	Insecticide resistance in the malarial mosquito <i>Anopheles arabiensis</i> and association with the kdr mutation. <i>Medical and Veterinary Entomology</i> , 2007, 21, 97-102.	1.5	63
68	Dieldrin resistance in the malaria vector <i>Anopheles gambiae</i> in Ghana. <i>Medical and Veterinary Entomology</i> , 2006, 20, 294-299.	1.5	7
69	Laboratory selection for and characteristics of pyrethroid resistance in the malaria vector <i>Anopheles funestus</i> . <i>Medical and Veterinary Entomology</i> , 2005, 19, 271-275.	1.5	179
70	Independent mutations in the Rdl locus confer dieldrin resistance to <i>Anopheles gambiae</i> and <i>An. arabiensis</i> . <i>Insect Molecular Biology</i> , 2005, 14, 179-183.	2.0	122
71	Isolation and sequence analysis of P450 genes from a pyrethroid resistant colony of the major malaria vector <i>Anopheles funestus</i> . <i>DNA Sequence</i> , 2005, 16, 437-445.	0.7	18
72	The sympatric occurrence of two molecular forms of the malaria vector <i>Anopheles gambiae</i> Giles sensu stricto in Kanyemba, in the Zambezi Valley, Zimbabwe. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2004, 98, 393-396.	1.8	18

#	ARTICLE	IF	CITATIONS
73	Absence of the kdr mutation in the molecular 'M' form suggests different pyrethroid resistance mechanisms in the malaria vector mosquito <i>Anopheles gambiae</i> s.s.. <i>Tropical Medicine and International Health</i> , 2003, 8, 420-422.	2.3	44
74	<i>Anopheles arabiensis</i> and <i>An. quadriannulatus</i> resistance to DDT in South Africa. <i>Medical and Veterinary Entomology</i> , 2003, 17, 417-422.	1.5	116
75	Stable Chromosomal Inversion Polymorphisms and Insecticide Resistance in the Malaria Vector Mosquito <i>Anopheles gambiae</i> (Diptera: Culicidae). <i>Journal of Medical Entomology</i> , 2002, 39, 568-573.	1.8	42
76	Resistance of the malaria vector <i>Anopheles gambiae</i> s.s. to pyrethroid insecticides, in south-western Nigeria. <i>Annals of Tropical Medicine and Parasitology</i> , 2002, 96, 849-852.	1.6	52
77	Bioassay and biochemical analyses of insecticide resistance in southern African <i>Anopheles funestus</i> (Diptera: Culicidae). <i>Bulletin of Entomological Research</i> , 2001, 91, 265-272.	1.0	193
78	Resistance to dieldrin + fipronil assort with chromosome inversion 2La in the malaria vector <i>Anopheles gambiae</i> . <i>Medical and Veterinary Entomology</i> , 2000, 14, 190-194.	1.5	40
79	<i>Anopheles funestus</i> resistant to pyrethroid insecticides in South Africa. <i>Medical and Veterinary Entomology</i> , 2000, 14, 181-189.	1.5	416