
Massimo Pregnolato

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6633931/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Minds and Robots: An Impassable Border. Contemporary Systems Thinking, 2021, , 225-251. | 0.4 | 2 |
| 2 | New Antibiotics for Multidrug-Resistant Bacterial Strains: Latest Research Developments and Future Perspectives. Molecules, 2021, 26, 2671. | 3.8 | 197 |
| 3 | Developing a Novel Enzyme Immobilization Process by Activation of Epoxy Carriers with Glucosamine for Pharmaceutical and Food Applications. Catalysts, 2019, 9, 843. | 3.5 | 7 |
| 4 | Electromagnetic homeostasis and the role of low-amplitude electromagnetic fields on life organization. Electromagnetic Biology and Medicine, 2017, 36, 115-122. | 1.4 | 25 |
| 5 | Patterns of calcium signaling: A link between chronic emotions and cancer. Journal of Integrative Neuroscience, 2017, 16, S43-S63. | 1.7 | 3 |
| 6 | Immobilization of Neutral Protease from Bacillus subtilis for Regioselective Hydrolysis of Acetylated Nucleosides: Application to Capecitabine Synthesis. Molecules, 2016, 21, 1621. | 3.8 | 19 |
| 7 | Quantum neurophysics: From non-living matter to quantum neurobiology and psychopathology. International Journal of Psychophysiology, 2016, 103, 161-173. | 1.0 | 25 |
| 8 | Editorial (Thematic Issue: Electromagnetic Effects in Medicinal Chemistry). Current Topics in Medicinal Chemistry, 2015, 15, 512-512. | 2.1 | 0 |
| 9 | α-Amino-α´-Halomethylketones: Synthetic Methodologies and Pharmaceutical Applications as Serine and Cysteine Protease Inhibitors. Mini-Reviews in Medicinal Chemistry, 2013, 13, 988-996. | 2.4 | 12 |
| 10 | Ignazio Licata: The Latest Magna Graecia's Natural Philosopher. NeuroQuantology, 2013, 11, . | 0.2 | 0 |
| 11 | Spin probe analysis of microtubules structure and formation. Archives of Biochemistry and Biophysics, 2012, 522, 1-8. | 3.0 | 3 |
| 12 | Efficient biocatalyst for large-scale synthesis of cephalosporins, obtained by combining immobilization and site-directed mutagenesis of penicillin acylase. Applied Microbiology and Biotechnology, 2012, 95, 1491-1500. | 3.6 | 17 |
| 13 | Quantum Logic of the Unconscious and Schizophrenia. NeuroQuantology, 2012, 10, . | 0.2 | 7 |
| 14 | Synthesis, postâ€modification and characterization of linear polystyreneâ€based supports for interaction with immobilized biocatalysts. Polymer International, 2012, 61, 1611-1618. | 3.1 | 12 |
| 15 | Major Depression and Bipolar Disorder: The Concept of Symmetry Breaking. NeuroQuantology, 2012, 10, . | 0.2 | 8 |
| 16 | Consciousness and Hallucinations: Molecular Considerations and Theoretical Questions. NeuroQuantology, 2011, 9, . | 0.2 | 6 |
| 17 | Depression, osteoporosis, serotonin and cell membrane viscosity between biology and philosophical anthropology. Annals of General Psychiatry, 2011, 10, 9. | 2.7 | 11 |
| 18 | Highly regioselective control of 1,2-addition of organolithiums to α,β-unsaturated compounds promoted by lithium bromide in 2-methyltetrahydrofuran: a facile and eco-friendly access to allylic alcohols and amines. Tetrahedron, 2011, 67, 2670-2675. | 1.9 | 52 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Recombinant lipase from <i>Candida rugosa</i> for regioselective hydrolysis of peracetylated nucleosides. A comparison with commercial non-recombinant lipases. Biocatalysis and Biotransformation, 2010, 28, 108-116. | 2.0 | 13 |
| 20 | The Interactome Hypothesis of Depression. NeuroQuantology, 2010, 8, . | 0.2 | 12 |
| 21 | A Versatile Synthesis of 5′â€Functionalized Nucleosides Through Regioselective Enzymatic Hydrolysis of Their Peracetylated Precursors. European Journal of Organic Chemistry, 2009, 2009, 1967-1975. | 2.4 | 20 |
| 22 | Enzymatic resolution of 5-hydroxy- and 8-hydroxy-2-tetralols using immobilized lipases. Tetrahedron: Asymmetry, 2009, 20, 467-472. | 1.8 | 11 |
| 23 | Chemo-biocatalytic regioselective one-pot synthesis of different deprotected monosaccharides. Catalysis Today, 2009, 140, 11-18. | 4.4 | 34 |
| 24 | Efficient Biocatalytic Cleavage and Recovery of Organic Substrates Supported on Soluble Polymers. Advanced Synthesis and Catalysis, 2007, 349, 971-978. | 4.3 | 13 |
| 25 | Enzymatic synthesis of cephalosporins. The immobilized acylase from Arthrobacter viscosus: A new useful biocatalyst. Applied Microbiology and Biotechnology, 2007, 77, 579-587. | 3.6 | 20 |
| 26 | "One-pot―synthesis of 2-acetamido-2-deoxy-1,3,6-tri-O-acetyl-α-D-glucopyranose as intermediate for α-D-lactosamine octaacetate preparation. Arkivoc, 2006, 2006, 66-73. | 0.5 | 5 |
| 27 | Synthesis of 2′-Deoxynucleosides by Transglycosylation with New Immobilized and Stabilized Uridine Phosphorylase and Purine Nucleoside Phosphorylase. Advanced Synthesis and Catalysis, 2004, 346, 1361-1366. | 4.3 | 53 |
| 28 | 1,2-Dithiolan-3-ones and Derivatives Structurally Related to Leinamycin. Synthesis and Biological Evaluation ChemInform, 2004, 35, no. | 0.0 | 0 |
| 29 | Immobilization and Stabilization of Recombinant Multimeric Uridine and Purine Nucleoside Phosphorylases fromBacillus subtilis. Biomacromolecules, 2004, 5, 2195-2200. | 5.4 | 54 |
| 30 | 1,2-Dithiolan-3-ones and derivatives structurally related to leinamycin. Synthesis and biological evaluation. Il Farmaco, 2003, 58, 995-998. | 0.9 | 11 |
| 31 | New N-Alkyl-1,2-dihydro-2-thioxo-3-pyridinecarbothioamides as Antituberculous Agents with Improved Pharmacokinetics ChemInform, 2003, 34, no. | 0.0 | 0 |
| 32 | New N-Alkyl-1,2-dihydro-2-thioxo-3-pyridinecarbothioamides as antituberculous agents with improved pharmacokinetics. Bioorganic and Medicinal Chemistry Letters, 2002, 12, 2541-2544. | 2.2 | 10 |
| 33 | Influence of the enzyme derivative preparation and substrate structure on the enantioselectivity of penicillin G acylase. Enzyme and Microbial Technology, 2002, 31, 88-93. | 3.2 | 59 |
| 34 | SYNTHESIS ANDIN VITROACTIVITY OF D- AND L-ENANTIOMERS OF 5-(TRIFLUOROMETHYL)URACIL NUCLEOSIDE DERIVATIVES. Nucleosides, Nucleotides and Nucleic Acids, 2001, 20, 1123-1125. | 1.1 | 5 |
| 35 | 5-(Trifluoromethyl)-β-I-2′-deoxyuridine, the l-Enantiomer of Trifluorothymidine: Stereospecific Synthesis and Antiherpetic Evaluations. Bioorganic and Medicinal Chemistry, 2001, 9, 1731-1738. | 3.0 | 10 |
| 36 | Immobilized penicillin G acylase as reactor and chiral selector in liquid chromatography. Journal of Chromatography A, 2001, 921, 147-160. | 3.7 | 57 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Enantioselective enzymatic hydrolysis of racemic glycidyl esters by using immobilized porcine pancreas lipase with improved catalytic properties. Journal of Molecular Catalysis B: Enzymatic, 2001, 11, 757-763. | 1.8 | 20 |
| 38 | Potentiation of Inhibition of Wild-Type and Mutant Human Immunodeficiency Virus Type 1 Reverse Transcriptases by Combinations of Nonnucleoside Inhibitors and d - and l -(β)-Dideoxynucleoside Triphosphate Analogs. Antimicrobial Agents and Chemotherapy, 2001, 45, 1192-1200. | 3.2 | 13 |
| 39 | 3H-[1,2]Dithiolo[3,4-b]pyridine-3-thione and its derivatives Synthesis and antimicrobial activity. Il Farmaco, 2000, 55, 669-679. | 0.9 | 25 |
| 40 | Selective Interaction of the Human Immunodeficiency Virus Type 1 Reverse Transcriptase Nonnucleoside Inhibitor Efavirenz and Its Thio-Substituted Analog with Different Enzyme-Substrate Complexes. Antimicrobial Agents and Chemotherapy, 2000, 44, 1186-1194. | 3.2 | 54 |
| 41 | Novel Nonsubstrate Inhibitors of Human Thymidine Phosphorylase, a Potential Target for Tumor-Dependent Angiogenesis. Journal of Medicinal Chemistry, 2000, 43, 2601-2607. | 6.4 | 37 |
| 42 | Synthesis and in Vitro Anti-MycobacteriumActivity ofN-Alkyl-1,2-dihydro-2-thioxo-3-pyridinecarbothioamides. Preliminary Toxicity and Pharmacokinetic Evaluation. Journal of Medicinal Chemistry, 2000, 43, 199-204. | 6.4 | 27 |
| 43 | Antimicrobial and genotoxic activities of N-(2-hydroxyethyl)-1,2-benzisothiazol-3(2H)-thione carbamic esters. Il Farmaco, 1999, 54, 643-647. | 0.9 | 5 |
| 44 | Molecular Modeling and Synthesis of Inhibitors of Herpes Simplex Virus Type 1 Uracil-DNA Glycosylase. Journal of Medicinal Chemistry, 1999, 42, 2344-2350. | 6.4 | 29 |
| 45 | Highly Enantiospecific Oxyfunctionalization of Nonactivated Hydrocarbon Sites by Perfluoro-cis-2-n-butyl-3-n-propyloxaziridine. Organic Letters, 1999, 1, 281-284. | 4.6 | 25 |
| 46 | High-Performance Liquid Chromatography Method for Analyzing the Antiretroviral Agent Efavirenz in Human Plasma. Therapeutic Drug Monitoring, 1999, 21, 346. | 2.0 | 31 |
| 47 | Metabolites of Alachlor in Water:Â Identification by Mass Spectrometry and Chemical Synthesis. Environmental Science & Technology, 1997, 31, 3637-3646. | 10.0 | 30 |
| 48 | One-Pot Chemoenzymatic Synthesis of 3â€~-Functionalized Cephalosporines (Cefazolin) by Three Consecutive Biotransformations in Fully Aqueous Medium. Journal of Organic Chemistry, 1997, 62, 9099-9106. | 3.2 | 54 |
| 49 | Conversion of Thio- and Selenophosphoryl into Phosphoryl Group by Perfluorocis-2,3-Dialkyloxaziridines. Journal of Organic Chemistry, 1997, 62, 6401-6403. | 3.2 | 18 |
| 50 | Chemoenzymatic one-pot synthesis of cefazolin from cephalosporin C in fully aqueous medium, involving three consecutive biotransformations catalyzed by D-aminoacid oxidase, glutaryl acylase and penicillin G acylase. Tetrahedron Letters, 1997, 38, 4693-4696. | 1.4 | 24 |
| 51 | An easy photochemical approach to the synthesis of the food-borne carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine. Tetrahedron Letters, 1997, 38, 7793-7796. | 1.4 | 4 |
| 52 | Selective Epoxidation of Olefins by Perfluoro-cis-2,3-dialkyloxaziridines1. Journal of Organic Chemistry, 1996, 61, 8805-8810. | 3.2 | 30 |
| 53 | In Vitro Anti-Mycobacterium avium Activity ofN-(2-Hydroxyethyl)-1,2-benzisothiazol-3(2H)-one and -thione Carbamic Esters. Archiv Der Pharmazie, 1996, 329, 421-425. | 4.1 | 11 |
| 54 | Selective sulfur oxygenation in phosphoroamidate, thionophosphate, and thiophosphate agrochemicals by perfluoro-cis-2,3-dialkyloxaziridine. Tetrahedron, 1995, 51, 7981-7992. | 1.9 | 15 |

| # | Article | IF | CITATIONS |
|----|---|----------------|-----------|
| 55 | Synthesis of 3 <i>H</i> â€thieno[3,2â€ <i>c</i>]â€1,2â€dithioleâ€3â€thione and its reaction with <i>n</i> â€buty Journal of Heterocyclic Chemistry, 1995, 32, 847-850. | lamine. 2.6 | 15 |
| 56 | Studies on the insecticidal activities of some newN-benzoyl-N′-arylureas. Pest Management Science, 1995, 45, 227-236. | 0.4 | 4 |
| 57 | Mild and Selective Oxygenation of Sulfides to Sulfoxides and Sulfones by Perfluoro-cis-2,3-dialkyloxaziridines. Journal of Organic Chemistry, 1994, 59, 2762-2765. | 3.2 | 45 |
| 58 | Disposition of high-dose busulfan in pediatric patients undergoing bone marrow transplantation. Clinical Pharmacology and Therapeutics, 1993, 54, 45-52. | 4.7 | 42 |
| 59 | On the reaction between 3 <i>H</i> â€1,2â€dithiolo[3,4â€ <i>b</i>]pyridineâ€3â€thione and primary alkyl and arylalkylamines. Journal of Heterocyclic Chemistry, 1993, 30, 1079-1084. | 2.6 | 29 |
| 60 | Asymmetric synthesis of oxygen- and nitrogen-substituted difluoromethylene products. Journal of Organic Chemistry, 1992, 57, 2726-2731. | 3.2 | 26 |
| 61 | Oxidation of alcohols by perfluoro-cis-2,3-dialkyl oxaridines. Tetrahedron Letters, 1992, 33, 7245-7248. | 1.4 | 28 |
| 62 | A new entry to homochiral difluorinated compounds. Tetrahedron: Asymmetry, 1991, 2, 1105-1106. | 1.8 | 11 |
| 63 | Fungicidal activity of some alkylthio-substituted 2-iodo-and 2-methylbenzanilides. Pest Management Science, 1990, 28, 1-6. | 0.4 | 0 |