

Larissa Pires Andrade

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6635451/larissa-pires-andrade-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39
papers

727
citations

14
h-index

26
g-index

40
ext. papers

894
ext. citations

2.4
avg, IF

3.82
L-index

#	Paper	IF	Citations
39	Effects of physical exercise on the cognition of older adults with frailty syndrome: A systematic review and meta-analysis of randomized trials. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 93, 104322	4	9
38	Home-based multimodal exercise program in older people with Alzheimer disease: Randomized controlled trial protocol. <i>Physiotherapy Research International</i> , 2021 , 26, e1899	1.8	2
37	Changes in executive function and gait in people with mild cognitive impairment and Alzheimer disease. <i>Dementia E Neuropsychologia</i> , 2021 , 15, 60-68	2.1	2
36	Feasibility of reducing frailty components in older adults with Alzheimer's dementia: a randomized controlled home-based exercise trial (AD-HOMEX). <i>Experimental Gerontology</i> , 2021 , 150, 111390	4.5	0
35	Feasibility of improving strength and functioning and decreasing the risk of falls in older adults with Alzheimer's dementia: a randomized controlled home-based exercise trial. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 96, 104476	4	1
34	Outcomes and interventions in the elderly with and without cognitive impairment: a longitudinal study. <i>Dementia E Neuropsychologia</i> , 2020 , 14, 394-402	2.1	2
33	Performance of an Adapted Version of the Timed Up-and-Go Test in People with Cognitive Impairments. <i>Journal of Motor Behavior</i> , 2019 , 51, 647-654	1.4	7
32	Subjective memory complaint and its relationship with cognitive changes and physical vulnerability of community-dwelling older adults. <i>Dementia E Neuropsychologia</i> , 2019 , 13, 343-349	2.1	2
31	Accuracy of mobility tests for screening the risk of falls in patients with mild cognitive impairment and alzheimer's disease. <i>Fisioterapia E Pesquisa</i> , 2019 , 26, 258-264	0.2	1
30	Risk Factors for Falls in Older Adults With Mild Cognitive Impairment and Mild Alzheimer Disease. <i>Journal of Geriatric Physical Therapy</i> , 2019 , 42, E116-E121	3.2	20
29	Performance of Different Timed Up and Go Subtasks in Frailty Syndrome. <i>Journal of Geriatric Physical Therapy</i> , 2019 , 42, 287-293	3.2	16
28	Dual-task as a predictor of falls in older people with mild cognitive impairment and mild Alzheimer's disease: a prospective cohort study. <i>Brazilian Journal of Physical Therapy</i> , 2018 , 22, 417-423	3.7	19
27	Association Between Gait and Dual Task With Cognitive Domains in Older People With Cognitive Impairment. <i>Journal of Motor Behavior</i> , 2018 , 50, 409-415	1.4	6
26	Performances on the Timed Up and Go Test and subtasks between fallers and non-fallers in older adults with cognitive impairment. <i>Arquivos De Neuro-Psiquiatria</i> , 2018 , 76, 381-386	1.6	10
25	A program of physical activity improves gait impairment in people with Alzheimer's disease. <i>Motriz Revista De Educacao Fisica</i> , 2018 , 24,	0.9	1
24	The Walking Ability in Healthy Older Adults: The Role of Aging and Physical Activity and Its Interface with Agility, Balance, Cognition, and Risk of Falls 2017 , 73-90		1
23	Cognitive Correlates of Timed Up and Go Subtasks in Older People With Preserved Cognition, Mild Cognitive Impairment, and Alzheimer's Disease. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017 , 96, 700-705	2.6	13

22	Gait, dual task and history of falls in elderly with preserved cognition, mild cognitive impairment, and mild Alzheimer's disease. <i>Brazilian Journal of Physical Therapy</i> , 2017 , 21, 144-151	3.7	29
21	Effects of the Addition of a Dual Task to a Supervised Physical Exercise Program on Older Adults' Cognitive Performance. <i>Journal of Aging and Physical Activity</i> , 2017 , 25, 234-239	1.6	14
20	The relationship between dual-task and cognitive performance among elderly participants who exercise regularly. <i>Brazilian Journal of Physical Therapy</i> , 2015 , 19, 159-66	3.7	14
19	Physical exercise improves peripheral BDNF levels and cognitive functions in mild cognitive impairment elderly with different bdnf Val66Met genotypes. <i>Journal of Alzheimer's Disease</i> , 2015 , 43, 81-91	4.3	83
18	Caregiver report versus clinician impression: disagreements in rating neuropsychiatric symptoms in Alzheimer's disease patients. <i>International Journal of Geriatric Psychiatry</i> , 2015 , 30, 1230-7	3.9	22
17	Neurobiological correlates of apathy in Alzheimer's disease and mild cognitive impairment: a critical review. <i>Journal of Alzheimer's Disease</i> , 2014 , 39, 633-48	4.3	41
16	Dual task and postural control in Alzheimer's and Parkinson's disease. <i>Motriz Revista De Educacao Fisica</i> , 2014 , 20, 78-84	0.9	5
15	Cognition and dual-task performance in older adults with Parkinson's and Alzheimer's disease. <i>International Journal of General Medicine</i> , 2014 , 7, 383-8	2.3	20
14	Physical exercise in MCI elderly promotes reduction of pro-inflammatory cytokines and improvements on cognition and BDNF peripheral levels. <i>Current Alzheimer Research</i> , 2014 , 11, 799-805	3	113
13	Multimodal exercise intervention improves frontal cognitive functions and gait in Alzheimer's disease: a controlled trial. <i>Geriatrics and Gerontology International</i> , 2013 , 13, 198-203	2.9	74
12	Benefits of multimodal exercise intervention for postural control and frontal cognitive functions in individuals with Alzheimer's disease: a controlled trial. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1919-26	5.6	71
11	Validation of the Brazilian version of the apathy inventory. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 979-86	3.9	9
10	The Brazilian version of the Neuropsychiatric Inventory-Clinician rating scale (NPI-C): reliability and validity in dementia. <i>International Psychogeriatrics</i> , 2013 , 25, 1503-11	3.4	18
9	Investigaçã dos mēodos avaliativos utilizados por fisioterapeutas na especificidade da neurologia funcional. <i>Fisioterapia E Pesquisa</i> , 2013 , 20, 31-36	0.2	1
8	Exercīcios fīsicos generalizados capacidade funcional e sintomas depressivos em idosos. <i>Revista Brasileira De Cineantropometria E Desempenho Humano</i> , 2013 , 15,	0.1	2
7	Análise de protocolos com intervençã motora domiciliar para pacientes com doençã de Alzheimer: uma revisã sistemātica. <i>Revista Brasileira De Geriatria E Gerontologia</i> , 2013 , 16, 615-631	0.8	3
6	Depressive symptoms and level of physical activity in patients with Alzheimer's disease. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 637-42	2.9	14
5	Functional dependence and caregiver burden in Alzheimer's disease: a controlled trial on the benefits of motor intervention. <i>Psychogeriatrics</i> , 2012 , 12, 186-92	1.8	27

4	Gait and risk of falls associated with frontal cognitive functions at different stages of Alzheimer's disease. <i>Aging, Neuropsychology, and Cognition</i> , 2012 , 19, 644-56	2.1	47
3	Efeitos de tarefas cognitivas no controle postural de idosos: Uma revisão sistemática. <i>Motricidade</i> , 2011 , 7,	0	2
2	Apathy in Alzheimer's disease: Contribution to a clinical view on progression of dementia. <i>Dementia E Neuropsychologia</i> , 2010 , 4, 188-193	2.1	3
1	Longitudinal cognitive screening study in community-dwelling individuals. <i>Dementia E Neuropsychologia</i> , 2010 , 4, 214-221	2.1	3