## Silvia Helena Mello e Sousa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6635593/publications.pdf

Version: 2024-02-01

32

all docs

32 1,050 17
papers citations h-index

32

docs citations

h-index g-index

32 892
times ranked citing authors

454955

30

#	Article	IF	CITATIONS
1	Hydrodynamically driven patterns of recent sedimentation in the shelf and upper slope off Southeast Brazil. Continental Shelf Research, 2004, 24, 1685-1697.	1.8	147
2	Assessment of the health quality of Ria de Aveiro (Portugal): Heavy metals and benthic foraminifera. Marine Pollution Bulletin, 2013, 70, 18-33.	5.0	101
3	Response of Benthic Foraminifera to Organic Matter Quantity and Quality and Bioavailable Concentrations of Metals in Aveiro Lagoon (Portugal). PLoS ONE, 2015, 10, e0118077.	2.5	75
4	Post-LGM sedimentation on the outer shelf–upper slope of the northernmost part of the São Paulo Bight, southeastern Brazil. Marine Geology, 2002, 181, 387-400.	2.1	70
5	Nd and Pb isotope signatures on the Southeastern South American upper margin: Implications for sediment transport and source rocks. Marine Geology, 2008, 250, 51-63.	2.1	68
6	Modern sedimentation in the Cabo Frio upwelling system, Southeastern Brazilian shelf. Anais Da Academia Brasileira De Ciencias, 2005, 77, 535-548.	0.8	63
7	Hydrodynamic controls on the distribution of surface sediments from the southeast South American continental shelf between 23°S and 38°S. Continental Shelf Research, 2014, 89, 51-60.	1.8	50
8	A high-resolution Holocene record on the Southern Brazilian shelf: Paleoenvironmental implications. Quaternary International, 2009, 206, 52-61.	1.5	49
9	Radiocarbon geochronology of the sediments of the SÃ $\pm$ o Paulo Bight (southern Brazilian upper) Tj ETQq $1\ 1\ 0.7$	84314 rgE 	BT /Qverlock 1
10	Paleoproductivity changes during the Holocene in the inner shelf of Cabo Frio, southeastern Brazilian continental margin: Benthic foraminifera and sedimentological proxies. Quaternary International, 2009, 206, 62-71.	1.5	46
11	Mid-lower bathyal benthic foraminifera of the Campos Basin, Southeastern Brazilian margin: Biotopes and controlling ecological factors. Marine Micropaleontology, 2006, 61, 40-57.	1.2	45
12	Foraminiferal biotopes and their distribution control in Ria de Aveiro (Portugal): a multiproxy approach. Environmental Monitoring and Assessment, 2014, 186, 8875-8897.	2.7	41
13	Palaeohydrology of the Quaternary saline Lake Ballivian (southern Bolivian Altiplano) based on diatom studies. International Journal of Salt Lake Research, 1993, 2, 69-85.	0.1	30
14	Sedimentary changes on the Southeastern Brazilian upper slope during the last 35,000 years. Anais Da Academia Brasileira De Ciencias, 2007, 79, 171-181.	0.8	26
15	Inorganic and organic geochemical fingerprinting of sediment sources and ocean circulation on a complex continental margin (SÃ $\pm$ o Paulo Bight, Brazil). Ocean Science, 2017, 13, 209-222.	3.4	25
16	Sedimentation on the southern Brazilian shelf mud depocenters: Insights on potential source areas. Journal of South American Earth Sciences, 2020, 100, 102577.	1.4	21
17	Mid―to Late Holocene Contraction of the Intertropical Convergence Zone Over Northeastern South America. Paleoceanography and Paleoclimatology, 2021, 36, e2020PA003936.	2.9	17
18	Benthic foraminiferal variability on a monthly scale in a subtropical bay moderately affected by urban sewage. Scientia Marina, 2007, 71, 775-792.	0.6	16

#	Article	IF	CITATIONS
19	Records of sedimentary dynamics in the continental shelf and upper slope between Aveiro–Espinho (N) Tj ETQ	q1 <sub>.1.</sub> 0.784	1314 rgBT /○
20	Multi-proxy reconstruction of sea surface and subsurface temperatures in the western South Atlantic over the last â^1/475†kyr. Quaternary Science Reviews, 2019, 215, 22-34.	3.0	13
21	Opportunities and challenges in incorporating benthic foraminifera in marine and coastal environmental biomonitoring of soft sediments: from science to regulation and practice. Journal of Sedimentary Environments, 2020, 5, 257-265.	1.5	13
22	Distribution of living planktonic foraminifera in relation to oceanic processes on the southeastern continental Brazilian margin (23°S–25°S and 40°W–44°W). Continental Shelf Research, 2014, 89, 76-	.87 <sup>1.8</sup>	12
23	Environmental controls on the distribution of living (stained) benthic foraminifera on the continental slope in the Campos Basin area (SW Atlantic). Journal of Marine Systems, 2018, 181, 37-52.	2.1	12
24	Impacts of hydrodynamics and pollutants on foraminiferal fauna distribution in the Santos Estuary (SE Brazil). Journal of Sedimentary Environments, 2020, 5, 61-86.	1.5	12
25	Trace metals enrichment and potential ecological risk in sediments of the Sepetiba Bay (Rio de Janeiro,) Tj ETQq1	1 0.7843 5.0	14 rgBT /Ove
26	South Brazilian Bight mid- to late Holocene hydrographic fluctuations. Geo-Marine Letters, 2020, 40, 1045-1055.	1.1	7
27	Living benthic foraminifera of Santos continental shelf, southeastern Brazilian continental margin (SW Atlantic): chlorophyll-a and particulate organic matter approach. Journal of Sedimentary Environments, 2020, 5, 17-34.	1.5	7
28	Spatial sediment variability in a tropical tide dominated estuary: Sources and drivers. Journal of South American Earth Sciences, 2016, 72, 115-125.	1.4	5
29	Microfacies and sequence stratigraphy of the Amapá Formation, Late Paleocene to Early Eocene, Foz do Amazonas Basin, Brazil. Palaeogeography, Palaeoclimatology, Palaeoecology, 2009, 280, 440-455.	2.3	4
30	Mudanças Ambientais Ocorridas entre Abrolhos (BA) e Cabo Frio (RJ) ao Longo do Holoceno, e sua Resposta nas Associações de ForaminÃferos. Pesquisas Em Geociencias, 2001, 28, 223.	0.1	2
31	S/SE Brazilian continental margin sea surface temperature and productivity changes over the last 50 kyr. Palaeogeography, Palaeoclimatology, Palaeoecology, 2022, 601, 111144.	2.3	1

Description, distribution and ecology of living Reophax pyriformis n. sp. (Campos Basin, South) Tj ETQq $0\ 0\ 0$  rgBT / Overlock  $10\ Tf\ 50\ 22\ Overlock$