

# Christian Gluud

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6635664/christian-gluud-publications-by-citations.pdf>  
**Version:** 2024-03-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

705 papers	34,162 citations	83 h-index	166 g-index
793 ext. papers	40,140 ext. citations	5.8 avg, IF	7.54 L-index

#	Paper	IF	Citations
705	Empirical evidence of bias in treatment effect estimates in controlled trials with different interventions and outcomes: meta-epidemiological study. <i>BMJ, The</i> , <b>2008</b> , 336, 601-5	5.9	1798
704	Reported methodologic quality and discrepancies between large and small randomized trials in meta-analyses. <i>Annals of Internal Medicine</i> , <b>2001</b> , 135, 982-9	8	1624
703	Mortality in randomized trials of antioxidant supplements for primary and secondary prevention: systematic review and meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , <b>2007</b> , 297, 842-57	27.4	1570
702	Trial sequential analysis may establish when firm evidence is reached in cumulative meta-analysis. <i>Journal of Clinical Epidemiology</i> , <b>2008</b> , 61, 64-75	5.7	1198
701	Influence of reported study design characteristics on intervention effect estimates from randomized, controlled trials. <i>Annals of Internal Medicine</i> , <b>2012</b> , 157, 429-38	8	708
700	Trial sequential analysis reveals insufficient information size and potentially false positive results in many meta-analyses. <i>Journal of Clinical Epidemiology</i> , <b>2008</b> , 61, 763-9	5.7	688
699	When and how should multiple imputation be used for handling missing data in randomised clinical trials - a practical guide with flowcharts. <i>BMC Medical Research Methodology</i> , <b>2017</b> , 17, 162	4.7	640
698	Apparently conclusive meta-analyses may be inconclusive--Trial sequential analysis adjustment of random error risk due to repetitive testing of accumulating data in apparently conclusive neonatal meta-analyses. <i>International Journal of Epidemiology</i> , <b>2009</b> , 38, 287-98	7.8	624
697	Estimating required information size by quantifying diversity in random-effects model meta-analyses. <i>BMC Medical Research Methodology</i> , <b>2009</b> , 9, 86	4.7	618
696	Can trial sequential monitoring boundaries reduce spurious inferences from meta-analyses?. <i>International Journal of Epidemiology</i> , <b>2009</b> , 38, 276-86	7.8	594
695	Association of funding and conclusions in randomized drug trials: a reflection of treatment effect or adverse events?. <i>JAMA - Journal of the American Medical Association</i> , <b>2003</b> , 290, 921-8	27.4	490
694	Antioxidant supplements for prevention of gastrointestinal cancers: a systematic review and meta-analysis. <i>Lancet, The</i> , <b>2004</b> , 364, 1219-28	40	467
693	Influence of reported study design characteristics on intervention effect estimates from randomised controlled trials: combined analysis of meta-epidemiological studies. <i>Health Technology Assessment</i> , <b>2012</b> , 16, 1-82	4.4	448
692	Trial Sequential Analysis in systematic reviews with meta-analysis. <i>BMC Medical Research Methodology</i> , <b>2017</b> , 17, 39	4.7	430
691	Thresholds for statistical and clinical significance in systematic reviews with meta-analytic methods. <i>BMC Medical Research Methodology</i> , <b>2014</b> , 14, 120	4.7	347
690	Hepatic effects of dietary weight loss in morbidly obese subjects. <i>Journal of Hepatology</i> , <b>1991</b> , 12, 224-9	13.4	316
689	Antioxidant supplements for prevention of mortality in healthy participants and patients with various diseases. <i>The Cochrane Library</i> , <b>2012</b> , CD007176	5.2	301

688	Artificial and bioartificial support systems for acute and acute-on-chronic liver failure: a systematic review. <i>JAMA - Journal of the American Medical Association</i> , <b>2003</b> , 289, 217-22	27.4	277
687	Perioperative beta blockers in patients having non-cardiac surgery: a meta-analysis. <i>Lancet, The</i> , <b>2008</b> , 372, 1962-76	4.0	272
686	Meta-analysis of randomized controlled trials on the safety and effectiveness of early versus delayed laparoscopic cholecystectomy for acute cholecystitis. <i>British Journal of Surgery</i> , <b>2010</b> , 97, 141-50	5.3	269
685	Antihypertensive drugs and risk of cancer: network meta-analyses and trial sequential analyses of 324,168 participants from randomised trials. <i>Lancet Oncology, The</i> , <b>2011</b> , 12, 65-82	21.7	264
684	Non-absorbable disaccharides for hepatic encephalopathy: systematic review of randomised trials. <i>BMJ, The</i> , <b>2004</b> , 328, 1046	5.9	260
683	Prognostic value of Child-Turcotte criteria in medically treated cirrhosis. <i>Hepatology</i> , <b>1984</b> , 4, 430-5	11.2	260
682	Effect of hepatitis B immunisation in newborn infants of mothers positive for hepatitis B surface antigen: systematic review and meta-analysis. <i>BMJ, The</i> , <b>2006</b> , 332, 328-36	5.9	257
681	Randomised clinical trials of fish oil supplementation in high risk pregnancies. Fish Oil Trials In Pregnancy (FOTIP) Team. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2000</b> , 107, 382-93	3.7	244
680	The number of patients and events required to limit the risk of overestimation of intervention effects in meta-analysis--a simulation study. <i>PLoS ONE</i> , <b>2011</b> , 6, e25491	3.7	241
679	Intensive glycaemic control for patients with type 2 diabetes: systematic review with meta-analysis and trial sequential analysis of randomised clinical trials. <i>BMJ, The</i> , <b>2011</b> , 343, d6898	5.9	238
678	Effect of perioperative beta blockade in patients with diabetes undergoing major non-cardiac surgery: randomised placebo controlled, blinded multicentre trial. <i>BMJ, The</i> , <b>2006</b> , 332, 1482	5.9	233
677	Treatment of deep caries lesions in adults: randomized clinical trials comparing stepwise vs. direct complete excavation, and direct pulp capping vs. partial pulpotomy. <i>European Journal of Oral Sciences</i> , <b>2010</b> , 118, 290-7	2.3	226
676	Vitamin D supplementation for prevention of mortality in adults. <i>The Cochrane Library</i> , <b>2014</b> , CD007470	5.2	204
675	Photodynamic therapy with 5-aminolaevulinic acid or placebo for recalcitrant foot and hand warts: randomised double-blind trial. <i>Lancet, The</i> , <b>2000</b> , 355, 963-6	4.0	188
674	Antioxidant supplements for prevention of mortality in healthy participants and patients with various diseases. <i>Cochrane Database of Systematic Reviews</i> , <b>2008</b> , CD007176		173
673	General report & recommendations in predictive, preventive and personalised medicine 2012: white paper of the European Association for Predictive, Preventive and Personalised Medicine. <i>EPMA Journal</i> , <b>2012</b> , 3, 14	8.8	168
672	Selective serotonin reuptake inhibitors versus placebo in patients with major depressive disorder. A systematic review with meta-analysis and Trial Sequential Analysis. <i>BMC Psychiatry</i> , <b>2017</b> , 17, 58	4.2	164
671	Cerebral near infrared spectroscopy oximetry in extremely preterm infants: phase II randomised clinical trial. <i>BMJ, The</i> , <b>2015</b> , 350, g7635	5.9	164

670	Antioxidant supplements and mortality. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2014</b> , 17, 40-4	3.8	156
669	Assessment of risk of bias in randomized clinical trials in surgery. <i>British Journal of Surgery</i> , <b>2009</b> , 96, 342-9	5.3	154
668	Meta-analysis: antibiotic prophylaxis for cirrhotic patients with upper gastrointestinal bleeding - an updated Cochrane review. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2011</b> , 34, 509-18	6.1	152
667	Methylphenidate for children and adolescents with attention deficit hyperactivity disorder (ADHD). <i>The Cochrane Library</i> , <b>2015</b> , CD009885	5.2	150
666	Transarterial (chemo)embolisation for unresectable hepatocellular carcinoma. <i>The Cochrane Library</i> , <b>2011</b> , CD004787	5.2	146
665	Treatment in a specialised out-patient mood disorder clinic v. standard out-patient treatment in the early course of bipolar disorder: randomised clinical trial. <i>British Journal of Psychiatry</i> , <b>2013</b> , 202, 212-9	5.4	143
664	Systematic review: glucocorticosteroids for alcoholic hepatitis--a Cochrane Hepato-Biliary Group systematic review with meta-analyses and trial sequential analyses of randomized clinical trials. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2008</b> , 27, 1167-78	6.1	143
663	Antenatal magnesium sulphate may prevent cerebral palsy in preterm infants--but are we convinced? Evaluation of an apparently conclusive meta-analysis with trial sequential analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2011</b> , 118, 1-5	3.7	138
662	High serum YKL-40 concentration is associated with cardiovascular and all-cause mortality in patients with stable coronary artery disease. <i>European Heart Journal</i> , <b>2009</b> , 30, 1066-72	9.5	133
661	Evolution of heterogeneity (I <sup>2</sup> ) estimates and their 95% confidence intervals in large meta-analyses. <i>PLoS ONE</i> , <b>2012</b> , 7, e39471	3.7	131
660	Prognostic indicators in alcoholic cirrhotic men. <i>Hepatology</i> , <b>1988</b> , 8, 222-7	11.2	131
659	Liver pathology associated with the use of anabolic-androgenic steroids. <i>Liver</i> , <b>1992</b> , 12, 73-9		127
658	Randomised controlled trial of total compared with subtotal hysterectomy with one-year follow up results. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2003</b> , 110, 1088-1098	3.7	124
657	Evidence based diagnostics. <i>BMJ, The</i> , <b>2005</b> , 330, 724-6	5.9	122
656	Methylphenidate for attention deficit hyperactivity disorder (ADHD) in children and adolescents - assessment of adverse events in non-randomised studies. <i>The Cochrane Library</i> , <b>2018</b> , 5, CD012069	5.2	121
655	Principles for international registration of protocol information and results from human trials of health related interventions: Ottawa statement (part 1). <i>BMJ, The</i> , <b>2005</b> , 330, 956-8	5.9	121
654	Methylphenidate for attention-deficit/hyperactivity disorder in children and adolescents: Cochrane systematic review with meta-analyses and trial sequential analyses of randomised clinical trials. <i>BMJ, The</i> , <b>2015</b> , 351, h5203	5.9	120
653	No major differences in 30-day outcomes in high-risk patients randomized to off-pump versus on-pump coronary bypass surgery: the best bypass surgery trial. <i>Circulation</i> , <b>2010</b> , 121, 498-504	16.7	119

652	Vitamin D supplementation for prevention of mortality in adults. <i>Cochrane Database of Systematic Reviews</i> , <b>2011</b> , CD007470		118
651	Peginterferon alpha-2a is associated with higher sustained virological response than peginterferon alfa-2b in chronic hepatitis C: systematic review of randomized trials. <i>Hepatology</i> , <b>2010</b> , 51, 1176-84	11.2	118
650	Hepatology may have problems with putative surrogate outcome measures. <i>Journal of Hepatology</i> , <b>2007</b> , 46, 734-42	13.4	118
649	Evidence at a glance: error matrix approach for overviewing available evidence. <i>BMC Medical Research Methodology</i> , <b>2010</b> , 10, 90	4.7	114
648	Meta-regression analyses, meta-analyses, and trial sequential analyses of the effects of supplementation with beta-carotene, vitamin A, and vitamin E singly or in different combinations on all-cause mortality: do we have evidence for lack of harm?. <i>PLoS ONE</i> , <b>2013</b> , 8, e74558	3.7	112
647	False-positive findings in Cochrane meta-analyses with and without application of trial sequential analysis: an empirical review. <i>BMJ Open</i> , <b>2016</b> , 6, e011890	3	111
646	Instructor feedback versus no instructor feedback on performance in a laparoscopic virtual reality simulator: a randomized trial. <i>Annals of Surgery</i> , <b>2013</b> , 257, 839-44	7.8	109
645	Hypothermia after cardiac arrest should be further evaluated--a systematic review of randomised trials with meta-analysis and trial sequential analysis. <i>International Journal of Cardiology</i> , <b>2011</b> , 151, 333-41	3.7	109
644	Banding ligation versus beta-blockers as primary prophylaxis in esophageal varices: systematic review of randomized trials. <i>American Journal of Gastroenterology</i> , <b>2007</b> , 102, 2842-8; quiz 2841, 2849	0.7	109
643	Early versus delayed laparoscopic cholecystectomy for people with acute cholecystitis. <i>The Cochrane Library</i> , <b>2013</b> , CD005440	5.2	105
642	Randomised placebo controlled multicentre trial to assess short term clarithromycin for patients with stable coronary heart disease: CLARICOR trial. <i>BMJ, The</i> , <b>2006</b> , 332, 22-7	5.9	104
641	EuroHYP-1: European multicenter, randomized, phase III clinical trial of therapeutic hypothermia plus best medical treatment vs. best medical treatment alone for acute ischemic stroke. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 642-5	6.3	103
640	Clinical outcomes in randomized trials of off- vs. on-pump coronary artery bypass surgery: systematic review with meta-analyses and trial sequential analyses. <i>European Heart Journal</i> , <b>2008</b> , 29, 2601-16	9.5	103
639	Incidence and clinical presentation of groin injuries in sub-elite male soccer. <i>British Journal of Sports Medicine</i> , <b>2014</b> , 48, 1245-50	10.3	102
638	Targeting intensive glycaemic control versus targeting conventional glycaemic control for type 2 diabetes mellitus. <i>Cochrane Database of Systematic Reviews</i> , <b>2013</b> , CD008143		102
637	Ursodeoxycholic acid for patients with primary biliary cirrhosis: an updated systematic review and meta-analysis of randomized clinical trials using Bayesian approach as sensitivity analyses. <i>American Journal of Gastroenterology</i> , <b>2007</b> , 102, 1799-807	0.7	101
636	Vitamin D supplementation for prevention of cancer in adults. <i>The Cochrane Library</i> , <b>2014</b> , CD007469	5.2	95
635	Randomized clinical trials in HEPATOLOGY: predictors of quality. <i>Hepatology</i> , <b>1999</b> , 30, 1134-8	11.2	94

634	The CHANGE trial: no superiority of lifestyle coaching plus care coordination plus treatment as usual compared to treatment as usual alone in reducing risk of cardiovascular disease in adults with schizophrenia spectrum disorders and abdominal obesity. <i>World Psychiatry</i> , <b>2016</b> , 15, 155-65	14.4	93
633	The thresholds for statistical and clinical significance - a five-step procedure for evaluation of intervention effects in randomised clinical trials. <i>BMC Medical Research Methodology</i> , <b>2014</b> , 14, 34	4.7	92
632	Exercise program for prevention of groin pain in football players: a cluster-randomized trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2010</b> , 20, 814-21	4.6	91
631	Effect of pamidronate 30 mg versus 90 mg on physical function in patients with newly diagnosed multiple myeloma (Nordic Myeloma Study Group): a double-blind, randomised controlled trial. <i>Lancet Oncology</i> , <b>2010</b> , 11, 973-82	21.7	91
630	Tacrolimus versus cyclosporine as primary immunosuppression after heart transplantation: systematic review with meta-analyses and trial sequential analyses of randomised trials. <i>European Journal of Clinical Pharmacology</i> , <b>2010</b> , 66, 1177-87	2.8	89
629	The Mallory body: morphological, clinical and experimental studies (Part 1 of a literature survey). <i>Hepatology</i> , <b>1994</b> , 20, 1061-77	11.2	88
628	Skin care education and individual counselling versus treatment as usual in healthcare workers with hand eczema: randomised clinical trial. <i>BMJ</i> , <b>2012</b> , 345, e7822	5.9	87
627	Branched-chain amino acids for hepatic encephalopathy. <i>Cochrane Database of Systematic Reviews</i> , <b>2003</b> , CD001939		87
626	STRIDER: Sildenafil Therapy In Dismal prognosis Early-onset intrauterine growth Restriction--a protocol for a systematic review with individual participant data and aggregate data meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , <b>2014</b> , 3, 23	3	86
625	Prestroke physical activity is associated with severity and long-term outcome from first-ever stroke. <i>Neurology</i> , <b>2008</b> , 71, 1313-8	6.5	86
624	Milk thistle for alcoholic and/or hepatitis B or C liver diseases--a systematic cochrane hepato-biliary group review with meta-analyses of randomized clinical trials. <i>American Journal of Gastroenterology</i> , <b>2005</b> , 100, 2583-91	0.7	85
623	Hepatitis B immunisation for newborn infants of hepatitis B surface antigen-positive mothers. <i>The Cochrane Library</i> , <b>2006</b> , CD004790	5.2	84
622	ExStroke Pilot Trial of the effect of repeated instructions to improve physical activity after ischaemic stroke: a multinational randomised controlled clinical trial. <i>BMJ</i> , <b>2009</b> , 339, b2810	5.9	82
621	The DEMO trial: a randomized, parallel-group, observer-blinded clinical trial of strength versus aerobic versus relaxation training for patients with mild to moderate depression. <i>Journal of Clinical Psychiatry</i> , <b>2009</b> , 70, 790-800	4.6	82
620	Sharing and reuse of individual participant data from clinical trials: principles and recommendations. <i>BMJ Open</i> , <b>2017</b> , 7, e018647	3	81
619	Testosterone treatment of men with alcoholic cirrhosis: A double-blind study. <i>Hepatology</i> , <b>1986</b> , 6, 807-813	13.2	80
618	Hospital doctors' self-rated skills in and use of evidence-based medicine - a questionnaire survey. <i>Journal of Evaluation in Clinical Practice</i> , <b>2004</b> , 10, 219-26	2.5	79
617	Sexuality after total vs. subtotal hysterectomy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2004</b> , 83, 191-6	3.8	79



616	Antioxidant supplements to prevent mortality. <i>JAMA - Journal of the American Medical Association</i> , <b>2013</b> , 310, 1178-9	27.4	78
615	The SafeBoosC phase II randomised clinical trial: a treatment guideline for targeted near-infrared-derived cerebral tissue oxygenation versus standard treatment in extremely preterm infants. <i>Neonatology</i> , <b>2013</b> , 104, 171-8	4	78
614	Beta-blockers for prevention of oesophageal variceal rebleeding in cirrhotic patients. <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	78
613	Higher versus lower blood pressure targets in adults with shock. <i>The Cochrane Library</i> ,	5.2	78
612	Non-acute percutaneous coronary intervention versus medical therapy in patients with ischaemic heart disease. <i>The Cochrane Library</i> , <b>2020</b> ,	5.2	78
611	Antibody immunosuppression for pancreas and kidney-pancreas transplant recipients. <i>The Cochrane Library</i> , <b>2020</b> ,	5.2	78
610	Levamisole for chronic hepatitis B. <i>The Cochrane Library</i> , <b>2020</b> ,	5.2	78
609	Drug-eluting stents versus bare-metal stents for non-acute ischaemic heart disease. <i>The Cochrane Library</i> , <b>2021</b> , 2021,	5.2	78
608	Vasoactive drugs for adults with cirrhosis and large ascites treated with paracentesis. <i>The Cochrane Library</i> , <b>2021</b> , 2021,	5.2	78
607	Beta-blockers for heart failure. <i>The Cochrane Library</i> , <b>2021</b> , 2021,	5.2	78
606	Clevudine in people with chronic hepatitis B virus infection. <i>The Cochrane Library</i> , <b>2016</b> ,	5.2	78
605	Pegylated interferon for acute hepatitis C. <i>The Cochrane Library</i> , <b>2019</b> ,	5.2	78
604	Coronary artery bypass grafting surgery versus percutaneous coronary intervention for coronary artery disease. <i>The Cochrane Library</i> , <b>2019</b> ,	5.2	78
603	Glucocorticosteroids for viral hepatitis B. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	78
602	Interferon for hepatocellular carcinoma. <i>The Cochrane Library</i> , <b>2021</b> , 2021,	5.2	78
601	Systematic review: primary and secondary prevention of gastrointestinal cancers with antioxidant supplements. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2008</b> , 28, 689-703	6.1	76
600	Robustness assessments are needed to reduce bias in meta-analyses that include zero-event randomized trials. <i>American Journal of Gastroenterology</i> , <b>2009</b> , 104, 546-51	0.7	75
599	The contribution of body composition, substrates, and hormones to the variability in energy expenditure and substrate utilization in premenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1992</b> , 74, 279-86	5.6	75

598	Glucocorticosteroids for sepsis: systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , <b>2015</b> , 41, 1220-34	14.5	74
597	Cost-utility and value-of-information analysis of early versus delayed laparoscopic cholecystectomy for acute cholecystitis. <i>British Journal of Surgery</i> , <b>2010</b> , 97, 210-9	5.3	74
596	Meta-analysis: antioxidant supplements for primary and secondary prevention of colorectal adenoma. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2006</b> , 24, 281-91	6.1	73
595	Serum testosterone concentrations in men with alcoholic cirrhosis: background for variation. <i>Metabolism: Clinical and Experimental</i> , <b>1987</b> , 36, 373-8	12.7	73
594	Hospital-based comprehensive cardiac rehabilitation versus usual care among patients with congestive heart failure, ischemic heart disease, or high risk of ischemic heart disease: 12-month results of a randomized clinical trial. <i>American Heart Journal</i> , <b>2008</b> , 155, 1106-13	4.9	72
593	Antioxidant supplements for preventing gastrointestinal cancers. <i>The Cochrane Library</i> , <b>2008</b> , CD004183	5.2	72
592	Medicinal herbs for hepatitis C virus infection: a Cochrane hepatobiliary systematic review of randomized trials. <i>American Journal of Gastroenterology</i> , <b>2003</b> , 98, 538-44	0.7	71
591	Surviving antioxidant supplements. <i>Journal of the National Cancer Institute</i> , <b>2007</b> , 99, 742-3	9.7	69
590	Chinese herbal medicine for severe acute respiratory syndrome: a systematic review and meta-analysis. <i>Journal of Alternative and Complementary Medicine</i> , <b>2004</b> , 10, 1041-51	2.4	69
589	Evidence-based clinical practice: Overview of threats to the validity of evidence and how to minimise them. <i>European Journal of Internal Medicine</i> , <b>2016</b> , 32, 13-21	3.9	69
588	Off-pump versus on-pump coronary artery bypass grafting for ischaemic heart disease. <i>The Cochrane Library</i> , <b>2012</b> , CD007224	5.2	67
587	Systematic Reviews of Anesthesiologic Interventions Reported as Statistically Significant: Problems with Power, Precision, and Type 1 Error Protection. <i>Anesthesia and Analgesia</i> , <b>2015</b> , 121, 1611-22	3.9	66
586	The culture of designing hepato-biliary randomised trials. <i>Journal of Hepatology</i> , <b>2006</b> , 44, 607-15	13.4	66
585	DEMO-II trial. Aerobic exercise versus stretching exercise in patients with major depression-a randomised clinical trial. <i>PLoS ONE</i> , <b>2012</b> , 7, e48316	3.7	66
584	Nonabsorbable disaccharides for hepatic encephalopathy. <i>Cochrane Database of Systematic Reviews</i> , <b>2004</b> , CD003044		64
583	EFFECTIVENESS OF DIALECTICAL BEHAVIOR THERAPY VERSUS COLLABORATIVE ASSESSMENT AND MANAGEMENT OF SUICIDALITY TREATMENT FOR REDUCTION OF SELF-HARM IN ADULTS WITH BORDERLINE PERSONALITY TRAITS AND DISORDER-A RANDOMIZED OBSERVER-BLINDED CLINICAL TRIAL. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 520-30	8.4	64
582	Exercise for patients with major depression: a systematic review with meta-analysis and trial sequential analysis. <i>BMJ Open</i> , <b>2017</b> , 7, e014820	3	62
581	Sulfonylurea versus metformin monotherapy in patients with type 2 diabetes: a Cochrane systematic review and meta-analysis of randomized clinical trials and trial sequential analysis. <i>CMAJ Open</i> , <b>2014</b> , 2, E162-75	2.5	62



580	Comparison of metformin and insulin versus insulin alone for type 2 diabetes: systematic review of randomised clinical trials with meta-analyses and trial sequential analyses. <i>BMJ, The</i> , <b>2012</b> , 344, e1771	5.9	62
579	Carotid artery stenting vs carotid endarterectomy: meta-analysis and diversity-adjusted trial sequential analysis of randomized trials. <i>Archives of Neurology</i> , <b>2011</b> , 68, 172-84		61
578	Long-term sequential deferiprone-deferoxamine versus deferiprone alone for thalassaemia major patients: a randomized clinical trial. <i>British Journal of Haematology</i> , <b>2009</b> , 145, 245-54	4.5	61
577	Pentoxifylline for alcoholic hepatitis. <i>The Cochrane Library</i> , <b>2009</b> , CD007339	5.2	61
576	Assessing imprecision in Cochrane systematic reviews: a comparison of GRADE and Trial Sequential Analysis. <i>Systematic Reviews</i> , <b>2018</b> , 7, 110	3	60
575	Exercise-Based Rehabilitation for Heart Failure: Cochrane Systematic Review, Meta-Analysis, and Trial Sequential Analysis. <i>JACC: Heart Failure</i> , <b>2019</b> , 7, 691-705	7.9	60
574	Citation bias of hepato-biliary randomized clinical trials. <i>Journal of Clinical Epidemiology</i> , <b>2002</b> , 55, 407-10	9.7	60
573	Growth factors for treating diabetic foot ulcers. <i>The Cochrane Library</i> , <b>2015</b> , CD008548	5.2	59
572	Interventions for paracetamol (acetaminophen) overdose. <i>The Cochrane Library</i> , <b>2006</b> , CD003328	5.2	59
571	Three-year follow-up in a subset of high-risk patients randomly assigned to off-pump versus on-pump coronary artery bypass surgery: the Best Bypass Surgery trial. <i>Heart</i> , <b>2011</b> , 97, 907-13	5.1	57
570	A randomized, double-blind, placebo-controlled multicenter trial evaluating topical zinc oxide for acute open wounds following pilonidal disease excision. <i>Wound Repair and Regeneration</i> , <b>2006</b> , 14, 526-35	3.6	55
569	Correlation between liver morphology and portal pressure in alcoholic liver disease. <i>Hepatology</i> , <b>1984</b> , 4, 699-703	11.2	55
568	Intra-articular sodium hyaluronate 2 mL versus physiological saline 20 mL versus physiological saline 2 mL for painful knee osteoarthritis: a randomized clinical trial. <i>Scandinavian Journal of Rheumatology</i> , <b>2008</b> , 37, 142-50	1.9	54
567	Artificial and bioartificial support systems for liver failure. <i>The Cochrane Library</i> , <b>2004</b> , CD003628	5.2	54
566	Branched chain enriched amino acid versus glucose treatment of hepatic encephalopathy. A double-blind study of 65 patients with cirrhosis. <i>Journal of Hepatology</i> , <b>1990</b> , 10, 291-6	13.4	54
565	Five years of specialised early intervention versus two years of specialised early intervention followed by three years of standard treatment for patients with a first episode psychosis: randomised, superiority, parallel group trial in Denmark (OPUS II). <i>BMJ, The</i> , <b>2017</b> , 356, i6681	5.9	53
564	Human recombinant protein C for severe sepsis and septic shock in adult and paediatric patients. <i>The Cochrane Library</i> , <b>2012</b> , 12, CD004388	5.2	53
563	The Diabetic Postoperative Mortality and Morbidity (DIPOM) trial: rationale and design of a multicenter, randomized, placebo-controlled, clinical trial of metoprolol for patients with diabetes mellitus who are undergoing major noncardiac surgery. <i>American Heart Journal</i> , <b>2004</b> , 147, 677-83	4.9	53

562	Diabetic nephropathy and the insertion/deletion polymorphism of the angiotensin-converting enzyme gene. <i>Nephrology Dialysis Transplantation</i> , <b>1998</b> , 13, 1125-30	4.3	53
561	Network meta-analysis: the highest level of medical evidence?. <i>BMJ Evidence-Based Medicine</i> , <b>2018</b> , 23, 56-59	2.7	52
560	Targeting intensive glycaemic control versus targeting conventional glycaemic control for type 2 diabetes mellitus. <i>Cochrane Database of Systematic Reviews</i> , <b>2011</b> , CD008143		51
559	Multivariable modelling for meta-epidemiological assessment of the association between trial quality and treatment effects estimated in randomized clinical trials. <i>Statistics in Medicine</i> , <b>2007</b> , 26, 2743-38	3.3	51
558	S-adenosyl-L-methionine for alcoholic liver diseases. <i>Cochrane Database of Systematic Reviews</i> , <b>2006</b> , CD002235		50
557	Clarithromycin for stable coronary heart disease increases all-cause and cardiovascular mortality and cerebrovascular morbidity over 10 years in the CLARICOR randomised, blinded clinical trial. <i>International Journal of Cardiology</i> , <b>2015</b> , 182, 459-65	3.2	49
556	Ursodeoxycholic acid for primary biliary cirrhosis. <i>Cochrane Database of Systematic Reviews</i> , <b>2008</b> , CD000551		49
555	Cochrane systematic review: pegylated interferon plus ribavirin vs. interferon plus ribavirin for chronic hepatitis C. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2007</b> , 25, 1153-62	6.1	49
554	Selenium supplementation for patients with Graves' hyperthyroidism (the GRASS trial): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2013</b> , 14, 119	2.8	48
553	The architecture of diagnostic research: from bench to bedside--research guidelines using liver stiffness as an example. <i>Hepatology</i> , <b>2014</b> , 60, 408-18	11.2	48
552	The chronic autoimmune thyroiditis quality of life selenium trial (CATALYST): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2014</b> , 15, 115	2.8	47
551	Simulation-based multiprofessional obstetric anaesthesia training conducted in situ versus off-site leads to similar individual and team outcomes: a randomised educational trial. <i>BMJ Open</i> , <b>2015</b> , 5, e008344	3.4	47
550	The mallory body: Theories on development and pathological significance (part 2 of a literature survey). <i>Hepatology</i> , <b>1994</b> , 20, 1330-1342	11.2	47
549	The SafeBoosC II randomized trial: treatment guided by near-infrared spectroscopy reduces cerebral hypoxia without changing early biomarkers of brain injury. <i>Pediatric Research</i> , <b>2016</b> , 79, 528-35	3.2	46
548	Ursodeoxycholic acid for primary biliary cirrhosis. <i>The Cochrane Library</i> , <b>2012</b> , 12, CD000551	5.2	46
547	Social skills training for Attention Deficit Hyperactivity Disorder (ADHD) in children aged 5 to 18 years. <i>The Cochrane Library</i> , <b>2011</b> , CD008223	5.2	46
546	Meta-analysis: antioxidant supplements for liver diseases - the Cochrane Hepato-Biliary Group. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2010</b> , 32, 356-67	6.1	46
545	Effect of 12 mg vs 6 mg of Dexamethasone on the Number of Days Alive Without Life Support in Adults With COVID-19 and Severe Hypoxemia: The COVID STEROID 2 Randomized Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2021</b> , 326, 1807-1817	27.4	46

544	Exercise-based cardiac rehabilitation for adults after heart valve surgery. <i>The Cochrane Library</i> , <b>2016</b> , 3, CD010876	5.2	46
543	Barriers to the conduct of randomised clinical trials within all disease areas. <i>Trials</i> , <b>2017</b> , 18, 360	2.8	45
542	Clinicians should stop prescribing sildenafil for fetal growth restriction (FGR): comment from the STRIDER Consortium. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2018</b> , 52, 295-296	5.8	45
541	Clarithromycin for 2 weeks for stable coronary heart disease: 6-year follow-up of the CLARICOR randomized trial and updated meta-analysis of antibiotics for coronary heart disease. <i>Cardiology</i> , <b>2008</b> , 111, 280-7	1.6	45
540	Vaccines for preventing hepatitis B in health-care workers. <i>The Cochrane Library</i> , <b>2005</b> , CD000100	5.2	45
539	Randomised clinical trial of early specialist palliative care plus standard care versus standard care alone in patients with advanced cancer: The Danish Palliative Care Trial. <i>Palliative Medicine</i> , <b>2017</b> , 31, 814-824	5.5	44
538	Comparison of statistical inferences from the DerSimonian-Laird and alternative random-effects model meta-analyses - an empirical assessment of 920 Cochrane primary outcome meta-analyses. <i>Research Synthesis Methods</i> , <b>2011</b> , 2, 238-53	7.2	44
537	Effects of cognitive therapy versus interpersonal psychotherapy in patients with major depressive disorder: a systematic review of randomized clinical trials with meta-analyses and trial sequential analyses. <i>Psychological Medicine</i> , <b>2012</b> , 42, 1343-57	6.9	44
536	Transient elastography for diagnosis of stages of hepatic fibrosis and cirrhosis in people with alcoholic liver disease. <i>The Cochrane Library</i> , <b>2015</b> , 1, CD010542	5.2	43
535	Effects of levosimendan for low cardiac output syndrome in critically ill patients: systematic review with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , <b>2015</b> , 41, 203-21	14.5	43
534	Quality assessment of reports on clinical trials in the Journal of Hepatology. <i>Journal of Hepatology</i> , <b>1998</b> , 29, 321-7	13.4	43
533	Prevalence of hepatobiliary dysfunction in a regional group of patients with chronic inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , <b>1991</b> , 26, 97-102	2.4	43
532	Menstrual disturbances and fertility in chronic alcoholic women. <i>Drug and Alcohol Dependence</i> , <b>1989</b> , 24, 75-82	4.9	43
531	Systematic review with meta-analysis: diagnostic accuracy of transient elastography for staging of fibrosis in people with alcoholic liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2016</b> , 43, 575-85	6.1	42
530	The effects of high perioperative inspiratory oxygen fraction for adult surgical patients. <i>The Cochrane Library</i> , <b>2015</b> , CD008884	5.2	42
529	Comment on: "Cell therapy for heart disease: Trial sequential analyses of two cochrane reviews". <i>Clinical Pharmacology and Therapeutics</i> , <b>2017</b> , 102, 21-24	6.1	41
528	Iron chelation therapy in thalassemia major: a systematic review with meta-analyses of 1520 patients included on randomized clinical trials. <i>Blood Cells, Molecules, and Diseases</i> , <b>2011</b> , 47, 166-75	2.1	41
527	Anabolic-androgenic steroids for alcoholic liver disease: a Cochrane review. <i>American Journal of Gastroenterology</i> , <b>2002</b> , 97, 1674-81	0.7	41

526	Pituitary-testicular function in patients with alcoholic cirrhosis of the liver. <i>European Journal of Clinical Investigation</i> , <b>1981</b> , 11, 473-9	4.6	41
525	Specific barriers to the conduct of randomised clinical trials on medical devices. <i>Trials</i> , <b>2017</b> , 18, 427	2.8	39
524	Specialized psychosocial treatment plus treatment as usual (TAU) versus TAU for patients with cannabis use disorder and psychosis: the CapOpus randomized trial. <i>Psychological Medicine</i> , <b>2013</b> , 43, 1499-510	6.9	39
523	Direct-acting antivirals for chronic hepatitis C. <i>The Cochrane Library</i> , <b>2017</b> , 9, CD012143	5.2	38
522	A phase II randomized clinical trial on cerebral near-infrared spectroscopy plus a treatment guideline versus treatment as usual for extremely preterm infants during the first three days of life (SafeBoosC): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2013</b> , 14, 120	2.8	37
521	Tacrolimus versus cyclosporin as primary immunosuppression for lung transplant recipients. <i>The Cochrane Library</i> , <b>2013</b> , CD008817	5.2	37
520	Colchicine for primary biliary cirrhosis: a Cochrane Hepato-Biliary Group systematic review of randomized clinical trials. <i>American Journal of Gastroenterology</i> , <b>2005</b> , 100, 1876-85	0.7	37
519	Exercise-based cardiac rehabilitation for adults with atrial fibrillation. <i>The Cochrane Library</i> , <b>2017</b> , 2, CD011197	5.1	36
518	Benzodiazepine receptor antagonists for hepatic encephalopathy. <i>Cochrane Database of Systematic Reviews</i> , <b>2004</b> , CD002798		36
517	No effect of oral testosterone treatment on sexual dysfunction in alcoholic cirrhotic men. <i>Gastroenterology</i> , <b>1988</b> , 95, 1582-7	13.3	36
516	Interventions for treatment of COVID-19: A living systematic review with meta-analyses and trial sequential analyses (The LIVING Project). <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003293	11.6	36
515	Cardiac rehabilitation versus usual care for patients treated with catheter ablation for atrial fibrillation: Results of the randomized CopenHeart trial. <i>American Heart Journal</i> , <b>2016</b> , 181, 120-129	4.9	36
514	Comprehensive cardiac rehabilitation improves outcome for patients with implantable cardioverter defibrillator. Findings from the COPE-ICD randomised clinical trial. <i>European Journal of Cardiovascular Nursing</i> , <b>2015</b> , 14, 34-44	3.3	35
513	Should antidepressants be used for major depressive disorder?. <i>BMJ Evidence-Based Medicine</i> , <b>2020</b> , 25, 130	2.7	35
512	Nutrition support in hospitalised adults at nutritional risk. <i>The Cochrane Library</i> , <b>2017</b> , 5, CD011598	5.2	34
511	A systematic literature review of evidence-based clinical practice for rare diseases: what are the perceived and real barriers for improving the evidence and how can they be overcome?. <i>Trials</i> , <b>2017</b> , 18, 556	2.8	34
510	Instructor feedback versus no instructor feedback on performance in a laparoscopic virtual reality simulator: a randomized educational trial. <i>BMC Medical Education</i> , <b>2012</b> , 12, 7	3.3	34
509	Do young adults with bipolar disorder benefit from early intervention?. <i>Journal of Affective Disorders</i> , <b>2014</b> , 152-154, 403-8	6.6	34

508	Sulphonylurea monotherapy for patients with type 2 diabetes mellitus. <i>Cochrane Database of Systematic Reviews</i> , <b>2013</b> , CD009008		34
507	The effect of five years versus two years of specialised assertive intervention for first episode psychosis - OPUS II: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2011</b> , 12, 72	2.8	34
506	Colchicine for alcoholic and non-alcoholic liver fibrosis or cirrhosis. <i>Liver</i> , <b>2001</b> , 21, 129-36		34
505	Quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: the multicentre, double-blind, randomised tolerability and efficacy of antipsychotics (TEA) trial. <i>Lancet Psychiatry</i> , <b>2017</b> , 4, 605-618	23.3	33
504	Direct-acting antivirals for chronic hepatitis C. <i>The Cochrane Library</i> , <b>2017</b> , 6, CD012143	5.2	33
503	Effect of guided self-determination youth intervention integrated into outpatient visits versus treatment as usual on glycemic control and life skills: a randomized clinical trial in adolescents with type 1 diabetes. <i>Trials</i> , <b>2014</b> , 15, 321	2.8	33
502	Meta-analysis of propylthiouracil for alcoholic liver disease--a Cochrane Hepato-Biliary Group Review. <i>Liver</i> , <b>2001</b> , 21, 398-404		33
501	The Effects of Intravenous Immunoglobulins in Women with Recurrent Miscarriages: A Systematic Review of Randomised Trials with Meta-Analyses and Trial Sequential Analyses Including Individual Patient Data. <i>PLoS ONE</i> , <b>2015</b> , 10, e0141588	3.7	33
500	The FOCUS trial: cognitive remediation plus standard treatment versus standard treatment for patients at ultra-high risk for psychosis: study protocol for a randomised controlled trial. <i>Trials</i> , <b>2015</b> , 16, 25	2.8	32
499	STRIDER (Sildenafil TheRapy in dismal prognosis early onset fetal growth restriction): an international consortium of randomised placebo-controlled trials. <i>BMC Pregnancy and Childbirth</i> , <b>2017</b> , 17, 440	3.2	32
498	Prolonged-release melatonin versus placebo for benzodiazepine discontinuation in patients with schizophrenia or bipolar disorder: A randomised, placebo-controlled, blinded trial. <i>World Journal of Biological Psychiatry</i> , <b>2016</b> , 17, 514-24	3.8	32
497	Ribavirin monotherapy for chronic hepatitis C infection: a Cochrane Hepato-Biliary Group systematic review and meta-analysis of randomized trials. <i>American Journal of Gastroenterology</i> , <b>2006</b> , 101, 842-7	0.7	32
496	Effects of Individual Placement and Support Supplemented With Cognitive Remediation and Work-Focused Social Skills Training for People With Severe Mental Illness: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 1232-1240	14.5	31
495	The Nordic aortic valve intervention (NOTION) trial comparing transcatheter versus surgical valve implantation: study protocol for a randomised controlled trial. <i>Trials</i> , <b>2013</b> , 14, 11	2.8	31
494	Antioxidant supplements for prevention of mortality in healthy participants and patients with various diseases. <i>Sao Paulo Medical Journal</i> , <b>2015</b> , 133, 164-5	1.6	31
493	Cognitive remediation combined with an early intervention service in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , <b>2014</b> , 130, 300-10	6.5	31
492	Hepatocellular carcinoma. <i>Lancet, The</i> , <b>2012</b> , 380, 470; author reply 470-1	4.0	31
491	Compassionate use of interventions: results of a European Clinical Research Infrastructures Network (ECRIN) survey of ten European countries. <i>Trials</i> , <b>2010</b> , 11, 104	2.8	31

490	The journal impact factor as a predictor of trial quality and outcomes: cohort study of hepatobiliary randomized clinical trials. <i>American Journal of Gastroenterology</i> , <b>2005</b> , 100, 2431-5	0.7	31
489	Increased risks for random errors are common in outcomes graded as high certainty of evidence. <i>Journal of Clinical Epidemiology</i> , <b>2019</b> , 106, 50-59	5.7	31
488	Interventions for treatment of COVID-19: a protocol for a living systematic review with network meta-analysis including individual patient data (The LIVING Project). <i>Systematic Reviews</i> , <b>2020</b> , 9, 108	3	30
487	Pregnancy associated plasma protein-A as a marker for myocardial infarction and death in patients with stable coronary artery disease: a prognostic study within the CLARICOR Trial. <i>Atherosclerosis</i> , <b>2011</b> , 214, 203-8	3.1	30
486	Colchicine for alcoholic and non-alcoholic liver fibrosis and cirrhosis. <i>The Cochrane Library</i> , <b>2005</b> , CD002148	14.8	30
485	A randomized trial assessing the impact of written information on outpatients' knowledge about and attitude toward randomized clinical trials. The INFO trial group. <i>Contemporary Clinical Trials</i> , <b>2000</b> , 21, 223-40		30
484	Association between HLA-DR1 and -DR3 antigens and unexplained repeated miscarriage. <i>Human Reproduction Update</i> , <b>1999</b> , 5, 249-55	15.8	30
483	Prognostic Accuracy of Electroencephalograms in Preterm Infants: A Systematic Review. <i>Pediatrics</i> , <b>2017</b> , 139,	7.4	29
482	Periodontal treatment for preventing adverse pregnancy outcomes: a meta- and trial sequential analysis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0129060	3.7	29
481	Agreement between public register and adjudication committee outcome in a cardiovascular randomized clinical trial. <i>American Heart Journal</i> , <b>2014</b> , 168, 197-204.e1-4	4.9	29
480	Antioxidant supplements for liver diseases. <i>The Cochrane Library</i> , <b>2011</b> , CD007749	5.2	29
479	Milk thistle for alcoholic and/or hepatitis B or C virus liver diseases. <i>The Cochrane Library</i> , <b>2007</b> , CD003620	20.2	29
478	Modified intention-to-treat analysis did not bias trial results. <i>Journal of Clinical Epidemiology</i> , <b>2016</b> , 72, 66-74	5.7	28
477	Meta-Analysis and Trial Sequential Analysis Comparing Percutaneous Ventricular Assist Devices Versus Intra-Aortic Balloon Pump During High-Risk Percutaneous Coronary Intervention or Cardiogenic Shock. <i>American Journal of Cardiology</i> , <b>2018</b> , 122, 1330-1338	3	28
476	Lower urinary tract symptoms after total and subtotal hysterectomy: results of a randomized controlled trial. <i>International Urogynecology Journal</i> , <b>2005</b> , 16, 257-62	2	28
475	Hypothalamic-pituitary-gonadal function in relation to liver function in men with alcoholic cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>1983</b> , 18, 939-44	2.4	28
474	Metformin versus placebo in combination with insulin analogues in patients with type 2 diabetes mellitus-the randomised, blinded Copenhagen Insulin and Metformin Therapy (CIMT) trial. <i>BMJ Open</i> , <b>2016</b> , 6, e008376	3	28
473	Interventions for paracetamol (acetaminophen) overdose. <i>The Cochrane Library</i> , <b>2018</b> , 2, CD003328	5.2	27



472	Prospective registration, bias risk and outcome-reporting bias in randomised clinical trials of traditional Chinese medicine: an empirical methodological study. <i>BMJ Open</i> , <b>2013</b> , 3,	3	27
471	"Negative trials" are positive!. <i>Journal of Hepatology</i> , <b>1998</b> , 28, 731-3	13.4	27
470	Influence of ethanol on development of hyperplastic nodules in alcoholic men with micronodular cirrhosis. <i>Gastroenterology</i> , <b>1987</b> , 93, 256-60	13.3	27
469	The effects of cognitive therapy versus 'no intervention' for major depressive disorder. <i>PLoS ONE</i> , <b>2011</b> , 6, e28299	3.7	27
468	Gastrointestinal adverse events during methylphenidate treatment of children and adolescents with attention deficit hyperactivity disorder: A systematic review with meta-analysis and Trial Sequential Analysis of randomised clinical trials. <i>PLoS ONE</i> , <b>2017</b> , 12, e0178187	3.7	27
467	The effects of rhythm control strategies versus rate control strategies for atrial fibrillation and atrial flutter: A systematic review with meta-analysis and Trial Sequential Analysis. <i>PLoS ONE</i> , <b>2017</b> , 12, e0186856	3.7	27
466	Lifestyle Interventions for Weight Management in People with Serious Mental Illness: A Systematic Review with Meta-Analysis, Trial Sequential Analysis, and Meta-Regression Analysis Exploring the Mediators and Moderators of Treatment Effects. <i>Psychotherapy and Psychosomatics</i> , <b>2019</b> , 88, 350-362	9.4	26
465	Serum YKL-40 predicts long-term mortality in patients with stable coronary disease: a prognostic study within the CLARICOR trial. <i>Immunobiology</i> , <b>2013</b> , 218, 945-51	3.4	26
464	Effects of adding ribavirin to interferon to treat chronic hepatitis C infection: a systematic review and meta-analysis of randomized trials. <i>Archives of Internal Medicine</i> , <b>2005</b> , 165, 2206-12		26
463	Misuse of randomization: a review of Chinese randomized trials of herbal medicines for chronic hepatitis B. <i>The American Journal of Chinese Medicine</i> , <b>2002</b> , 30, 173-6	6	26
462	Human leucocyte antigens in patients with alcoholic liver cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>1980</b> , 15, 337-41	2.4	26
461	Gamma-glutamyltransferase, aspartate aminotransferase and alkaline phosphatase as markers of alcohol consumption in out-patient alcoholics. <i>European Journal of Clinical Investigation</i> , <b>1981</b> , 11, 171-6	4.6	26
460	Early biomarkers of brain injury and cerebral hypo- and hyperoxia in the SafeBoosC II trial. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173440	3.7	26
459	Randomised controlled trial of total compared with subtotal hysterectomy with one-year follow up results. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2003</b> , 110, 1088-98	3.7	26
458	No neurodevelopmental benefit of cerebral oximetry in the first randomised trial (SafeBoosC II) in preterm infants during the first days of life. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2019</b> , 108, 275-281	3.1	25
457	'In situ simulation' versus 'off site simulation' in obstetric emergencies and their effect on knowledge, safety attitudes, team performance, stress, and motivation: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2013</b> , 14, 220	2.8	25
456	Funding, disease area, and internal validity of hepatobiliary randomized clinical trials. <i>American Journal of Gastroenterology</i> , <b>2002</b> , 97, 2708-13	0.7	25
455	Short-term parenteral and peroral testosterone administration in men with alcoholic cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>1981</b> , 16, 749-55	2.4	25

454	Maternal Sildenafil vs Placebo in Pregnant Women With Severe Early-Onset Fetal Growth Restriction: A Randomized Clinical Trial. <i>JAMA Network Open</i> , <b>2020</b> , 3, e205323	10.4	25
453	Cardiac rehabilitation increases physical capacity but not mental health after heart valve surgery: a randomised clinical trial. <i>Heart</i> , <b>2016</b> , 102, 1995-2003	5.1	25
452	Clinical use of cerebral oximetry in extremely preterm infants is feasible. <i>Danish Medical Journal</i> , <b>2013</b> , 60, A4533	3.8	25
451	Therapeutic hypothermia for acute ischaemic stroke. Results of a European multicentre, randomised, phase III clinical trial. <i>European Stroke Journal</i> , <b>2019</b> , 4, 254-262	5.6	24
450	Should research misconduct be criminalized?. <i>Research Ethics</i> , <b>2020</b> , 16, 1-12	2.8	24
449	Ribavirin plus interferon versus interferon for chronic hepatitis C. <i>The Cochrane Library</i> , <b>2010</b> , CD005445	5.2	24
448	Study rationale and design of the CIMT trial: the Copenhagen Insulin and Metformin Therapy trial. <i>Diabetes, Obesity and Metabolism</i> , <b>2009</b> , 11, 315-22	6.7	24
447	Pharmacological interventions for benzodiazepine discontinuation in chronic benzodiazepine users. <i>The Cochrane Library</i> , <b>2018</b> , 3, CD011481	5.2	23
446	Do direct acting antivirals cure chronic hepatitis C?. <i>BMJ, The</i> , <b>2018</b> , 361, k1382	5.9	23
445	A multi-centre phase IIa clinical study of predictive testing for preeclampsia: improved pregnancy outcomes via early detection (IMPROVED). <i>BMC Pregnancy and Childbirth</i> , <b>2013</b> , 13, 226	3.2	23
444	Bile acids for primary sclerosing cholangitis. <i>The Cochrane Library</i> , <b>2011</b> , CD003626	5.2	23
443	High-sensitivity C-reactive protein and N-terminal pro-B-type natriuretic peptide in patients with stable coronary artery disease: a prognostic study within the CLARICOR trial. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2011</b> , 71, 52-62	2	23
442	Calcineurin inhibitor minimisation versus continuation of calcineurin inhibitor treatment for liver transplant recipients. <i>The Cochrane Library</i> , <b>2012</b> , CD008852	5.2	23
441	Dopaminergic agonists for hepatic encephalopathy. <i>Cochrane Database of Systematic Reviews</i> , <b>2004</b> , CD003047		23
440	Validity of randomized clinical trials in gastroenterology from 1964-2000. <i>Gastroenterology</i> , <b>2002</b> , 122, 1157-60	13.3	23
439	Systematic Review and Meta-Analysis: Cognitive-Behavioral Therapy for Obsessive-Compulsive Disorder in Children and Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2020</b> , 59, 64-77	7.2	23
438	Five-year follow up of a randomised controlled trial comparing subtotal with total abdominal hysterectomy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2015</b> , 122, 851-857	3.7	22
437	Cavity lining after excavating caries lesions: meta-analysis and trial sequential analysis of randomized clinical trials. <i>Journal of Dentistry</i> , <b>2015</b> , 43, 1291-7	4.8	22

436	Cerebral near-infrared spectroscopy monitoring for prevention of brain injury in very preterm infants. <i>The Cochrane Library</i> , <b>2017</b> , 9, CD011506	5.2	22
435	Social-skills and parental training plus standard treatment versus standard treatment for children with ADHD--the randomised SOSTRA trial. <i>PLoS ONE</i> , <b>2012</b> , 7, e37280	3.7	22
434	Excess sudden cardiac deaths after short-term clarithromycin administration in the CLARICOR trial: why is this so, and why are statins protective?. <i>Cardiology</i> , <b>2011</b> , 118, 63-7	1.6	22
433	Plasma testosterone and androstenedione in insulin dependent patients at time of diagnosis and during the first year of insulin treatment. <i>European Journal of Endocrinology</i> , <b>1982</b> , 100, 406-9	6.5	22
432	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia (COVID STEROID) trial-Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2020</b> , 64, 1365-1375	1.9	22
431	Effect of antenatal education in small classes versus standard auditorium-based lectures on use of pain relief during labour and of obstetric interventions: results from the randomised NEWBORN trial. <i>BMJ Open</i> , <b>2016</b> , 6, e010761	3	22
430	Social skills training for attention deficit hyperactivity disorder (ADHD) in children aged 5 to 18 years. <i>The Cochrane Library</i> , <b>2019</b> , 6, CD008223	5.2	22
429	Early preventive exercises versus usual care does not seem to reduce trismus in patients treated with radiotherapy for cancer in the oral cavity or oropharynx: a randomised clinical trial. <i>Acta Oncologica</i> , <b>2015</b> , 54, 80-7	3.2	21
428	Vitamin D supplementation for chronic liver diseases in adults. <i>The Cochrane Library</i> , <b>2017</b> , 11, CD011564	5.2	21
427	Subtotal versus total abdominal hysterectomy: randomized clinical trial with 14-year questionnaire follow-up. <i>American Journal of Obstetrics and Gynecology</i> , <b>2015</b> , 212, 758.e1-758.e54	6.4	21
426	Risk stratification in stable coronary artery disease is possible at cardiac troponin levels below conventional detection and is improved by use of N-terminal pro-B-type natriuretic peptide. <i>European Journal of Preventive Cardiology</i> , <b>2014</b> , 21, 1275-84	3.9	21
425	Commentary: Europe needs a central, transparent, and evidence based regulation process for devices. <i>BMJ, The</i> , <b>2013</b> , 346, f2771	5.9	21
424	Artificial and bioartificial support systems for liver failure: a Cochrane Hepato-Biliary Group Protocol. <i>Liver</i> , <b>2002</b> , 22, 433-8		21
423	D-penicillamine for primary biliary cirrhosis. <i>The Cochrane Library</i> , <b>2004</b> , CD004789	5.2	21
422	Glucocorticosteroids for primary biliary cirrhosis. <i>The Cochrane Library</i> , <b>2005</b> , CD003778	5.2	21
421	Methylphenidate for Attention-Deficit/Hyperactivity Disorder in Children and Adolescents. <i>JAMA - Journal of the American Medical Association</i> , <b>2016</b> , 315, 2009-10	27.4	21
420	Peginterferon plus ribavirin versus interferon plus ribavirin for chronic hepatitis C. <i>The Cochrane Library</i> , <b>2014</b> , CD005441	5.2	20
419	Sexual dysfunction in men with alcoholic liver cirrhosis. A comparative study. <i>Liver</i> , <b>1985</b> , 5, 94-100		20

418	Effect of alcohol and glucose infusion on pituitary-gonadal hormones in normal females. <i>Drug and Alcohol Dependence</i> , <b>1988</b> , 22, 141-9	4.9	20
417	Hepatitis B and A virus antibodies in alcoholic steatosis and cirrhosis. <i>Journal of Clinical Pathology</i> , <b>1982</b> , 35, 693-7	3.9	20
416	Digoxin for atrial fibrillation and atrial flutter: A systematic review with meta-analysis and trial sequential analysis of randomised clinical trials. <i>PLoS ONE</i> , <b>2018</b> , 13, e0193924	3.7	20
415	Interventions for treatment of COVID-19: Second edition of a living systematic review with meta-analyses and trial sequential analyses (The LIVING Project). <i>PLoS ONE</i> , <b>2021</b> , 16, e0248132	3.7	20
414	Effect of lifestyle coaching versus care coordination versus treatment as usual in people with severe mental illness and overweight: Two-years follow-up of the randomized CHANGE trial. <i>PLoS ONE</i> , <b>2017</b> , 12, e0185881	3.7	19
413	Milrinone for cardiac dysfunction in critically ill adult patients: a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Intensive Care Medicine</i> , <b>2016</b> , 42, 1322-35	14.5	19
412	The effect of adding psychodynamic therapy to antidepressants in patients with major depressive disorder. A systematic review of randomized clinical trials with meta-analyses and trial sequential analyses. <i>Journal of Affective Disorders</i> , <b>2012</b> , 137, 4-14	6.6	19
411	Interleukin-2 receptor antagonists as induction therapy after heart transplantation: systematic review with meta-analysis of randomized trials. <i>Journal of Heart and Lung Transplantation</i> , <b>2008</b> , 27, 835-42	5.8	19
410	Cerebral near-infrared spectroscopy monitoring versus treatment as usual for extremely preterm infants: a protocol for the SafeBoosC randomised clinical phase III trial. <i>Trials</i> , <b>2019</b> , 20, 811	2.8	19
409	Brain injury in the international multicenter randomized SafeBoosC phase II feasibility trial: cranial ultrasound and magnetic resonance imaging assessments. <i>Pediatric Research</i> , <b>2016</b> , 79, 466-72	3.2	18
408	Targeting intensive versus conventional glycaemic control for type 1 diabetes mellitus: a systematic review with meta-analyses and trial sequential analyses of randomised clinical trials. <i>BMJ Open</i> , <b>2014</b> , 4, e004806	3	18
407	The effect of integrated cardiac rehabilitation versus treatment as usual for atrial fibrillation patients treated with ablation: the randomised CopenHeartRFA trial protocol. <i>BMJ Open</i> , <b>2013</b> , 3,	3	18
406	The effects of cognitive therapy versus 'treatment as usual' in patients with major depressive disorder. <i>PLoS ONE</i> , <b>2011</b> , 6, e22890	3.7	18
405	Sequential alternating deferiprone and deferoxamine treatment compared to deferiprone monotherapy: main findings and clinical follow-up of a large multicenter randomized clinical trial in -thalassemia major patients. <i>Hemoglobin</i> , <b>2011</b> , 35, 206-16	0.6	18
404	Anabolic-androgenic steroid treatment of liver diseases. <i>Liver</i> , <b>1984</b> , 4, 159-69		18
403	A randomized clinical trial of hospital-based, comprehensive cardiac rehabilitation versus usual care for patients with congestive heart failure, ischemic heart disease, or high risk of ischemic heart disease (the DANREHAB trial)--design, intervention, and population. <i>American Heart Journal</i> , <b>2005</b> , 150, 899	4.9	18
402	Bile acids for primary sclerosing cholangitis. <i>Cochrane Database of Systematic Reviews</i> , <b>2003</b> , CD003626		18
401	Sex hormones in postmenopausal women with primary biliary cirrhosis. <i>Hepatology</i> , <b>1991</b> , 13, 865-869	11.2	18

400	Menopausal age and sex hormones in postmenopausal women with alcoholic and non-alcoholic liver disease. <i>Journal of Hepatology</i> , <b>1991</b> , 13, 25-32	13.4	18
399	Effect of comprehensive cardiac rehabilitation after heart valve surgery (CopenHeartVR): study protocol for a randomised clinical trial. <i>Trials</i> , <b>2013</b> , 14, 104	2.8	17
398	Immunosuppressive T-cell antibody induction for heart transplant recipients. <i>The Cochrane Library</i> , <b>2013</b> , CD008842	5.2	17
397	A randomised, multicentre clinical trial of specialised palliative care plus standard treatment versus standard treatment alone for cancer patients with palliative care needs: the Danish palliative care trial (DanPaCT) protocol. <i>BMC Palliative Care</i> , <b>2013</b> , 12, 37	3	17
396	Osteoprotegerin independently predicts mortality in patients with stable coronary artery disease: the CLARICOR trial. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2014</b> , 74, 657-64	2	17
395	Trial sequential analyses of meta-analyses of complications in laparoscopic vs. small-incision cholecystectomy: more randomized patients are needed. <i>Journal of Clinical Epidemiology</i> , <b>2010</b> , 63, 246-56	5.7	17
394	Ribavirin monotherapy for chronic hepatitis C. <i>The Cochrane Library</i> , <b>2009</b> , CD005527	5.2	17
393	Likely country of origin in publications on randomised controlled trials and controlled clinical trials during the last 60 years. <i>Trials</i> , <b>2007</b> , 8, 7	2.8	17
392	Systematic review and meta-analysis: D-Penicillamine vs. placebo/no intervention in patients with primary biliary cirrhosis--Cochrane Hepato-Biliary Group. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2006</b> , 24, 1535-44	6.1	17
391	Widespread use of condoms and low prevalence of sexually transmitted diseases in Danish non-drug addict prostitutes. <i>British Medical Journal</i> , <b>1986</b> , 293, 1473-4		17
390	Comparison of methods for determination of testosterone and non-protein bound testosterone in men with alcoholic liver disease. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>1986</b> , 46, 647-53	2	17
389	Androgens and oestrogens before and following oral testosterone administration in male patients with and without alcoholic cirrhosis. <i>European Journal of Endocrinology</i> , <b>1987</b> , 115, 385-91	6.5	17
388	Liver haemodynamics and function in alcoholic cirrhosis. Relation to testosterone treatment and ethanol consumption. <i>Journal of Hepatology</i> , <b>1987</b> , 4, 168-73	13.4	17
387	Autoantibodies and immunoglobulins in patients with alcoholic cirrhosis. Relation to measurements of hepatic function and hemodynamics. <i>Digestion</i> , <b>1984</b> , 30, 1-6	3.6	17
386	Early physical and psycho-educational rehabilitation in patients with coronary artery bypass grafting: A randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , <b>2019</b> , 51, 136-143	3.4	17
385	Exercise for patients with major depression: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , <b>2015</b> , 4, 40	3	16
384	10-Year Associations Between Tumor Necrosis Factor Receptors 1 and 2 and Cardiovascular Events in Patients With Stable Coronary Heart Disease: A CLARICOR (Effect of Clarithromycin on Mortality and Morbidity in Patients With Ischemic Heart Disease) Trial Substudy. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7,	6	16
383	Bisphosphonates for osteoporosis in primary biliary cirrhosis. <i>The Cochrane Library</i> , <b>2011</b> , CD009144	5.2	16

382	Vitamin and mineral supplement use in relation to all-cause mortality in the Iowa Women's Health Study. <i>Archives of Internal Medicine</i> , <b>2011</b> , 171, 1633-4		16
381	Methotrexate for primary biliary cirrhosis. <i>The Cochrane Library</i> , <b>2010</b> , CD004385	5.2	16
380	Agreement between reported use of interventions for liver diseases and research evidence in Cochrane systematic reviews. <i>Journal of Hepatology</i> , <b>2005</b> , 43, 984-9	13.4	16
379	Medicinal herbs for hepatitis C virus infection. <i>The Cochrane Library</i> , <b>2001</b> , CD003183	5.2	16
378	Total serum bile acids or serum bile acid profile, or both, for the diagnosis of intrahepatic cholestasis of pregnancy. <i>The Cochrane Library</i> , <b>2019</b> , 7, CD012546	5.2	16
377	Attachment Competences in Children With ADHD During the Social-Skills Training and Attachment (SOSTRA) Randomized Clinical Trial. <i>Journal of Attention Disorders</i> , <b>2015</b> , 19, 865-71	3.7	15
376	Detailed statistical analysis plan for the Danish Palliative Care Trial (DanPaCT). <i>Trials</i> , <b>2014</b> , 15, 376	2.8	15
375	Interpreting trial results following use of different intention-to-treat approaches for preventing attrition bias: a meta-epidemiological study protocol. <i>BMJ Open</i> , <b>2014</b> , 4, e005297	3	15
374	Propylthiouracil for alcoholic liver disease. <i>The Cochrane Library</i> , <b>2011</b> , CD002800	5.2	15
373	Statin treatment prevents increased cardiovascular and all-cause mortality associated with clarithromycin in patients with stable coronary heart disease. <i>Journal of Cardiovascular Pharmacology</i> , <b>2010</b> , 55, 123-8	3.1	15
372	Traveller's hepatitis. Origin and characteristics of cases in Copenhagen 1976-1978. <i>Scandinavian Journal of Infectious Diseases</i> , <b>1981</b> , 13, 1-4		15
371	Estrogens and portal hypertension in cirrhosis of the liver. <i>New England Journal of Medicine</i> , <b>1981</b> , 304, 52	59.2	15
370	Cathepsin B and S as markers for cardiovascular risk and all-cause mortality in patients with stable coronary heart disease during 10 years: a CLARICOR trial sub-study. <i>Atherosclerosis</i> , <b>2018</b> , 278, 97-102	3.1	15
369	Low-dose hydrocortisone in patients with COVID-19 and severe hypoxia: The COVID STEROID randomised, placebo-controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 1421-1430	1.9	15
368	Evidence-based practice within nutrition: what are the barriers for improving the evidence and how can they be dealt with?. <i>Trials</i> , <b>2017</b> , 18, 425	2.8	14
367	Effect of metformin on plasma metabolite profile in the Copenhagen Insulin and Metformin Therapy (CIMT) trial. <i>Diabetic Medicine</i> , <b>2018</b> , 35, 944-953	3.5	14
366	Phyllanthus species versus antiviral drugs for chronic hepatitis B virus infection. <i>The Cochrane Library</i> , <b>2013</b> , CD009004	5.2	14
365	The effect of escitalopram versus placebo on perceived stress and salivary cortisol in healthy first-degree relatives of patients with depression-A randomised trial. <i>Psychiatry Research</i> , <b>2012</b> , 200, 354-60	9.9	14



364	Good interobserver agreement was attainable on outcome adjudication in patients with stable coronary heart disease. <i>Journal of Clinical Epidemiology</i> , <b>2012</b> , 65, 444-53	5.7	14
363	Antibody induction therapy for lung transplant recipients. <i>The Cochrane Library</i> , <b>2013</b> , CD008927	5.2	14
362	Commentary: The evolution of methods to assess the effects of treatments, illustrated by the development of treatments for diphtheria, 1825-1918. <i>International Journal of Epidemiology</i> , <b>2013</b> , 42, 662-76	7.8	14
361	Cognitive training plus a comprehensive psychosocial programme (OPUS) versus the comprehensive psychosocial programme alone for patients with first-episode schizophrenia (the NEUROCOM trial): a study protocol for a centrally randomised, observer-blinded multi-centre clinical trial. <i>Trials</i> , <b>2011</b> , 12, 35	2.8	14
360	Prolonged-release melatonin versus placebo for benzodiazepine discontinuation in patients with schizophrenia: a randomized clinical trial - the SMART trial protocol. <i>BMC Psychiatry</i> , <b>2011</b> , 11, 160	4.2	14
359	Graft patency after off-pump versus on-pump coronary artery surgery in high-risk patients. <i>Scandinavian Cardiovascular Journal</i> , <b>2010</b> , 44, 161-7	2	14
358	Anabolic-androgenic steroids for alcoholic liver disease. <i>The Cochrane Library</i> , <b>2006</b> , CD003045	5.2	14
357	Ribavirin plus interferon versus interferon for chronic hepatitis C. <i>Cochrane Database of Systematic Reviews</i> , <b>2005</b> , CD005445		14
356	Effect of insulin on albumin production and incorporation of 14C-leucine into proteins in isolated parenchymal liver cells from normal rats. <i>Acta Physiologica Scandinavica</i> , <b>1975</b> , 94, 236-43		14
355	Complete versus culprit-only revascularisation in ST elevation myocardial infarction with multi-vessel disease. <i>The Cochrane Library</i> , <b>2017</b> , 5, CD011986	5.2	13
354	Autoantibodies and immunoglobulins in alcoholic steatosis and cirrhosis. <i>Acta Medica Scandinavica</i> , <b>1983</b> , 214, 61-6		13
353	Common definition for categories of clinical research: a prerequisite for a survey on regulatory requirements by the European Clinical Research Infrastructures Network (ECRIN). <i>Trials</i> , <b>2009</b> , 10, 95	2.8	13
352	Paring and intense pulsed light versus paring alone for recalcitrant hand and foot warts: a randomized clinical trial with blinded outcome evaluation. <i>Lasers in Surgery and Medicine</i> , <b>2010</b> , 42, 179-84	3.6	13
351	The Best Bypass Surgery Trial: rationale and design of a randomized clinical trial with blinded outcome assessment of conventional versus off-pump coronary artery bypass grafting. <i>Contemporary Clinical Trials</i> , <b>2007</b> , 28, 540-7	2.3	13
350	Colchicine for primary biliary cirrhosis. <i>The Cochrane Library</i> , <b>2004</b> , CD004481	5.2	13
349	Glucocorticosteroids for primary sclerosing cholangitis. <i>Cochrane Database of Systematic Reviews</i> , <b>2004</b> , CD004036		13
348	Ursodeoxycholic acid for primary biliary cirrhosis: lesson for the future?. <i>Journal of Hepatology</i> , <b>2001</b> , 34, 787-8	13.4	13
347	Vaccines to prevent COVID-19: a protocol for a living systematic review with network meta-analysis including individual patient data (The LIVING VACCINE Project). <i>Systematic Reviews</i> , <b>2020</b> , 9, 262	3	13

346	Ultrasonography for diagnosis of alcoholic cirrhosis in people with alcoholic liver disease. <i>The Cochrane Library</i> , <b>2016</b> , 3, CD011602	5.2	13
345	Why Cochrane should prioritise sharing data. <i>BMJ, The</i> , <b>2018</b> , 362, k3229	5.9	12
344	Antibody induction versus placebo, no induction, or another type of antibody induction for liver transplant recipients. <i>The Cochrane Library</i> , <b>2014</b> , CD010253	5.2	12
343	The Cochrane Collaboration withdraws a review on methylphenidate for adults with attention deficit hyperactivity disorder. <i>Evidence-Based Medicine</i> , <b>2017</b> , 22, 143-147		12
342	Dopamine agents for hepatic encephalopathy. <i>The Cochrane Library</i> , <b>2014</b> , CD003047	5.2	12
341	Effect of chronic escitalopram versus placebo on personality traits in healthy first-degree relatives of patients with depression: a randomized trial. <i>PLoS ONE</i> , <b>2012</b> , 7, e31980	3.7	12
340	Flow-regulated versus differential pressure-regulated shunt valves for adult patients with normal pressure hydrocephalus. <i>The Cochrane Library</i> , <b>2013</b> , CD009706	5.2	12
339	Escitalopram and neuroendocrine response in healthy first-degree relatives to depressed patients--a randomized placebo-controlled trial. <i>PLoS ONE</i> , <b>2011</b> , 6, e21224	3.7	12
338	Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential	2.8	12
337	Disclosure of investigators' recruitment performance in multicenter clinical trials: a further step for research transparency. <i>PLoS Medicine</i> , <b>2011</b> , 8, e1001149	11.6	12
336	Ursodeoxycholic acid and primary biliary cirrhosis: EASL and AASLD guidelines. <i>Journal of Hepatology</i> , <b>2009</b> , 51, 1084-5; author reply 1085-6	13.4	12
335	Surecut 0.6 mm liver biopsy in the diagnosis of cirrhosis. <i>Liver</i> , <b>1990</b> , 10, 217-20		12
334	The ExStroke Pilot Trial: rationale, design, and baseline data of a randomized multicenter trial comparing physical training versus usual care after an ischemic stroke. <i>Contemporary Clinical Trials</i> , <b>2008</b> , 29, 410-7	2.3	12
333	Agreement between Cochrane Neonatal reviews and clinical practice guidelines for newborns in Denmark: a cross-sectional study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , <b>2008</b> , 93, F225-9	4.7	12
332	Prevalence of hepatitis B virus infection in out-patient alcoholics. <i>Infection</i> , <b>1984</b> , 12, 72-4	5.8	12
331	Higher vs lower doses of dexamethasone in patients with COVID-19 and severe hypoxia (COVID STEROID 2) trial: Protocol and statistical analysis plan. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 834-845	1.9	12
330	Simple, low-cost group-counselling programme vs treatment as usual for patients with newly notified occupational hand eczema-Exploratory analyses of effects on knowledge, behaviour and personal resources of the randomized PREVEX clinical trial. <i>Contact Dermatitis</i> , <b>2018</b> , 79, 127-135	2.7	12
329	Assessing assumptions for statistical analyses in randomised clinical trials. <i>BMJ Evidence-Based Medicine</i> , <b>2019</b> , 24, 185-189	2.7	11

328	Acetyl-L-carnitine for patients with hepatic encephalopathy. <i>The Cochrane Library</i> , <b>2019</b> , 1, CD011451	5.2	11
327	The effect of metformin versus placebo in combination with insulin analogues on bone mineral density and trabecular bone score in patients with type 2 diabetes mellitus: a randomized placebo-controlled trial. <i>Osteoporosis International</i> , <b>2018</b> , 29, 2517-2526	5.3	11
326	Bezafibrate for primary biliary cirrhosis. <i>The Cochrane Library</i> , <b>2012</b> , 1, CD009145	5.2	11
325	EMA's reflection on placebo does not reflect patients' interests. <i>European Journal of Clinical Pharmacology</i> , <b>2012</b> , 68, 877-9	2.8	11
324	Methylphenidate for attention deficit hyperactivity disorder (ADHD) in children and adolescents <b>2012</b> ,		11
323	Glucocorticosteroids for primary sclerosing cholangitis. <i>The Cochrane Library</i> , <b>2010</b> , CD004036	5.2	11
322	Design paper: The CapOplus trial: a randomized, parallel-group, observer-blinded clinical trial of specialized addiction treatment versus treatment as usual for young patients with cannabis abuse and psychosis. <i>Trials</i> , <b>2008</b> , 9, 42	2.8	11
321	Azathioprine for primary biliary cirrhosis. <i>The Cochrane Library</i> , <b>2007</b> , CD006000	5.2	11
320	Methotrexate for primary biliary cirrhosis. <i>Cochrane Database of Systematic Reviews</i> , <b>2005</b> , CD004385		11
319	Mortality from cirrhosis: lack of progress over the last 35 years. <i>Gut</i> , <b>2005</b> , 54, 1523-6	19.2	11
318	Glucocorticosteroids are not effective in alcoholic hepatitis. <i>American Journal of Gastroenterology</i> , <b>1999</b> , 94, 3065-6	0.7	11
317	New developments in the conduct and management of multi-center trials: an international review of clinical trial units. <i>Fundamental and Clinical Pharmacology</i> , <b>1995</b> , 9, 284-9	3.1	11
316	Branched-chain amino acids for hepatic encephalopathy?. <i>Hepatology</i> , <b>1991</b> , 13, 812-813	11.2	11
315	Oral testosterone load related to liver function in men with alcoholic liver cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , <b>1983</b> , 18, 391-6	2.4	11
314	Plasma fibronectin concentrations in morbidly obese patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>1984</b> , 44, 207-10	2	11
313	Dexamethasone 12mg versus 6mg for patients with COVID-19 and severe hypoxaemia: a pre-planned, secondary Bayesian analysis of the COVID STEROID 2 trial. <i>Intensive Care Medicine</i> , <b>2021</b> , 48, 45	14.5	11
312	The SafeBoosC phase II clinical trial: an analysis of the interventions related with the oximeter readings. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , <b>2016</b> , 101, F333-8	4.7	11
311	Power estimations for non-primary outcomes in randomised clinical trials. <i>BMJ Open</i> , <b>2019</b> , 9, e027092	3	11

310	Protocol for CHANGE: a randomized clinical trial assessing lifestyle coaching plus care coordination versus care coordination alone versus treatment as usual to reduce risks of cardiovascular disease in adults with schizophrenia and abdominal obesity. <i>BMC Psychiatry</i> , <b>2015</b> , 15, 119	4.2	10
309	Antibody induction versus corticosteroid induction for liver transplant recipients. <i>The Cochrane Library</i> , <b>2014</b> , CD010252	5.2	10
308	Trial sequential analysis has the potential to improve the reliability of conclusions in meta-analysis. <i>Contemporary Clinical Trials</i> , <b>2013</b> , 36, 254-5	2.3	10
307	Predictors for major cardiovascular outcomes in stable ischaemic heart disease (PREMAC): statistical analysis plan for data originating from the CLARICOR (clarithromycin for patients with stable coronary heart disease) trial. <i>Diagnostic and Prognostic Research</i> , <b>2017</b> , 1, 10	5.5	10
306	Ultrasonography for diagnosis of cirrhosis in people with alcoholic liver disease <b>2015</b> ,		10
305	Third-wave cognitive therapy versus mentalisation-based treatment for major depressive disorder: a randomised clinical trial. <i>BMJ Open</i> , <b>2014</b> , 4, e004903	3	10
304	Quetiapine versus aripiprazole in children and adolescents with psychosis--protocol for the randomised, blinded clinical Tolerability and Efficacy of Antipsychotics (TEA) trial. <i>BMC Psychiatry</i> , <b>2014</b> , 14, 199	4.2	10
303	Randomised social-skills training and parental training plus standard treatment versus standard treatment of children with attention deficit hyperactivity disorder - the SOSTRA trial protocol. <i>Trials</i> , <b>2011</b> , 12, 18	2.8	10
302	Phyllanthus species for chronic hepatitis B virus infection. <i>The Cochrane Library</i> , <b>2011</b> , CD008960	5.2	10
301	Compliance with and short-term adverse events from clarithromycin versus placebo in patients with stable coronary heart disease: the CLARICOR trial. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2009</b> , 64, 411-5	5.1	10
300	Development of a combined database for meta-epidemiological research. <i>Research Synthesis Methods</i> , <b>2010</b> , 1, 212-25	7.2	10
299	Would you trust a surrogate respondent?. <i>Lancet, The</i> , <b>1997</b> , 349, 665-6	4.0	10
298	Bile acids for viral hepatitis. <i>The Cochrane Library</i> , <b>2007</b> , CD003181	5.2	10
297	The effects of a randomised multi-centre trial and international accreditation on availability and quality of clinical guidelines. <i>International Journal of Health Care Quality Assurance</i> , <b>2005</b> , 18, 321-8	1.3	10
296	Anabolic-androgenic steroids for alcoholic liver disease: a Cochrane Review. <i>American Journal of Gastroenterology</i> , <b>2002</b> , 97, 1674-1681	0.7	10
295	Variables predicting elevated portal pressure in alcoholic liver disease. Results of a multivariate analysis. <i>Scandinavian Journal of Gastroenterology</i> , <b>1987</b> , 22, 82-6	2.4	10
294	Effect of glucagon on cyclic AMP, albumin metabolism and incorporation of <sup>14</sup> C-leucine into proteins in isolated parenchymal rat liver cells. <i>Acta Physiologica Scandinavica</i> , <b>1976</b> , 97, 457-69		10
293	Ongoing and future COVID-19 vaccine clinical trials: challenges and opportunities. <i>Lancet Infectious Diseases, The</i> , <b>2021</b> , 21, e342-e347	25.5	10

292	DEBATE-statistical analysis plans for observational studies. <i>BMC Medical Research Methodology</i> , <b>2019</b> , 19, 233	4.7	10
291	Antibiotic regimens for neonatal sepsis - a protocol for a systematic review with meta-analysis. <i>Systematic Reviews</i> , <b>2019</b> , 8, 306	3	10
290	Dopamine in critically ill patients with cardiac dysfunction: A systematic review with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 424-437	1.9	10
289	Drug-eluting stents versus bare-metal stents for acute coronary syndrome. <i>The Cochrane Library</i> , <b>2017</b> , 8, CD012481	5.2	10
288	Xiao Chai Hu Tang, a herbal medicine, for chronic hepatitis B. <i>The Cochrane Library</i> , <b>2019</b> , 2019,	5.2	10
287	Methodological advantages and disadvantages of parallel and crossover randomised clinical trials on methylphenidate for attention deficit hyperactivity disorder: a systematic review and meta-analyses. <i>BMJ Open</i> , <b>2019</b> , 9, e026478	3	9
286	Great boast, small roast on effects of selective serotonin reuptake inhibitors: response to a critique of our systematic review. <i>Acta Neuropsychiatrica</i> , <b>2018</b> , 30, 251-265	3.9	9
285	A European multi-language initiative to make the general population aware of independent clinical research: the European Communication on Research Awareness Need project. <i>Trials</i> , <b>2016</b> , 17, 19	2.8	9
284	Non-operative versus operative treatment for blunt pancreatic trauma in children. <i>The Cochrane Library</i> , <b>2014</b> , CD009746	5.2	9
283	The CopenHeartSF trial--comprehensive sexual rehabilitation programme for male patients with implantable cardioverter defibrillator or ischaemic heart disease and impaired sexual function: protocol of a randomised clinical trial. <i>BMJ Open</i> , <b>2013</b> , 3, e003967	3	9
282	Exercise-based cardiac rehabilitation for adults after heart valve surgery <b>2013</b> ,		9
281	Is sustained virological response a marker of treatment efficacy in patients with chronic hepatitis C viral infection with no response or relapse to previous antiviral intervention?. <i>PLoS ONE</i> , <b>2013</b> , 8, e83313 <sup>3.7</sup>		9
280	The effect of interpersonal psychotherapy and other psychodynamic therapies versus 'treatment as usual' in patients with major depressive disorder. <i>PLoS ONE</i> , <b>2011</b> , 6, e19044	3.7	9
279	A randomised clinical trial of comprehensive cardiac rehabilitation versus usual care for patients treated for infective endocarditis--the CopenHeartIE trial protocol. <i>BMJ Open</i> , <b>2012</b> , 2,	3	9
278	The Hand Eczema Trial (HET): Design of a randomised clinical trial of the effect of classification and individual counselling versus no intervention among health-care workers with hand eczema. <i>BMC Dermatology</i> , <b>2010</b> , 10, 8	2.1	9
277	Sex hormone binding globulin phenotypes: their detection and distribution in healthy adults and in different clinical conditions. <i>Clinica Chimica Acta</i> , <b>1994</b> , 225, 115-21	6.2	9
276	Liver membrane antibodies in alcoholic liver disease. <i>Lancet, The</i> , <b>1982</b> , 1, 1365-6	4.0	9
275	Effects of biphasic, basal-bolus or basal insulin analogue treatments on carotid intima-media thickness in patients with type 2 diabetes mellitus: the randomised Copenhagen Insulin and Metformin Therapy (CIMT) trial. <i>BMJ Open</i> , <b>2016</b> , 6, e008377	3	9

274	Updated 2018 NICE guideline on pharmacological treatments for people with ADHD: a critical look. <i>BMJ Evidence-Based Medicine</i> , <b>2019</b> , 24, 99-102	2.7	9
273	A new tool to assess Clinical Diversity In Meta-analyses (CDIM) of interventions. <i>Journal of Clinical Epidemiology</i> , <b>2021</b> , 135, 29-41	5.7	9
272	Glucocorticosteroids for people with alcoholic hepatitis. <i>The Cochrane Library</i> , <b>2017</b> , 11, CD001511	5.2	8
271	Prognosis and Reclassification by YKL-40 in Stable Coronary Artery Disease. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e014634	6	8
270	Thalassemia heterozygote state detrimentally affects health expectation. <i>European Journal of Internal Medicine</i> , <b>2018</b> , 54, 76-80	3.9	8
269	The Jury Is Still Out on the Benefits and Harms of Methylphenidate for Children and Adolescents With Attention-Deficit/Hyperactivity Disorder. <i>Clinical Pharmacology and Therapeutics</i> , <b>2018</b> , 104, 606-609	6.1	8
268	Prevention of haematoma progression by tranexamic acid in intracerebral haemorrhage patients with and without spot sign on admission scan: a statistical analysis plan of a pre-specified sub-study of the TICH-2 trial. <i>BMC Research Notes</i> , <b>2018</b> , 11, 379	2.3	8
267	Nitazoxanide for chronic hepatitis C. <i>The Cochrane Library</i> , <b>2014</b> , CD009182	5.2	8
266	Protocol for a randomised trial on the effect of group education on skin-protective behaviour versus treatment as usual among individuals with newly notified occupational hand eczema - the Prevention of Hand Eczema (PREVEX) Trial. <i>BMC Dermatology</i> , <b>2013</b> , 13, 16	2.1	8
265	Meta-analysis: ribavirin plus interferon vs. interferon monotherapy for chronic hepatitis C - an updated Cochrane review. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2010</b> , 32, 840-50	6.1	8
264	Chlamydia pneumoniae IgG and IgA antibody titers and prognosis in patients with coronary heart disease: results from the CLARICOR trial. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2010</b> , 66, 385-92	2.9	8
263	Povl Heiberg's 1897 methodological study on the statistical method as an aid in therapeutic trials. <i>Preventive Medicine</i> , <b>2009</b> , 48, 600-3	4.3	8
262	Meta-analyses on viral hepatitis. <i>Infectious Disease Clinics of North America</i> , <b>2009</b> , 23, 315-30	6.5	8
261	Cyclosporin A for primary biliary cirrhosis. <i>The Cochrane Library</i> , <b>2007</b> , CD005526	5.2	8
260	Propylthiouracil for alcoholic liver disease. <i>Cochrane Database of Systematic Reviews</i> , <b>2005</b> , CD002800		8
259	Trials and errors in clinical research. <i>Lancet, The</i> , <b>1999</b> , 354 Suppl, SIV59	4.0	8
258	Isolation of Mallory bodies and an attempt to demonstrate cell mediated immunity to Mallory body isolate in patients with alcoholic liver disease. <i>Journal of Clinical Pathology</i> , <b>1981</b> , 34, 1010-6	3.9	8
257	Assessment of assumptions of statistical analysis methods in randomised clinical trials: the what and how. <i>BMJ Evidence-Based Medicine</i> , <b>2021</b> , 26, 121-126	2.7	8



256	Antenatal small-class education versus auditorium-based lectures to promote positive transitioning to parenthood - A randomised trial. <i>PLoS ONE</i> , <b>2017</b> , 12, e0176819	3.7	8
255	Plasma expanders for people with cirrhosis and large ascites treated with abdominal paracentesis. <i>The Cochrane Library</i> , <b>2019</b> , 6, CD004039	5.2	8
254	Sexual rehabilitation for cardiac patients with erectile dysfunction: a randomised clinical trial. <i>Heart</i> , <b>2019</b> , 105, 775-782	5.1	8
253	Higher vs Lower Doses of Dexamethasone in Patients with COVID-19 and Severe Hypoxia (COVID STEROID 2) trial: Protocol for a secondary Bayesian analysis. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 702-710	1.9	8
252	SheppHeartCABG trial-comprehensive early rehabilitation after coronary artery bypass grafting: a protocol for a randomised clinical trial. <i>BMJ Open</i> , <b>2017</b> , 7, e013038	3	7
251	Aluminium adjuvants used in vaccines versus placebo or no intervention. <i>The Cochrane Library</i> , <b>2017</b> , 6, CD009011	5.2	7
250	Carotid endarterectomy with primary closure versus patch angioplasty in patients with symptomatic and significant stenosis: protocol for a systematic review with meta-analyses and trial sequential analysis of randomised clinical trials. <i>BMJ Open</i> , <b>2019</b> , 9, e026419	3	7
249	Are levels of alkaline phosphatases and bilirubin surrogate markers of outcomes of patients with primary biliary cirrhosis?. <i>Gastroenterology</i> , <b>2015</b> , 148, 860	13.3	7
248	Peginterferon alpha-2a versus peginterferon alpha-2b for chronic hepatitis C. <i>The Cochrane Library</i> , <b>2014</b> , CD005642	5.2	7
247	The DiaS trial: dialectical behavior therapy versus collaborative assessment and management of suicidality on self-harm in patients with a recent suicide attempt and borderline personality disorder traits - study protocol for a randomized controlled trial. <i>Trials</i> , <b>2014</b> , 15, 194	2.8	7
246	Fostering EMA's transparency policy. <i>European Journal of Internal Medicine</i> , <b>2014</b> , 25, 681-4	3.9	7
245	Typical investigational medicinal products follow relatively uniform regulations in 10 European Clinical Research Infrastructures Network (ECRIN) countries. <i>Trials</i> , <b>2012</b> , 13, 27	2.8	7
244	Hormone replacement for osteoporosis in women with primary biliary cirrhosis. <i>The Cochrane Library</i> , <b>2011</b> , CD009146	5.2	7
243	Antibody induction versus placebo, no induction, or another type of antibody induction for liver transplant recipients <b>2012</b> , CD009146		7
242	Correlation between liver morphology and haemodynamics in alcoholic liver disease. <i>Liver</i> , <b>1985</b> , 5, 173-7		7
241	The effect of oral testosterone on serum TBG levels in alcoholic cirrhotic men. <i>Liver</i> , <b>1988</b> , 8, 219-24		7
240	Total versus subtotal hysterectomy: an observational study with one-year follow-up. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2005</b> , 45, 64-7	1.7	7
239	Sequential combination of glucocorticosteroids and alfa interferon versus alfa interferon alone for HBeAg-positive chronic hepatitis B. <i>The Cochrane Library</i> , <b>2005</b> , CD000345	5.2	7

238	The effects of centralised and specialised intervention in the early course of severe unipolar depressive disorder: a randomised clinical trial. <i>PLoS ONE</i> , <b>2012</b> , 7, e32950	3.7	7
237	Evidence on methylphenidate in children and adolescents with ADHD is in fact of 'very low quality'. <i>Evidence-Based Mental Health</i> , <b>2016</b> , 19, 100-102	11.1	7
236	The evidence base of methylphenidate for children and adolescents with attention-deficit hyperactivity disorder is in fact flawed. <i>European Child and Adolescent Psychiatry</i> , <b>2016</b> , 25, 1037-8	5.5	7
235	Methylphenidate for Attention-Deficit/Hyperactivity Disorder-Reply. <i>JAMA - Journal of the American Medical Association</i> , <b>2016</b> , 316, 995	27.4	7
234	Glucocorticosteroids for people with alcoholic hepatitis. <i>The Cochrane Library</i> , <b>2019</b> , 4, CD001511	5.2	7
233	Exploratory analyses of the Danish Palliative Care Trial (DanPaCT): a randomized trial of early specialized palliative care plus standard care versus standard care in advanced cancer patients. <i>Supportive Care in Cancer</i> , <b>2020</b> , 28, 2145-2155	3.9	7
232	Serum osteoprotegerin as a long-term predictor for patients with stable coronary artery disease and its association with diabetes and statin treatment: A CLARICOR trial 10-year follow-up substudy. <i>Atherosclerosis</i> , <b>2020</b> , 301, 8-14	3.1	7
231	Blinding in randomised clinical trials of psychological interventions: a retrospective study of published trial reports. <i>BMJ Evidence-Based Medicine</i> , <b>2021</b> , 26, 109	2.7	7
230	Prognostic value of routinely available data in patients with stable coronary heart disease. A 10-year follow-up of patients sampled at random times during their disease course. <i>Open Heart</i> , <b>2018</b> , 5, e000808	3	7
229	Circulating endostatin as a risk factor for cardiovascular events in patients with stable coronary heart disease: A CLARICOR trial sub-study. <i>Atherosclerosis</i> , <b>2019</b> , 284, 202-208	3.1	6
228	Internet-based self-help therapy with FearFighter <sup>®</sup> versus no intervention for anxiety disorders in adults: study protocol for a randomised controlled trial. <i>Trials</i> , <b>2016</b> , 17, 525	2.8	6
227	Design of surgical randomized controlled trials involving multiple interventions. <i>Journal of Surgical Research</i> , <b>2011</b> , 165, 118-27	2.5	6
226	The effects of centralised and specialised combined pharmacological and psychological intervention compared with decentralised and non-specialised treatment in the early course of severe unipolar and bipolar affective disorders--design of two randomised clinical trials. <i>Trials</i> , <b>2011</b> , 12, 32	2.8	6
225	Vitamin D supplementation for prevention of mortality in adults <b>2008</b> ,		6
224	Glucocorticosteroids for viral hepatitis C. <i>The Cochrane Library</i> , <b>2004</b> , CD002904	5.2	6
223	Sex, sex hormones and chronic liver diseases. <i>Digestive Diseases</i> , <b>1991</b> , 9, 9-16	3.2	6
222	Rapid changes in plasma androgens during insulin withdrawal in male type 1 (insulin-dependent) diabetics. <i>Journal of Endocrinological Investigation</i> , <b>1986</b> , 9, 21-5	5.2	6
221	Beta-blockers for suspected or diagnosed acute myocardial infarction. <i>The Cochrane Library</i> , <b>2019</b> , 12, CD012484	5.2	6

220	Prediction of excessive weight gain in insulin treated patients with type 2 diabetes. <i>Journal of Diabetes</i> , <b>2017</b> , 9, 325-331	3.8	5
219	Digoxin versus placebo, no intervention, or other medical interventions for atrial fibrillation and atrial flutter: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. <i>Systematic Reviews</i> , <b>2017</b> , 6, 71	3	5
218	DEPERORR: Risks of systematic errors in drug and non-drug randomized clinical trials assessing intervention effects in patients with unipolar depression. <i>Journal of Affective Disorders</i> , <b>2015</b> , 179, 121-7	6.6	5
217	Methylphenidate for ADHD rejected from the WHO Essential Medicines List due to uncertainties in benefit-harm profile. <i>BMJ Evidence-Based Medicine</i> , <b>2020</b> ,	2.7	5
216	Statistical analysis plan for the EuroHYP-1 trial: European multicentre, randomised, phase III clinical trial of the therapeutic hypothermia plus best medical treatment versus best medical treatment alone for acute ischaemic stroke. <i>Trials</i> , <b>2017</b> , 18, 573	2.8	5
215	Apparently conclusive meta-analyses on interventions in critical care may be inconclusive-a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , <b>2019</b> , 114, 1-10	5.7	5
214	Exercise-based cardiac rehabilitation for adults with atrial fibrillation <b>2014</b> ,		5
213	Acetazolamide for the prevention of acute mountain sickness: time to move on. <i>High Altitude Medicine and Biology</i> , <b>2013</b> , 14, 85-6	1.9	5
212	'Third wave' cognitive therapy versus mentalization-based therapy for major depressive disorder. A protocol for a randomised clinical trial. <i>BMC Psychiatry</i> , <b>2012</b> , 12, 232	4.2	5
211	Comments on 'Sequential meta-analysis: an efficient decision-making tool' by I van der Tweel and C Bollen. <i>Clinical Trials</i> , <b>2010</b> , 7, 752-3; author reply 754	2.2	5
210	Cryotherapy for hepatocellular carcinoma. <i>The Cochrane Library</i> , <b>2009</b> , CD007611	5.2	5
209	Bile acids for liver-transplanted patients. <i>The Cochrane Library</i> , <b>2010</b> , CD005442	5.2	5
208	Ribavirin monotherapy for chronic hepatitis C. <i>Cochrane Database of Systematic Reviews</i> , <b>2005</b> , CD005527		5
207	Glucocorticosteroids for alcoholic hepatitis <b>1999</b> ,		5
206	Inhibitory effect of xanthines on the incorporation of [ <sup>14</sup> C]valine into proteins and on the secretion of albumin in isolated parenchymal rat liver cells. <i>Biochemical Pharmacology</i> , <b>1977</b> , 26, 553-4	6	5
205	Vaccines to prevent COVID-19: A living systematic review with Trial Sequential Analysis and network meta-analysis of randomized clinical trials.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0260733	3.7	5
204	Hallucinations and other psychotic symptoms in response to methylphenidate in children and adolescents with attention-deficit/hyperactivity disorder: a Cochrane systematic review with meta-analysis and trial sequential analysis. <i>Scandinavian Journal of Child and Adolescent Psychiatry and Psychology</i> , <b>2018</b> , 6, 52-71	0.6	5
203	Response to "Trust, but verify" by Banaschewski et al. <i>Zeitschrift Für Kinder- Und Jugendpsychiatrie Und Psychotherapie</i> , <b>2016</b> , 44, 334-335	1.8	5

202	Direct-acting antivirals for chronic hepatitis C <b>2016</b> ,		5
201	Systematic overview and critical appraisal of meta-analyses of interventions in intensive care medicine. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2018</b> , 62, 1041	1.9	5
200	Aluminium adjuvants used in vaccines. <i>The Cochrane Library</i> ,	5.2	5
199	The effects of ventilation tubes versus no ventilation tubes for recurrent acute otitis media or chronic otitis media with effusion in 9 to 36-month old Greenlandic children, the SIUTIT trial: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2017</b> , 18, 30	2.8	4
198	Essential phospholipids for people with non-alcoholic fatty liver disease. <i>The Cochrane Library</i> , <b>2019</b> ,	5.2	4
197	The effects of immunotherapy with intravenous immunoglobulins versus no intervention, placebo, or usual care in patients with recurrent miscarriages: a protocol for a systematic review with meta-analyses, trial sequential analyses, and individual patient data meta-analyses of randomised clinical trials. <i>Systematic Reviews</i> , <b>2014</b> , 3, 88	3	4
196	The effects of rhythm control strategies versus rate control strategies for atrial fibrillation and atrial flutter: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. <i>Systematic Reviews</i> , <b>2017</b> , 6, 47	3	4
195	Pharmacological interventions for benzodiazepine discontinuation in chronic benzodiazepine users. <i>The Cochrane Library</i> , <b>2015</b> ,	5.2	4
194	Endoscopic versus open radial artery harvest and mammario-radial versus aorto-radial grafting in patients undergoing coronary artery bypass surgery: protocol for the 2 x 2 factorial designed randomised NEO trial. <i>Trials</i> , <b>2014</b> , 15, 135	2.8	4
193	Open versus endovascular stent graft repair of abdominal aortic aneurysms: do we need more randomized clinical trials?. <i>Angiology</i> , <b>2014</b> , 65, 677-82	2.1	4
192	Constraint-induced movement therapy: trial sequential analysis applied to Cochrane collaboration systematic review results. <i>Trials</i> , <b>2014</b> , 15, 512	2.8	4
191	A RANDOMISED CLINICAL TRIAL OF THE EFFECT OF FIVE-YEARS VERSUS TWO-YEARS SPECIALISED ASSERTIVE INTERVENTION FOR FIRST EPISODE PSYCHOSIS -THE OPUS-II TRIAL. <i>Schizophrenia Research</i> , <b>2010</b> , 117, 526	3.6	4
190	Cryotherapy for hepatocellular carcinoma <b>2009</b> ,		4
189	Increased plasma fibronectin concentrations in obesity: normalization during weight loss. <i>Acta Medica Scandinavica</i> , <b>1987</b> , 222, 275-9		4
188	A randomized trial of the effect of escitalopram versus placebo on cognitive function in healthy first-degree relatives of patients with depression. <i>Therapeutic Advances in Psychopharmacology</i> , <b>2011</b> , 1, 133-44	4.9	4
187	Antioxidant supplements for liver diseases <b>2009</b> ,		4
186	Social skills training for children with attention deficit hyperactivity disorder (ADHD) <b>2010</b> ,		4
185	Vitamin D supplementation for prevention of cancer in adults <b>2008</b> ,		4

184	Off-pump versus on-pump coronary artery bypass grafting for ischaemic heart disease <b>2008</b> ,		4
183	Agreement between Cochrane Neonatal Group reviews and clinical guidelines for newborns at a Copenhagen University Hospital - a cross-sectional study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2007</b> , 96, 39-43	3.1	4
182	Antioxidant supplements for prevention of gastrointestinal cancers. <i>Lancet, The</i> , <b>2005</b> , 365, 470; author reply 471-2	4.0	4
181	Mortality after acute hepatitis type A, B, and non-A non-B in 981 patients followed up for up to 10 years. <i>Scandinavian Journal of Gastroenterology</i> , <b>1982</b> , 17, 193-8	2.4	4
180	Prevention of hand eczema: effect of an educational program versus treatment as usual - results of the randomized clinical PREVEX trial. <i>Scandinavian Journal of Work, Environment and Health</i> , <b>2018</b> , 44, 212-218	4.3	4
179	Metformin may adversely affect orthostatic blood pressure recovery in patients with type 2 diabetes: substudy from the placebo-controlled Copenhagen Insulin and Metformin Therapy (CIMT) trial. <i>Cardiovascular Diabetology</i> , <b>2020</b> , 19, 150	8.7	4
178	Early head-up mobilisation versus standard care for patients with severe acquired brain injury: A systematic review with meta-analysis and Trial Sequential Analysis. <i>PLoS ONE</i> , <b>2020</b> , 15, e0237136	3.7	4
177	Using Trial Sequential Analysis for estimating the sample sizes of further trials: example using smoking cessation intervention. <i>BMC Medical Research Methodology</i> , <b>2020</b> , 20, 284	4.7	4
176	Early Orthostatic Exercise by Head-Up Tilt With Stepping vs. Standard Care After Severe Traumatic Brain Injury Is Feasible. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 626014	4.1	4
175	Methylphenidate for attention deficit hyperactivity disorder (ADHD) in children and adolescents - assessment of harmful effects in non-randomised studies. <i>The Cochrane Library</i> , <b>2016</b> ,	5.2	4
174	No effect of escitalopram versus placebo on brain-derived neurotrophic factor in healthy individuals: a randomised trial. <i>Acta Neuropsychiatrica</i> , <b>2016</b> , 28, 101-9	3.9	4
173	Detailed statistical analysis plan for the Dutch STRIDER (Sildenafil TheRapy In Dismal prognosis Early-onset fetal growth Restriction) randomised clinical trial on sildenafil versus placebo for pregnant women with severe early onset fetal growth restriction. <i>Trials</i> , <b>2019</b> , 20, 42	2.8	4
172	Effect of metformin and insulin vs. placebo and insulin on whole body composition in overweight patients with type 2 diabetes: a randomized placebo-controlled trial. <i>Osteoporosis International</i> , <b>2021</b> , 32, 1837-1848	5.3	4
171	Early mobilisation by head-up tilt with stepping versus standard care after severe traumatic brain injury - Protocol for a randomised clinical feasibility trial. <i>Trials</i> , <b>2018</b> , 19, 612	2.8	4
170	Does Methylphenidate Work in Children and Adolescents with Attention Deficit Hyperactivity Disorder?. <i>Pediatric Reports</i> , <b>2021</b> , 13, 434-443	1	4
169	Tranexamic Acid for Prevention of Hematoma Expansion in Intracerebral Hemorrhage Patients With or Without Spot Sign. <i>Stroke</i> , <b>2021</b> , 52, 2629-2636	6.7	4
168	Placebo, usual care and wait-list interventions for all mental health disorders. <i>The Cochrane Library</i> ,	5.2	4
167	The heterozygote state for $\beta$ -thalassaemia detrimentally affects health outcomes. <i>American Journal of Hematology</i> , <b>2017</b> , 92, E23-E25	7.1	3

166	Update to the study protocol, including statistical analysis plan for a randomized clinical trial comparing comprehensive cardiac rehabilitation after heart valve surgery with control: the CopenHeartVR trial. <i>Trials</i> , <b>2015</b> , 16, 38	2.8	3
165	Effect of Metformin vs. Placebo in Combination with Insulin Analogues on Bone Markers P1NP and CTX in Patients with Type 2 Diabetes Mellitus. <i>Calcified Tissue International</i> , <b>2020</b> , 107, 160-169	3.9	3
164	Metformin monotherapy for adults with type 2 diabetes mellitus. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	3
163	Glucocorticosteroids for people with alcoholic hepatitis. <i>The Cochrane Library</i> , <b>2016</b> ,	5.2	3
162	Effect of escitalopram versus placebo on GRN-messenger RNA expression in peripheral blood cells of healthy individuals with a family history of depression - a secondary outcome analysis from the randomized AGENDA trial. <i>Nordic Journal of Psychiatry</i> , <b>2016</b> , 70, 297-302	2.3	3
161	Training, executive, attention and motor skills (TEAMS) training versus standard treatment for preschool children with attention deficit hyperactivity disorder: a randomised clinical trial. <i>BMC Research Notes</i> , <b>2018</b> , 11, 366	2.3	3
160	Quinolones for sepsis. A protocol for a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 1113-1123	1.9	3
159	Radix Sophorae flavescentis versus other drugs or herbs for chronic hepatitis B. <i>The Cochrane Library</i> , <b>2019</b> , 6, CD013106	5.2	3
158	Hepatitis C: a new direction, but an old story?. <i>Lancet, The</i> , <b>2014</b> , 383, 2122-3	4.0	3
157	Nutrition support in hospitalised adults at nutritional risk <b>2015</b> ,		3
156	Vitamin D supplementation for chronic liver diseases in adults. <i>The Cochrane Library</i> , <b>2015</b> ,	5.2	3
155	Antibody induction versus corticosteroid induction for liver transplant recipients <b>2012</b> ,		3
154	Calcineurin inhibitor reduction or withdrawal versus continuation of calcineurin inhibitor treatment for liver transplant recipients <b>2010</b> ,		3
153	The effects of high perioperative inspiratory oxygen fraction for adult surgical patients <b>2010</b> ,		3
152	Prolonged therapy for hepatitis C with low-dose peginterferon. <i>New England Journal of Medicine</i> , <b>2009</b> , 360, 1151; author reply 1152-3	59.2	3
151	Thyroid hormones and thyroxine-binding globulin in relation to liver function and serum testosterone in men with alcoholic cirrhosis. <i>Acta Medica Scandinavica</i> , <b>1988</b> , 224, 367-73		3
150	Targeting intensive glycaemic control versus targeting conventional glycaemic control for type 2 diabetes mellitus <b>2009</b> ,		3
149	Perioperative beta blockade. <i>Lancet, The</i> , <b>2008</b> , 372, 1147-8; author reply 1148	4.0	3



148	Randomised controlled trial of total versus subtotal hysterectomy with one-year follow up results. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 111, 760-761	3.7	3
147	Primary immunization-like response without hepatitis following transfusion of HBeAg-positive blood. <i>Scandinavian Journal of Infectious Diseases</i> , <b>1983</b> , 15, 399-401		3
146	Health apps targeting children with overweight-a protocol for a systematic review with meta-analysis and Trial Sequential Analysis of randomised clinical trials. <i>Systematic Reviews</i> , <b>2020</b> , 9, 28	3	3
145	Detailed statistical analysis plan for the SafeBoosC III trial: a multinational randomised clinical trial assessing treatment guided by cerebral oxygenation monitoring versus treatment as usual in extremely preterm infants. <i>Trials</i> , <b>2019</b> , 20, 746	2.8	3
144	Antibiotics for secondary prevention of coronary heart disease. <i>The Cochrane Library</i> , <b>2021</b> , 2, CD003610	5.2	3
143	Radix Sophorae flavescentis for chronic hepatitis B. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	3
142	Radix Sophorae flavescentis versus antiviral drugs for chronic hepatitis B. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	3
141	Unbalanced risk-benefit analysis of ADHD drugs. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 870	23.3	3
140	Vitamin D supplementation for chronic liver diseases in adults. <i>The Cochrane Library</i> , <b>2021</b> , 8, CD011564	5.2	3
139	Immunosuppressive T cell antibody induction therapy for liver transplant recipients		3
138	Plasma fibronectin concentrations in patients with liver diseases. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>1983</b> , 43, 533-7	2	3
137	Antibiotics for secondary prevention of coronary heart disease. <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	2
136	Meta-analysis of randomised trials on laparoscopic versus open surgery for acute appendicitis: has firm evidence been reached?. <i>Journal of Gastrointestinal Surgery</i> , <b>2014</b> , 18, 1383-4	3.3	2
135	Antibiotics for secondary prevention of coronary heart disease <b>2013</b> ,		2
134	Cerebral near-infrared spectroscopy monitoring for prevention of brain injury in very preterm infants <b>2015</b> ,		2
133	Hepato-biliary clinical trials and their inclusion in the Cochrane Hepato-Biliary Group register and reviews. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2011</b> , 26, 649-56	4	2
132	Comments on 'Sequential methods for random-effects meta-analysis' by J. P. Higgins, A. Whitehead and M. Simmonds, <i>Statistics in Medicine</i> 2010; DOI: 10.1002/sim.4088. <i>Statistics in Medicine</i> , <b>2011</b> , 30, 2965-6	2.3	2
131	INTERIM ANALYSIS OF THE CAPOPUS TRIAL: A RANDOMIZED, PARALLEL-GROUP, OBSERVER-BLINDED CLINICAL TRIAL OF SPECIALIZED ADDICTION TREATMENT VERSUS TREATMENT AS USUAL FOR YOUNG PATIENTS WITH CANNABIS ABUSE AND PSYCHOSIS. <i>Schizophrenia Research</i> , <b>2010</b> , 117, 120	3.6	2

130	Phyllanthus species versus antiviral drugs for chronic hepatitis B virus infection <b>2011</b> ,		2
129	Phyllanthus species for chronic hepatitis B virus infection <b>2011</b> ,		2
128	Pegylated interferon alpha 2a versus pegylated interferon alpha 2b for chronic hepatitis C <b>2009</b> ,		2
127	Enzyme immunoassay of oestrogen receptors in needle biopsies from human liver. <i>Liver</i> , <b>1991</b> , 11, 292-9		2
126	The long-term beneficial effects of ursodeoxycholic acid in primary biliary cirrhosis are highly questionable. <i>American Journal of Gastroenterology</i> , <b>2007</b> , 102, 464-5	0.7	2
125	Antioxidant Supplements and MortalityReply. <i>JAMA - Journal of the American Medical Association</i> , <b>2007</b> , 298, 400	27.4	2
124	Bile acids for liver-transplanted patients. <i>Cochrane Database of Systematic Reviews</i> , <b>2005</b> , CD005442		2
123	Pegylated interferon plus ribavirin versus non-pegylated interferon plus ribavirin for chronic hepatitis C <b>2005</b> ,		2
122	Comparison of medicinal herbs for chronic hepatitis B virus infection. <i>The Cochrane Library</i> , <b>2001</b> ,	5.2	2
121	A systematic review on extracorporeal liver support for liver failure. <i>Journal of Hepatology</i> , <b>2002</b> , 36, 33	13.4	2
120	Colchicine for alcoholic and non-alcoholic liver fibrosis and cirrhosis. <i>Liver</i> , <b>2000</b> , 20, 262-6		2
119	Sampling variability in percutaneous liver biopsy. <i>Lancet, The</i> , <b>1986</b> , 1, 975	40	2
118	Effect of xanthines and some derivatives on protein metabolism in isolated parenchymal rat liver cells. <i>Biochemical Pharmacology</i> , <b>1979</b> , 28, 2139-44	6	2
117	Treatment of hepatic encephalopathy: Authors' reply <b>2004</b> , 329, 112.2		2
116	Cerebral near-infrared spectroscopy monitoring versus treatment as usual for extremely preterm infants. A protocol for the SafeBoosC phase III randomized clinical trial		2
115	Interventions for treatment of COVID-19: second edition of a living systematic review with meta-analyses and trial sequential analyses (The LIVING Project)		2
114	Beneficial and harmful effects of antidepressants versus placebo, 'active placebo', or no intervention for adults with major depressive disorder: a protocol for a systematic review of published and unpublished data with meta-analyses and trial sequential analyses. <i>Systematic Reviews</i> , <b>2021</b> , 10, 154	3	2
113	Dexamethasone 12 mg versus 6 mg for patients with COVID-19 and severe hypoxia: an international, randomized, blinded trial		2

112	Drug-eluting stents versus bare-metal stents for acute coronary syndrome <b>2016,</b>		2
111	Xiao Chai Hu Tang, a Chinese herbal medicine formula, for chronic hepatitis B. <i>The Cochrane Library</i> , <b>2018,</b>	5.2	2
110	Viagra for fetal growth restriction: STRIDER Consortium replies to letter by Symonds and Budge. <i>BMJ, The</i> , <b>2018</b> , 363, k4872	5.9	2
109	Prothrombin complex concentrate versus placebo, no intervention, or other interventions in critically bleeding patients associated with oral anticoagulant administration: a protocol for a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , <b>2018</b> , 7, 168	3	2
108	Letter to the editor re: Assessing the validity of surrogate endpoints in the context of a controversy about the measurement of effectiveness of hepatitis C virus treatment. <i>BMJ Evidence-Based Medicine</i> , <b>2018</b> , 23, 240	2.7	2
107	Tricyclic antidepressants versus 'active placebo', placebo or no intervention for adults with major depressive disorder: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. <i>Systematic Reviews</i> , <b>2021</b> , 10, 227	3	2
106	Antibiotics for secondary prevention of coronary heart disease		2
105	Antibiotic prophylaxis versus placebo or no intervention for people with cirrhosis and variceal bleeding. <i>The Cochrane Library</i> ,	5.2	2
104	Total serum bile acids or serum bile acid profile, or both, for the diagnosis of intrahepatic cholestasis of pregnancy. <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	1
103	Beta-blockers for non-acute treatment after myocardial infarction. <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	1
102	Ivabradine for coronary artery disease and/or heart failure-a protocol for a systematic review of randomised clinical trials with meta-analysis and Trial Sequential Analysis. <i>Systematic Reviews</i> , <b>2019</b> , 8, 39	3	1
101	Selective serotonin reuptake inhibitors are still harmful and ineffective. Responses to the comments by Hieronymus. <i>Acta Neuropsychiatrica</i> , <b>2019</b> , 31, 276-284	3.9	1
100	Error Matrix Tool to Overview the Validity of Evidence on Radix for Chronic Hepatitis B. <i>Journal of Alternative and Complementary Medicine</i> , <b>2019</b> , 25, 957-973	2.4	1
99	Antibiotics for adults with acute cholecystitis or acute cholangitis or both. <i>The Cochrane Library</i> , <b>2020</b> ,	5.2	1
98	Dr. Uhre et al. Reply. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2020</b> , 59, 787-791	2.1	1
97	Beta-blockers for heart failure. <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	1
96	The STRIDER trials: ongoing research. <i>The Lancet Child and Adolescent Health</i> , <b>2018</b> , 2, e3	14.5	1
95	Who is wrong? Responses to Kwo et al. <i>American Journal of Gastroenterology</i> , <b>2018</b> , 113, 779-780	0.7	1

94	FibroTest, transient elastography method, and combined FibroTest and transient elastography method for diagnosis of severe hepatic fibrosis and cirrhosis in adults with chronic hepatitis C. <i>The Cochrane Library</i> , <b>2016</b> ,	5.2	1
93	Beta-blockers for suspected or diagnosed acute myocardial infarction. <i>The Cochrane Library</i> , <b>2016</b> ,	5.2	1
92	Methodological concerns with network meta-analysis on drugs for attention deficit hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , <b>2019</b> , 28, 145-146	5.5	1
91	Radix Sophorae flavescentis versus no intervention or placebo for chronic hepatitis B. <i>The Cochrane Library</i> , <b>2019</b> , 4, CD013089	5.2	1
90	Acetyl-L-carnitine for patients with hepatic encephalopathy. <i>The Cochrane Library</i> , <b>2014</b> ,	5.2	1
89	Aminoadamantanes for chronic hepatitis C. <i>The Cochrane Library</i> , <b>2014</b> , CD010125	5.2	1
88	Aminoadamantanes versus other antiviral drugs for chronic hepatitis C. <i>Cochrane Database of Systematic Reviews</i> , <b>2014</b> , CD011132		1
87	Vaccines for preventing hepatitis B in healthcare workers (an updated protocol). <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	1
86	S-adenosyl-L-methionine for people with alcoholic liver disease. <i>The Cochrane Library</i> , <b>2015</b> ,	5.2	1
85	Mammario-arterial anastomosis versus aorto-arterial anastomosis as proximal anastomotic sites in coronary artery bypass surgery for patients with multivessel disease. <i>The Cochrane Library</i> , <b>2015</b> ,	5.2	1
84	Flow-regulated versus differential pressure-regulated shunt valves for adult patients with normal pressure hydrocephalus <b>2012</b> ,		1
83	Transcatheter versus optimal medical treatment and surgical aortic valve replacement for aortic valve stenosis <b>2013</b> ,		1
82	Transient elastography for diagnosis of hepatic fibrosis in people with alcoholic liver disease <b>2013</b> ,		1
81	Antibody induction therapy for lung transplant recipients <b>2011</b> ,		1
80	The information gap between the required and the actual accrued information size in the meta-analysis of antenatal magnesium sulphate to prevent cerebral palsy in preterm infants. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2011</b> , 118, 891-891	3.7	1
79	Tacrolimus versus cyclosporin as primary immunosuppression for lung transplant recipients <b>2010</b> ,		1
78	The influence of insulin on the raised plasma fibronectin concentration in human obesity. <i>Acta Medica Scandinavica</i> , <b>1986</b> , 220, 269-72		1
77	Danish contributions to the evaluation of serum therapy for diphtheria in the 1890s. <i>Journal of the Royal Society of Medicine</i> , <b>2011</b> , 104, 219-22	2.3	1

76	Conversion of calcineurin inhibitor treatment to target of rapamycin inhibitor treatment versus continuation of calcineurin inhibitor treatment for liver transplant recipients. <i>The Cochrane Library</i> , <b>2010</b> ,	5.2	1
75	Reply:. <i>Hepatology</i> , <b>2010</b> , 52, 2241-2241	11.2	1
74	International Symposium on Adaptive Clinical Trial Designs. <i>Drug Information Journal</i> , <b>2008</b> , 42, 93-97		1
73	Pentoxifylline for alcoholic hepatitis <b>2008</b> ,		1
72	How to meta-analyze trials of perioperative beta blockade. <i>Surgery</i> , <b>2006</b> , 139, 583; author reply 584-5	3.6	1
71	Endoscopic therapy or beta-blockers for primary prevention of bleeding oesophageal varices <b>2004</b> ,		1
70	Chlamydia pneumoniae antibodies and endothelial function as assessed by flow-mediated dilation in patients with chest pain with and without ischemic heart disease. <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 982-5, A7	3	1
69	Primary biliary cirrhosis. <i>New England Journal of Medicine</i> , <b>2005</b> , 353, 2719-20; author reply 2719-20	59.2	1
68	Interferon for hepatocellular carcinoma. <i>The Cochrane Library</i> , <b>2002</b> ,	5.2	1
67	Sexual dysfunction in alcoholic cirrhotic men. Copenhagen Study Group for Liver Diseases. <i>Gastroenterology</i> , <b>1990</b> , 98, 1730-1	13.3	1
66	Beta-blockers in patients without heart failure after myocardial infarction. <i>The Cochrane Library</i> , <b>2021</b> , 11, CD012565	5.2	1
65	Interventions for altering blood pressure in people with acute subarachnoid haemorrhage. <i>The Cochrane Library</i> , <b>2021</b> , 11, CD013096	5.2	1
64	Sertraline in primary care: comments on the PANDA trial. <i>Lancet Psychiatry</i> , <b>2020</b> , 7, 17	23.3	1
63	Effects of adding ivabradine to usual care in patients with angina pectoris: a systematic review of randomised clinical trials with meta-analysis and Trial Sequential Analysis. <i>Open Heart</i> , <b>2020</b> , 7,	3	1
62	Was amorphous aluminium hydroxyphosphate sulfate adequately evaluated before authorisation in Europe?. <i>BMJ Evidence-Based Medicine</i> , <b>2021</b> , 26, 285-289	2.7	1
61	COVID-19 clinical trials: Ethical and scientific consequences of the RECOVERY trial results. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2020</b> , 127, 445-447	3.1	1
60	Prognostic value of 12 novel cardiological biomarkers in stable coronary artery disease. A 10-year follow-up of the placebo group of the Copenhagen CLARICOR trial. <i>BMJ Open</i> , <b>2020</b> , 10, e033720	3	1
59	The effects of adding quinolones to beta-lactam antibiotics for sepsis. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2021</b> , 65, 1023-1032	1.9	1

58	The clinical effects of cerebral near-infrared spectroscopy monitoring (NIRS) versus no monitoring: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , <b>2021</b> , 10, 111	3	1
57	Carotid endarterectomy with patch angioplasty versus primary closure in patients with symptomatic and significant stenosis: a systematic review with meta-analyses and trial sequential analysis of randomized clinical trials. <i>Systematic Reviews</i> , <b>2021</b> , 10, 139	3	1
56	Duloxetine versus 'active' placebo, placebo or no intervention for major depressive disorder; a protocol for a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , <b>2021</b> , 10, 171	3	1
55	Central data monitoring in the multicentre randomised SafeBoosC-III trial - a pragmatic approach. <i>BMC Medical Research Methodology</i> , <b>2021</b> , 21, 160	4.7	1
54	Non-acute percutaneous coronary intervention versus medical therapy in patients with ischaemic heart disease. <i>The Cochrane Library</i> , <b>2016</b> ,	5.2	1
53	Carotid artery stenting versus no stenting assisting thrombectomy for acute ischaemic stroke: protocol for a systematic review of randomised clinical trials with meta-analyses and trial sequential analyses. <i>Systematic Reviews</i> , <b>2016</b> , 5, 208	3	1
52	Drug-eluting stents versus bare-metal stents for stable ischaemic heart disease. <i>The Cochrane Library</i> , <b>2016</b> ,	5.2	1
51	Cannabinoids versus placebo or no intervention for pain: protocol for a systematic review with meta-analysis and trial sequential analysis. <i>BMJ Open</i> , <b>2019</b> , 9, e031574	3	1
50	Acupuncture for chronic hepatitis B. <i>The Cochrane Library</i> , <b>2019</b> , 8, CD013107	5.2	1
49	Letter to Editor: Response to AASLD Editorial/Message from the President. <i>Hepatology</i> , <b>2019</b> , 69, 2300	11.2	1
48	Considerations on the strengths and limitations of using disease-related mortality as an outcome in clinical research. <i>BMJ Evidence-Based Medicine</i> , <b>2021</b> , 26, 127-130	2.7	1
47	Clinical relevance assessment of animal preclinical research (RAA) tool: development and explanation. <i>PeerJ</i> , <b>2021</b> , 9, e10673	3.1	1
46	An internet-based emotion regulation intervention versus no intervention for nonsuicidal self-injury in adolescents: study protocol for a feasibility trial. <i>Pilot and Feasibility Studies</i> , <b>2021</b> , 7, 44	1.9	1
45	Lenient rate control versus strict rate control for atrial fibrillation: a protocol for the Danish Atrial Fibrillation (DanAF) randomised clinical trial. <i>BMJ Open</i> , <b>2021</b> , 11, e044744	3	1
44	Interventions for altering blood pressure in people with acute subarachnoid haemorrhage. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	1
43	Acupuncture for chronic hepatitis B. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	1
42	Antibiotic prophylaxis for people with cirrhosis and variceal bleeding. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	1
41	An Internet-based emotion regulation intervention versus no intervention for non-suicidal self-injury in adolescents: a statistical analysis plan for a feasibility randomised clinical trial. <i>Trials</i> , <b>2021</b> , 22, 456	2.8	1



40	Self-determination theory interventions versus usual care in people with diabetes: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , <b>2021</b> , 10, 12	3	1
39	Immunosuppressive T-cell antibody induction therapy for heart transplant recipients		1
38	Bile acids for biliary colic. <i>The Cochrane Library</i> ,	5.2	1
37	Long-term outcomes of dexamethasone 12mg versus 6mg in patients with COVID-19 and severe hypoxaemia.. <i>Intensive Care Medicine</i> , <b>2022</b> , 1	14.5	1
36	Control interventions in randomised trials among people with mental health disorders.. <i>The Cochrane Library</i> , <b>2022</b> , 4, MR000050	5.2	1
35	Comparison of different mobile health applications for intervention in children and adolescent with overweight: a protocol for systematic review with meta-analysis and trial sequential analysis. <i>BMJ Open</i> , <b>2020</b> , 10, e032570	3	0
34	Loop diuretics in adult intensive care patients with fluid overload: A protocol for a systematic review of randomised clinical trials with meta-analysis and Trial Sequential Analysis. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2020</b> , 64, 1327-1334	1.9	0
33	Coronary artery bypass surgery plus medical therapy versus medical therapy alone for ischaemic heart disease: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , <b>2019</b> , 8, 246	3	0
32	Effects of 18-months metformin versus placebo in combination with three insulin regimens on RNA and DNA oxidation in individuals with type 2 diabetes: A post-hoc analysis of a randomized clinical trial. <i>Free Radical Biology and Medicine</i> , <b>2021</b> , 178, 18-25	7.8	0
31	Ketamine for critically ill patients with severe acute brain injury: Protocol for a systematic review with meta-analysis and Trial Sequential Analysis of randomised clinical trials. <i>PLoS ONE</i> , <b>2021</b> , 16, e0259899	3.7	0
30	Short-term outcomes of phosphodiesterase type 5 inhibitors for fetal growth restriction: a study protocol for a systematic review with individual participant data meta-analysis, aggregate meta-analysis, and trial sequential analysis. <i>Systematic Reviews</i> , <b>2021</b> , 10, 305	3	0
29	Psychotherapy versus treatment as usual and other control interventions in children and adolescents with overweight and obesity: a protocol for systematic review with meta-analysis and Trial Sequential Analysis. <i>BMJ Open</i> , <b>2020</b> , 10, e036058	3	0
28	Prediction of carotid intima-media thickness and its relation to cardiovascular events in persons with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2020</b> , 34, 107681	3.2	0
27	Cerebral near-infrared spectroscopy monitoring (NIRS) in children and adults: a systematic review with meta-analysis.. <i>Pediatric Research</i> , <b>2022</b> ,	3.2	0
26	Family-based cognitive behavioural therapy versus family-based relaxation therapy for obsessive-compulsive disorder in children and adolescents: protocol for a randomised clinical trial (the TECTO trial).. <i>BMC Psychiatry</i> , <b>2022</b> , 22, 204	4.2	0
25	Guided self-determination intervention versus attention control for people with type 2 diabetes in outpatient clinics: a protocol for a randomised clinical trial.. <i>BMJ Open</i> , <b>2021</b> , 11, e047037	3	0
24	Glucocorticosteroids for sepsis in children. A protocol for a systematic review. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2019</b> , 63, 819-826	1.9	
23	Internet-based therapy with FearFighter for anxiety disorders: a randomised clinical trial. <i>Nordic Journal of Psychiatry</i> , <b>2020</b> , 74, 518-524	2.3	

- 22 Effectiveness of human recombinant activated protein C for severe sepsis and septic shock in adult and pediatric patients: randomized clinical trial versus nonrandomized study. *Critical Care Medicine*, **2013**, 41, e139 1.4
- 21 Antibiotic prophylaxis during bleeding for portal hypertension: authors' reply. *Alimentary Pharmacology and Therapeutics*, **2011**, 34, 1033-1034 6.1
- 20 Antenatal magnesium sulphate to prevent cerebral palsy in very preterm infants. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2011**, 118, 892-893 3.7
- 19 Reply:.. *Hepatology*, **2011**, 53, 1407-1407 11.2
- 18 Antioxidants for liver disease: authors' reply. *Alimentary Pharmacology and Therapeutics*, **2010**, 32, 1293-1294 12.4
- 17 Glucocorticoids can help in acute severe alcoholic hepatitis: authors' reply. *Alimentary Pharmacology and Therapeutics*, **2009**, 30, 93-95 6.1
- 16 Hepatitis C intervention research - Where are we now and where should we be heading?. *Arab Journal of Gastroenterology*, **2009**, 10, 4-9 1.7
- 15 Authors' reply: Cost-Utility and value-of-information analysis of early versus delayed laparoscopic cholecystectomy for acute cholecystitis (Br J Surg 2010; 97: 210-219). *British Journal of Surgery*, **2010**, 97, 1150-1150 5.3
- 14 Antioxidant supplements for prevention of gastrointestinal cancers. *Lancet, The*, **2005**, 365, 471-472 4.0
- 13 Relationships between liver histologic lesions and portal hypertension in patients with alcoholic cirrhosis. *Hepatology*, **1985**, 5, 703-705 11.2
- 12 Endocrine aspects of liver disease. *The BMJ*, **1980**, 280, 1452
- 11 Statistical analysis plan: Early mobilization by head-up tilt with stepping versus standard care after severe traumatic brain injury. *Contemporary Clinical Trials Communications*, **2021**, 24, 100856 1.8
- 10 Antioxidant Supplements: An Evidence-Based Approach to Health Benefits and Risks **2012**, 557-561
- 9 Letter to the Editor: Glucocorticosteroids for Alcohol-Associated Hepatitis. *Hepatology*, **2020**, 71, 1524 11.2
- 8 Early specialised palliative care: interventions, symptoms, problems. *BMJ Supportive and Palliative Care*, **2021**, 11, 444-453 2.2
- 7 A screening method to spot biomarkers that may warn of serious events in a chronic disease—illustrated by cardiological CLARICOR trial data. *Clinical Chemistry and Laboratory Medicine*, **2021**, 59, 1852-1860 5.9
- 6 Interventions for Altering Blood Pressure in People With Acute Subarachnoid Hemorrhage.. *Stroke*, **2022**, 53, e156-e157 6.7
- 5 Early head-up mobilisation versus standard care for patients with severe acquired brain injury: A systematic review with meta-analysis and Trial Sequential Analysis **2020**, 15, e0237136

- 4 Early head-up mobilisation versus standard care for patients with severe acquired brain injury: A systematic review with meta-analysis and Trial Sequential Analysis **2020**, 15, e0237136
- 3 Early head-up mobilisation versus standard care for patients with severe acquired brain injury: A systematic review with meta-analysis and Trial Sequential Analysis **2020**, 15, e0237136
- 2 Early head-up mobilisation versus standard care for patients with severe acquired brain injury: A systematic review with meta-analysis and Trial Sequential Analysis **2020**, 15, e0237136
- 1 Lecture: Quality of Randomised Clinical Trials in Portal Hypertension and Other Fields of Hepatology 328-344